

will

A hand-drawn map on a grid background showing a river channel. The channel starts from the bottom left, moves right, then turns up and right. It branches into two paths, each ending in an 'X' mark. One path is labeled 'old & original channel' with an arrow pointing to it. The other path is labeled 'Return to old channel' with an arrow pointing to it. There are also some numbers '2' and '3' near the branching point.

NW 1/4 SE 1/4
2-10-15 EBM

Please excuse all the typographical errors. I hope this will provide all the addition information needed to complete my application for permit. In case additional information is needed, please do not hesitate to reply. I am eagersto maintain my proposed priority date.

William H. Olson

47-7098

Affidavit of Publication

RECEIVED
No 14910

NOTICE OF APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that William H. Olson, Route 1, Filer, Idaho, has on April 28, 1970, submitted Application No. 47-7098 to appropriate the public waters of Anna De Klotz Drain, tributary of the Snake River.

The application proposes a maximum diversion and appropriation of 4.0 cubic feet per second of water to be diverted by pipeline, diversion box, ditch and ponds within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 10 S, R. 15 E, B. M., Twin Falls County, and is to be used within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 10 S, R. 15 E, B. M. from Jan. 1 to Dec. 31 for fish propagation purposes.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before July 6, 1970.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Times-News,
Twin Falls, Idaho, on June 18 and
June 25, 1970.

STATE OF IDAHO, }
COUNTY OF TWIN FALLS } ss.

I, Carolyn Jennings, being first duly sworn upon

oath, depose and say that I am print clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two

consecutive Thursdays, commencing with the issue dated

June 18, 1970, and ending with the issue dated

June 25, 1970.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.


And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Carolyn Jennings
28th
Subscribed and sworn to before me this June, 1970, day of

R. Keith Higginson
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

47-7098

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William H. Olson
(Applicant)

47-7098





Diagram of System



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 47-7098 Priority April 28, 1970 Amount 2.38 cfs

THIS IS TO CERTIFY, that WILLIAM H. OLSON
of Filer, Idaho, has complied with the terms and conditions of Permit
No. 47-7098 issued pursuant to Application for Permit dated April 28, 1970,
and has submitted proof to the Department of Water Resources on April 10, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.38 cfs of water from Anna De Klotz drain,
tributary to the Snake River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Fish</u> from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>2.38</u> cfs and <u>n/a</u>			
<u>Propagation</u> from _____ to _____ at _____ cfs and _____			
_____ from _____ to _____ at _____ cfs and _____			

(both dates inclusive)

Subject, however, to the condition that no more than 2.38 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
n/a acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 2,
Twp. 10 S, Rge. 15 E, B.M. in the County of Twin Falls

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10 S	15 E	2													X				

Total number of acres irrigated _____

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 14 day of
May, 19 75.

RECEIVED

Director

Identification No. 47-7098

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

APPROPRIATE FOR 2.38
POLICE FILE NO. _____

1. Name of applicant William H. Olson
post office address Route 1, Filer, Idaho, 83328

2. Source of water supply Anna De Klotz drain which is a tributary of Snake River

3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 2 Township 10S
Range 15 E B.M. Twin Falls County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into original channel 500 ft. north of same point in NW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 2 Township 10 S Range 15E B.M. Twin Falls County

4. Water will be used for the following purposes:

Amount 4 cfs for fish propagation purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4 cfs cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. From original pipeline drain into
diversion box; from box, open ditch to ponds. Concrete checks between
ponds; from ponds, tile line back to old and original channel.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

N/A Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 4000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 2 Township 10 S
Range 15 E B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: Fish propagation ponds

47-7098

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes_____

9. a. Who owns the property at the point of diversion Mr. & Mrs. William H. Olson

b. Who owns the land to be irrigated or place of use Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing_____

10. Remarks _____

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No.	47-7098	Name	William H. Olson
Source	Anna De Klotz drain, trib. of Snake River		
Point of Diversion	NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 10S, R. 15E, B.M., Twin Falls		
Quantity	4.0	Use	FISH PROPAGATION
		Period	Jan. 1 - Dec. 31
Quantity		Use	
		Period	
Quantity		Use	
		Period	
Well Size		Diameter	
		Proposed Depth	
Use	(Fish data received 5-11-70)		
Date Forwarded	5-14-70	Date Returned	5-15-70
		Received by	<i>[Signature]</i>

RECOMMENDATIONS:				
Qty.	Use	Period	AF	AFA
Qty.	Use	Period	AF	AFA
Qty.	Use	Period	AF	AFA
ACTION: Approved ☒ Denied ☐				
Conditions of approval or reason for denial: <i>Subject to cancellation</i>				
<i>after one year if work is not progressing satisfactorily etc.</i>				
ENGINEERING	By	<i>[Signature]</i>	Title	<i>Asst. State Engr</i>
			Date	5-15-70

47-7098

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No.	47-7098		Name	William H. Olson	
Source	Anna De Klotz drain, trib. of Snake River				
Point of Diversion	NW 1/4 Sec. 2, T. 10S, R. 15E, B.M., Twin Falls				
Quantity	4.0	Use	FISH PROPAGATION	Period	Jan. 1 - Dec. 31
Quantity		Use		Period	
Quantity		Use		Period	
Well Size		Diameter		Proposed Depth	
Use	(Fish data received 5-11-70)				
Date Forwarded	5-14-70		Date Returned	5-26-70	
			Received by	D.W.	

RECOMMENDATIONS:

Subject to prior rights - permit to appropriate water does not constitute right of way. Permission of Twin Falls Canal Co. required. Quality of water must be maintained.

Qty.	4.0 cfs	Use	Fish Prop	Period	1-1/12-31	AF	-	AFA
Qty.		Use		Period		AF		AFA
Qty.		Use		Period		AF		AFA

ACTION: Approved ☒ Denied ☐

Conditions of approval or reason for denial: *measuring device required on inlet and outlet structures.*

INVESTIGATION

By *Sh. P. Papayan* Title *IEA #*

Date *5/25/70*

47-7098

May 7, 1970
Route 1
Filer, Idaho 88 83328

Dept. of Reclamation
Boise, Idaho

Dear Mr. McEldowney,

In response to your letter of May 5, 1970, I enclose a financial statement as requested.

My proposed design of the fish ponds I will describe below. (At this point I should indicate that these ponds are to be used, not for a hatchery but rather, for raising fish from approximately 1/3 pound in weight to marketable size of 1 pound.)

Raceway size- 2 raceways 200 feet x 35 feet with depth varying from 2 feet to 4 1/2 feet. These are earthen, concrete used only for control checks between ponds and end spillway.

Diversion works- At the outlet of the Anna DeKlotz drain, a 48 inch diversion box to be installed with a 20 inch concrete pipe with a metal gate leading to the ponds, and a 20 inch concrete pipe with metal gate leading to the old and original channel, one or the other to be used as is necessary with the other being closed off. From this diversion, open ditch to the ponds. The 48 inch box described above is round and concrete. From the last control check, water will be returned to the old and original channel through a 20 inch concrete pipe. These features will accommodate a maximum of water that originates in the Anna DeKlotz drain (4 cfs)

To verify the need for 4 cfs water, I submit the following information;

I plan to run to the capacity the ponds described above. 1 cfs of water will annually produce 10000 pounds of fish. 40000 pounds of fish or better is my goal for the project. This will require the full 4 cfs of water running through the ponds which provides the appropriate aeration for this number of fish.

The two ponds are adequate size for this amount of fish especially since between the two, there will be a concrete structure to control the water height in the first pond and allow a drop into the second improving aeration. This information has been given to me by Mr. Ted Eastman, president of the Clear Lakes Trout Co.


Schedule of construction;

March 15, 1970 --- started digging ponds
April 10, 1970 --- dug diversion channels to and from ponds
April 30, 1970 --- started construction of concrete structures
May 20, 1970 --- estimated completion of project.
June 1, 1970 --- anticipated date of full operation of fish ponds

47-7098

I will draw a description of my project below hoping it will
clarify my written description;

SE $\frac{1}{4}$ of sec. 2 TP 10S R615EBM



X = 2 wells
Y = outlet from
ANA DEKOTZ DRAIN
& discharge box & channel

NW $\frac{1}{4}$ SE $\frac{1}{4}$
2-10-15 EBM

old original
channel 2 = position of
entrance & exit
measuring weirs

The measuring weirs proposed to be used are the V-Notch type.

Please excuse all the typographical errors. I hope this will provide
all the addition information needed to complete my application for permit.
In case additional information is needed, please do not hesitate to
reply. I am eager to maintain my proposed priority date.

Very truly yours,

William H. Olson

William H. Olson

47-7098



FILER BRANCH
FIDELITY NATIONAL BANK
OF TWIN FALLS

FILER, IDAHO

May 7, 1970

RECEIVED

Mr. William H. Olson
Route #1
Filer, Idaho 83328

Dear Bill:

This is to confirm my verbal commitment to you of April 27, 1970 for \$4,500.00 to construct and operate fish ponds on your farm. Since that date, you have used \$3,000.00 of this commitment which leaves a balance of \$1500.00 remaining.

Sincerely yours,

Clyde N. Carlson,
Assistant Manager

CNC:dr

47-7098

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS }

ss.

N^o 14910

NOTICE OF APPLICATION
ADVERTISING IN PUBLICATION
FOR DIVERSION OF WATER

Notice is hereby given that William M. Olson, Route 1, Piler, Idaho, has on April 28, 1970, submitted Application No. 47-7016 to appropriate the public waters of Anna De Klotz Drain, tributary of the Snake River.

The application proposes a maximum diversion and appropriation of 4.0 cubic feet per second of water to be diverted by pipeline, diversion box, ditch and ponds within the NW¹/₄SE¹/₄, Sec. 2, T. 10 S., R. 15 E., B. M., Twin Falls County, and is to be used within the NW¹/₄SE¹/₄, Sec. 2, T. 10 S., R. 15 E., B. M. from Jan. 1 to Dec. 31 for fish propagation purposes.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before July 6, 1970.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Times-News,
Twin Falls, Idaho, on June 18 and
June 25, 1970.

I, Carolyn Jennings, being first duly sworn upon

oath, depose and say that I am print clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two

consecutive Thursdays, commencing with the issue dated June 18, 1970, and ending with the issue dated June 25, 1970.


And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Carolyn Jennings
265th
Subscribed and sworn to before me this June, 1970 day of

W. H. Heston
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William H. Olson
(Applicant)

47-7098

Received by ef Date 4-28-70 Time 8:00 a
Preliminary check by De Fee \$ 35.00
Receipted by ef Date 4-29-70
Publication prepared by de Date 6-10-70
Published in Idaho News
Publication dates 6-18+25-70
Publication approved de Date 6-30-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Will DeCH

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7098, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 75.
- c. Other: The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13th day of July, 19 70.


Deputy State Reclamation Engineer

May 14, 1975

Re: Permit No. 47-7098

Mr. William H. Olson
Route 1
Filer, Idaho 83328

Dear Mr. Olson:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

RECEIVED

April 29, 1975

Mr. William H. Olson
Route # 1
Filer, Idaho 83328

Dear Mr. Olson:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for your Permit No. 47-7098.

A representative of the Department has made an examination of the works covered by this permit and has found the following:

Quantity of water diverted: 2.38 cfs Source: Anna DeKlotz drain

Amount of water that can be recognized as beneficially used under
Idaho law: 2.38 cfs

Point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, Twp. 10 S, Rge. 15 E, B. M.

Beneficial use: Fish propagation purposes within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2,
Twp. 10 S, Rge. 15 E, B. M.

Priority date established: April 28, 1970

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR

FIELD REPORT

- TOTAL ACREAGE**





Diagram of System



DATE OF EXAM 4-14-75

ACREAGE

Found x
Recommended x

Irrigation Requirement x Ac Ft/Ac

USE

Irrigation Q= - c.f.s. V= ✓ AF/Ann. from ✓ to ✓
Domestic Q= - c.f.s. V= ✓ AF/Ann. from ✓ to ✓
Livestock Q= ✓ c.f.s. V= ✓ AF/Ann. from ✓ to ✓
Fish Prop. Q= 238 c.f.s. V= Non-Consump- AF/Ann from Jan 1 to Dec 31
Tive use

Is water co-mingled? yes - no ✓

Name source: -
twp. - N/S, Rge - E/W, B.M., Sec. -, Sub. 1/4 1/4 County

Exchange? yes - no ✓

Name source exchanged with: -
twp. - N/S, Rge - E/W, B.M., Sec. -, Sub. 1/4 1/4 County

Point of injection:
twp. - N/S, Rge - E/W, B.M., Sec. -, Sub. 1/4 1/4 County

Point of exchange:
twp. - N/S, Rge - E/W, B.M., Sec. -, Sub. 1/4 1/4 County

Total Q measured 2.38 C.F.S. Method of measurement CIPOLLETTI Weirs

Total Q recommended 2.38 C.F.S. Meter No. ✓ Type ✓ Condition NEW

Total V recommended NON-CONSUMPTIVE USE

Recommended Amendments:

P.D. ✓
Place of Use ✓
Other ✓
None ✓

MEASUREMENT CALCULATION:

Q = 2.38 c.f.s. Read .5 on 24" Cipolletti Weir
V = NON-CONSUMPTIVE USE.

SYSTEM DESCRIPTION:

TILE DRAIN ~~THANK~~ FROM FIELDS, DIVERT WATER DIRECTLY TO FISH PONDS
MEAS. DEVICE @ INLET AND OUTLET. BOTH 24 INCHES
@ CREST. ON BOTH WEIRS

REMARKS:

Examiner's Signature Jane Linderburg Date 4-14-75

Checked by Michael Steele Date 4-14-75

Approved by - Date -

Identification No. _____

Permit No. 47-7098

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder William H. Olson
b) Post Office Address Pte 1, Filer
2. Permit Number 47-7098
3. Date of Priority that you are prepared to establish 4-28-70
4. a) Source from which water was appropriated Anna De Klotz Drain
b) Location of the point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 2
Township 10S, Range 15E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
Amount 2.38 ~~2.38~~ cfs. for Fish Prop. purposes from Jan 1 to Dec 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 2.38 ~~2.38~~ cfs. cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Gray Funderburg Dept Personnel

☒ If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Tile from grounds to drain fields. Supply water for fish ponds

b) Describe the type and size of measuring device which you have installed at your point of diversion:

(2) 24" Cipolletti Weirs

☒ Give well driller's name and address and the date the well was completed:

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

Fish Propagation

X Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

April 10, 1975
(Date)

William H. Olson
(Signature)

State of Idaho)
County of Swain) ss. Idaho

On this 10 day of April, 19 75, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Robert S. Haynes
Notary Public residing at Swain Idaho

My commission expires 11-20-78

July 17, 1970

Re: Permit No. 47-7098

Mr. William H. Olson
Route 1
Filer, Idaho 83328

Dear Mr. Olson:

Enclosed is a copy of your approved Application for Permit No. 47-7098. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

C. Stephen Allred
Deputy Director

CSA:kh
Enclosures: Copy of permit
Receipt No. 4560 for \$35
1 informational letter

47-7098

**NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that William H. Olson, Route 1, Filer, Idaho, has on April 28, 1970, submitted Application No. 47-7098 to appropriate the public waters of Anna De Klotz Drain, tributary of the Snake River.

The application proposes a maximum diversion and appropriation of 4.0 cubic feet per second of water to be diverted by pipeline, diversion box, ditch and ponds within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 10 S., R. 15 E., B. M., Twin Falls County, and is to be used within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 2, T. 10 S., R. 15 E., B. M. from Jan. 1 to Dec. 31 for fish propagation purposes.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before July 6, 1970.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Times-News,
Twin Falls, Idaho, on June 18 and
June 25, 1970.

47-7098

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

June 10, 1970

Re: Claim to a Water Right No. 36-4007 - City of Twin Falls
Application for Permit No. 36-7132 - City of Twin Falls
" " " " 47-7102 - Ralph Schnell
" " " " 47-7098 - William H. Olson

Times News
Box 548
Twin Falls, Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

Enc: Legal notices (4)

*Bill submitted
6-30-70
DW*

47-7098

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that William H. Olson, Route 1,
Filer, Idaho, has on April 28, 1970,
submitted Application No. 47-7098 to appropriate the public waters of
Anna De Klotz Drain, tributary of the Snake River
~~The proposed uses are~~ _____

The application proposes a maximum diversion and appropriation of 4.0
cubic feet per second ~~and the~~ of water to be diverted by pipeline,
diversion box, ditch and ponds within the NW~~1~~SE~~4~~ Sec. 2,
T. 10S, R. 15E, B.M., Twin Falls County,
and is to be used within the NW~~1~~SE~~4~~ Sec. 2, T. 10S, R. 15E, B.M. from Jan. 1
to Dec. 31 for fish propagation purposes

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before July 6, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Times News, Twin Falls, Idaho,
on June 18 and June 25, 1970

47-7098

May 5, 1970

Re: Application for Permit No. 47-7098

Mr. William H. Olson
Route 1
Filer, Idaho 83328

Dear Mr. Olson:

In reviewing your application for permit, we find that in order for your application to be considered complete it will be necessary for you to submit additional information on or before June 5, 1970, in order to maintain your proposed priority of April 28, 1970 (Section 42-204, Idaho Code).

1. A financial statement indicating the resources available to complete the project as described in the application.
(Sec. 42-203, Idaho Code)
2. A preliminary design of the hatchery facilities, indicating the size of raceways, general layout, the size of pipelines or other diversion works and such other information as will fully describe the method and means of diversion and verify the need for the quantity of water you have requested.
3. A justification based upon the preliminary design and the estimated production of the hatchery for the amount of water requested.
4. An estimated schedule of construction giving the dates for the start of construction, the finish of construction and the date that full operation of the hatchery is anticipated.

47-7098

Page 2

Mr. William H. Olson

Re: 47-7098

May 5, 1970

You should be aware that all applications, if approved, will require the installation and maintenance of adequate measuring devices, both at the point of diversion and the point of return of the water, especially in cases of non-consumptive uses. These devices must be of a type approved by the Department of Reclamation; they can be of any generally recognized standard measuring device type. You should include the installation of these devices in your preliminary plans for construction.

If you have any questions concerning your application, please contact us at once.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

Enc: Information letter

47-7098