Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.



Scale: ~~2 inches equal 1 mile~~

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, Ida., this 21 day of Sept, 1968.

Greeta H Smith
(signature)

ACTION OF STATE RECLAMATION ENGINEER

I, R. KEITH HIGGINSON, State Reclamation Engineer of the State of Idaho, hereby approve the above referenced application for amendment for permit No. 47-7022.

Witness my hand this 18th day of October, 1968.

R. Keith Higginson
State Reclamation Engineer

47 7022

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Twin Falls, Ida, this 22 day of June, 1973.

Greeta N Smith
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration, hereby approve the above application for amendment for Permit No. 47-7022.

Witness my hand this 9th day of July, 1973.

R. Keith Higginson
Director

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Greeta N Smith
(Applicant)

47 7022

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF TWIN FALLS } ss.

№ 13128

I, Mable L. Mask, being first duly sworn upon oath depose and say that I am Office Mgr. of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive Thursdays, commencing with the issue dated Feb 8, 1968, and ending with the issue dated Feb 15, 1968.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Mable L. Mask

Subscribed and sworn to before me this 15th day of February, 1968.

47 7022

A. Westergren

Notary Public in and for the County of Twin Falls, State of Idaho, residing at Twin Falls, Idaho.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Greeta W. Smith, 1776 Maplewood Drive, Twin Falls, Idaho has on January 23, 1968 applied for permit to divert 9.0 cubic feet per second of water from a subterranean source under application No. 47-7022. Water will be diverted by a well, pump, pipes, and ditches within the SE¼SE¼ SE¼NE¼ sec. 24, T. 12 S, R. 16 E. B.M., Twin Falls County and is to be used from March 1 to November 1 for irrigation in NE¼, S½, sec. 24, T. 12 S, R. 16 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Times-News, Twin Falls, Idaho on February 8 and February 15, 1968.

RECEIVED
FEB 16
Department of Reclamation

47 7022

R. 16 E

T. 12 S

24

29.5 38.0

Diagram of System




14 | 13
23 | 24
T-12
P
7.6
O
22.1
C
B
35.8
A
11.2
D
17.2
E
19.2
F
6.9
I
18.0
J
8.2
H
34.3
166-6
G-166
G
N
31.6
O
34.8
M
4.2
L
55.3
W
K
12.2
29.5 Ac
38. Ac
24
25
30
47 7022

Scale: $\frac{1}{4}$"= 1 Rd.

NO.



47 7022

State of Idaho

Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 47-7022 Priority Jan. 23, 1968 Amount 0.40 cfs

THIS IS TO CERTIFY, that GREETA W. SMITH

of Twin Falls, Idaho, has complied with the terms and conditions of Permit No. 47-7022 issued pursuant to Application for Permit dated January 23, 1968, and has submitted proof to the Department of Water Administration on February 27, 1973, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity of 0.40 cfs, and that the water has in fact been applied to a beneficial use; a right to the use of water from a ground water source tributary of _____, is hereby confirmed in the following amounts:

Amount 0.40 cfs for Irrigation from March 1 to Nov. 1 (both dates inclusive)

Amount 0.03 cfs for Stockwater from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.40 cfs of water be diverted at any one time, said waters to be diverted within the SW¼SE¼ Sec. 24, Twp. 12 S, Rge. 16 E, B.M.

in the county of Twin Falls; and that the amount of water so diverted and to which such right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can actually be beneficially used and shall not exceed 194 acre feet per year or _____ 3.5 acre feet per acre. for irrigation use and 1.4 acre feet per year for stockwater use with the total amount not to exceed 195.4 acre feet per year.

Description and location of place of use:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12 S	16 E	24															29.5	38	67.5
		24										(stockwatering)					X	X	

Total number of acres irrigated 67.5

A measuring device of a type approved by this Department shall be permanently maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9th day of July, 19 73.

Director

17 7022

RECEIVED
SEP 23 1969
Department of Reclamation

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR AMENDMENT

Permit No. 47-7022

Comes now Greeta W. Smith of (address) 1773 Maplewood Dr., Twin Falls, Idaho 83301, and represents to the State Reclamation Engineer of the State of Idaho:

That she is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 47-7022, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SW of ¼ NE ¼, Sec. 24, T. 12 S, R. 16 E, B.M. Other points of diversion SW ¼ of SE ¼ now in use

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

		mo. - day		mo. - day	
For	stockwatering	purposes from	Sept 30	to	Sept 29 (both dates incl.)
For	or irrigation	purposes from	Mar 1	to	Nov 1 (both dates incl.)
For		purposes from		to	(both dates incl.)
For		purposes from		to	(both dates incl.)

3. Place of use or land to be irrigated:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	16E	24	except n. 30 acres												40 x	40 x			210 acres

Total number of acres to be irrigated 210 acres

47-7022

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.



Scale: ~~2 inches equal 1 mile~~

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, Ida., this 21 day of Sept, 1968.

Greeta N Smith
(signature)

ACTION OF STATE RECLAMATION ENGINEER

I, R. KEITH HIGGINSON, State Reclamation Engineer of the State of Idaho, hereby approve the above referenced application for amendment for permit No. 47-7022.

Witness my hand this 18th day of October, 1968.

R. Keith Higginson
State Reclamation Engineer

Filing Fee: $10.00
Receipt # 11194

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED
JUN 27 1973

APPLICATION FOR AMENDMENT

Permit No. 47-7022

Comes now Greeta W. Smith of (address) 1773 Maplewood Drive, Twin Falls, Idaho, and represents to the Director of the Idaho Department of Water Administration:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 47-7022, and requests that the permit and permit map be changed as follows:

NO CHANGE

1. Point of diversion: SW ¼ SE ¼, Sec. 24 Twp. 12 S Rge. 16 E, B.M., County of Twin Falls. Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount _____ for _____ purposes from Mar 1 to Nov 1 (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum) NO CHANGE

3. Place of use or land to be irrigated:

TWP	RANGE	SEC	NE ¼				NW ¼				SW ¼				SE ¼				TOTALS
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	
12 S	16 E	24															29.5	38	67.5
		24										(stockwatering)					X	X	

Total number of acres to be irrigated 67.5

47 7022

47 7022

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Twin Falls, Ida, this 22 day of June, 1973.

Loreta K Smith
(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration, hereby approve the above application for amendment for Permit No. 47-7022.

Witness my hand this 9th day of July, 1973.

R. Keith Higginson
Director

Identification No. 47-7022

Application No. 42261

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

LICENSE ISSUED FOR C,4O SEC. FT.

1. Name of ~~applicant~~ Greeta W. Smith

   post office address 1773 Maplewood Dr., Twin Falls, Idaho 83301

2. Source of water supply Well which is a tributary of _____

3. a. Location of point of diversion is SE ¼ of SE ¼ of NE ¼ of Section 24 Township 12S Range 16E B.M. TWIN FALLS County; additional points of diversion if any: _____

   ~~NONE~~

   b. If water is not consumed, it will be discharged into _____ at a point in _____ ¼ of _____ ¼ of Section _____ Township _____ Range _____ B.M.

4. Quantity to be appropriated:

   a. 9.0 cubic feet per second and/or

   b. _____ acre feet per annum will be stored.

5. Water will be used for the following purposes: ~~May~~ Nov 1

   Irrigation purpose from ~~Apr. 1~~ to ~~Oct. 15~~ (both dates inclusive)

   _____ purpose from _____ to _____ (both dates inclusive)

   _____ purpose from _____ to _____ (both dates inclusive)

6. Proposed diverting works:

   a. Description of ditches, flumes, pumps, headgates, etc. Pumps, Pipes & Ditches

   b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____

   c. Proposed well diameter is 16" inches; proposed depth of well is 400 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.

   b. Estimated construction cost is $ 12,000.00.

8. Description of proposed uses:

   a. If water is **not** for irrigation:

      (1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____ Range _____ B.M.

      (2) Amount of power to be generated: _____ hp under _____ feet of head.

      (3) List number of each kind of livestock to be watered _____

      (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

      (5) If water is to be used for other purposes describe: _____

47 7022

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	16E	24	25	25	40	40					40	40	40	40	40	40	40	40	450 acres

Total number of acres to be irrigated 450

c. Describe any other water rights used for the same purposes NONE

9. a. Who owns the property at the point of diversion Greeta W. Smith

b. Who owns the land to be irrigated or place of use Greeta W. Smith

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

Land is described as S. ½ and NE ¼ except the N. 30 acres S24 T12 R16 Twin Falls County

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Loreta N Smith
(Applicant)

47 7022

1-23-68 8:00 a.m.

Received by ej Date ~~1-15-68~~ Time 9:00 a.m.

Preliminary check by ej Fee $ 60.00 1-23-68

Receipted by ej Date 1-23-68

Publication prepared by KS Date 1-29-68

Published in Idaho Daily

Publication dates 2-8 and 2-15-68

Publication approved KS Date 2-5-68

Priority reduced to _____ Reason _____

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by CA

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 47-7022, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

   a. SUBJECT TO ALL PRIOR WATER RIGHTS.

   b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 1973.

   c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 8 day of March 1968.

R. Keith Higginson

State Reclamation Engineer

Identification No. _____

Permit No. 47-7022

RECEIVED

MAR 27 1973

Department of Water Administration

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Greeta W. Smith

   b) Post Office Address 1773 Maplewood Drive, Twin Falls, ID 83301

2. Permit Number 47-7022

3. Date of Priority that you are prepared to establish Jan. 23, 1968

4. a) Source from which water was appropriated Well drilled

   b) Location of the point of diversion: SW ¼ SE ¼, Section 24

   Township 12S, Range 16E Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

   amount 1.0 for Irrigation purposes from March 15 to Nov. 15 incl.
   (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

   amount _____ for _____ purposes from _____ to _____ incl.
   (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

   amount _____ for _____ purposes from _____ to _____ incl.
   (cfs and/or acre feet per annum) (Month-Day) (Month-Day)

   b) Total amount appropriated _____ cfs and/or acre feet per annum

   c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimated

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

   a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

   b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Breifly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give breif description of diversion structure and/or canal or ditch) _____
   Casing 13' 6" of 8 5/8 inches O. D. Depth of well 365 feet

   b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
   Badger meter

   c) Give well drillers name and address and date the well was completed _____
   Boley Henry Weech, Murtaugh, ID

Exam typed 3-5-73 by dw 47 7022

47 7022

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	16E	24														40	40	40	120

Total number of acres irrigated 120

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

Greta H Smith
(Signature)

(Date)

State of Idaho)
County of Twin Falls) ss.

On this 27th day of February, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Anita L Wantye
Notary Public residing at Twin Falls

My commission expires Aug. 2, 1976

Affidavit of Publication

№ 13128

STATE OF IDAHO,
COUNTY OF TWIN FALLS } ss.

I, Marion T. Clark, being first duly sworn upon oath depose and say that I am Office Mgr. of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for two consecutive Thursdays, commencing with the issue dated Feb 4, 19 62, and ending with the issue dated Feb 11, 19 62.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Marion T. Clark

Subscribed and sworn to before me this 15th day of February, 19 62.

47 7022

Al Westergren

Notary Public in and for the County of Twin Falls, State of Idaho, residing at Twin Falls, Idaho.

[redacted]

RECEIVED

The TIMES-NEWS
TWIN FALLS, IDAHO

State of Idaho
Department of Reclamation
107 State House
Boise, Idaho 83701

NOTICE OF APPLICATION FOR WATER
(Greeta W. Smith)

FEB 8 & 15, 1968

26 Lines Legal Adv. each day
(@ .15 & .10) $6.50

"I hereby certify that the above account is correct and just, that the supplies were actually furnished and/or that the services were actually rendered as charged, and that I/we have not received payment therefor."

SIGNED: Times-News Publishing Company, Inc. 47 7022

BY Richard L. Clark

INVOICE

July 10, 1973

Re: Permit No. 47-7022

Greeta W. Smith
1773 Maplewood Dr.
Twin Falls, Idaho 83301

Dear Mrs. Smith:

Enclosed please find a copy of the Water License issued on the above referenced permit.

We are also enclosing a copy of the approved amendment along with Receipt #11194 in the amount of $10.00.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

bjg

Enc: Water License No. 47-7022
Copy of amendment
Receipt No. 11194

17 7022

June 14, 1973

Greeta W. Smith
1773 Maplewood Dr.
Twin Falls, Idaho 83301

Dear Mrs. Smith:

A representative of this Department has made an examination of the works covered by your Permit No. 47-7022 and has found the following:

Quantity of water diverted: 0.40 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.40 cfs

The maximum quantity diverted shall not exceed 195.4 acre feet per year.

Beneficial use: Irrigation of 67.5 acres and stockwatering purposes within the S½SE¼, Sec. 24, Twp. 12S, Rge. 16 E, B.M.

Point of diversion: SW¼SE¼, Sec. 24, Twp. 12S, Rge. 16E, B.M.

Priority date established: Jan. 23, 1968

The land found being irrigated by our field examiner differs from that listed under your permit, therefore, it will be necessary to amend the permit before a water license can be issued. We have enclosed a partially completed application for amendment for your use in this matter. Please sign the application and return it to this office with a $10.00 filing fee within 10 days of the date of this letter in order that we may issue your water license as set forth above.

If you do not concur with these findings or have any questions, please contact us within the 10 day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Amendment form

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse – Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

June 14, 1973

734-3578

Greeta W. Smith
1773 Maplewood Dr.
Twin Falls, Idaho 83301

Dear Mrs. Smith:

A representative of this Department has made an examination of the works covered by your Permit No. 47-7022 and has found the following:

Quantity of water diverted: 0.40 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.40 cfs

The maximum quantity diverted shall not exceed 195.4 acre feet per year.

Beneficial use: Irrigation of 67.5 acres and stockwatering purposes within the $S\frac{1}{2}SE\frac{1}{4}$, Sec. 24, Twp. 12S, Rge. 16 E, B.M.

Point of diversion: $SW\frac{1}{4}SE\frac{1}{4}$, Sec. 24, Twp. 12S, Rge. 16E, B.M.

Priority date established: Jan. 23, 1968

The land found being irrigated by our field examiner differs from that listed under your permit, therefore, it will be necessary to amend the permit before a water license can be issued. We have enclosed a partially completed application for amendment for your use in this matter. Please sign the application and return it to this office with a $10.00 filing fee within 10 days of the date of this letter in order that we may issue your water license as set forth above.

If you do not concur with these findings or have any questions, please contact us within the 10 day period.

Sincerely,

Bobby D. Fleenor

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Amendment form

Mr. Fleenor: If I left out anything, please fill it in for me.

Thank you.

Greeta W. Smith
Greeta W. Smith

47 7022

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

1. Name of permit holder Greeta W. Smith

Post office address 1773 Maplewood Dr., Twin Falls, Idaho Phone 733-5945

Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____ (name spring, stream, etc.)

Tributary to _____

3. Water will be used for the following purposes:

Amount 9.0 c.f.s. for Irrigation
_____ AF/Annum (nature of use)

Period of Use: from March 1 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for Stockwater
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day),

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 47-7022

Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 9.0 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 12S N/S, Range 16E E/W, B.M., Section 24, Subdivision SW ¼ NE ¼, Twin Falls County

Township _____ N/S, Range _____ E/W, B.M., Section 24, Subdivision SW ¼ SE ¼, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ ¼ _____ ¼, _____ County

Other Points of Diversions: _____

Description of diverting works: well

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
12S	16E	24	25	25	40	40									40	40			210
			Place of use for stockwatering not listed under permit.																

47 7022

TOTAL ACREAGE 210

17 7022

R. 16 E

T.
12
3

24

29.5 30.0

Diagram of System



DATE OF EXAM 5-16-73

ACREAGE
Found 67.5
Recommended 67.5

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q= 0.40 c.f.s. V= 236.2 AF/Ann. from MARCH-1 to NOV-1
Domestic Q= [redacted] c.f.s. V= AF/Ann. from to
Livestock Q= .03 c.f.s. V= 1.4 AF/Ann. from Jan 1 to Dec 31

Is water co-mingled? yes ____ no ✓

Name source:
twp. ____ N/S, Rge ____ E/W, B.M., Sec. ____, Sub. ____ ¼ ____ ¼ ____ County

Exchange? yes ____ no ✓

Name source exchanged with:
twp. ____ N/S, Rge ____ E/W, B.M., Sec. ____, Sub. ____ ¼ ____ ¼ ____ County

Point of injection:
twp. ____ N/S, Rge ____ E/W, B.M., Sec. ____, Sub. ____ ¼ ____ ¼ ____ County

Point of exchange:
twp. ____ N/S, Rge ____ E/W, B.M., Sec. ____, Sub. ____ ¼ ____ ¼ ____ County

Total Q measured .40 c.f.s. = 180. gal/m Method of measurement Stop Watch & Budger Meter ✓

Total Q recommended .40 c.f.s. Meter No. M0539602 Type Badger Condition Good

Total V recommended ~~236.2 Acft/Ann~~ / 1.4 = 237.6 Acft/Ann. D.J. quantity x duty + 1.98 = 1944 AF

Recommended Amendments: [redacted]

P.D.
Place of Use 29.5 Ac. SWSE, 38.0 Ac. SESE Sec. 24 T12S-R16E
Other
None

MEASUREMENT CALCULATION:
(67.5 Acres) 3.5 Acres Requirement) = 236.25 AcFt/Ann
(180 gal/Min) ÷ (448 gal = 1. c.f.s.) = .40 c.f.s.

SYSTEM DESCRIPTION:
U.S. Electric Motor & Pump 40 hp. Serial #2303746
6" main pipe w/4" laterals for Sprinkler system

REMARKS:
There is only one point of diversion SWSE, Sec. 24 T.12S-R16E. 75 head of Stock (Cattle) = 1.4 AF/Ann

Examiner's Signature Gary Lundeen Date 5-16-73

Checked by K.E. Flowerdew Date 5-18-73

Approved by ____ Date ____


14 | 13
23 | 24
T-12
P
7.6
O
22.1
B
35.8
A
11.2
D
17.2
E
19.2
166-6
G-166
6
F
6.9
H
34.3
I
18.0
J
8.2
W
K
12.2
M
4.2
55.3
N
31.6
29.5 Ac
38 Ac
O
34.8
13 | 24
5 | 25
24
25 | 30

47 7022

March 5, 1973

Re: Permit No. 47-7022

Greeta W. Smith
1773 Maplewood Dr.
Twin Falls, Idaho 83301

Dear Mrs. Smith:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Southern District Office at 1041 Blue Lakes Blvd. North, Twin Falls, Idaho.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

47 7022

U.S. POSTAL SERVICE
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID PAYMENT OF POSTAGE, $300

Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

RETURN TO

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

47 7022

PS Form **3811** Nov. 1970 c55—10—81277-1

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address where delivered

☐ Deliver ONLY to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

CERTIFIED NO. 29214

INSURED NO.

DATE DELIVERED 1-2-73

① SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

Greta N. Smith

② SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

③ SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

17 7022

December 29, 1972 CERTIFIED MAIL *2A21A

Re: Permit No. 47-7022

Greeta W. Smith
1773 Maplewood Dr.
Twin Falls, Idaho 83301

Dear Mrs. Smith:

One of the conditions of approval of your water Permit No. 47-7022 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

R. KEITH HIGGINSON
Director

Enc: Proof affidavit

47 7022

November 27, 1968

Re: Permit No. 47-7022

Greeta W. Smith
1773 Maplewood Drive
Twin Falls, Idaho 83301

Dear Mrs. Smith:

Enclosed herewith is a copy of your application for amendment you submitted for recording. The original has been placed in our files.

Also enclosed is Departmental receipt No. 2238 in the amount of $5.00 which covers the recording fee.

Very truly yours,

M. Russell Bosch
Administrative Assistant

MRB:dj
Enclosures

47 7022

RECEIVED
OCT 17 1968
Department of Reclamation

1773 Maplewood Dr.
Twin Falls, Idaho 83301
Phone 733-5945
October 5, 1968

Mr. Donald W. McEldowney
Appropriation Examiner
Department of Reclamation
Statehouse, Annex 2
Boise, Idaho, 83707

Re: Permit # 47-7022

Dear Mr. McEldowney:

I believe it was you to whom I talked on the telephone a few days ago regarding my amendment to my permit.

I do wish to retain permission to irrigate the land which is included in former amendment and original permit as issued. My present wish is permission to irrigate additional land as outlined on the map I sent. You kindly siad you would make any corrections necessary on the map and request. This is for Well # 2.

This amendment does not have to be in as soon as I had thought it necessary. You do not have to rush it.

Keep this map in your file for future reference, if necessary. I might decide to drill another well in a year. We cannot get anything but small wells and if we continue to get the small wells will have to drill again.

Thank you for your help.

Sincerely,

Greeta W. Smith

Greeta W. Smith

47 7022


Scale: ¼"= 1 Rd.
M 20.7
13
Description: S ½ and NE ¼
Except Tr. 10 acres
Sec. 24, T 12, R. 16.
450 acres
TF Co
20.8
C 15
D 16.1
G-166
Well # 2
SW ¼ of NE ¼
143
Highway
C 9.3
D 12.5
house
G-166
I
J 33.2
P 12.7
Well # 1
SW ¼ of SE ¼
SE ¼ of SE ¼
Gravel Road
15
30
SEE SDD-67
47 7022

1773 Maplewood Dr.
Twin Falls, Idaho
83301

Sept. 21, 1968

RECEIVED

SEP [illegible]

Department of Reclamation

Mr. Donald McEldowney
Department of Reclamation
Boise, Idaho

Dear Mr. McEldowney:

I will be very much in need of this amendment on September 30, so please rush it through to me so I can have it in hand at that time.

Thank you.

Yours very truly,

Greeta W. Smith

47 7022

September 18, 1968

Re: Permit No. 47-7022

Greeta W. Smith
1773 Maplewood Drive
Twin Falls, Idaho 83301

Dear Mrs. Smith:

Returned herewith is your check in the amount of $5.00. Please be advised that an application for an amendment must be submitted on the Department's form. We are forwarding an application for amendment form to you for your use in this matter. Please return the check for $5.00 with the application.

Contact us if we may be of further assistance.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: Amendment form
Check for $5.00

47 7022

1773 Maplewood Dr.
Twin Falls, Idaho
August 8, 1968

Department of Reclamation
107 Statehouse
Boise, Idaho 83701

Attn: Mr. Russell Bosch
Office Mgr.

Gentlemen:

This Spring I drilled a well on my place for irrigation water. Got a 25 inch which is of marginal value but glad to get it anyway.

Now I would like to try again but my permit does not cover the 40 acres where I want the well, for stock watering, or irrigation.

I would like an amendment to my permit Number 47-7022, Dated March 7, 1968. The description of the 40 acres where I want the well is: SW ¼ of NE¼ Sec. 24, T. 12 R16, Twin Falls County, Idaho.

Enclosed is a check for $5.00 for the amandment. Thank you.

Yours very truly,
Greeta W. Smith
Greeta W. Smith

PS If we should be lucky enough to run into more water than we need for stock, the excess will be used for irrigation. This is the way I have it planned.

GS

RECEIVED
AUG 12 1968
Department of Reclamation

47 7022

RECEIVED
APR 10 1968
Department of Reclamation

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Mrs Greeta Smith
Address 1773 Maplewood Drive
Twin Falls, Idaho
Owner's Permit No. 47-7022
NATURE OF WORK (check): Replacement well ☐
New well ☑ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☑
Dug ☐ Other ☐ (explain)
CASING SCHEDULE: Threaded ☐ Welded ☑
8 5/8 "Diam. from +1 ft. to 12'6" ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: .250 Material:
Steel ☑ concrete ☐ wood ☐ other ☐
(explain)
PERFORATED? Yes ☐ No ☑ Type of perforator used:
Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
WAS SCREEN INSTALLED? Yes ☐ No ☑
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.
CONSTRUCTION: Well gravel packed? Yes ☐
No ☑ size of gravel Gravel placed from ft. to ft. Surface seal provided? Yes ☐ No ☑ To what depth? ft. Material used in seal: Casing back filled with cuttings
Did any strata contain unusable water? Yes ☐
No ☑ Type of water:
Depth of strata ft. Method of sealing strata off:
Surface casing used? Yes ☑ No. ☐
Cemented in place? Yes ☐ No ☑

Locate well in section



LOCATION OF WELL: County Twin Falls
SW¼ SE¼ Sec. 24 T. 12 S/S R. 16 E/W

Size of drilled hole: 8 Total depth of well: 365 Standing water level below ground: 119'6" Temp. Fahr. ° Test delivery: no test gpm or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:
Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft. above land surface Give flow cfs or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☑

DEPTH FROM FEET	DEPTH TO FEET	MATERIAL	WATER YES OR NO
0	1	Top soil	
1	9	Hard pan & gravel	
9	17	Grey basalt	
17	30	Brown basalt	
30	50	Grey basalt	
50	56	Brown basalt	
56	69	Grey basalt	
69	71	Brown Sandstone	
71	85	Reddish brown Sinders	
85	94	Brown lava	
94	103	Brown clay	
103	126	Grey basalt	
126	136	Brown Sandstone	
136	143	Brown basalt w/talc	
143	148	Grey basalt	
148	175	Brown basalt	
175	181	Grey basalt	
181	198	Brown clay	
198	218	Grey basalt	
218	279	Brown basalt	
279	281	Brown talc & clay	
281	285	Black Rhyolite	
285	329	Brown Rhyolite	
329	365	Brown Clay	

Work started: 22 Feb 1968
Work finished: 30 March 1968
Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.
Name: Boley, Henry, Weecht
Address: Murtaugh Idaho
Signed by: Merrill L. Martin
License No. 86 Date: April 6, 1968

Use other side for additional remarks

47 7022

47

March 27, 1968

RE: Permit 47-7022

Mrs. Greeta W. Smith
1773 Maplewood Drive
Twin Falls, Idaho 83301

Dear Mrs. Smith:

Enclosed herewith is a copy of the amendment you submitted to this Department. This amendment has been recorded and the original retained for our files.

Attached is Departmental Receipt No. 692 in the amount of $5.00. This amount covers the recording fee.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Encl: Receipt
copy of amendment

47 7022

$5.00 fee required

RECEIVED
MAR 7 1968
Department of Reclamation

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR AMENDMENT

Permit No. 47-7022

Comes now Greeta W. Smith, 1773 Maplewood Dr., Twin Falls, Idaho 83301 and represents to the State Reclamation Engineer of the State of Idaho:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho, No. 47-7022, and requests that the permit be changed as follows:

1. Place of use or land to be irrigated: Twin Falls County, Idaho

2. Point of diversion: SW ¼ of SE ¼, Sec. 24, T. 12, R. 16, B.M.
Other points of diversion

3. Period and nature of use:
For Irrigation purposes from Mar 1 to Nov 1 (both dates incl.)
For ____ purposes from ____ to ____ (both dates incl.)
For ____ purposes from ____ to ____ (both dates incl.)

4. Other:

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Twin Falls, Idaho this 5 day of March, 1968

Greeta W. Smith
(signature)

Date of receipt at office of Department of Reclamation March 7, 19 68.

ACTION OF STATE RECLAMATION ENGINEER

I, R. KEITH HIGGINSON, State Reclamation Engineer of the State of Idaho, hereby approve the above amendment for Permit No. 47-7022. application for

Witness my hand this 21st day of March, 19 68.

R. Keith Higginson
State Reclamation Engineer

47 7022

Form 11

March 11, 1968

Re: Permit 47-7022

Greeta W. Smith
1773 Maplewood Dr.
Twin Falls, Idaho 83301

Dear Mrs. Smith:

We enclose a copy of your approved application for permit 47-7022 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kd

Enclosures: Copy of application
Receipt No. 394 for $60.00

47 7022 Form 4

LEGAL — HALLSY TAPER .....

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Greta W. Smith, 1273 Maplewood Drive, Twin Falls, Idaho has on January 26, 1968 applied for permit to divert 0.0 cubic feet per second of water from a subterranean source under application No. 47-2022. Water will be diverted by a well, pump, pipes, and ditches within the SE¼SE¼, SE¼NE¼ sec. 24, T. 12 S, R. 16 E, B.M., Twin Falls County and is to be used from March 1 to November 1 for irrigation in NE¼, S½ sec. 24, T. 12 S, R. 16 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Times-News, Twin Falls, Idaho on February 8 and February 15, 1968.

RECEIVED
FEB 5 1968
Department of Reclamation

47 7 3212

January 2), 1963

Re: Application No. 47-7022

The Times News
Twin Falls,
Idaho 83301

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

> **I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.**
>
> (Do not sign letter)
> _____
> **Signature of claimant**

Very truly yours,

Donald M. Mc.ldowney
Water Rights Clerk

DMM:ks

Enclosure: legal notice

Form 3

47 7022

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Greeta M. Smith, 1773 Maplewood Drive, Twin Falls, Idaho has on January 23, 1968 applied for permit to divert ~~stone~~ 9.0 cubic feet per second ~~acre feet~~ of water from ~~a subterranean source~~ under application No. ~~47-7022~~. Water will be diverted by ~~a well, pump, pipes, and ditches~~ within the ~~SW¼SW¼, SE NE¼~~ sec. 24, T. ~~12 S, R. 16 E, B.M., Twin Falls County~~ and is to be used from ~~March 1 to November 1 for irrigation~~ in ~~NW¼, S½, sec. 24, T. 12 S, R. 16 E, B.M.~~.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Times News, Twin Falls, Idaho, on February 8 and February 15.

47 7022

I mailed check and information an hour ago for permit to drill a well, and forgot to enclose the application.

Thank you.

Greeta W. Smith

Greeta W. Smith
1773 Maplewood Dr.
Twin Falls, Idaho 83301

RECEIVED
JAN 23 1968
Bureau of Reclamation

DON SAMUELSON
GOVERNOR

R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

January 16, 1968

RECEIVED
JAN 23 1968
Department of Reclamation

Greeta W. Smith
1773 Maplewood Drive
Twin Falls, Idaho 83301

Dear Mrs. Smith:

I have completed all of the application that I can fill out. You will still have to give the rest of question #6 c, depth of well. Also, 7 b, estimated cost of construction. After you complete those two questions the permit will be acceptable. We will do all of the advertising from here at no cost to you. The fee for the permit will be $60.00.

Please return the application promptly for it takes about 5 weeks to process.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Mr. Bosch: I have decided on another location for the diversion. Might drill another well on the first spot designated at a later date. If it is possible, would like to ask for two spots on this same permit, and at this same cost, but if not, I won't think any more about that until the time comes.

Also note that I would change the period for water use to March 1 to Nov.1, on page 1. If I am not allowed to do that, then as it is will do, of course. Thought it might be well, some years, to have that time open to irrigate some pasture.

Thank you.

Greeta W. Smith

47 7022