


Twp 10S Rge 17E



Twin Falls,
Idaho

allow $Q = .32 \text{ cfs}$
16"

NOTICE OF PROOF OF COMPLETION OF WORKS and APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 A.M., on the 13th day of October, 1965, at Twin Falls, County of Twin Falls, State of Idaho before Robert W. Stephan, Notary Public, at Room No. 4, Bank & Trust Bldg., Twin Falls, Idaho, proof will be submitted of the completion of works for the diversion of 0.32 cubic feet per second of underground water from a well, and of the application to beneficial use of said

water, in accordance with the terms and conditions of Permit No. G-29097, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Twin Falls Bank & Trust Company, Twin Falls, Idaho.

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 0.32 cubic feet per second.

3. The use to which said water has been applied is Air Conditioning Condenser Cooling, purposes and the amount applied to beneficial use is 0.32 cubic feet per second.

4. The point of diversion of said water is in Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

5. The place where said water is used is Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

6. The date of priority which said user is prepared to establish is October 24, 1960.

CARL E. TAPPAN
State Reclamation Engineer
Publish: Sept. 16, 23, 30, Oct. 7, 1965.

NOTICE OF PROOF OF COMPLETION OF WORKS and APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 A.M., on the 13th day of October, 1965, at Twin Falls, County of Twin Falls, State of Idaho before Robert W. Stephan, Notary Public, at Room No. 4, Bank & Trust Bldg., Twin Falls, Idaho, proof will be submitted of the completion of works for the diversion of 0.32 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-29097, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Twin Falls Bank & Trust Company, Twin Falls, Idaho.

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 0.32 cubic feet per second.

3. The use to which said water has been applied is Air Conditioning Condenser Cooling, purposes and the amount applied to beneficial use is 0.32 cubic feet per second.

4. The point of diversion of said water is in Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

5. The place where said water is used is Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

6. The date of priority which said user is prepared to establish is October 24, 1960.

CARL E. TAPPAN
State Reclamation Engineer
Publish: Sept. 16, 23, 30, Oct. 7, 1965.

RECEIVED
NOV 1 1965

Department of Reclamation

AFFIDAVIT OF PUBLICATION

RECEIVED
NOV 3 1965

Department of Reclamation

Affidavit of Publication

No 11384

STATE OF IDAHO, }
COUNTY OF TWIN FALLS } ss.

I, Mable F. Clark, being first duly sworn upon oath depose and say that I am Principal Clerk of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for four consecutive Thursdays, commencing with the issue dated Sept 16, 1965, and ending with the issue dated Oct 7, 1965.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.


Subscribed and sworn to before me this 7th day of Oct, 1965.

W. C. Welington
Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho.

NAME OF APPLICANT

TWIN FALLS BANK & TRUST COMPANY

Form No. 0



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

29097

State of Idaho

License and Certificate of Water Right

Water License No. G-29097 Priority October 24, 1960 Amount .32 c.f.s.THIS IS TO CERTIFY that Twin Falls Bank and Trust Company

of Twin Falls, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated October 24, 1960; that Permit No. G-29097 was issued under said application; that Certificate of Completion of Works, with a carrying capacity of .32 second feet, was issued thereunder on March 22, 1967, showing that said works were completed on the 13th day of October, 1965; and that on the 13th day of October, 1965, Twin Falls Bank and Trust

of Twin Falls, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of a right to the use of the waters of a well,

a tributary of subterranean flow, for the purpose of air conditioner condenser/cooling, under Use Permit No. G-29097 of the Department of Reclamation, and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume 14 of Licenses, at Page 8725, on the 22nd day of March, 1967.

The right hereby confirmed dates from October 24, 1960.

The Point of Diversion is located in Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, Twp. 10 S., R. 17 E., B.M., Twin Falls County.

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed .32 cubic feet per second.

Description and location of use:

Twp.	Range	Section	Forty-Acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
10 S.	17 E.	16	NW $\frac{1}{4}$ SE $\frac{1}{4}$	None	None
			For air conditioner condenser cooling.		

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this 22nd day of March, 1967.

R. Keith Higgins
State Reclamation Engineer.

State of Idaho

LICENSE AND CERTIFICATE
OF WATER RIGHT

Water License No. G-29097

To Twin Falls Bank and Trust

Twin Falls, Idaho 83301

Source of Supply Well, tributary of

subterranean flow

Twin Falls County

Amount .32 Sec. Ft.

Point of Diversion Lot 1, Block 103,

Twin Falls Townsite in NW $\frac{1}{4}$ SE $\frac{1}{4}$,

Sec. 16, T. 10 S., R. 17 E., B.M.

Place of Use

NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, T. 10 S.,

R. 17 E., B.M.

Purpose Air conditioner condenser

cooling

Date of Priority October 24, 1960

Recorded March 22, 1967

in Book 14 of Licenses, Page 8725


47-2343

APPLICATION FOR PERMIT

To Appropriate the Subterranean Waters of The State of Idaho

Application No. G- 37091
Permit No. G- 29097
District No.

1. Name of Applicant: Twin Falls Bank and Trust Company
Postoffice address: Twin Falls County: Twin Falls State: Idaho
2. Quantity of water claimed:
 - (a) Rate of withdrawal in cubic feet per second .32 or Idaho
Miners' inches 16 or gallons per minute 145
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Well
4. Location of point of diversion or well is in the Lot 1, Block 103, Twin Falls Townsite in
the NW 1/4 of the SE 1/4 of Section 16
Twp. 10 S , Rge. 17 E , B.M., County of Twin Falls
5. Water is to be used for: Air Conditioning Condenser Cooling
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the Lots 1, 2 and 3, Block 103, Twin Falls Townsite in
the NW 1/4 of the SE 1/4 of Section 16 , Twp. 10 S
Rge. 17 E , B.M.
 - (b) Waste water or sewage effluent is to be returned to City Sewer
alley adjacent to Lots 1, 2 & 3, Block 103, Twin Falls Tste.
at a point in the NW 1/4 of the SE 1/4 of Section 16 , Twp. 10 S , Rge. 17 E , B.M.
7. Kind of works: Drilled well with submersible pump
8. Estimated cost of works: \$ 5,000.00
9. (a) Is reservoir to be used? No
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 5 years.
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation: October 1, 1908
 - (b) Amount of capital stock: \$ 600,000.00 (c) Amount paid in: \$ 600,000.00
 - (d) Names and addresses of directors: Harry Eaton, J. G. Bradley, F.W. Harder, Ivan B. Skinner, all of Twin Falls, Idaho; Willard Rees, Kimberly, Idaho; Robert Blastock, Filer, Idaho, and Glen Briggs, Murtaugh, Idaho.
 - II. The financial resources of the applicant are (a) Cash on hand: \$ 3,699,229.55
 - (b) Treasury stock: (c) Bonds to be issued:
 - (d) Other resources: 17,069,221.07 (June 15, 1960 statement)
12. The land to be irrigated is described in the following tabulation: None
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
 - (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.



BE IT KNOWN THAT The undersigned hereby makes appli cation for permit to appropriate the public waters of the State of Idaho as herein set forth.

By s/ Harry Eaton
Its President

Corrected application received:

s/ GEO. N. CARTER
STATE RECLAMATION ENGINEER.

Countersigned:

STATE OF IDAHO

By ... s/ ARNOLD WILLIAMS

By s/ ROBERT E. MYLIE

Governor

Secretary of State.

12.

Twp.	Range	Sec.	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	Totals	
			NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄	NE ¹ / ₄ NW ¹ / ₄ SW ¹ / ₄ SE ¹ / ₄		
			Permit No. G-29097 + CERTIFICATE OF COMPLETION OF WORKS					
			TO ALL WHOM IT MAY CONCERN:					
			This is to certify that TWIN FALLS BANK AND TRUST of Twin Falls, County of Twin Falls, and State of Idaho, the holder of Permit No. G-29097, issued upon Application No. G-37091 bearing date of priority of October 24, 1960, authorizing the diversion of .32 second feet of waters of a well, County of Twin Falls, State of Idaho, for air conditioner condenser cooling purposes, has fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use .32 second feet of the waters of a well, tributary of subterranean flow; that the point of diversion of said waters is in Lot 1, Block 103, Twin Falls Townsite in the NW ¹ / ₄ SE ¹ / ₄ , Sec. 16, T. 10 S., R. 17 E., B.M. and that the lands proposed to be irrigated by the use or place of use of said water are described as follows, to-wit:					
			For air conditioner condenser cooling at NW ¹ / ₄ SE ¹ / ₄ , Sec. 16, T. 10 S., R. 17 E., B.M.					
			Proof of Completion of Works Made: October 13, 1965.					
			Witness my hand this 22nd day of March, A. D. 1967.					
			s/ R. KEITH HIGGINSON State Reclamation Engineer					
			LICENSE ISSUED FOR <u>.32</u> SEC. FT. LICENSE PAGE NO. <u>8725</u>					

Certificate of Completion of Works

TO ALL WHOM IT MAY CONCERN:

This is to certify that Twin Falls Bank and Trust.....
of Twin Falls....., County of Twin Falls....., and State of
.....Idaho....., the holder..... of Permit No.G-29097...., issued upon
Application No.G-37091.. bearing date of priority of October 24, 1960... , authorizing the
diversion of 32..... second feet of waters of .8 well,

cooling
County of Twin Falls....., State of Idaho, for air conditioner condenser/.....
purposes, has.....fully complied with the provisions of the laws of the State of Idaho
relating to the proof of completion of the works of diversion set out and described in said
Permit; that said works are adequate for diverting and conveying to the place of intended
use,32..... second feet of the waters of a well, tributary of.....
.subterranean flow;

that the point of diversion of said waters is in Lot 1, Block 103, Twin Falls
Townsite in the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 16, T. 10 S., R. 17 E., B.M.

and that the lands proposed to be irrigated by the use or place of use of said water are described as follows, to-wit: For air conditioner condenser cooling at NW 1/4 Sec. 16, T. 10 S., R. 17 E., B.M.

Proof of Completion of Works Made: October 13, 1965.

Witness my hand this ...22nd..... day of ..March....., A. D. 19 67....

R. Keith Higgins
State Reclamation Engineer

29097

Permit No. ..G-29097.....

**Certificate of Completion
of Works**

Dated March 22....., 19 67....

Stream Well.....

County ..Twin Falls.....

Amount ...32 c.f.s.....

Date of Priority October 24, 1960

Recorded in Book ...102.....

of ...Permits....., page29097.....

29097

March 22, 1967

Re: Permit No. G-29097

Mr. Harry Eaton, President
Twin Falls Bank and Trust Co.
P. O. Box 7
Twin Falls, Idaho 83301

Dear Mr. Eaton:

Enclosed is the Certificate of Completion of
Works and License and Certificate of Water Right
on the above numbered permit.

Also enclosed is departmental receipt No.
G-11376 in the amount of \$10.00 covering the fees.

Thank you.

Very truly yours,

M. Russell Bosch
Office Manager

MRB:jdj

Enc: Certificates
Receipt for \$10.00

29097

TWIN FALLS BANK & TRUST COMPANY

ESTABLISHED 1905

TWIN FALLS, IDAHO

February 23, 1967

RECEIVED
FEB 24 1967

Department of Reclamation


Mr. M. Russell Bosch, Office Manager
State of Idaho
Department of Reclamation
107 State House
Boise, Idaho 83701

Dear Mr. Bosch:

This will acknowledge your February 21, 1967 letter relative to Permit No. G-29097. In keeping with your letter, enclosed please find our Expense Voucher No. 21770 in the amount of \$10.00, payable to Department of Reclamation, State of Idaho. We will be pleased to receive your Certificate of Completion of works and Certificate of Water Right at your convenience.

Thanking you, we are,

Sincerely yours,


Harry Eaton, President and
Chairman of the Board

enclosure

February 21, 1967

Re: Permit No. G-29097

Harry Eaton, President
Twin Falls Bank & Trust Co.
P.O. Box 7
Twin Falls, Idaho

Dear Mr. Eaton:

Our field examiner's report on his inspection of proof of completion of works and application of water to beneficial use under the terms of Permit No. G-29097 shows the well is capable of conveying 16 miner's inches, or 0.32 c.f.s.

Upon receipt of the statutory fees, totaling \$10.00, we will issue the Certificate of Completion of Works for 0.32 c.f.s. and the License and Certificate of Water Right for 0.32 c.f.s. confirming the right, with priority of October 24, 1960, to the use of subterranean water with the point of diversion in NW1/4SE1/4, Sec. 16, T. 10 S, R. 17 E, B.M., for air conditioning condenser colling purposes.

Very truly yours,

M. Russell Bosch
Office Manager

MRB:nw

29097

Department of Reclamation

N^o 5-11376

Boise, Idaho, Feb. 24, 1967

RECEIVED
FROMHarry Eaton of Twin Falls, Idaho \$ 10.00
for well and water right DOLLARS

FOR

Well Driller's License Fee	- \$	
Application No.	- - - - - \$	
Proofs	- - - - - \$	10.00
Certified Copy	- - - - - \$	
Recording Assignment	- - - - - \$	
TOTAL	- - - - - \$	10.00

Mary Schuler
STATE RECLAMATION DEPARTMENT

Harry Eaton, President
Twin Falls Bank Trust Co.
P.O. Box 7
Twin Falls, Ida

Dear Mr. Eaton:

Our field examiner's report on his inspection of proof of completion of works and application of water to beneficial use under the terms of Permit No. G-29097 shows the well is capable of conveying 16 miner's inches, or 0.32 c.f.s.


Upon receipt of the statutory fees, totaling \$10.00, we will issue the Certificate of Completion of Works for 0.32 c.f.s. and the License and Certificate of Water Right for 0.32 c.f.s. confirming the right, with priority of October 24, 1960, to the use of subterranean water with the point of diversion in NW1/4SE1/4, Sec. 16, T. 10 S, R. 17 E, B.M., for air conditioning condenser cooling purposes.

Very truly yours,

M. Russell Bosch
Office Manager

MRB:nw

Twp 10S Rge 17E



Twin Falls,
Idaho

allow $Q = .32 \text{ cfs}$
16"

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. G-29097

REPORT ON PROOF OF Completion of Works & Beneficial Use

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. G-29097 ✓

This proof is for Completion of Works & Beneficial Use In Water District No. _____

1. Name of applicant Twin Falls Bank and Trust Company ✓

2. Source of water supply: Subterranean

3. Location of point of diversion: Is in the NW 1/4 of Section 16 ✓

T. 10S ✓ R. 17 E.B.M. ✓ County of Twin Falls

4. Describe works as they exist, giving dimensions and capacities of same: Pearless Submersible pump Model 6LA-4 Ser #84055 Rated @ 150 gpm @ 200' TDH

5. Water is used for: Air Conditioning Condenser Cooling ✓

6. State whether or not water has been turned into works of diversion: Yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

PLACE OF USE: NW 1/4 Sec. 16., Twp. 10 S., Rge. 17 E.B.M. ✓

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Contacted: Harold Hovey - L.V. Groves

200 gpm

This examination was made on the 2 day of 2, 19 57

(Signed)

Donald W. Eldridge
Examiner

Plat ✓
29097

5
Harry Eaton, President
Twin Falls Bank & Trust Company
P. O. Box 7
Twin Falls, Idaho
Permit No. G-29097

Pearless Pump Submersible
Model 6LH-4 Ser 84055

Examination for Completion of Works & Beneficial Use

County Twin Falls

Quantity: .32 cfs. Sec. 16 T.10S R. 17 EBM

Source: Well

P.D.: Lot 1, Block 103, Twin Falls
Townsite in NW SE, Section 16,
Twp. 10S, Rge. 17E

Use:
Air Conditioning Condenser Cooler

Extension:

Protest:

Completion of Works:

Other Rights: None

Filed: October 24, 1960

Due: October 31, 1965

Made: Oct. 13, 1965
Priority: Oct. 24, 1960

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

4 Discharge captured

To
Harold Hovey
L.B. Groves
Otis Hall
enc

21 Nov 60
342-4828
Mr. Reiter

29097
L6082

November 3, 1965

Re: Permit No. G-29097

Harry Eaton, President
Twin Falls Bank & Trust Company
P. O. Box 7
Twin Falls, Idaho

Dear Mr. Eaton:

We acknowledge receipt of the depositions of holder and two witnesses, also affidavit of publication in the ~~THE TIMES NEWS~~, all submitted in proof of completion of works and beneficial use on Permit No. G-29097.

Before final action is taken in the matter, the law requires that a field examination be made by an engineer from this department.

We cannot tell just when this examination will be made, but our field engineer will try and contact you at the time he makes the examination so that arrangements may be made to show him over the grounds.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer

By:

(Mrs.) Edna P. Rule
Chief Clerk

EPR:

cc: Robert W. Stephan
Stephan & Harvey
P. O. Box 83
Twin Falls, Idaho 83301

29097

NOTICE OF PROOF OF COMPLETION OF WORKS and APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 A.M., on the 18th day of October, 1965, at Twin Falls, County of Twin Falls, State of Idaho before Robert W. Stephan, Notary Public, at Room No. 4, Bank & Trust Bldg., Twin Falls, Idaho, proof will be submitted of the completion of works for the diversion of 0.32 cubic feet per second of underground water from a well, and of the application to beneficial use of said

water, in accordance with the terms and conditions of Permit No. G-29067, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Twin Falls Bank & Trust Company, Twin Falls, Idaho.

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 0.32 cubic feet per second.

3. The use to which said water has been applied is Air Conditioning Condenser Cooling, purposes and the amount applied to beneficial use is 0.32 cubic feet per second.

4. The point of diversion of said water is in Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

5. The place where said water is used is Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

6. The date of priority which said user is prepared to establish is October 24, 1960.

CARL E. TAPPAN
State Reclamation Engineer
Publish: Sept. 16, 23, 30, Oct. 7, 1965.

NOTICE OF PROOF OF COMPLETION OF WORKS and APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10:00 A.M., on the 18th day of October, 1965, at Twin Falls, County of Twin Falls, State of Idaho before Robert W. Stephan, Notary Public, at Room No. 4, Bank & Trust Bldg., Twin Falls, Idaho, proof will be submitted of the completion of works for the diversion of 0.32 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-29067, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Twin Falls Bank & Trust Company, Twin Falls, Idaho.

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 0.32 cubic feet per second.

3. The use to which said water has been applied is Air Conditioning Condenser Cooling, purposes and the amount applied to beneficial use is 0.32 cubic feet per second.

4. The point of diversion of said water is in Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

5. The place where said water is used is Lot 1, Block 103, Twin Falls Townsite, in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M., Twin Falls County, Idaho.

6. The date of priority which said user is prepared to establish is October 24, 1960.

CARL E. TAPPAN
State Reclamation Engineer
Publish: Sept. 16, 23, 30, Oct. 7, 1965.

AFFIDAVIT OF PUBLICATION

Affidavit of Publication

No. 11384

STATE OF IDAHO,
COUNTY OF TWIN FALLS } ss.

I, _____, being first duly sworn upon oath depose and say that I am _____ of the TIMES-NEWS, published daily, except Saturday, at Twin Falls, Idaho, and do solemnly swear that a copy of the notice of advertisement, as per clipping attached, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for _____ consecutive _____, commencing with the issue dated _____, 19____, and ending with the issue dated _____, 19____.

And I do further certify that said newspaper is a consolidation, effective February 16, 1942, of the Idaho Evening Times, published theretofore daily except Sunday, and the Twin Falls News, published theretofore daily except Monday, both of which newspapers prior to consolidation had been published under said names in said city and county continuously and uninterruptedly during a period of more than twelve consecutive months, and said TIMES-NEWS, since such consolidation, has been published as a daily newspaper except Saturday, under said name in said city and county continuously and uninterruptedly.

And I further certify that pursuant to Section 60-108 Idaho Code, Thursday of each week has been designated as the day on which legal notice by law or by order of any court of competent jurisdiction within the state of Idaho, to be published weekly, will be published; and that at the head of the editorial column of said combined newspapers, and in each issue thereof, Thursday is announced as the day on which said legal notices will be published.

Subscribed and sworn to before me this _____ day of _____, 19____.

Notary Public in and for the County of Twin Falls,
State of Idaho, residing at Twin Falls, Idaho.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
Boise, Idaho
Permit No. G-7-115

RECEIVED
NOV 1 1965
Department of Reclamation

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE
and Completion of Works

RECEIVED
NOV 3 1965
Department of Reclamation

DEPOSITION OF HOLDER

- Ques. 1. State your name, residence occupation and postoffice address: Harry Eaton,
Banker, 836 Blue Lakes Boulevard, P. O. Box 7, Twin Falls, Idaho
- Ques. 2. If acting in behalf of corporation, state its name, principal place of business
(if foreign corporation, give name of postoffice of statutory agent), your
position with reference to same, and your authority for appearing in its behalf:
Twin Falls Bank & Trust Company, President, by authority of Board of Director
- Ques. 3. State number, approval date of permit, and date of priority: (-29097, approved
October 31, 1960, date of priority October 24, 1960
- Ques. 4. State source of water supply: Subterranean water
Give location of point of diversion, showing subdivision, section, township and range
Lot 1, Block 103, Twin Falls Townsite, Twin Falls County, Idaho, located in
the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E. B. M.
- Ques. 5. Describe your works of diversion: Submersible pump and pipes
_____; state amount of water they are capable of con-
veying from point of diversion to place of use: .32 of 1 cu.ft. per second Give name of canal or ditch
or other works by which water is conducted to such place of use: pipe
_____; if a well, state depth of well 443 feet; depth and size of
casing depth-8'3", Size-8"; depth to water 38' 10"; if pump is used,
state discharge of pump: 145 gal. per minute; tell how it was measured or determined by
a gauge; if sprinkler irrigation, give number and size
of nozzles and operating pressure: _____
- Ques. 6. State for what purpose water is used: Air conditioning cooling system
(If for irrigation, name each subdivision in which used and number of acres in
each subdivision that have actually been irrigated with said water:

NOTED BY
7/1/65
200 9/1/65
8/1/65

State nature of all improvements which have been made as a direct result of said use:

Air conditioning cooling system

Ques. 6-a: If this is a ground water permit, give name and address of person that drilled the well: Eugene W. Walker, 624 Pierce Street, Twin Falls, Idaho

Ques. 7. If for other than irrigation purposes, show full legal description of place of use and state purpose for which water is used:

Lot 1, Block 103, Twin Falls Townsite, Twin Falls County, Idaho, located in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17 E.B.M., air condition cooling system

Ques. 8: If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder:

Quest. 9: State when and in what amount the water diverted under above mentioned permit has been first used: December 9, 1957 - Time used since first use:

.32 of 1 cu. ft. per second, said water has been used continuously since said date.

Ques. 10. Describe all other water rights appurtenant to same place of use: _____

TWIN FALLS BANK & TRUST COMPANY

(sign) By Harry Eaton
President

I hereby certify that the foregoing testimony was read to the above subscribed, before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in

Twin Falls, County of Twin Falls

State of Idaho, on this 13th day of October, A. D. 1965.

My commission expires: 5/10/66

Robert W. Stephens
Notary Public for Idaho,
Residing at Twin Falls, Idaho.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
Boise, Idaho
Permit No. 29097

* * * * *

RECEIVED
NOV 1 1965
Department of Reclamation

RECEIVED
NOV 3 1965
Department of Reclamation

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

and Completion of Works

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case.

Ques. 1 State your name, age, residence, occupation and postoffice address:

EUGENE W. WALKER age 48 624 Pierce St., Twin Falls, Idaho 83301
Building Contractor - 624 Pierce St., Twin Falls, Idaho 83301

Ques. 2 Are you acquainted with Twin Falls Bank & Trust Company, the holder of
Permit No. 29097? How long have you known him and where does he reside?

20 years - Twin Falls, Idaho

Ques. 3. Have you read or heard said Permit No. 29097 read, and are you familiar
with its provisions and conditions: Yes X No.

Ques. 4. State source of water supply: Subterranean water

Give location of place of diversion, showing subdivision, section, township and range
Lot 1, Block 103, Twin Falls Townsite, Twin Falls County, Idaho, located in
the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M.

Describe works for conveying water to place of use: Submersible pump and pipe

Ques. 5. How many second feet of water do you estimate said works will safely conduct
to place of use: .32 of 1 cub ft per second How much water have you seen being so
conveyed? at least 145 gallons per minute

Ques. 6 If for irrigation, show number of acres irrigated in each subdivision, giving
full legal description: Not for irrigation

29097

Ques. 7. If for other than irrigation purposes, show full legal description of place of use, and state purpose for which water is used.

Lot 1, Block 103, Twin Falls Townsite, Twin Falls County, Idaho, located in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 16, Township 10 South, Range 17, E.B.M.
Air conditioning cooling system

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Not for irrigation

Ques. 9. Have you any ownership interest in the works, water or lands above mentioned?
If so, in what way and to what extent? No ✓

Ques. 10. When did you first see this water used? December 20, 1957
Other times you have seen such use: Many times- it is used in the air conditioning system for Twin Falls Bank & Trust Company

(Signed):

Eugene V. Walker

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in

Twin Falls, County of Twin Falls, State of Idaho, on
this 13th day of October, A. D. 1965

Robert W. Stephan

Notary Public for the State of Idaho

Residing at Twin Falls, Idaho

My commission expires 5/10/66

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
Boise, Idaho

Permit No. _____

* * * * *

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

and Completion of Works

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case.

Ques. 1 State your name, age, residence, occupation and postoffice address:

W. H. RELER, age 72 121 Main Street, Boise, Idaho

Mechanical Equipment and Specialties Contractor

Ques. 2 Are you acquainted with Twin Falls Bank & Trust Company, the holder of Permit No. 29097? How long have you known him and where does he reside?

40 years - Twin Falls, Idaho

Ques. 3. Have you read or heard said Permit No. 29097 read, and are you familiar with its provisions and conditions: Yes X No. _____

Ques. 4. State source of water supply Subterranean water

Give location of place of diversion, showing subdivision, section, township and range

Lot 1, Block 103, Twin Falls Townsite, Twin Falls County, Idaho, located in the NW 1/4 SE 1/4 of Section 16, Township 10 South, Range 17, E.B.M.

Describe works for conveying water to place of use: Submersible pump and pipe

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use: .32 of 1 cub. ft per second How much water have you seen being so conveyed? at least 145 gallons per minute

Ques. 6 If for irrigation, show number of acres irrigated in each subdivision, giving full legal description: Not for irrigation

RECEIVED
NOV 1 1965

Department of Reclamation

RECEIVED
NOV 3 1965

Department of Reclamation

Ques. 7. If for other than irrigation purposes, show full legal description of place of use, and state purpose for which water is used.

Lot 1, block 103, Twin Falls Townsite, Twin Falls County, Idaho, located in the NW 1/4 SE 1/4 of Section 16, Township 10 South, Range 17, E.B.M.
Air conditioning cooling system

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Not for irrigation


Ques. 9. Have you any ownership interest in the works, water or lands above mentioned?

If so, in what way and to what extent? No ✓

Ques. 10. When did you first see this water used? February 1, 1958


Other times you have seen such use: Many times - it is used in the air conditioning system for Twin Falls Bank & Trust Company

(Signed):



I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in _____

Twin Falls, County of Twin Falls, State of Idaho, on this 13th day of October, A. D. 1965



Notary Public for the State of Idaho

Residing Twin Falls, Idaho

My commission expires 5/10/66

ROBERT W. STEPHAN
LARRY K. HARVEY

STEPHAN AND HARVEY
ATTORNEYS AT LAW
TWIN FALLS BANK AND TRUST CO. BUILDING
TWIN FALLS, IDAHO 83301

TELEPHONE 208 733-2722
P. O. Box 83

November 2, 1965

RECEIVED
NOV 3 1965

DEPARTMENT OF RECLAMATION
107 State House
Boise, Idaho 83701

Department of Reclamation

Gentlemen:

I wish to acknowledge receipt of your letter of November 1, 1965, together with the enclosures therein. Please accept my apologies for the oversight in not notarizing and placing the notary seal on the deposition of Harry Eaton (Holder) and W. H. Reller (Witness). I have corrected this matter and am returning the depositions of the two witnesses, the deposition of the holder and the Affidavit of Publication.

Very truly yours,

STEPHAN AND HARVEY

Robert W. Stephan

Robert W. Stephan

RWS:EDB:jw

Enclosures

29097

November 1, 1965

RE: Permit No. G-29097
Twin Falls Bank and Trust

Robert W. Stephan
Attorney at Law
Box 83
Twin Falls, Idaho 83301

Dear Mr. Stephan:

Returned herewith are your depositions for the above
referenced permit, and the affidavit of publication.

It is noted that the Harry Eaton (holder) and W. H. Reller
(witness) depositions lack the signature of the Notary
Public, as well as the Notary's Seal.

Please complete and return the depositions and affidavit
promptly.

Very truly yours,

CARL E. TAPPAN.
State Reclamation Engineer
By

H. Petri
Office Manager

HP:mr

Enc. depositions
affidavit

ROBERT W. STEPHAN
LARRY K. HARVEY

STEPHAN AND HARVEY
ATTORNEYS AT LAW
TWIN FALLS BANK AND TRUST CO. BUILDING
TWIN FALLS, IDAHO 83301

TELEPHONE 208 733-2722
P. O. Box 83

October 29, 1965

RECEIVED
NOV 1 1965

Bureau of Reclamation
State Capitol Building
Boise, Idaho

Department of Reclamation


Gentlemen:

Please find enclosed herewith the following described instruments in connection with Proof of Application of Water to beneficial use and Completion of Works under Permit #29097:

Deposition of Witness--W. H. Reller
Deposition of Witness--Eugene W. Walker
Deposition of Holder--Harry Eaton, President
Twin Falls Bank & Trust Company
Twin Falls, Idaho
Affidavit of Publication

If you have any questions concerning the enclosures please contact me.

Very truly yours,
STEPHAN AND HARVEY


Robert W. Stephan

RWS:EDB:jw

Enclosures

29097

RECEIVED
SEP 7 1965
Department of Reclamation

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) August 23, 1965


(P. O.) Twin Falls, Idaho

TO THE STATE RECLAMATION ENGINEER

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published
at my expense in the TIMES-NEWS of
Twin Falls, Idaho Published in
the county in which the works are situated.


Robert W. Stephan, attorney for
Twin Falls Bank & Trust Company,
Twin Falls, Idaho

(In case of canals or other works designed to divert and
carry more than 50 cubic feet of water per second, the following certificate
must be signed by a well known and competent engineer)

I hereby certify that the facts set forth in the attached
notice are true.

Engineer

29097

RECEIVED
SEP 7 1965

NOTICE OF PROOF OF COMPLETION OF WORKS
and
APPLICATION OF WATER TO BENEFICIAL USE

Department of Reclamation

Notice is hereby given that at 10:00^{A.}/M., on the 13th day of October,
19 65, at Twin Falls, County of Twin Falls, State of Idaho
before Robert W. Stephan, Notary Public, at (address) Room #4,
Bank & Trust Bldg., Twin Falls, Idaho, proof will be submitted of the completion
of works for the diversion of 0.32 cubic feet per second of underground water from a
well, and of the application to beneficial use of said water, in accordance with the
terms and conditions of Permit No. G-29097, heretofore issued by the Department of
Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Twin Falls Bank & Trust Company, Twin Falls, Idaho

2. Said works of diversion will be fully completed on the date for such completion, and the amount of water which said works are capable of conveying to the place of use is 0.32 cubic feet per second.

3. The use to which said water has been applied is Air Conditioning Condenser/^{Cooling}
_____, purposes and the amount applied to beneficial use is
0.32 cubic feet per second.

4. The point of diversion of said water is in Lot 1, Block 103, Twin Falls Town-
site, in the NW 1/4 SE 1/4 of Section 16, Township 10 South, Range 17, E.B.M.,
Twin Falls County, Idaho

5. The place where said water is used is Lot 1, Block 103, Twin Falls Townsite,
in the NW¹/₄ SE¹/₄ of Section 16, Township 10 South, Range 17, E.B.M., Twin
Falls County, Idaho

6. The date of priority which said user is prepared to establish is **October 24, 1960**

State Reclamation Engineer

29097

Re: Permit No. **G-29097**

Date: **Sept. 8, 1965**


Times-News
Twin Falls, Idaho

Gentlemen:

Enclosed you will find Notice for Publication, once a week for four consecutive weeks prior to **October 13, 1965.** the date set for proof; the expense of the publication is to be paid by the applicant **Robert W. Stephan, Room 4, Twin Falls Bank & Trust Bldg.** of **Twin Falls, Idaho** to whom you should furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice and furnish this office with a copy or tear sheet of the first publication. **

Very truly yours,


CARL E. TAPPAN
State Reclamation Engineer

** If the first copy is not received in this office for checking purposes and errors appear in subsequent issues, it is possible that re-publication of corrected copy will be at your own expense

Re: Permit No. G-29097

September 8, 1965

Robert W. Stephan
Room 4
Bank & Trust Building
Twin Falls, Idaho

Dear Mr. Stephan:

This acknowledges the Notice of Proof of Completion of Works and Application of Water to Beneficial Use under Permit No. G-29097, in the name of Twin Falls Bank & Trust Company. Final Proof is to be made before you, as Notary on the 19th day of October, 19 65, at 10:00 o'clock A.M., at Twin Falls, Idaho.

As of this date, we have mailed the Notice to the Times-News, with instructions to publish it once a week for four consecutive weeks prior to the date set for final proof and then mail the Affidavit of Publication and statement of costs to you.

It is important that the enclosed depositions be executed by the permit holder and two disinterested witnesses who are familiar with the terms of the permit and the work done thereunder, at the time, on the date and before you, as Notary, as stated in the publication notice. It is very important and necessary that each question be answered in detail.

In returning the depositions to this office, be sure that all copies have been signed, that your Notary's seal has been placed on each and that all depositions, (holder and two witnesses) are being returned. Also be sure to enclose the AFFIDAVIT OF PUBLICATION.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(MRS.) EDNA P. RULE
Chief Clerk

Encl.
EPR:pmk
cc: Applicant

29097

LARRY K. HARVEY

ROBERT W. STEPHAN
ATTORNEY AT LAW
TWIN FALLS BANK AND TRUST CO. BUILDING
TWIN FALLS, IDAHO

TELEPHONE 733-2722

September 6, 1965

DEPARTMENT OF RECLAMATION
State Capitol Building
Boise, Idaho

RECEIVED
SEP 7 1965

Department of Reclamation

Gentlemen:

Please find enclosed herewith Form #11 and Notice, Form 36-A in duplicate regarding the submitting of proof on Permit #G-29097 issued in the name of Twin Falls Bank & Trust Company, Twin Falls, Idaho. Please instruct the newspaper to return the Affidavit of Publication and its bill to me. Would also send the necessary forms for the depositions of holder and witnesses to me.

Very truly yours,

STEPHAN AND HARVEY

Robert W. Stephan

Robert W. Stephan

RWS:edb
Encl.

29097

TWIN FALLS BANK & TRUST COMPANY

ESTABLISHED 1905

TWIN FALLS, IDAHO

August 4, 1965

Mr. Carl E. Tappen
State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Re: Permit No. G-29097
Twin Falls Bank & Trust Company

Dear Mr. Tappen:

This will acknowledge receipt of your August 2, 1965 communication regarding the above-captioned permit.

The writer immediately called our attorney, Robert W. Stephan, as soon as your letter was opened calling this matter to his attention and requesting that he proceed promptly to complete this application.

You mention that you enclosed Form 36 in duplicate. We presumed that this went to our attorney as it was not enclosed in our letter. However, we just called the attorney's office and learned from them that they did not receive your Form 36 or Form 11 either. I understand that they will write you direct for these forms.

Sincerely yours,

Harry Eaton
Harry Eaton, President
& Chairman of the Board

HE:am

cc: Walter H. Reller
P. O. Box 2149
Boise, Idaho

29097

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Boise, Idaho

Re: Permit No. G - 29097

Aug. 2, 1965

**Robert W. Stephen
Attorney at Law
Box 1127
Twin Falls, Idaho**

Dear Mr. Stephen:

The date for proofs of Completion of Works and Application of water to beneficial use, as set out under terms of Permit No. G- **29097** are due not later than **Oct. 31, 1965**

Before these proofs can be made, the statutory requirement is that a notice of your intention of proof be published once a week for four consecutive weeks in a newspaper within the county in which the land is located. In completing the Notice of proof for publication, the information should be taken from your Permit, including any amendments made in connection with a change of point of diversion or land list, which has been recorded in this department. If changes have been made and no amendments are on record, we advise you request a form for this purpose before your Notice is published.

We enclose Form 36, in duplicate, which is to be filled out and returned to this department at least FORTY (40) DAYS BEFORE THE MENTIONED DATE, (allowing for four weeks publication). Please give the name of the town, the address of the place where the depositions will be executed, and, the name of the notary public before whom you will appear to make the depositions of proof (this may be at any place convenient for you and your two witnesses), the quantity of water filed; for what purpose it is used; the point, or points, of diversion; and the location of use or the lands which are irrigated - - all by legal land description.

Enclosed also is Form 11, which is the authorization for us to have the notice published in the designated county newspaper at your expense. This is to be returned with two Forms 36.

At the time we send the notice to the newspaper we will send to you the forms for the depositions of holder and two disinterested witnesses. It is important that the depositions be executed at the time, on the date set, at the place named, and before the notary public, as advertised in the publication notice.

Very truly yours,

STATE RECLAMATION ENGINEER

Enc. Form 36 and 11

cc: **Twin Falls Bank & Trust Co.
Twin Falls, Idaho**

29097

June 4, 1965

RE: Permit No. G-29097
Twin Falls Bank & Trust Company

Robert W. Stephan
Attorney at Law
Box 83
Twin Falls, Idaho

Dear Mr. Stephan:

The above noted permit shows 0.32 c.f.s. or 145 g.p.m. The application for permit was received October 24, 1960 which is the priority under the permit, as shown on the permit.

Actually 145 g.p.m. is equal to 0.323 c.f.s., however the amount of water cannot be measured that accurately in the field. The amount pumped will depend upon depth to water and pressure in the system. That variation is probably at least 10%.

Very truly yours,

RALPH W. THOMAS
Deputy State Reclamation Engineer

RWT:mr

29097

LARRY K. HARVEY

ROBERT W. STEPHAN
ATTORNEY AT LAW
TWIN FALLS BANK AND TRUST CO. BUILDING
TWIN FALLS, IDAHO

June 3, 1965

RECEIVED
JUN 4 1965

HONORABLE GEORGE H. CARTER
State Reclamation Engineer
Capitol Building
Boise, Idaho

Department of Reclamation

Dear Sir:


Re: Permit #G-29097
Twin Falls Bank & Trust
Company

The Twin Falls Bank & Trust Company applied and received the above numbered Application for Permit for a well drilled for an air conditioning system. It pumps about 145 gallons per minute and is used in connection with a heating unit and only washes the air in the winter but is used for cooling during the summer. We were advised and placed in the permit that 145 gallons per minute is .3222 of one cubic foot per second. Is this correct? If it is not, it will be necessary for us to amend the application. Please advise. If it is correct, we will proceed with proving up on the application. You sent us the necessary papers to begin proof sometime ago. If it is necessary to amend, please send us the proper papers for such amendment.

Would you please advise me what the priority date is under this application.

Very truly yours,

STEPHAN AND HARVEY


Robert W. Stephan

RWS:EDB:jay

*Filed 24 1965**0.32 CFS*

29097

November 2, 1960

Re: Permit No. G-29097
Twin Falls Bank & Trust Co.,

Mr. Robert W. Stephan,
Attorney at Law,
Box 1127,
Twin Falls, Idaho.

Dear Mr. Stephan:

We enclose Permit No. G-29097 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

We also enclose Departmental Receipt No. G-5305 which was issued covering payment in the amount of \$5.00 for the filing fee of the above mentioned permit.

You will note, under Question 10, that we have changed the required time for completion of works and complete application of the water to the proposed use to five years. However, you may make the required proofs at any time you are prepared to do so within that time.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer
By

(Mrs.) Edna P. Rule
Chief Clerk


Encl.
EPR:spak
cc: Twin Falls Bank & Trust Co.
Twin Falls, Idaho

29097

NAME OF APPLICANT.....TWIN FALLS BANK & TRUST COMPANY.....

Form No. 0

Section 16-10-17
Twin Falls Townsite



RED DOT IS WELL

29097

Permit Map No.
As Approved
GEO. N. CARTER
Reclamation Engineer

OCT 31 1960

ROBERT W. STEPHAN
ATTORNEY AT LAW
TWIN FALLS BANK AND TRUST CO. BUILDING
TWIN FALLS, IDAHO

October 21, 1960


RECEIVED
OCT 24 1960
Department of Reclamation

DEPARTMENT OF RECLAMATION
State Reclamation Engineer
State Capitol Building
Boise, Idaho

Dear Sir:

Please find enclosed herewith Application for Permit
for the Twin Falls Bank & Trust Company of Twin Falls,
Idaho, together with my check in the amount of \$5.00
to cover the necessary filing fees.

Very truly yours,


Robert W. Stephan

RWS:edb

Encl.