


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Map grid showing township and range numbers. The grid is 12 units wide and 12 units high. The top edge is labeled 'N' and the bottom edge is labeled 'S'. The left edge is labeled 'W' and the right edge is labeled 'E'. A circle labeled 'Well' is drawn in the lower right quadrant of the grid. A red stamp 'MICROFILMED' and 'OCT 25 1993' is located in the bottom right corner of the grid.

Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. Richards (Applicant) President
H.S.W.C.



Survey

SCALE 1:24 000



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929


UNRECORDED
OCT 25 1993

UTM GRID AND 1984 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions sho
aerial photogr
Partial field ch

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2	28R3018110	Sub	

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED
JUN 10 1998



SCALE 1:24 000

1 2 1000 0 1000 2000 3000 4000 5000 6000 7000 FEET

1 0.5 0 1 KILOMETER

CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

47°30' 593

INTERIOR-GEOLOGICAL SURVEY

ROAD CLASS:

- Primary highway, hard surface
- Secondary highway, hard surface
- Interstate Route
- U.

IDAHO

MICROFILMED

JUN 10 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PERMIT #

83-07113



PJ



PJ



PJ

6 19'97

MICROFILMED
JUN 10 1998


PERMIT #

83-07113

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT





PV



Control Panel

MICROFILMED
JUN 10 1998



UTM GRID AND 1984 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

JAN 20 1994

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions sho
aerial photogr
Partial field ch

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

83-07113

HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS, ID 83546

Source: GROUNDWATER

Diversion Pt: SWSE Sec 15 T 38N R 05E in CLEARWATER County.

Use: IRRIGATION (.090 CFS)
DOMESTIC (.110 CFS)
FIRE PROTECTION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 7/23/1993

In: CLEARWATER County
T38N R05E S15 SWSW SESW
3.0 ACRES TOTAL

85-07593

US DEPT OF DEFENSE
DEPT OF ARMY
CORP OF ENGINEERS
BLDG 602 CITY COUNTY AIRPORT
WALLA WALLA, WA 99362

Source: CLEARWATER RIVER, NORTH FORK Tributary: CLEARWATER RIVER

DIVERSION PT: NENW Sec 35 T 37N R 01E in CLEARWATER County.

Use: FISH PROPAGATION (89.000 CFS)
Total Diversion: (89.000 CFS)

Date Filed: 5/6/1993

In: CLEARWATER County
T3 7N R01E S33 S34 NESE NWSW

For additional information concerning the property location, call the Northern Regional Office at (208)769-1450.
The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern
Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before AUGUST 23, 1993.

R. KEITH HIGGINSON, Director
8-5; 8-12c

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 83-07113

Priority: July 23, 1993

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume: 6.6 AF

This is to certify, that HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012

HEADQUARTERS ID 83546 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 23, 1993; and
has submitted Proof of Beneficial Use on November 12, 1993. An examination indicates
that the works have a diversion capacity of 0.080 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF
FIRE PROTECTION	01/01 to 12/31	0.08 CFS	
	Totals	0.08 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 15, Township 38N, Range 05E
CLEARWATER County

<u>PLACE OF USE:</u>	<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
IRRIGATION	38N 05E 15	SWSW 1			1
Total number of acres irrigated:					1

PLACE OF USE:
DOMESTIC, same as IRRIGATION use

PLACE OF USE:
FIRE PROTECTION, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUN 10 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 83-07113

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.
6. Water shall not be diverted for fire protection use under this right except to fight or repel an existing fire.
7. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
8. Domestic use is for 6 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9TH day of MARCH, 1998.


Acting for KARL J. DREHER, Director

WATER RIGHTS

JUN 10 1998

For Office Use Only
Amt. of Fee \$ 50.00
Date 11-15-93
Receipt No. 0028999
Received by Wansant
No

RECEIVED

STATE OF IDAHO

NOV 01 1993

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

NOV 12 1993

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 83-07113 Telephone No. (208) 464-2667
2. Name(s) of Permit Holder(s): Headquarters Subdivision Water Co
3. Post Office Address: HC 64 Box 1012 Headquarters, ID. 83546
4. Source of Water: Ground water
 - a. If ground water, well driller's name: Burns Well Drilling, Inc. Date drilled: 9/22/92
Rt 2 Box 615 Grangeville ID. 83530
 - b. Pump horsepower: 1-1/2 Pressure (psi) Approx 50-55 Dynamic pumping level (ft.): _____
5. Extent of Use:

Domestic <u>6</u> (No. of households)	Irrigation <u>3</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other <u>Fire Protection Same as Irrigation</u>

6. Total rate and/or volume for which proof is submitted 0.20 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐
OR
Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☒ No ☐

8. Fee Enclosed: \$ Not Req. (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Jim Richards (208) 464-2667
Name Telephone No.
HC 64 Box 1000 Headquarters, ID. 83546
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

10/25/93 Jim Richards Pres.
Date Signature (and title if on behalf of a company or organization)

JAN 20 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 83-07113

Proposed Priority: July 23, 1993

Maximum Diversion Rate:

0.20 CFS

This is to certify, that HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS ID 83546

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.09 CFS
DOMESTIC	01/01 to 12/31	0.11 CFS
FIRE PROTECTION	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 15, Township 38N, Range 05E
CLEARWATER County

PLACE OF USE: IRRIGATION

38N 05E 15	SWSW 1.5	SESW 1.5	3
------------	----------	----------	---

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1994.
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Domestic use is for 6 homes.
6. The domestic use authorized under this permit shall not exceed 13,000 gallons per day per dwelling in accordance with Section 42-111, Idaho Code.

APPROVED

OCT 25 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 83-07113

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

18th day of October, 1993.

R. Keith Higginson
for R. Keith Higginson, Director

RECORDED

OCT 25 1993

RECEIVED
SEP 23 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 83-7113

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Headquarters Subdivision Water Company Phone (208) 464-2667
Post office address HQ-64 Box 1012 Headquarters, Idaho 83546
P.O. Box 12 83524
2. Source of water supply Ground water which is a tributary of N/A
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of _____ $\frac{1}{4}$ Govt. Lot _____
Sec. 15 Township 38N Range 5E B.M. Clearwater County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.11 for Domestic purposes from 6 Households to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.09 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for FIRE PROTECTION purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, STORAGE TANKS
(2), PIPELINE, GRAVITY FLOW TO HOMES.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 306 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

OCT 25 1993

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. (6)
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
38N	5E	15											D	D					
38N	5E	15											1.5	1.5					3
38N.	5E	15											F	F					

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? Pottlatch Corp. Headquarters Subdivision Water Co.
- b. Who owns the land to be irrigated or place of use? Same as above
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Easement from Pottlatch Corp.

12. Remarks: Well Drilled by Burns Well Drilling, Inc. Firm #103
Rt 2 Box 615
Grangerville, Id. 83530

OCT 25 1993

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A 12x12 grid map for project planning. The grid is labeled with 'N' at the top center, 'S' at the bottom center, 'W' on the left side, and 'E' on the right side. A handwritten circle containing the word 'Well' is located in the lower right quadrant of the grid. A rectangular stamp with the date 'OCT 25 1993' is located in the bottom right corner of the grid.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James E. Richards (President)
(Applicant) H.S.W.C.

Received by *pm* Date 7/23/93 Time 2:17 PM Preliminary check by *NB*
Fee \$ 30.80 Receipted by *pm* # N6774 Date 7/23/93
Publication prepared by *pm* Date 7/28/93 Published in *Washington Tribune*
Publication approved *pm* Date 9/21/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.


b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.


e. Other:

OCT 25 1993




Survey

SCALE 1:24 000



UTM GRID AND 1984 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

OCT 25 1993

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST.

Revisions sho
aerial photogr
Partial field ch

COPY

GRANT OF EASEMENTS

THIS INDENTURE is made and entered into this 5th day of February, 1993, by and between POTLATCH CORPORATION, a Delaware corporation, hereinafter referred to as "Grantor", and HEADQUARTERS SUBDIVISION WATER COMPANY, an Idaho corporation, hereinafter called "Grantee," whose address is ^{HC-64 Box 1012} ~~P. O. Box 1~~, Headquarters, Idaho ⁸³⁵⁴⁶ ~~83534~~,

WITNESSETH,

Grantor, for a good and valuable consideration, the receipt whereof is hereby acknowledged, does hereby grant unto Grantee, and to its successors and assigns, perpetual non-exclusive easements as hereinafter specifically described, over and across the following described real property in Clearwater County, State of Idaho, to wit:

1. AN EASEMENT FOR THE PURPOSE OF INSTALLATION AND MAINTENANCE OF A WATER STORAGE TANK, MORE PARTICULARLY DESCRIBED AS:

Beginning at a point 381.52 feet from and N.61°13' 35" E of the northwest corner of the Headquarters Subdivision, according to the recorded plat thereof, thence N.20°57'24" E 30.00 feet; thence S.69°02'36" E 37.00 feet; thence S.20°57'24" W 30.00 feet; thence N.69°02'36" W 37.00 feet, to the true point of beginning.

2. ALSO INCLUDING AN EASEMENT, 10.00 FEET IN WIDTH, FOR THE PURPOSE OF INSTALLATION AND MAINTENANCE OF A WATER SUPPLY LINE, CENTERED UPON THE FOLLOWING DESCRIBED LINE:

Beginning at a point 7.42 feet from and N.69°02' 36" W of the southeast corner of the above described water storage tank easement; thence S.07°32'51" W 12.25 feet; thence S.31°03'23" W. 61.12 feet; thence S.45°51'23" W 80.39 feet; thence S.44°37'47" W 44.81 feet; thence S.53°13'40" W 119.32 feet, to a point on the north boundary of the Headquarters Subdivision, according to the recorded plat thereof.

RECEIVED
OCT 25 1993

July 93

Grant of Easement

Our Attorney, Orin L. Squire
didn't like the way this document
was worded so both sides are
getting together to make any
necessary changes

Wanita Richards
Treasurer

3. ALSO, INCLUDING AN EASEMENT, 10.00 FEET IN WIDTH, FOR THE PURPOSE OF ACCESS TO THE ABOVE DESCRIBED WATER STORAGE TANK EASEMENT, CENTERED UPON THE FOLLOWING DESCRIBED LINE:

Beginning at a point 15.00 feet from and S.69°02'36" E of the northwest corner of the above described water storage tank easement; thence N.51°38'48" E 37.54 feet; thence N.04°23'03" E 110.35 feet; thence S.41°58'13" W 222.63 feet; thence S.53°01'43" W 64.86 feet; thence S.30°13'23" W 137.91 feet; thence S.07°51'42" W 79.19 feet to a point on the north boundary of the Headquarters Subdivision, according to the recorded plat thereof.

4. ALSO, INCLUDING A PROTECTIVE EASEMENT, 50.00 FEET IN RADIUS AROUND A WELL, SAID WELL BEING 329.95 FEET FROM AND S.56°28'24" E OF THE SOUTHWEST CORNER OF THE HEADQUARTERS SUBDIVISION, ACCORDING TO THE RECORDED PLAT THEREOF.

5. ALSO, INCLUDING AN EASEMENT, 10.00 FEET IN WIDTH FOR THE PURPOSE OF A WATER SUPPLY LINE, CENTERED UPON THE FOLLOWING DESCRIBED LINE,

Beginning at the above described well; thence N.23°00'12" W 60.36 feet; thence N.22°08'28" W 111.68 feet, to a point on the south boundary of the Headquarters Subdivision, according to the recorded plat thereof.

TO HAVE AND TO HOLD said easements unto Grantee, its successors and assigns, forever.

IN WITNESS WHEREOF the Grantor has caused this instrument to be executed the day and year hereinabove first written.

POTLATCH CORPORATION

Attest:

By T. L. Carter
T. L. Carter, Assistant
Secretary

By Marlin D. Clausner
Marlin D. Clausner, Vice-President
Wood Products Group - Western Division

RECORDED
OCT 25 1993

STATE OF IDAHO)
) ss.
County of Nez Perce)

On this 5TH day of February, 1993, before me, the undersigned, a Notary Public in and for said state, personally appeared MARLIN D. CLAUSNER and T. L. CARTER, known to me to be the Vice President and Assistant Secretary of Potlatch Corporation, the corporation that executed the within instrument, and acknowledged to me that they executed the same for and on behalf of said corporation.

IN WITNESS WHEREOF I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Barbara L. Smith
Notary Public for the State of Idaho
Residing at Lewiston therein.
My Commission expires: 12-22-94

NOTARIZED
OCT 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 10, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS ID 83546

RE: WATER RIGHT NO. 83-07113

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

JUN 10 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MAIL ROOM

JUN 10 1988

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


JUN 10 1998

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 83-07113

HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS ID 83546


Kari Lynn Townsend
Secretary

RECORDED

JUN 10 1998

MEMORANDUM

TO: File 83-07113

FROM: Sharla

DATE: March 4, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 83-07113 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T38N, R5E, S15 - SWSW (1 acre)

H. RECOMMENDATIONS

Irrigation	3/15 - 11/15	0.03 cfs	3.0 afa
Domestic	1/1 - 12/31	0.08 cfs	3.6 afa
Fire Protection	1/1 - 12/31	0.08 cfs	n/a
TOTALS		0.08 cfs	6.6 afa

The total sum of the common area and the six lots is 1.96 acres' allowing for driveways, homes, etc. reduces the irrigable lands to an acre. The volume has been calculated accordingly. The well log for this well indicated a test pumping rate of 35 gpm with the pump at the very bottom of the well. This rate will be used as the capacity and will be listed for the domestic and fire protection uses.

Examiner: Wayne Baldwin

Exam Date: June 19, 1997

MICROFILMED
JUN 10 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 83-07113

DATE 3/3/98

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	Change <u>—</u>	OK <u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U
Overlap file pulled & reviewed —

RATE OF DIV

Permitted Rate .20 cfs
Fee limit .20 cfs \$50⁰⁰
Measured — cfs
Theoretical .03 cfs well log = .08
Recommended Total Div Rate .08 cfs

ANNUAL VOLUME/ NATURE OF USES

<u>✓</u>	Use	cfs	Volume Calc	
	<u>Dom</u>	<u>.03</u>	<u>1X 3.0 = 3.0</u>	<u>af</u>
	<u>Fire</u>	<u>.08</u>	<u>6X .6 = 3.6</u>	<u>af</u>
	<u>Fire</u>	<u>.08</u>	<u>—</u>	<u>af</u>
	<u>SUBTOTAL</u>	<u>.08</u>	<u>6.6</u>	<u>af</u>

Flow rate .03 cfs X — days X 1.98 = — af

Total volume recommended — af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WBS (6)

CONDITIONS — Watermaster Control WD# —

GW Measurement/Measuring Device
Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed NA

Adjustment Memo NA

1st Amend Letter NA

2nd Amend Letter NA

vol.
total vol
up/rate

077, 071

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 27 1998

Department of Water Resources

83-07113

A. GENERAL INFORMATION

Permit No. _____

1. Owner: Headquarters Subdivision Water Co. Phone No. _____

Current Address: Hc 64 Box 1012 Headquarters Id 83546

2. Accompanied by: Jim Richards EXAM DATE: 6-19-97

Address: Hc 64 Box 1000 Headquarters Id 83546 Phone No. 208-464-2667

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	15	38N	05E	Clearwater	U.S.G.S. 7.5 min QUAD


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
38N	05E	15											1.6						1.6
													0						
													F						

MICROFILMED
JUN 10 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	2	28A3018110	Sub	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

JUN 10 1998

E. NARRATIVE/REMARKS/COMMENTS

Water is pumped from well to 5500 gal storage. From there gravity flow to users

Have conditions of permit approval been met? 1 yes ___ no

MICROFILMED
JUN 10 1998

F. FLOW CALCULATIONS

Measured Method:

theoretical

Additional Computation Sheets Attached

$$\frac{8.8(67)(2)}{306 + (2.31 \times 55)} = \frac{12.32}{433.05} = .03 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.6 \times 3 = 4.8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 245 \times 1.9835 = 14.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.8$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Domestic</i>	<i>01-01</i>	<i>12-31</i>	<i>.02</i>	<i>3.6</i>
<i>Irrigation</i>	<i>03-15</i>	<i>11-15</i>	<i>.03</i>	<i>4.8</i>
<i>Fire Protection</i>	<i>01-01</i>	<i>12-31</i>	<i>.03</i>	
Totals:			<i>1.03</i>	<i>8.4</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name *Wayne Baldwin* Date *9-23-97*

Reviewer _____ Date _____


SEAL

MICROFILMED

JUN 10 1998



83-07113



CONTOUR INTERVAL 40 FEET
NATIONAL GEODETIC VERTICAL DATUM OF 1929

MICROFILMED


JUN 10 1990

IDAHO

ROAD CLASS
Primary highway, hard surface
Secondary highway, hard surface
Interstate Route U.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PERMIT # 83-07113



PD

PD

P.V.

RECEIVED
JUN 10 1998

PERMIT # 83-07113

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT



pu

Control Panel

RECORDED
JUN 10 1938

HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS ID 83546

December 1, 1993

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 83-07113

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,


JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

JAN 20 1994

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 83-07113 Reviewed by Klg Date 11/2/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
datac Copy in the file? Drilling Permit No. 83-9-N-0005-000
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
 Amount Submitted
 Correct?

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due	<u> </u>	-
No. of days late	<u> </u>	=
Priority Date	<u> </u>	+
New Priority Date	<u> </u>	

DEFICIENCIES OR ACTION ITEMS

adds a fee fee submitted on 11-15-93
- Proof is acceptable

DATA ENTRY

New Address

N/A

Proof Made

11-15-93



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 2, 1993

Headquarters Subdivision
HC 64 Box 1012
Headquarters, ID 83546

Re: Permit No. 83-07113

Dear Permit Holder:

Returned is the proof of beneficial use you submitted in connection with the above referenced permit. Unfortunately, it is unacceptable as filed.

The Department has determined, from pertinent sections of the Idaho Code, that the permit holder must meet two requirements in order to be exempt from the license exam fee. They are:

1. The water right must use a groundwater (well) source.
2. The rate of diversion must be .04 cfs or 4.0 AF or less.

As you can see, you do not meet requirement #2 since you divert 0.2 cfs. Therefore, a license examination fee of \$50 applies to each permit. I have enclosed a copy of the Instructions for the Proof of Beneficial Use for your convenience.

If you have any questions or if I can be of any further assistance, please feel to contact me.

Sincerely,

Karen L. Gustafson
Senior Secretary

Enclosure


NOTE: 0.020 cfs > 0.04 cfs

RECEIVED



JAN 20 1994

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.


USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



Survey



CONTOUR INTERVAL 40 FEET
NATIONAL GEODENSIC VERTICAL DATUM OF 1929



UTM GRID AND 1984 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

JAN 20 1994

QUAC

FOR SALE BY U. S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225, OR RESTON, VIRGINIA 22092
A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

Revisions show
aerial photograph
Partial field ch

PERMIT NUMBER: 83-92-N-0005-000 OWNER CODE: 0 NAME & ADDRESS: POTIATCH CORPORATION
PO BOX 229
HEADQUARTERS, ID 83534
(208) 464-2521
TWP: 38N RGE: 05E SEC: 15 LOT: SW SE
COUNTY: CLEARWATER

Subdivision Location and Description:
Subdivision Name:
Well Site Address: NE CIRCLE DRIVE
City, State:
Geographic Location:
Accuracy Code:
Lat: N
Long: W

Proposed Use of Well: Domestic
Proposed Casing Diameter: 6 In.
Proposed Depth: 300 Ft.

Well Use Comments: ABANDONED

Driller License No: 0103
Firm Name: BURNS WELL DRILLING
Official: GEORGE R BURNS

Permit Status: Permit
Verbal Issue Date: 08/14/1992
Date Received: 08/14/1992
Date Approved: 08/14/1992
Proposed Start Date: 08/10/1992
Extension Date:
Extension Expiration:
Receipt No.: N005830
Receipt Date: 08/14/1992
Fee: \$ 70.00
N006340
03/03/1993
165.00

Specific Conditions:

Permit Remarks: DRILLED AND ABANDONED NUMBER CHANGED TO 83-92-N-0005-001.

Well Remarks:

Conditions of Approval:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 83-92-N-0005-000 Water Right No: 83-07113
Injection Permit No:

Nature of Work: NEW WELL Construction Method: ROTARY AIR
Casing Diameter: 8 In. Static Water Level: 100 Ft. Actual Start Date: 09/22/1992
Depth of Casing: 130 Ft. Temperature: 50 F. Well Finish Date: 09/25/1992
Total Depth: 205 Ft. Production Rate: GPM Log Received Date: 10/20/1992
Screen Installed? No Certification Date: 10/19/1992
Field Inspection Date: Inspector:

Well Log Remarks: 8" CASING FROM -3' TO A DEPTH OF -130', FILLED IN 3 FEET BELOW
GROUND LEVEL WITH BENTONITE AND CUTTINGS.

JAN 20 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 19, 1993

HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS ID 83546

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 83-07113

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

fw JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED
OCT 25 1993

APPLICATION FOR PERMIT
STATE OFFICE REVIEW

Application #: 83-7113 Date: 9/28/93 Reviewer: Cindy Zimmerman

AREA OF CONCERN? - No/Yes S/c Mor

SYSTEM COMPLETED:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

GROUNDWATER:

+ 0.2 cfs <flo-ch> - 01G-P03 (new), 01C-P03 (existing), NMR

- 0.2 cfs - NMR <flow chart>

Drilling Permit:

Included w/permit - P99 Permit No. 83-92-N-0005-001

Existing well - N/A (if drilled before 7/1/87)

No WD permit? - 046-46A<Irr>-46B-P23 (if drilled after 7/1/87)

SURFACE WATER: not in WD - 01C-P03 (+.2 w/pump), NMR <flow chart>

LOCATION:

Water District - WD No. _____

Surface water - 005 or 005-01J-P08 (+.2)
or 005-01H-P01 (-.2 w/pump); NMR

Groundwater - P05 (if well has not been drilled)

In stream channel - 030 (stream channel alteration)

Irrigation Dist. - 023

Canal Co. Areas - 023

Drainage Districts - 024

Flood Control Dist. - 063

Boise Front (63) - 058 (Groundwater temperature)

Swan Falls Flag - B <See condition code chart>

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust <1> - 048-049

RIVER BASINS (Surface): Water District Control Condition (005) &....

Boise (63) - 05A (req), 11E (non-domestic use), NA

Payette (65) - 064 (consump. use), 047-P04 (Payette Lake), NA

Snake (01, 02 & 03) - 11A-P04 (01), 061-P07 (02/03 No W.D.Cond.), NA

USE:

Fish Propagation - 010/06A/09E-P10 (WQ) & 07A-042-002-P06 (MD) (req)
044 (N 1000 Spr)

Irrigation N/A - 803 (if GW use SW 1st) (+5A do POU comparison)

Power - 08A-17K-025-027 (req); 01F-P19; 09E-P10;
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09

Mining - 06A/010/09E-P10 & 054 (req)

Storage (✓ 3 compo.) - 18A-for multi MD in WD, 18B-P09 (+10' high dam)

Domestic (surface) - 021 (Boise R + L Peak), 27A (Payette R)

OWNERSHIP:

Non land owner - 004 (P/D or P/U)

PROTESTED:

Prehearing agreement - 020

OTHER CONDITIONS: -

REMARKS: - 1) w/01 (b) 2) w/04

BENEFICIAL USE DUE: - 10-1-1994

COMMENTS: - 1) Minor Exempt 2) See Desc. 3) Corp off.

Headquarters Subdivision Water Co.
HC #64 Box 1012
Headquarters, ID 83546

RECEIVED
OCT 12 1993
Department of Water Resources

October 5, 1993

Re: Application for Permit No. 83-07113

Dear Water Resource Agent Cindy Zimmerman:

You requested the names, titles and addresses of all the corporate officers of Headquarters Subdivision Water Co.:

Three Board of Directors:

Jim Richards (President)
HC #64 Box 1000
Headquarters, ID 83546

Dennis Anderson
HC #64 Box 1001
Headquarters, ID 83546

Cathy Eastman (Vice President)
HC #64 Box 1010
Headquarters, ID 83546


Rick Bailey
HC #64 Box 1037
Headquarters, ID 83546

Nell Bailey (Secretary)
HC #64 Box 1037
Headquarters, ID 83546

Lee Lougee
HC #64 Box 1007
Headquarters, ID 83546

Wanita Richards (Treasurer)
HC #64 Box 1000
Headquarters, ID 83546

Sincerely,


Jim Richards
President

Headquarters Subdivision Water Co.

RECEIVED
OCT 25 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 29, 1993

HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS ID 83546

RE: Application for Permit No. 83-07113

Dear Sirs:

I have received your application for permit for domestic, irrigation and fire protection use for final review. However, I need a list of the names, titles, and addresses of all the corporate officers of Headquarters Subdivision Water Company.

I will hold further processing on your application for 30 days pending your response. Please submit this information as quickly as possible within the 30-day period to prevent any further undue delay in processing your application.

If you have any question, please feel free to contact me at (208) 327-7944.

Sincerely,

A handwritten signature in cursive script that reads "Cindy Zimmerman".

CINDY ZIMMERMAN
Water Resource Agent

c: Northern Region

OCT 25 1993

No. a
4/87-06/92n

IDaho DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

RECEIVED
SEP 23 1993

APPLICATION # _____

***** INITIAL REVIEW ***** Department of Water Resources *

APPLICANT: HEADQUARTERS SUBDIVISION BY: AB DATE: 7/23/93

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- ^ Field check: by _____
↓ Field report attached
↓ Analysis Supp. attached (>5cfs/500af)
↓ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 7/23/93

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: CLEARWATER County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: n/a

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: n/a

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
X Critical ground water area
X Well Drilling Permit required
X Well Drilling Application and Fees received
X Well Drilling Application approved?
X Well Drilling Application Number 83-92-N-3-001

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

Notice of pending void order issued. Final order response date: ____/____/____

Further information required from applicant

✓ Affidavit of publication received

✓ Application published correctly, If not, record action taken: _____

✓ Publication dates and paper recorded on application | Sr. Agent initial AB

✓ Protests received. Final protest date: 8/23/93

Measuring device required

Measuring port required

Special conditions: _____

Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: AB RYM

Date: 9/21/93

83-07113

HEADQUARTERS SUBDIVISION WATER CO
HC 64 BOX 1012
HEADQUARTERS, ID 83546

Source: GROUNDWATER

Diversion Pt: SWSE Sec 15 T 38N R 05E in CLEARWATER County.

Use: IRRIGATION	(.090 CFS)
DOMESTIC	(.110 CFS)
FIRE PROTECTION	(.200 CFS)
Total Diversion:	(.200 CFS)

Date Filed: 7/23/1993


In: CLEARWATER County		
T38N R05E S15	SWSW	SESW

3.0 ACRES TOTAL

RECORDED

OCT 25 1993

AFFIDAVIT OF PUBLICATION



STATE OF IDAHO)
) ss.
County of Clearwater)

Bonnie M. Bessent

being first duly sworn, on oath, deposes and says:

That I am and at all times herein mentioned have been a citizen of the United States and of the State of Idaho, over 21 years of age, and that I am not a party to nor interested in the above entitled proceeding; that I am and at all times herein mentioned have been the Editor, Foreman, of THE CLEARWATER TRIBUNE; that said Clearwater Tribune is a newspaper of general circulation, printed and published weekly at Orofino, in the County of Clearwater and State of Idaho; that the Clearwater Tribune has been continuously and uninterruptedly published in Clearwater County, Idaho, during the period of seventy-eight consecutive weeks prior to the first publication of attached copy of:

Water Rights

That said Rights

of which the annexed is a full, true and correct printed copy, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for a full period of two consecutive issues commencing on the 5th day of August 1993 and ending on the 12th day of August 1993

Bonnie M. Bessent


STATE OF IDAHO)
)
COUNTY OF CLEARWATER)

On this 12th day of August in the year of 1993, before me, a Notary Public, personally appeared

Bonnie M. Bessent,
known or identified to me to be the person whose name subscribed to the within instrument, and being by me duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Janice A. Linke
Notary Public for Idaho
Resident at Orofino, Idaho
My commission expires: 5/13/99

OCT 25 1993





State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 ~~1-800-769-1450~~ ~~1-800-769-1454~~ Fax (208) 769-1454

CECIL D. ANDRUS

Governor
July 29, 1993

R. KEITH HIGGINSON
Director

Headquarters Subdivision Water Co.
HC 64 Box 1012
Headquarters, Id. 83546

Gentlemen:

Subject: Water Application for Permit Number 83-7113.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N6774. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent

Enc. - Receipt


OCT 28 1993

7/90

Drilling Permit No. 83-92-N-5
Water Right Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT



1. Applicant (please print) Potlatch Corporation
2. Mailing Address P.O. Box 229
Headquarters, Idaho 83534 Telephone (208) 464-2521
- (x) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SE 1/4, or Gov't Lot No. _____
Sec. 15, Twp. 38N, Rge. 5 E, County Clearwater
Street Address of Well Site NE Circle Drive
Lot, block and subdivision _____
4. Proposed use of well:
- (x) Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
- () Non-Domestic: Any beneficial use not included within the definition of domestic.
- () Injection
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
5. Well construction information:
- A. (X) New well () Deepen () Replace - See Condition 9
- B. Proposed Surface Diameter 6" Proposed Maximum Depth 300'
- C. Anticipated bottom hole temperature:
- (x) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date 8-10-92
7. Anticipated Well Driller Burns Well Drilling
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature James W. Maloney Date July 27, 1992
Title Clearwater Area Manager
(Owner, Firm Representative, Other)

OCT 25 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date August 14, 1992

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Robert L. Haynes
Signature of Authorized Department Representative

Regional Manager
Title

Receipt No. N6340
N5830 Received by [Signature] Fee \$165.00
\$55.00 Date 8/13/93
8/14/92

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

OCT 25 1992

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY – FORWARD THE WHITE COPY TO THE DEPARTMENT