

[illegible]

Diagram illustrating a rectangular area on a grid, labeled with P/U and PDT .

MICROFILMED

AUG 24 1981


Wells Bench Water & Ice Co.
Cassondia Ayala Sec
(Applicant)

(Applicant)

WELL'S BENCH RANCH

SUBDIVISION LOCATED IN THE S1
37N., R.2E., B.M., IN CLEARWATER

Red existing water system
(HAROLD STUMP)



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Clearwater } ss.

Bonnie Bessent

being first duly sworn, on oath, deposes and says:

That I am and at all times herein mentioned have been a citizen of the United States and of the State of Idaho, over 21 years of age, and that I am not a party to nor interested in the above entitled proceeding; that I am and at all times herein mentioned have been the Editor, Foreman, of THE CLEARWATER TRIBUNE: That said Clearwater Tribune is a newspaper of general circulation, printed and published weekly at Orofino, in the County of Clearwater and State of Idaho; that the Clearwater Tribune has been continuously and uninterruptedly published in Clearwater County, Idaho, during the period of seventy-eight consecutive weeks prior to the first publication of attached copy of:

Notice of Application
For wWater Rights

That said Notice

of which the annexed is a full, true and correct printed copy, was published in the regular and entire issue of said newspaper, and not in any supplement thereof, for a full

period of two consecutive issues commencing

on the 7th day of May, 187,

and ending on the 14th day of May,

1987.

Bonnie Bessent

Subscribed and sworn to before me this 10 day of
July, 1987.

Jane J. Greene
Notary Public in and for the State of Idaho Residing at Orofino Therein

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho.

WELLS BENCH WATER AND ROAD CORPORATION

P.O. BOX 1054, OROFINO, ID 83544

Source: GROUNDWATER

Diversion Pt: SENESE Sec 28 T 37N R 02E

Use: IRRIGATION (0.020 CFS)
STOCKWATER (0.020 CFS)
DOMESTIC (0.170 CFS)

Date Filed: 04/03/1987

In: NESE SESE Sec 28 T37N R 02E
SESE Sec 28 T 37N R 02E NESE
NWSE SWSE SESE Sec 28 T 37N R 02E FOR 2 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Government Way, Suite 9, Coeur d'Alene, ID 83814 on or before MAY 26, 1987.

KEN DUNN, Director
5-7,14c

OK
7/15/87

RECEIVED

JUL 15 1987

Department of Water Resources
Northern District Office

MICROFILMED

AUG 24 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 84-07196
1. Owner: Wells Bench Water + Rch Corp Phone No. 476-4437
Current Address: P.O. Box 1054 Orofino, ID 83544
2. Accompanied by: Cassandra Kxdu EXAM. DATE: 6/28/90
Address: same Phone No. same
Relationship to Permit Holder: -
3. Source: Groundwater tributary to -

B. OVERLAP REVIEW

1. Other water rights with same place of use: ~~None 84-07048~~ NONE TDK
☒ Copies Attached
2. Other water rights with same point of diversion: ~~None 84-07048~~ TDK
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUN 28 1991



UNRECORDED

AUG 08 1991

WELL'S BENCH RANCH

SUBDIVISION LOCATED IN THE S
37N., R.2E., B.M., IN CLEARWAT

Red existing water
system

(HAROLD STUMP)


21

W.T.

W.T.B.T.

28

3572.94



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 84-07196

Priority: April 3, 1987

Maximum Diversion Rate: 0.13 CFS
Maximum Diversion Volume: 9.5 AF

This is to certify, that WELLS BENCH WATER & ROAD CORP.

P.O. BOX 1054

OROFINO, ID 835440000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 3, 1987; and has submitted Proof of Beneficial Use on June 12, 1989. An examination indicates that the works have a diversion capacity of .130 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	0.3 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.13 CFS	9.0 AF
	Totals	0.13 CFS	9.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 28, Township 37N, Range 02E
CLEARWATER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
37N	02E	28	NESE 0.1	SESE 0.1		0.2
Total number of acres irrigated:						0.2

PLACE OF USE: STOCKWATER

TWN RGE SEC

37N 02E 28 SESE

PLACE OF USE: DOMESTIC

TWN RGE SEC

37N 02E 28 NESE NWSE SWSE
SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

NOT RECORDED

AUG 08 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 84-07196

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 15 homes; stockwater use is for 9 cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26TH day of July, 19 91.

Acting for


R. Keith Higginson, Director

AUG 08 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 84-7196

RECEIVED

APR 30 1987

To appropriate the public waters of the State of Idaho

Department of Water Resources
Northern District Office

1. Name of applicant Wells Bench Water Corp Phone 476-4437

Post office address P.O. Box 1054 OROFINO, ID. 83544

2. Source of water supply Well which is a tributary of _____

3. Location of point of diversion is SE ^{NE} 1/4 of 58 1/4 of SE 1/4, Govt. Lot _____

Sec. 28 Township 37N Range 2E B.M. Clearwater County; additional

points of diversion if any: PER TEL/CON MAP - 1 - 4/17/87

4. Water will be used for the following purposes:

Amount .07 for Domestic purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .06 for irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for STOCK purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .32 .20 and/or (b) _____
PER TEL/CON - W/APP - 1 - 4/17/87 cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well of about 270' depth
to be hooked into existing water system of 4" lines
with 15 outlets and 10 gal storage tank

b. Height of storage dam _____ feet; active reservoir capacity 10,000 gal acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:

Jan 1 to Dec 31 inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 270' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed official use is

3 yrs years (minimum 1 year).

NOT FILMED

AUG 24 1987

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. None
- b. Stockwatering; list number and kind of livestock. 4 head of horse
- c. Municipal; show name of municipality. —
- d. Domestic; show number of households. 15 households
- e. Other; describe fully. —

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
37N	2E	28																	.06
		28			S/D	D	D	D	D	D	D	D	D	D	D	D	D	D	
37N	2E	28						D											
37N	2E	28													D	D	D	D	.06

PER TEL/CON ~ W/APP ~ 4/17/87

Total number of acres to be irrigated .06

10. Describe any other water rights used for the same purposes as described above. Water Right

Licence No. 84-7048

11. a. Who owns the property at the point of diversion? Gregory D. Lyda

b. Who owns the land to be irrigated or place of use? Wells Bench Ranchettes


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Legal easement to drill well run water lines and maintenance of water system

12. Remarks: Burns Well Drilling of Grangeville will drill (208) 983-2464 ; The Pump man & Co (Paul Shaper) 1223 Burrell Ave Lewiston, Idaho 83501 will install pump and water lines and electrical system to connect into existing system.

MICROFILMED

(Water Right licence No. 84-7048 needs to be applied for 4/17/87 have 5 units met 12...)

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MICROFILMED

AUG 24 1981

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Will Bench Water & Re Corp.
Cassandra Lynda See
(Applicant)

Proposed Priority 4/3/87 *FROM ORIGINAL 4/28/87*
Received by [Signature] Date 4/13/87 Time 1:35 PM Preliminary check by TK
Fee \$ 30.00 Receipted by [Signature] # 38273 Date 4/20/87
Publication prepared by [Signature] Date 4/30/87 Published in Clearwater Tribune
Publication approved [Signature] Date 7/15/87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 84-7196, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: If construction of the well under this permit was not initiated prior to July 1, 1987, commencement of well construction or diversion of water under this permit is prohibited unless a drilling permit is obtained from the Department.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.02 cfs.

Witness my hand this 28th day of July, 1987.

A. Glen Saxton
Chief, Operations Bureau


MICROFILMED

AUG 24 1987

WELL'S BENCH RANCH

SUBDIVISION LOCATED IN THE S
37N., R.2E., B.M., IN CLEARWATER

Red existing water system
(HAROLD STUMP)



STATE OF IDAHO, }
County of Clearwater } SS.

being first duly sworn, on oath, deposes and says:

Notice of Application For wWater Rights

That said Notice

Loane M Bessent

Jane B. Greene

Notary Public in and for the State of Idaho Residing at Orofino Therein

The following permits have been filed to develop the public waters of the State of Idaho:

PERMIT TO TAKE AND CONVEY
ROAD CORPORATION
P.O. BOX 1054, SHOFIELD, ID
83444
UNDERGROUND WATER
PERMIT TO TAKE AND CONVEY
FOR IRRIGATION (0.020 CFS)
STOCKWATER (0.020 CFS)
DOMESTIC (0.170 CFS)
Permit No. 04-037187
IN WYOMING PERMIT NO. T71N R 02E
SENECA CO. IS T 37N R 02E NESE
THIRD EYER SESSON IS T 37N R
02E FOR 2 ACRES
The permit(s) will be subject to all prior water rights. Permit(s) to be filed with the Director, Dept. of Water Resources, 4035 Government Way, Suite 9, Coeur d'Alene, ID 83814 on or before MAY 28, 1987.
COURT REPORTER, 200000
5-7-186

RECEIVED

JUL 16 1961

**Department of Water Resources
Northern District Office**

MICROFILMED

AUG 24 1987

July 26, 1991

WELLS BENCH WATER & ROAD CORP.
P.O. BOX 1054
OROFINO, ID 835440000

RE: WATER RIGHT NO. 84-07196

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure


AUG 08 1991

July 8, 1991

WELLS BENCH WATER & ROAD CORP.
P.O. BOX 1054
OROFINO, ID 835440000

RE: WATER RIGHT NO. 84-07196

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

AUG 08 1991

LICENSE REVIEW CHECKLIST

Permit No. 84-7196

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee OK

Limited by capacity

Total volume Limited by flow

Chart checked for AF rate/ac ☒ 3.0

Capacity Actual measurement checked

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per $\frac{1}{4}$? Remember remark

Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap

Remarks More than one p/d in $\frac{1}{4}$

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed -

Not needed ☒ proof made 1989

Comments/Changes to Examiner's Recommendations:

License 10-day

30-day AUG 08 1991

Back of field report signed?

Reviewer [Signature] Date 7/1/91 Review time 5 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 84-07196

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature [Signature] Date 1/25/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 84-07196
1. Owner: Wells Bench Water & Rdn Corp Phone No. 476-4437
Current Address: P.O. Box 1054 Orofino, ID 83544
2. Accompanied by: Cassandra Lyda EXAM. DATE: 6/28/90
Address: same Phone No. same
Relationship to Permit Holder: -
3. Source: Groundwater tributary to -

B. OVERLAP REVIEW

1. Other water rights with same place of use: None 84-07048 NONE TDK
☒ Copies Attached
2. Other water rights with same point of diversion: None 84-07048 TDK
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

RECEIVED
JUN 28 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The well ^{5' x 20' 5" H.C. 62'} was pumped up to a 10,000 gallon reservoir and then gravity fed to 15 lots. The pump was a 1 1/2 hp Grundfos pump.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Franklin	1 1/2		Grundfos	
			could not locate serial #s		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					28	37N	2E	Clearwater	Map
					SENESE				

6. Place(s) of Use:

Indicate Method of Determination

-Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
37N	2E	28													0	0	0	0	
															5	5	5	5	
37N	2E	28													0	0			
															5	5			
															1 1/2	1 1/2	1 1/2	1	4
37N	2E	28													0	0	0	0	.01
															.01			.05	.05
																		.06	.06

TDK

Do not use this space

AUG 08 1991

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

[Handwritten notes and a circular stamp are present in this section. The stamp reads: "STATE OF ILLINOIS ENGINEER LICENSE NO. 5348" with a signature across it.]

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{8.8(1.5)70\%}{70' + } = 0.13$ *ENDK*

GLOB. DIFF. PUMP TO RESERVOIR

2. Alternate Method for Checking Purposes: *15 Domestic & Stock*

*DOMESTIC
15 HOMES = 0.18 cfs
APPLIED FOR 0.17 cfs*

*IRRIGATION
(.06 ACRES) (.03 cfs/ACRE) =
2.01*

*STOCK
9 HD = .02*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1.34 = _____ (7)
Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS *LAWN & GARDEN IRR FOR 12 HOMES COVERED BY 84-07048*

1. Volume Calculations for Irrigation: *OFLAWN & GARDEN FOR 3 HOMES*

0.06
 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{.06}{3} \times 3 = 0.2$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{_____}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \text{0.2}$

2. Volume Calculations for *Other* Uses:

*15^{0K} Domestic = (15)(.6) = 9 AF
DOMESTIC IRR (84-07048) = (12)(.6) = 7.2
9 Stock = .2
16.2 Dom*

AUG 10

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Cassandra Lyda stated that the new well was drilled to supplement the old well

NOT TO EXCEED 0.17 ~~when~~ cfs NOR 16.4 AFA WHEN COMBINED WITH 84-07048

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (15)	1/1	12/31	.17.13	9.516.2
Irrigation	4/1	11/1	.02.01	12.7.2
Stockwater (4)	1/1	12/31	.02	.2
Totals:			.20.13	21.216.6

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name Robert Knoblock
 Signature Robert Knoblock
 Certification Date 4/16/90
 Field Report Preparation Date 7/2/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

APPROVED

AUG 08 1991



84-07196

100-100000-100000

AUG 08 1991

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 84-07196

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes / No _____

4. Access Port: Y _____ N /
Pressure Gauge: Y _____ N /
Flowing: Y _____ N /

Static Water Level: 62'
Casing Diameter: 8"
Temperature: 52°

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N C

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

RECEIVED

AUG 08 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS

Governor
September 12, 1989

R. KEITH HIGGINSON

Director

Wells Bench W & S District
P.O. Box 1054
Orofino, Id. 83544

Re: 84-7196

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING

Senior Water Resource Agent

TDK/pms

RECEIVED

SEP 20 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 84-7196

Date: 8/18/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
Y Reinstated _____

Source of Water:

Y Surface water
Y Groundwater
Y 1. well log in file
Y 2. drilling permit
Y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
Y Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUN 20 1989

For Office Use Only
Fee Received 50.00
Date 4/2/89
Receipt # N308
Reviewed by [Signature]
Sent to region

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED
JUN 12 1989
NORTHERN REGION
IDWR

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 84-7196
Name(s) of Permit Holder: Wells Bench Water & Rd Corp
Post Office Address: P.O. Box 1054
Profino, Ida 83544 Telephone No. 476-4437
Source of Water: Well

Extent of Use:

Domestic .17 15 (number of households) Stockwater .02 (number and type of stock)
Irrigation .02 (acres) Other/Remark

Total rate and/or volume for which proof is submitted .30 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 9-1-88

Measuring Device: Required? Yes ✓ No
Installed? Yes ✓ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ✓ No
Installed? Yes ✓ No

Person to contact to accompany the Department representative during the field examination:

Cassandra Lyola 476-4437
(Name) (Telephone Number)

P.O. Box 1054 Profino, Ida. 83544
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed. I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

6-8-89
Date

Cassandra Lyola, Sec. SEP 20 1989
Signature of Permit Holder (and title, if appropriate)

138313
May 31, 1989

WELLS BENCH WATER AND ROAD CORPORATION
P.O. BOX 1054
OROFINO, ID 835440000

PROOF DUE NOTICE

RE: PERMIT NO. 84-07196

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 20 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 84-7196
Name(s) of Permit Holder(s): Wells Beach Water & Pool
Post Office Address: Box 1054 Orion, Ida
83544 Te 208-76-4437

☒ I hereby certify that construction of diversion works for the above referenced permit began on 6-23-88 I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6-25-88
Date

Andrea Poda
Signature of Permit Holder

Wells Bend
Box 1054
Carolina, Idaho 83544



HEL



Domestic USA

MICROFILMED

SEP 20 1989



RECEIVED
JUN 27 1988


IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT



AUG 07 1987

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources (Authorizing Construction of a Well)*

APPROVED

1. Applicant Wells Bench Water 3' Rd
2. Address P.O. Box 1054 (Wells Bench Ranchettes)
Orofino Ida 83544
- ☒ Well Owner () Well Operator () Other, specify _____
3. Water right permit no. 84-7196; Injection well permit no. _____
4. Proposed well location 1/4 NE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 28, Twp. 37 N, Rge. 3 E B M, County Clearwater,
Lot, block and subdivision Wells Bench Ranchettes Lot 7
5. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify 15 Family water system
6. Well construction information:
☒ New well () Deepen () Replace
Proposed surface diameter 8" Proposed depth 0-300'
Anticipated bottom hole temperature:
(☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date as soon as possible
8. Well Driller (if known) BURNS WELL DRILLING
Address ROUTE 2 BOX 615
GRANGEVILLE, IDAHO 83530
Date 8-3-87 Applicant's signature [Signature]
Title Secretary, Wells Bench Water, LLC

MICROFILMED

* After other pre-requisite approvals have been obtained.

SEP 20 1989

ACTION OF IDWR

(✓) Approved () Denied

84-87-2-004

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Item 3 Above is not required

Start date extended to 7/31/88. JEB 4/28/88

Dated this 13th day of August, 1987.

Signed

Joh E Beal

Title

SECTION MANAGER
GROUNDWATER PROTECTION

SEP 25 1989

Received by af Fee \$100.00 Date 8-11-87

Receipt No. 44193 Construction start date _____

Construction start extension to December 31, 1987, July 31, 1988

Extension approved by Joh Beal, J. B. Beal

Memo

4/25/88

John Carlson

Sandy Lyda 476-4437 an

Mrs. Lyda (secretary of organization) is requesting a 6 mo. extension on the drilling Permit. The water right commencement of work is required in Aug. of 88.

They have decided to not go FHA and they are presently trying to save the money for the new well.

If they can't get an extension can they get their money back? I don't believe we have looked at refunds after approval.

I see no problem with granting extensions as long as we put in writing that if groundwater conditions change in the area it ~~the~~ could be deemed or stipulated accordingly.

MICROFILMED

SEP 25 1989

memo

9/9/87

Drilling Permit # 84-7196 Wells Branch Water + Rd.

John Carlson

Sandy Lyda 476-4437 Orifino

Well is for a 15 family look up sewer + trash.

They are having problem with FHA loan

They have had to hire another engineer for planning

Water right # 84-7196 Approved 7/20/87 they have one
year to commence work.

She would like two month extension on drilling permit.

I told her in light of the above she should consider
the drilling permit extended for two months unless she
heard from us. good till 11/9/87 or 12/10/87

Requested she call or submit letter when they will
commence drilling.

MICROFILMED

SEP 25 1989

INTER-DEPARTMENT MEMO — 1

FROM

J. Beal

DATE

12/17/87

TO

Drilling Permit

SUBJECT

84-87-Z-004

*This permit extended to 4/30/88.
per owners request (Sandy Lite)*

MICROFILMED

SEP 25 1989

J. Beal

SIGNATURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 29, 1987

RE: Permit No. 84-7196

Wells Bench Water & Road Corp.
Box 1054
Orofino, ID 83544

Dear Permit Holders:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page.

A "drilling permit" must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

JJ:sc
Enclosure

MICROFILMED

AUG 24 1987

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Le APPLICATION NUMBER: 84-7196

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 5/20/87
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/15/87
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
4/3/87 Date of priority recommended.
Special conditions of approval or cover letter. _____

RECEIVED

AUG 4 1987

allow 2 yrs. for B/U development

By: RGA

Date: 7/22/87

STATE OFFICE REVIEW:

L23, L17

04 28 (irrig.) 26 43

RECEIVED

- ☐ See attached sheet for more information.

By: KW

Date: 7/27/87

JUL 27 1987

Department of Water Resources

84-7196

WELLS BENCH WATER AND ROAD CORPORATION

P.O. BOX 1054, OROFINO, ID 83544

Source: GROUNDWATER

Diversion Pt: SENESE Sec 28 T 37N R 02E

Use: IRRIGATION	(0.020 CFS)
STOCKWATER	(0.020 CFS)
DOMESTIC	(0.170 CFS)

Date Filed: 04/03/1987

In: NESE SESE Sec 28 T 37N R 02E SESE Sec 28 T 37N R 02E NESE NWSE SWSE SESE
Sec 28 T 37N R 02E FOR 2 ACRES

MICROFILMED
AUG 24 1987

April 30, 1987

Wells Bench Water & Rd. Corp.
P.O. Box 1054
Orofino, Id. 83544

Re: 84-7196

Gentlemen:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 84-7196. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Clearwater Tribune. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. 38273 for the amount of \$30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH/pms
Enc. - Receipt

MICROFILMED

AUG 24 1987

C
O
P
Y



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

April 6, 1987

Wells Bench Water & Road District
P.O. Box 1054
Orofino, Id. 83544

Gentlemen:

I am returning your Check No. 92-138 in the amount of \$30.00, since the fee for an application with a diversion rate of 0.56 CFS is \$45.00. However, a diversion rate of more than 0.18 CFS for 15 homes would probably not be approved by this Department.

I am, therefore, also returning your application to allow you to make the necessary adjustments.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Check
Application

MICROFILMED

AUG 24 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. _____

To appropriate the public waters of the State of Idaho

1. Name of applicant Wells Beach Water $\frac{1}{2}$ Rd Phone 476-4437
Post office address P.O. Box 1054 Orofino Idaho 83544

2. Source of water supply Well which is a tributary of C

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of X $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 37N Range 2E B.M. Clearwater County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

* Amount 0.56 ^{appx} for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

* 5. Total quantity to be appropriated is (a) 0.56 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump with
Pipe line to 15 Home Sites

b. Height of storage dam _____ feet; active reservoir capacity 10,000 gal Storage Tank acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8" inches; proposed depth of well is 270' feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____ **MICROFILMED**

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year). **AUG 24 1987**

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. 15 Households
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.


TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
37N	2E	28																	

Total number of acres to be irrigated 2

Sec. 84-7048 For 12 Homes 0.17 cfs

- Describe any other water rights used for the same purposes as described above. Existing well SE 1/4 of SE 1/4 of section 28 Twp 37N Range 2E BADC/1981
- Who owns the property at the point of diversion? At present, Dorian H. Bean (Gregory D. Lyden)
 - Who owns the land to be irrigated or place of use? 15 Lot owners
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Wells Branch Water **UNFILMED** System & distrib. to 15 Lots
- Remarks: The existing well has dropped in capacity, to about 2 1/2 gals/min. in the summer. Well is only 50' deep and the water table has dropped a lot much in the last few years. See it to sustain us

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED
AUG 24 1987

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by Date 4/3/87 Time 2:30 PM Preliminary check by
Fee \$ Receipted by # Date
Publication prepared by Date Published in
Publication approved Date

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. , and said application is hereby .

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before , 19 .

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED


AUG 24 1987

ELL'S BENCH RANCH

SUBDIVISION LOCATED IN THE S
7N., R.2E., B.M., IN CLEARWATER

Red existing water system
(HAROLD STUMP)

21
W.T.
W.T.B.T.
28
3572.94



IDENT. NO. 84-7196

WATER RIGHT
DATA ENTRY LOG

[illegible]