




86-1319 LANDING STRIP

23 2264
American Ridge Cem

x2357

26
x1702T

LATAH
NEZ PER

POTLATCH

Juliaetta Cem

Juliaetta

MILE 10

BNN651

COVERED RE SODIUMS

SUB STR

To B4
Ingrated

Point of
Diversion

GRAVEL
PIT


BNN7031

SE W.
TRLT. FRC

MICROFILMED

JUL 07 1993

A PORTION OF LAND IN SECTIONS 9 & 10, TWP. 37 N, R. 3 W, B.M., CITY OF JULIAETTA, LATAH COUNTY, IDAHO..



THIS MAP CORRECTLY REPRESENTS A SURVEY DONE BY ME, ON UNDER MY DIRECTION, IN ACCORDANCE WITH THE SURVEY RECORDING ACT AT THE REQUEST OF ALABAMA CENTRAL COMMITTEE, IN AUGUST OF 19 92.

James W. Crow
JAMES W. CROW
L.S. 749
DATE 8-10-92

LEGEND

● FOUND BRASS CAP MONUMENT
● FOUND 1/2" IRON PIN, UNLESS
OTHERWISE NOTED
● SET 1/2" IRON PIN, UNLESS
OTHERWISE NOTED



Affidavit of Publication

STATE OF IDAHO

County of Latah

ss.

Lorraine Hudson
Legal Clerk

being first duly sworn, on oath,
deposes and says:

That she is the printer of
Moscow-Pullman Daily News, a
newspaper of general circulation,
printed and published daily except
Sunday at Moscow, Latah County,
Idaho, in compliance with Sections
60-106, 60-107, and 60-108 of the
Idaho Code and the amendments
thereto; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supplement
thereto, upon the following dates:

Jan. 21, 28,
1993

the same being the dates designated
for the publication of said notice.

On this 29 day of Jun.
in the year of 93, before me, a Notary

Public, personally appeared

Lorraine Hudson
known or identified to me to be the person whose
name subscribed to the within instrument, and
being by me first duly sworn, declared that the
statements therein are true, and acknowledged to
me that he executed the same.

Ann Marie Galt
Notary Public for Idaho

Residing at Moscow ID

My commission expires: 5/1/98

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:
86-07319

CITY OF JULIAETTA, PO BOX
229, JULIAETTA, ID 83535

Source: GROUNDWATER

Diversion Pt: NESENE Sec 9 T
37N R 03W in LATAH County.

Use: IRRIGATION, Total Diver-
sion: (.220 CFS) (.220 CFS)

Date Filed: 12/21/1992

In: LATAH County, T37N, R03W,

S09 NENE

7.2 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Co-
eur d'Alene, Idaho 83814 on or be-
fore FEBRUARY 8, 1993.

R. KEITH HIGGINSON, Director
January 21, 28, 1993

MICROFILMED


JUL 07 1993

RECEIVED

FEB 02 1993

NORTHERN REGION
IDWR

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	G.E.	7.5	5-K254E32	Pacific	B3P18838

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Toro 620's					13/64"	
Sprinklers						

2. Measurements: 5 Sprinklers Max @ 13/64" size @ 65 psi = 10' gpm

JUN 10 1998



Juliaetta

MILE
10

2445T

RIDGE

2720T

COVERED
BY SUBSIDIES

SUB
STR

PU

PD

SARCEL
FIT

BM 7031

CE W
FEAT
FAC

5-9

WD

16

BM 1004

RIVER

2-86

SARCEL
FIT

LATAH CO
NEZ PERCE CO

NEZ PERCE

INDIAN

POTLATCH

LATCH
2340

CEM

20

BM 775

21

22

2225

2-87

F2


JUN 10 1938

86-07319

CEM

Creek


POTLATCH



SHEET 4

RECORD OF SURVEY

A PORTION OF LAND IN SECTIONS 9 & 10, TWP. 37 N, R. 3 W, BM.
CITY OF JULIAETTA, LATAH COUNTY, IDAHO.



BASE OF BEARING:
BEING EAST ALONG THE NORTH LINE OF SECTION 10,
BETWEEN THE FOUND SECTION CORNER AND THE 1/4
CORNER COMMON TO SECTIONS 3 & 10.

THIS MAP CORRECTLY REPRESENTS A SURVEY DONE BY ME, ON UNDER
MY DIRECTION BY ACCORDANCE WITH THE SURVEY RECORDING ACT AT
THE REQUEST OF JULIAETTA EXISTENTIAL COMMITTEE, IN AUGUST
OF 19 SE.

Donald W. Hane
LATAH COUNTY
DATE 8-10-92





P.D.



P.D.

MICROFILMED
JUN 10 1998

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 86-07319

Priority: December 21, 1992

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

16.0 AF

This is to certify, that CITY OF JULIAETTA
PO BOX 229

JULIAETTA ID 83535-0229 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 21, 1992; and has submitted Proof of Beneficial Use on March 24, 1995. An examination indicates that the works have a diversion capacity of 0.110 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	0.11 CFS	16.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 9, Township 37N, Range 03W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
37N	03W	9	NENE 1	SENE 3		4

Total number of acres irrigated: 4

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. Irrigation use is for the Juliaetta City Park.

NOT RECORDED

JUN 10 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 86-07319

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27TH
day of MAY, 1998.

Acting for

KARL J. DREHER, Director

RECEIVED
JUN 10 1998

State of Idaho
Department of Water Resources

RECEIVED

MAY 20 1998

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 86-07319

Date of Priority: December 21, 1992

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

16.0 AF

Comes now

CITY OF JULIAETTA

PO BOX 229

JULIAETTA ID 83535-0229

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 86-07319, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	0.11 CFS	16.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 9, Township 37N, Range 03W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
37N	03W	9	NENE 2	SENE 2		4
			344			
			Total number of acres irrigated:			4

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Frank E. Hamblen, this 1 day of May, 19 98.

MICROFILMED
JUN 10 1998

Frank E. Hamblen
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 86-07319

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50.00 Received by HS # C040385 Date 5/20/98

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 86-07319 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
6. Irrigation use is for the Juliaetta City Park.

Witness my hand this 27TH day of MAY, 1998.


Acting for **KARL J. DREHER, Director**

MICROFILMED

JUN 10 1998

RECEIVED

STATE OF IDAHO
MAR 24 1995 DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 86-07319 Telephone No. (208) 276-7791
2. Name(s) of Permit Holder(s): City of Juliaetta
3. Mailing Address: P.O. box 229 Juliaetta ID. 83535
4. Source of Water: 18' ft deep well If **GROUNDWATER** (well), Date Drilled: mo. 6 / yr. 93
 - a. Well Driller: _____ Drilling Permit Number: _____
 - b. **OPTIONAL:**
Pump Horsepower: 7 hp Pressure (psi): 80 Dynamic pumping level (ft): 2'
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 5 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: .17 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No _____

Has the measuring device been installed?

Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required?

Yes X or No _____

Has the measurement port been installed?

Yes X or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Frank Groseclose Telephone Number: (208) 276-7791 work
(208) 276-3120 home
Address: P.O. box 291 Juliaetta ID. 83535

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Frank Groseclose Maintenance Supervisor

Signature of permit holder: Frank Groseclose Maintenance Supervisor Date: 3/11/95
(include your title, if on behalf of company or organization)

MAR 30 1995

RECEIVED

APR 01 1994

Department of Water Resources

For Office Use Only

\$15 Fee Received by dw
Date 4/1/94
Receipt No. 6029936

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 86-07319

Name(s) of Permit Holder: City of Juliaetta

Mailing Address: P.O. Box 229 Juliaetta Idaho 83535

Date Proof is Due April 1, 1994

Telephone No. (208) 276-7791

Describe what work has been completed toward the development of this water right:

(This must be filled out! If no work has been completed, show "none".)

An 18"ft. Well has been constructed and test pumped at approximately
150 GPM. Washington Water Power has installed power to the park property
for the pump and lighting.

Costing \$ 6,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Unfavorable weather last fall and this spring. And timing of funds and
volunteer help for match funds

Permit holder(s) request an extension to August 31, 1994

FEE: \$15.00

Frank E. Bransford
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

APR 26 1994

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to April 1, 1995.

Signed this 20th day April, 1994

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 86-07319

Proposed Priority: December 21, 1992 Maximum Diversion Rate: 0.22 CFS
This is to certify, that CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/01 to 11/30	0.22 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 9, Township 37N, Range 03W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
37N	03W	9	NENE	7.2		7.2


Total number of acres irrigated: 7.2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1994.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. Irrigation use is for the Juliaetta City Park.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

24th day of February, 1993


for R. Keith Higginson, Director

MICROFILMED

JUL 07 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 86-7319

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Juliaetta Phone 276-7791
Post office address P.O. Box 229
2. Source of water supply GROUNDWATER ~~Pottatch River~~ which is a tributary of ~~Clearwater River~~
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 37 N Range 3 W B.M. Latah County; additional
points of diversion if any: _____
4. Water will be used for the following purposes: 3/1 11-30 BLM
Amount 22 cfs for irrigation purposes from May 1 to Oct. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .22 and/or (b) 16
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Dig wet well 18' deep
install 2 4' Perforated Concrete 52" high with solid ring
To top. Concrete Slab on top. Install 40 gpm. Jet pump.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 48" inches; proposed depth of well is 18' feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 year years (minimum 1 year).

JUL 07 1993

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
37N	3W	9	7.2																7.2
			~~9~~	~~M~~															

Total number of acres to be irrigated 7.2


10. Describe any other water rights used for the same purposes as described above. _____

- Who owns the property at the point of diversion? City of Juliaetta
- Who owns the land to be irrigated or place of use? City of Juliaetta
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This well will be used for Irrigation only, of City Park
Irrigation Being at night

PROJECT MGR: TAMMY HITCHCOCK (276-7971) JUL 07 1993
 MAINTENANCE PERSON: RICHARD GROBELOUSE (276-3661)

* CHANGES WERE MADE TO FILING AS PER PHONE CONVERSATION
 WITH TAMMY HITCHCOCK (PROJECT MGR) 1/8/92



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RECEIVED
JUL 07 1993

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jeff J. Lehman
(Applicant)

Received by 293 Date 12/21/92 Time 12:50 Preliminary check by _____
Fee \$ 45.00 Receipted by LDF # N006210 Date 12/21/92
Publication prepared by _____ Date 1/13/93 Published in Idaho Mining Daily News
Publication approved _____ Date 2/3/93

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
JUL 07 1993

RECORD OF SURVEY




TWP. 37 N. R. 3 W. B.M.

A PORTION OF LAND IN SECTIONS 9 & 10, TWP. 37 N. R. 3 W. B.M.
CITY OF JULIAETTA, LATAH COUNTY, IDAHO.

BASES OF BEARINGS:
BEING EAST ALONG THE NORTH LINE OF SECTION 10,
BETWEEN THE FOUND SECTION CORNER AND THE 1/4
CORNER COMMON TO SECTIONS 3 & 10.

THIS MAP CORRECTLY REPRESENTS A SURVEY DONE BY ME OR UNDER
MY CLOSE PERSONAL SUPERVISION AND IN ACCORDANCE WITH THE SURVEYING ACT AT
THE REQUEST OF "JULIAETTA CENTRAL CEMENT CO." IN AUGUST
OF 1932.

James W. Brown
DATE 8-10-32
J.W.B.



LEGEND
FOUND BRASS CAP MONUMENT
FOUND 1/2" IRON PIN, UNLESS
OTHERWISE NOTED
SET 1/2" IRON PIN, UNLESS
OTHERWISE NOTED

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Lorraine Hudson
Legal Clerk

being first duly sworn, on oath,
deposes and says:

That she is the printer of
Moscow-Pullman Daily News, a
newspaper of general circulation,
printed and published daily except
Sunday at Moscow, Latah County,
Idaho, in compliance with Sections
60-106, 60-107, and 60-108 of the
Idaho Code and the amendments
thereto; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supplement
thereto, upon the following dates:

Jan. 21, 28,
1993

the same being the dates designated
for the publication of said notice.

On this 29 day of Jun.
in the year of 93, before me, a Notary

Public, personally appeared

Lorraine Hudson
known or identified to me to be the person whose
name subscribed to the within instrument, and
being by me first duly sworn, declared that the
statements therein are true, and acknowledged to
me that he executed the same.

Ann Marie Galt
Notary Public for Idaho

Residing at Moscow ID

My commission expires: 5/1/98

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

86-07319

CITY OF JULIAETTA, PO BOX
229, JULIAETTA, ID 83535

Source: GROUNDWATER

Diversion Pt: NESENE Sec 9 T
37N R 03W in LATAH County.

Use: IRRIGATION, Total Diver-
sion: (220 CFS) (220 CFS)

Date Filed: 12/21/1992

In: LATAH County, T37N, R03W,

S09 NENE

7.2 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional Office at 765-
4639.

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Co-
eur d'Alene, Idaho 83814 on or be-
fore FEBRUARY 8, 1993.

R. KEITH HIGGINSON, Director
January 21, 28, 1993

MICROFILMED

JUL 07 1993

RECEIVED

FEB 02 1993

NORTHERN REGION
IDWR



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 28, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535-0229

RE: WATER RIGHT NO. 86-07319

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

NOT RECORDED

JUN 10 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

JUN 10 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


RECEIVED
JUN 10 1998

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of May, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 86-07319

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535-0229


Kari Lynn Townsend
Secretary

NOT RECORDED

JUN 10 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 14, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535-0229

RE: WATER RIGHT NO. 86-07319


Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

JUN 10 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 23, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535-0229

RE: WATER RIGHT NO. 86-07319

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that your place(s) of use is in a location other than what was described on your permit. Therefore, before a license can be issued, the permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MAILED
JUN 10 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 86-07319 DATE 4/21/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (Para P39 - gov P40/P47) ☐ Add (P45/P42)

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE Chg ☐ Change (P41 - gov P43/P47) ☒ Add (P41/P42)
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

RATE OF DIV
 Permitted Rate .22 cfs
 Fee limit .20 cfs \$5000
 Measured .11 cfs sprinkler heads
 Theoretical .29 cfs Cindy's calves
 Recommended Total Div Rate .11 cfs

WATER USES	<u>OK</u>				
<u>Dr.</u>	<u>.11</u>	cfs	<u>4x4 =</u>	af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
		cfs		af	supp. gw (WB7/065/079)
		cfs		af	overlap spec. combined rts (W35)
		cfs		af	<1acre (W31)
		cfs		af	Domestic (W01/WB5/070/071/075)
TOTALS	<u>.11</u>	cfs	<u>16.0</u>	af	Power (W42 or W43/025/027/R22 or R23)
					Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .11 cfs X 275 days X 1.98 = 59.9 af

REMARKS _____

ADD'L CONDITIONS ☐ Watermaster Control WD# _____
☒ GW Measurement/Measuring Device
R68 Others ☐ Trust (052/R55 - remove 051) ☐ Non-trust (048/049)

Advance Priority ☐ yes ☒ no SRBA Claim N/A Adjust Memo P41, P38
 Amend letters P42

RECEIVED
JUN 12 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 29 1995
Department of Water Resources

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 86-07319

1. Owner: CITY OF JULIAETTA Phone No. (254) 226-7791

Current Address: P.O. Box 229 JULIETTA ID, 83535

2. Accompanied by: FRANK GROSECLOSE EXAM DATE: 5-30-95

Address: P.O. Box 291 JULIETTA Id. 83535 Phone No. same

Relationship to Permit Holder: Employee

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]


2. Place(s) of Use:

Indicate Method of Determination

[illegible]

JUN 10 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = NTS

☐ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	G.E.	7.5	5-K254E32	Pacific	B3P18838

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Toro 620's					13/64"	
Sprinklers						

2. Measurements:

5 Sprinklers Max @ 13/64" size @ 65 psi = 10 gpm

RECEIVED

JUN 10 1998

E. NARRATIVE/REMARKS/COMMENTS

System in place and only water with 3-4' head at any one time pump was down at time of inspection.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JUN 10 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$5 \text{ heads } (13/64") @ 10 \text{ gpm} = 50 \text{ gpm} / 448.8 = \textcircled{.11 \text{ cfs}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$4.0 \times 4.0 = \textcircled{16.0 \text{ AFA}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \textcircled{.11} \times 279 \times 1.98 = 59.8 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{16.0 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3-01	11-30	.11	16.0
Totals:			.11	16.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name Paul M. Craden Date 5/30/95

Reviewer _____ Date _____

SEAL

MICROFILMED

JUN 10 1998



Juliaetta

MILE 10

24457

24247

RIDGE

80

PU

PH

24447

2386

BM 1004

RIVER

LATAH CO
NEZ PERCE CO

NEZ PERCE

INDIAN

LATCH

2340

BM 975

20

258

980

2

237

22

2225


POTLATCH

POTLATCH

Creek


JUN 10 1958

86-07319



86- City of Juliette
07319
MICROFILMED
JUN 10 1998

RECORD OF
A PORTION OF LAND IN SECTIONS 9 & 10, TWP. 37 N., R. 3 W., E.M.
CITY OF JULIAETTA, LATAH COUNTY, IDAHO.



BASIS OF HEARING:
BEING EAST ALONG THE NORTH LINE OF SECTION 10,
BETWEEN THE FOUND SECTION 3 & 10,
CORNER COMMON TO SECTIONS 3 & 10.

THIS WAS COMPLETELY INDEPENDENT A STAFF REPORT BY MR. THE UNDER
BY DIRECTOR OF ACCORDANCE WITH THE HONORARY RECORDS TO ACT AT
THE REQUEST OF AMERICA INTERNATIONAL SOCIETY IN ALBANY.
OF IN ALB.

DATE 8-10-92

LEGEND

FOUND BRASS CAP MOUNTMENT

FOUND 1/2" BRON PIN, UNLESS


OTHERWISE NOTED

SET 1/2" BRON PIN, UNLESS

OTHERWISE NOTED



P.D.



P.D.

RECEIVED
JUN 10 1998

MEMORANDUM

DATE: September 26, 1995
TO: File NO. 86-07319
FROM: Cindy Zimmerman
SUBJECT: Telephone conversation

=====

Per telecon today with Frank Groseclose of the City of Juliaetta, actual acres irrigated are about 4 acres. The remaining 3.5 acres of the parcel may or may not be developed into a park sometime in the future but no immediate plans for development exist.

The well has a 7.5 hp pump with a dynamic level of 7 feet pumping at 65 psi.

The irrigation system consists of 4 sets of sprinklers with 3 to 5 sprinklers per set. The entire 4.0 acres of park is irrigated at night and early morning. Each nozzle needs to irrigate a 100' circle. Only one set of sprinklers can be operated at a time and still maintain the full 100' circle. The sprinkler nozzles are Toro 620S, rated at about 10 gpm, and are operated at an average of 65 psi¹. The largest set of 5 nozzles uses about 50 gpm.

¹Per Exhibit 10 of Field Examiner's Handbook, a 13/64" nozzle at 65 psi produces 9.92 gpm.

MAILED
JUN 10 1998

March 30, 1995

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 86-07319

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
MAR 30 1995

January 31, 1995

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535

PROOF DUE NOTICE

RE: PERMIT NO. 86-07319

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.


Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MAR 30 1995



April 21, 1994

City of Juliaetta
P.O. box 229
Juliaetta, ID 83535

RE: Permit No. 86-07319

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1995. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed since the department will not be able to grant additional extensions based on due diligence.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

C: IDWR - Regional Office

RECEIVED

APR 26 1994

January 31, 1994

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535

PROOF DUE NOTICE

RE: PERMIT NO. 86-07319

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

APR 26 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 26, 1993

CITY OF JULIAETTA
PO BOX 229
JULIAETTA ID 83535

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 86-07319

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosures

RECEIVED

JUL 07 1993

86-07319

CITY OF JULIAETTA
PO BOX 229
JULIAETTA, ID 83535

Source: GROUNDWATER

Diversion Pt: NESENE Sec 9 T 37N R 03W in LATAH County.

Use: IRRIGATION (.220 CFS)
Total Diversion: (.220 CFS)

Date Filed: 12/21/1992

In: LATAH County
T37N R03W S09 NENE

7.2 ACRES TOTAL

RECEIVED
JUL 07 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 765-4639 • Fax (208) 765-2088

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

January 14, 1993

City of Juliaetta
PO Box 229
Juliaetta, Id. 83535

Subject: Water Application for Permit Number 86-7319.

Gentlemen:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N6210. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

RECEIVED
JUL 07 1993