


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



RECEIVED





NAME: DONALD PYM
PD: T39N, R3W, SEC.34: SESE
PU:
SOURCE: GROUNDWATER

PERMIT NUMBER: 86-07200
GL: MAP: # 12
AC/IRR: QUAD: K-5
TRIB. TO:

FILMED
MAY 22 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 86-07200

Priority: July 1, 1983

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 3.7 AF

This is to certify, that DONALD PYM
GENEVA PYM

RT 1 BOX 73B
TROY ID 83871

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 1, 1983; and has submitted Proof of Beneficial Use on October 14, 1988. An examination indicates that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.02 CFS	3.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 34, Township 39N, Range 03W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N 03W 34	SESE 1			1

Total number of acres irrigated: 1

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

MAY 22 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 86-07200

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 1 home.
7. Stockwater use is for 10 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of April, 1992.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAY 22 1992

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

JUL 1 1983

APPROVED

Department of Water Resources appropriate the public waters of the State of Idaho
Northern District Office

1. Name of applicant DONALD OR GENEVA PYM Phone 208 835 6731

Post office address BT 1 BOX 73 B TROY, ID 83871

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is 525.0 AC SESE $\frac{1}{4}$ of SESE $\frac{1}{4}$ of Section 34 Township 39N

Range 3W B.M. LATAH County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.10 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 240 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: 525.0 AC SESE $\frac{1}{4}$ of SESE $\frac{1}{4}$ of Section 34 Township 39N

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 100 HEAD

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water TWO.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
739N	3W	34																✓	5

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above. ~~XXXXXX~~

WATER HAS BEEN IN USE SINCE 1979 FOR HOUSE, STOCK & SMALL LAWN.


9. a. Who owns the property at the point of diversion APPLICANT

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Homestead was build about the turn of the century. This same well was used for the house, stock & garden. Property has been owned by family for many years before we moved there in 1979.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donna E. Dym
(Applicant)

\$30 7/1/83
Proposed Priority

Received by PSA Date 7/1/83 Time 12:30 PM
Preliminary check by LB Fee \$ 30.00
Receipted by PSA Date 7/6/83 # 28690
Publication prepared by KK Date 7/29/83
Published in Daily Idahonian
Publication dates 8/11-8/18/83
Publication approved B Date 10/7/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by PSA kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 86-7200, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 4 day of November, 1983.

David R. Tuttle
ACTING Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Ray Rosch

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates:

Aug 11, 18
1983

the same being the dates designated for the publication of said legal notice

Ray Rosch

Subscribed and sworn to before
me this 5th day of August

19.9
Carl J. Kenna

Notary Public,
residing at Moscow, Idaho

PUBLIC NOTICE

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho.

86-7198

GRIGGS, RAYMOND L., P.O. BOX 269, DEARY, ID 83823; Source: UN-NAMED STREAM trib. to BIG BEAR CREEK, MIDDLE FORK; Date Filed: 07/01/1983; Diversion Pt: NENW Sec 07 T 40N R 02W; Use: IRRIGATION (0.09 CFS), IRRIGATION STORAGE (5.0 AF), IRRIGATION FROM STORAGE (5.0 AF); RECREATION STORAGE (5.0 AF); In: NENW Sec 07 T 40N R 02W FOR 3 ACRES.

86-7199

FLODIN, ELMER, RT. 1 BOX 64, TROY, ID 83871; Source: GROUND-WATER; Date Filed: 07/06/1983; Diversion Pt: SENE Sec 11 T 39N R 03W; Use: DOMESTIC (0.04 CFS); In: SENE Sec 11 T 39N R 03W.

86-7200

PYM, DONALD &/or GENEVA, RT. 1 BOX 73B, TROY, ID 83871; Source: GROUNDWATER; Date Filed: 07/01/1983; Diversion Pt: SESE Sec 34 T 39N R 03W; Use: IRRIGATION (0.10 CFS), STOCKWATER (0.02 CFS), DOMESTIC (0.08 CFS); In: SESE Sec 34 T 39N R 03W FOR 5 ACRES.

86-7202

SWANSON, CLIFFORD L. &/or BETTY JEAN, RT. 1 BOX 985, TROY, ID 83871; Source: GROUNDWATER; Date Filed: 06/29/1983; Diversion Pt: SESE Sec 13 T 39N R 04W; Use: DOMESTIC (0.07 CFS); In: SESE Sec 13 T 39N R 04W.

86-7203

CHAMBERLAIN, CECIL GERALD, RT. 1 BOX 46, DEARY, ID 83823; Source: SPRINGS trib to BEAR CREEK POND trib. to BEAR CREEK; Date Filed: 06/28/1983; Diversion Pt: NWNE Sec 09 T 39N R 02W; Use: IRRIGATION (0.03 CFS), IRRIGATION STORAGE (2.0 AF), IRRIGATION FROM STORAGE (2.0 AF), STOCKWATER (0.02 CFS), STOCKWATER STORAGE (2.0 AF); In: NWNE Sec 09 T 39N R 02W FOR 1 ACRES.

86-7204

CITY OF KENDRICK, KENDRICK, ID 83537; Source: GROUNDWATER; Date Filed: 06/30/1983; Diversion Pt: NWNW Sec 30 T 38N R 02W; Use: MUNICIPAL (0.08 CFS); In: Place of Use located within the City Limits of Kendrick.

87-7108

GILBERT, FREDERICK &/or DI-ANA, 2449 MOSCOW MTN. RD., MOSCOW, ID 83843; Source: SPRING trib. to GNAT CREEK; Date Filed: 06/20/1983; Diversion Pt: NWSW Sec 24 T 40N R 05W; Use: IRRIGATION (0.0020 CFS), DOMESTIC (0.001 CFS); In: NWSW NESW Sec 24 T 40N R 05W NWSW Sec 24 T 40N R 05W FOR 3 ACRES.

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 86-7192 in the Name of J.D. Wilson was advertised incorrectly on 7/14 and 7/21, 1983.

The Place of Use was incorrectly advertised as the NWSW NWSE Sec. 10 T39N R02 W; whereas, correctly it should be the NESW NWSE Sec. 10 T39 R02 W.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1983.

A. KENNETH DUNN
Director

Aug. 11 & 18, 1983

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 87-7102 in the Name of Alan L. Lyon was advertised incorrectly on 7/14 and 7/21, 1983.

The source of water should have also included a spring tributary to the South Fork of the Palouse River.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1983.

A. KENNETH DUNN
Director

Aug. 11 & 18, 1983

RECEIVED

SEP 8 1983

87-7109

GILBERT, FREDERICK &/or DI-ANA, 2449 MOSCOW MTN. RD., MOSCOW, ID 83843; Source: GROUND-WATER; Date Filed: 06/20/1983; Diversion Pt: NWSW Sec 24 T 40N R 05W; Use: IRRIGATION (0.0010 CFS), DOMESTIC (0.0070 CFS); In: NWSW Sec 24 T 40N R 05W FOR 1 ACRES.

87-7110

OWNBEY, PHYLLIS L., RT. 1 BOX 65, POTLATCH, ID 83855; Source: GROUNDWATER; Date Filed: 07/14/1983; Diversion Pt: SESW Sec 23 T 42N R 05W; Use: IRRIGATION (0.02 CFS); In: SESW Sec 23 T 42N R 05W FOR 11 ACRES.

87-7111

WOODFELL-MENDENHALL CEM-ETERY DIST., RT. 1 BOX 15, PRINCETON, ID 83857; Source: GROUNDWATER; Date Filed: 07/20/1983; Diversion Pt: SENE Sec 23 T 42N R 03W; Use: IRRIGATION (0.03 CFS); In: SENE Sec 23 T 42N R 03W FOR 1 ACRES.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before AUGUST 29, 1983.

KEN DUNN, Dir.

RECEIVED

April 28, 1992

DONALD PYM
GENEVA PYM
RT 1 BOX 73B
TROY ID 83871

RE: WATER RIGHT NO. 86-07200

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
MAY 22 1992

April 3, 1992

DONALD PYM
GENEVA PYM
RT 1 BOX 73B
TROY ID 83871

RE: WATER RIGHT NO. 86-07200

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
MAY 22 1992

LICENSE REVIEW CHECKLIST

Date 04-01-92

Permit # 86-7200
28

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u>Yes</u>	Disagree with Actual Measurement?
	<u>NA</u>	<u>Yes</u>	Disagree with Theoretical?
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>.02 - last well test</u> <u>Reduced Rate</u> <u>10 x .00022 = .0022 x .01 cfs (stock)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u> <u>3-15 to 11-15</u> Standard Irr. Season <u>same</u> Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	<u>3.0 AFA (Irr) 0.1 AFA (Stock) 0.1 (Dem)</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow?
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Changes required to be compatible with Maps, Data Entry Standards, etc?
	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irrigation Uses <u>Stock/102 cfs Dem/1 Hm</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made

COMMENTS/MEMOS NEEDED:

License 10-Day 15-Day Special Correspondence

[Handwritten signature]

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

RECEIVED
JUN 28 1991

Department of Water Resources
Permit 86-07200

A. GENERAL INFORMATION

1. Name and address are most current available. (Check-BU statement)
2. Exam Date
3. Source (Check Permit)

B. OVERLAP REVIEW

1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
3. Word Picture (Rule 5,1,3 / 5,1,4)
4. Diversion (Rule 5,1,3)
5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature

[Handwritten Signature]

Date

8/24/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 86-07200
1. Owner: Donald or Geneva Pxm Phone No. 835-6731
Current Address: Rt 1 Box 73B Troy ID 83871
2. Accompanied by: Donald Pxm EXAM. DATE: 7/5/90
Address: Same Phone No. Same
Relationship to Permit Holder: -
3. Source: Groundwater tributary to -

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

MAY 22 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached some pictures did not develop
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The water from the well ^{6" x 10"} is pumped at 8 gpm (0.2 cfs) to the place of residence.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	inaccessible		+ unknown	by owner	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	SE	34	39N	3W	Latah	Map

6. Place(s) of Use:

Indicate Method of Determination

Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
39N	8W	34																0	
"	"	"																1	1
"	"	"																5	

Do not use this space

FILED

MAY 22 2000

Do not use this space

D. FLOW MEASUREMENTS

None


☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

cfs .02 as stated by owner at the last time the well was tested.



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

89pm $\Rightarrow$.02 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1)(3.0) = 3.0$

$V_{D.R.} = (\text{Diversion Rate (cfs)}) \times (\text{Days in Irrigation Season}) \times 1.9835 = \text{---}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3$

2. Volume Calculations for Other Uses:

1 Domestic $\Rightarrow$.6
10 stock $\Rightarrow$.2

MICROFILMED
NOV 22 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (1)	1/1	12/31	.02	.6 ← 6 TD
Irrigation	3/15	11/15	.02	3.0
Stock water (10)	1/1	12/31	.02	.2
Totals:			.02	3.8

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date _____
Field Report Preparation Date 7/6/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MAY 22 1992



NAME: DONALD PYN
PD: T39N, R3W, SEC.34: SESE
PU:
SOURCE: GROUNDWATER

PERMIT NUMBER: 86-07200
GL: MAP: 12
AC/IRR: QUAD: K-5
TRIB. TO: *FILED*

MAY 22 1992

To: File 86-7200

From: Groundwater Protection

Date: 11/3/88

Drilling Permit: X Not Applicable
Found and in file
Not Found

Well Drillers Report:

X Not found, due to reported age of well
probably not available
Found and is in file
Not found

Follow-up

Request from permit holder the well
drillers report and/or the name of the
well driller, *And date drilled.*
Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

Well is 1979 or earlier.

*We have no logs in this
section.*

No action recommended.

JB

MICROFILMED

MAY 22 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 86-07200

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes _____ No ☒

4. Access Port: Y ☒ N _____ Static Water Level: unknown
Pressure Gauge: Y _____ N ☒ Casing Diameter: 6"
Flowing: unknown Y ☒ N ☒ Temperature: 60.1

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED

MAY 22 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1988

Mr. Donald Pym
Rt. 1 Box 73B
Troy, Id. 83871

Re: 86-7200

Dear Mr. Pym:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MISSOURI FILMED

MAY 22 1992

Donald S Pym
RR 1 Box 72 B
Truy Id 83871

PLACE
STAMP
HERE



RECEIVED

JAN 25 1985
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

MAY 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 86-7200
Name(s) of Permit Holder(s): Pym Donald & Genove
Post Office Address: R1 Box 73B
Troy ID 83871 Tel. No. 8356731

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 7-1979 (date) **RECEIVED** I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:
May 22 1992

*Note: A financing difficulty is not an acceptable reason.

1-20-85
Date

Donnan P. Pym
Signature of Permit Holder

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 84-7200

Date: 11/4/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
N 1. well log in file *Not found, due to age of well.*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 21
03/86

RECORDED
OCT 14 1988

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 0

Date 10-11-88

Receipt # —

Receipt by JK

Reviewed by JK

Sent to region —

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 86-07200

Name(s) of Permit Holder: DONALD OR GENEVA PYM

Post Office Address: RT 1 Box 73B TROY, ID 83871

Telephone No. 835-6781

Source of Water: GROUND WATER

Extent of Use:

Domestic 1 (number of households) Stockwater 10 (number and type of stock)

Irrigation 1 (acres) Other/Remark —

Total rate and/or volume for which proof is submitted 104 cfs — acre-feet

Show the date water was first diverted and beneficially used under this permit: —

Measuring Device: Required? — Yes Y No
Installed? — Yes — No

Fee enclosed \$ —
(See License Examination Fee Schedule)

Flow Measurement Port: Required? — Yes X No
Installed? — Yes — No

Person to contact to accompany the Department representative during the field examination:

SAME
(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

Signature of Permit Holder (and title, if appropriate)

10/11/88

X Dennis E. Pym

RECORDED
DEC 22 1988

To: File 86-7200

From: Groundwater Protection

Date: 11/3/88

Drilling Permit: X Not Applicable
 Found and in file
 Not Found

Well Drillers Report:
 X Not found, due to reported age of well
 probably not available
 Found and is in file
 Not found

Follow-up Request from permit holder the well
 drillers report and/or the name of the
 well driller, *and date drilled.*
 Ask permit holder when well was drilled
 and notify holder of drilling permit
 requirement if after July 01, 1987.

Well is 1979 or earlier.

*We have no logs in this
section.*

No action recommended.

JB

MICROFILMED

DEC 22 1988

138373
August 31, 1988

DONALD PYM
GENEVA PYM
RT. 1 BOX 73B
TROY, ID 83871

PROOF DUE NOTICE

RE: PERMIT NO. 86-07200

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 22 1988



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 29, 1985

Geneva E. Pym
RR 1, Box 73 B
Troy, Idaho 83871

Re: Permit No. 86-7200

Dear Ms. Pym:

We are in receipt of your letter dated January 20, 1985 and the enclosed blue Commencement of Works postcard associated to the above-referenced permit.

Please be advised that the permit is in a valid status and there is no negative consequence for having submitted the Commencement of Works postcard late.

As you indicate, the proof due date is not until November 1, 1988. While it is true that you have until this date to complete development of your proposed system, Sec. 42-204, Idaho Code indicates that, in order to maintain the permit in a valid status, you must proceed with development of the project with "due diligence." Depending on how much work needs to be done to complete the system, it may need to be completed prior to the proof due date in order to demonstrate due diligence.

If you have questions about this requirement, please feel free to contact either this office or our Northern Regional office at 4055 Government Way, Coeur d'Alene, ID 83814, tel. 765-4639.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT/ljs

MICROFILMED

DEC 22 1988

RECEIVED

JAN 25 1985

January 20. 1985

Idaho Department of Water Resources
State House
Boise, Id. 83720

Department of Water Resources

To Whom it May Concern;

RE: Blue Commencement of Works Card

On reading the approved application, we understood it to say we had until Nov. 1, 1988 for completion and thought we did not need to send you anything at the time. We started diversion works on the water supply in July 1979 when we moved onto the property. This diversion was listed on the permit application.

Recently we reread the application papers and see that we should have returned the enclosed card.

We hope by returning the card now, we will have no problems with our water permit and still have until Nov. 1, 1988 for completion.

Sincerely,

Geneva E. Pym


Geneva E. Pym
RR1 Box 73 B
Troy, Idaho 83871

*Commencement
of Works postcard
Enclosed is*

MICROFILMED

DEC 22 1988

Geneva E. Pym
RR 1 Box 73B
Troy, Idaho 83871



Idaho Department of Water Resources
State House
Boise, Id. 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PYM, DONALD & GENEVA
RT. 1 BOX 73B
TROY, ID 83871

NOVEMBER 22, 1983

RE: PERMIT NO. 86-7200

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
NOV 23 1983

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 86-7200

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/29/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/8/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 7/17/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

RECEIVED

By: RENA

Date: 10/12/83

STATE OFFICE REVIEW:

L17

26

- ☐ See attached sheet for more information.

By: kw

Date: 10/28/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

86-7200

PYM, DONALD. &/or GENEVA

RT. 1 BOX 73B, TROY, ID 83671

Source: GROUNDWATER

Date Filed: 07/01/1983

Diversion Pt: SESE Sec 34 T 39N R 03W

Use: IRRIGATION	(0.10 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.08 CFS)

In: SESE Sec 34 T 39N R 03W FOR 5 ACRES

7/1/83