

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

The map is a 20x20 grid. Handwritten labels are as follows:

- R3W**: Located in the upper middle section, approximately at row 4, column 10.
- T39N**: Located in the middle left section, approximately at row 10, column 3.
- 11**: Located in the center of the grid, approximately at row 10, column 10.
- x Pa #P/O**: Located in the middle right section, approximately at row 10, column 15.

A red stamp is visible on the left edge of the grid, approximately at row 10, column 1.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elmer Flodin

(Applicant)

T39N

R3W

x 40
7
P/O

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SENE SEC 11 T39N R3W

[illegible]**MICROFILMED**

JUL 10 1987


Date

Advance Sheet
Subject to correction
To be published at 1:62,500

42°30"

40'

R.3



MICROFILMED

JUL 10 1987

Little Bear Ridge
Cem.

Adrian Lake



MICROFILMED

JUL 10 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 86-7199

Priority: July 6, 1983 Amount: .04 CFS 1.2 AFA

This is to certify, that ELMER FLODIN

RT. 1 BOX 64

TROY, ID 83871

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 6, 1983, and has submitted proof to the Department of Water Resources on December 14, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .04 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.04 cfs	1.2 afa

LOCATION OF POINT OF DIVERSION(S): SENE, Sec. 11, Township 39N, Range 3W
Latah County

PLACE OF USE: Domestic

TWN RGE SEC

39N 3W 11 SENE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of JUNE, 1987.

MICROFILMED

JUL 10 1987

Acting for the Director

[Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Elmer Flodin Phone 835-5053
Post office address Proy Idaho Route 1 Box 64 83871
2. Source of water supply drilled well which is a tributary of Spring
3. Location of point of diversion is SE 1/4 of NE 1/4 of Section 11 Township 39N
Range 3W B.M. west Latah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0 for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 175 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE 1/4 of NE 1/4 of Section 11 Township 39N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served 1 family, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

RECEIVED

SECRET

[illegible]

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Elmer Flodin

b. Who owns the land to be irrigated or place of use Elmer Flodin

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elmer Floden
(Applicant)

7/6/83

~~Proposed Priority~~

Received by LB Date 7-6-83 Time 12:30
Preliminary check by L Fee \$ 3000
Receipted by LB Date 7-6-83(28683)
Publication prepared by KK Date 7/29/83
Published in Daily Idahoian
Publication dates 7/11 - 7/18/83
Publication approved R Date 9/10/7/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by PSA tw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 86-7199, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 84.
 - c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other:

Witness my hand this 4 day of November, 1983.

David R. Tuttle
ACTING Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Ray Rosch

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates:

Aug 11, 18
1983

the same being the dates designated for the publication of said legal notice

Ray Rosch

Subscribed and sworn to before

me this day of August

19
Ray Rosch

Notary Public,

residing at Moscow, Idaho

PUBLIC NOTICES

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho.

86-7198

GRIGGS, RAYMOND L., P.O. BOX 269, DEARY, ID 83823; Source: UN-NAMED STREAM trib. to BIG BEAR CREEK, MIDDLE FORK; Date Filed: 07/01/1983; Diversion Pt: NENW Sec 07 T 40N R 02W; Use: IRRIGATION (0.09 CFS), IRRIGATION STORAGE (5.0 AF), IRRIGATION FROM STORAGE (5.0 AF), RECREATION STORAGE (5.0 AF); In: NENW Sec 07 T 40N R 02W FOR 3 ACRES.

86-7199

FLODIN, ELMER, RT. 1 BOX 64, TROY, ID 83871; Source: GROUND-WATER; Date Filed: 07/06/1983; Diversion Pt: SENE Sec 11 T 39N R 03W; Use: DOMESTIC (0.04 CFS); In: SENE Sec 11 T 39N R 03W.

86-7200

PYM, DONALD &/or GENEVA, RT. 1 BOX 73B, TROY, ID 83871; Source: GROUND WATER; Date Filed: 07/01/1983; Diversion Pt: SESE Sec 34 T 39N R 03W; Use: IRRIGATION (0.10 CFS), STOCKWATER (0.02 CFS), DOMESTIC (0.08 CFS); In: SESE Sec 34 T 39N R 03W FOR 5 ACRES.

86-7202

SWANSON, CLIFFORD L. &/or BETTY JEAN, RT. 1 BOX 985, TROY, ID 83871; Source: GROUNDWATER; Date Filed: 06/29/1983; Diversion Pt: SESE Sec 13 T 39N R 04W; Use: DOMESTIC (0.07 CFS); In: SESE Sec 13 T 39N R 04W.

86-7203

CHAMBERLAIN, CECIL GERALD, RT. 1 BOX 46, DEARY, ID 83823; Source: SPRINGS trib to BEAR CREEK POND trib. to BEAR CREEK; Date Filed: 06/28/1983; Diversion Pt: NWNE Sec 09 T 39N R 02W; Use: IRRIGATION (0.03 CFS), IRRIGATION STORAGE (2.0 AF), IRRIGATION FROM STORAGE (2.0 AF), STOCKWATER (0.02 CFS), STOCKWATER STORAGE (2.0 AF); In: NWNE Sec 09 T 39N R 02W FOR 1 ACRES.

86-7204

CITY OF KENDRICK, KENDRICK, ID 83537; Source: GROUNDWATER; Date Filed: 06/30/1983; Diversion Pt: NWNW Sec 30 T 38N R 02W; Use: MUNICIPAL (0.08 CFS); In: Place of Use located within the City Limits of Kendrick.

87-7108

GILBERT, FREDERICK &/or DI-ANA, 2449 MOSCOW MTN. RD., MOSCOW, ID 83843; Source: SPRING trib. to GNAT CREEK; Date Filed: 06/20/1983; Diversion Pt: NWSW Sec 24 T 40N R 05W; Use: IRRIGATION (0.0020 CFS), DOMESTIC (0.001 CFS); In: NWSW NESW Sec 24 T 40N R 05W NWSW Sec 24 T 40N R 05W FOR 3 ACRES.

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 86-7192 in the Name of J.D. Wilson was advertised incorrectly on 7/14 and 7/21, 1983.

The Place of Use was incorrectly advertised as the NWSW NWSE Sec. 10 T39N R02 W; whereas, correctly it should be the NESW NWSE Sec. 10 T39 R02 W.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1983.

A. KENNETH DUNN
Director

Aug. 11 & 18, 1983

NOTICE OF CORRECTION

Notice is hereby given that Application for Permit No. 87-7102 in the Name of Alan L. Lyon was advertised incorrectly on 7/14 and 7/21, 1983.

The source of water should have also included a spring tributary to the South Fork of the Palouse River.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1983.

A. KENNETH DUNN
Director

Aug. 11 & 18, 1983

RECEIVED

SEP 8 1983

87-7109

GILBERT, FREDERICK &/or DI-ANA, 2449 MOSCOW MTN. RD., MOSCOW, ID 83843; Source: GROUND-WATER, Date Filed: 06/20/1983; Diversion Pt: NWSW Sec 24 T 40N R 05W; Use: IRRIGATION (0.0010 CFS), DOMESTIC (0.0070 CFS); In: NWSW Sec 24 T 40N R 05W FOR 1 ACRES.

87-7110

OWNBEY, PHYLLIS L., RT. 1 BOX 65, POTLATCH, ID 83855; Source: GROUNDWATER; Date Filed: 07/14/1983; Diversion Pt: SESW Sec 23 T 42N R 05W; Use: IRRIGATION, (0.02 CFS); In: SESW Sec 23 T 42N R 05W FOR 11 ACRES.

87-7111

WOODFELL-MENDENHALL CEM-ETERY DIST., RT. 1 BOX 15, PRINCETON, ID 83857; Source: GROUNDWATER; Date Filed: 07/20/1983; Diversion Pt: SENE Sec 23 T 42N R 03W; Use: IRRIGATION (0.03 CFS); In: SENE Sec 23 T 42N R 03W FOR 1 ACRES.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before AUGUST 29, 1983.

KEN DUNN, Dir.

MICROFILMED

June 24, 1987

ELMER FLODIN
RT. 1 BOX 64
TROY, ID 83871

RE: Permit No. 86-7199

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 10 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

86-7199
Permit No.

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Exam Est. cap. as 0.04 cfs

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

2. Overlap Review

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED
JUL 10 1987

RECOMMENDED AMOUNTS

- | Permit No. | Priority | Amount | App. Date | Date Proof Submitted | System Capacity |
|------------|----------|--------|-----------|----------------------|-----------------|
| 86-7199 | 7-6-83 | 0.04 | 7-6-83 | 12-14-83 | 0.04 |

4. Permit Holder: ELMER FLODIN

Address: Rt. 1 Box 64 Troy, Id. 83871

5. Source: Groundwater

tributary to

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

DOMESTIC

1-1 12-31

0.04

1.2

Allowable Maximums:

0.04

1.2

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
39N	3W	11				X													
Total Acres _____																			

9. Recommended Conditions/Remarks:

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature

Date _____

Checked in Regional Office by

Date _____

Approved in State Office by _____

Date _____

OK G.S. 6/15/87

MICROFILMED

JUL 10 1987

Date 5-7-87

RECEIVED
SEP 6 1984

SEP 4 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

Department of Water Resources

86-7199

Permit No.

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

REMARKS

- ☐ Appointment letter mailed:
- ☐ Telephone call made
(List Telephone No. used)
- ☐ Appointment scheduled for:
(Date, time, location)

EXAMINATION

Date 7/10/84 Accompanied by Mr. Hedin Total Q measured _____

Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____

If source is surface water, estimate total flow of source _____

Methods of measurement Estimate Meets permit requirements? Yes

Measurement calculations:

[illegible]

System Description 8" well, pump & pipeline to P/U

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

Domestic

0.04

1.2

1-1

12-31

Total

0.04

1.2

Remarks

MICROFILMED

~~JUL 10 1987~~

A 10x10 grid with dashed lines. Handwritten text includes:
 - 'R3W1' at row 3, column 5.
 - 'T39N' at row 4, column 3.
 - 'N' at row 4, column 4.
 - 'x Pd 7 P/c' at row 4, column 5.

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use


[illegible]


MICROFILMED

~~JUL 10 1987~~

Date 7/10/84
Date 8/16/84
Date _____

42'30"





MICROFILMED

JUL 10 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

FEBRUARY 16, 1984

ELMER FLODIN
RT. 1 BOX 64
TROY ID 83871

RE: Permit No. 86-7199

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office


MICROFILMED

JUL 10 1987

Elmer Hodin

Troy Idaho

RE-1 BOX 64



DEC 14 1965

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

86-7199

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No.

Name(s) of Permit Holder: Elmer Hodin

Post Office Address: Twy Idaho R#1 Box 64

Tel. No 830 5059

Source of Water: Drilled well

Extent of Use: ☒ Domestic (number of households) 1
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Dec. 9
Date

Elmer Hodin
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

FLODIN, ELMER
RT. 1 BOX 64
TROY, ID 83871

NOVEMBER 22, 1983

RE: PERMIT NO. 86-7199

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: gc

APPLICATION NUMBER: 86-7199

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☐ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/29/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/8/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/6/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature]

Date: 10/12/83

STATE OFFICE REVIEW:

L/K

- ☐ See attached sheet for more information.

By: [Signature]

Date: 10/28/83

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

86-7122

FLODIN, ELMER

RT. 1 BOX 54, TROY, ID 83871

Source. GROUNDWATER

Date Filed. 07/06/1983

Diversion Pt. SENE Sec 11 T 39N R 03W

Use: DOMESTIC (0.04 CFS)

In. SENE Sec 11 T 39N R 03W

UNRECORDED

