

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 29

T- 40N

R- 4W

R

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark Honon

(Applicant)

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Jack Marineau

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates:

July 19, 26,
1979

the same being the dates designated for the publication of said legal notice.

Marineau
Subscribed and sworn to before

me this *24th* day of *July*

19 *79*

Carol Fleener

Notary Public,
residing at Moscow, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

86-7097
Solomon, Mark
Rt. 4 Box 393A, Moscow, ID 83843
Source: Groundwater
Date Filed: 07/09/1979
Amount: 0.02 CFS
Diversion Point: SENE Sec 29 T 40N R 04W, Latah Co.
Use: Domestic (0.02 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 29 T 40N R 04W
Diversion Means: Hand Pump

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, ID, 83814 on or before August 6, 1979.

C. Stephen Allred
Director

July 19, 26, 1979

OK
ms
7/26/79
RECEIVED
JUL 26 1979

Department of Water Resources
Northern District Office

MICROFILMED

A grid of graph paper with handwritten labels:

- R4W** (Row 4, West)
- T40N** (Township 40 North)
- 29** (Range 29 East)
- Pd E P10 x** (Partial East, Partial 10, cross)

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SENE SEC 29 T40N R4W

Place(s) of Use

[illegible]☐ Change P.D. as reflected above☐ Add P.D. as reflected above☒ None☐ Change P.U. as reflected above☐ Add P.U. as reflected above☐ Other

Examiner's Signature

Date 8/11/82

Checked by

Date 8/12/82

Approved by

Date 9/2/82

47°30"

1 860 000
FEET

46°45'
116°52'30"

(MOSCOW EAST)

Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography from aerial photographs by photogrammetric methods
Aerial photographs taken 1957. Field check 1960

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, west zone
1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Dashed land lines indicate approximate locations
Fine red dashed lines indicate selected fence lines



THIS MAP
FOR SALE BY U.S. GEOLOGICAL SURVEY
A FOLDER DESCRIBING

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 86-7097 Priority (late proof)
July 11, 1979 Amount 0.02 cfs

THIS IS TO CERTIFY, that Mark Solomon
of Moscow, Idaho, has complied with the terms and conditions of Permit
No. 86-7097 issued pursuant to Application for Permit dated July 9, 1979,
and has submitted proof to the Department of Water Resources on September 3, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.02 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 unit)	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.02 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 29, Twp.
40N, Rge. 4W in the County of Latah

Description and location of place of use:

Twp.	Range	Sec.	Section												Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
40N	4W	29				X									

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27TH day of
October _____, 19 82.

Acting for the Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 86-7097
IN THE NAME OF MARK SOLOMON

ORDER OF REINSTATEMENT

WHEREAS, on July 9, 1979, Mark Solomon applied to the Department of Water Resources for a permit to appropriate 0.02 cubic feet per second of water from a groundwater source, to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 29, Twp. 40N, Rge. 4W B.M., Latah County, to be used for domestic purposes; and,

WHEREAS, on August 28, 1979, the Department approved said application and issued Permit No. 86-7097 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before September 1, 1980; and,

WHEREAS, on August 19, 1980, the Department granted an extension of time until September 1, 1981; and,

WHEREAS, on June 30, 1981, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to submit proof of beneficial use; and,

WHEREAS, on September 1, 1981, the permit automatically lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of lapsing;

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on September 3, 1981;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 86-7097 be REINSTATED and the priority advanced to July 11, 1979.

Dated this 16th day of December, 1981.


L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

REQUEST FOR EXTENSION OF TIME

AUG 13 1980

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources

Mark Solomon of Rt 4, Box 393A, Moscow, Id
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 86-7097.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before September 1, 19 80.

That he has heretofore performed the following work described under said permit:

Began excavation of hard dry well and purchased pump.

Costing \$ 40.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Ash fall in well location has made a condition that is hazardous to my health. After this winter's snows have knocked the ash out of the trees, I'll start digging again.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to September 1, 19 81.

Mark Solomon
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to September 1, 1981.

Signed this 19th day of August, 19 80.

J. Glen Saxton
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied.

MICROFILMED

\$15 fee received by 19 Date 8/4/80 Receipt # 15962

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Mark Solomon Phone 882-6549
Post office address Rt 4 - Box 393 A Moscow, Idaho 83843
2. Source of water supply ground water which is a tributary of Fallon Creek
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 40 N
Range 4W B.M. Latah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .02 ~~cfs~~ for domestic purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .02 ~~cfs~~ cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 4" bore hand pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 48 inches; proposed depth of well is 12 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 40 N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Domestic

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

5029

T- 40N

R- 4W

R

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark Hemon

(Applicant)

Proposed Priority 7/9/79

Received by pm Date 7/9/79 Time 1:30

Preliminary check by JK Fee \$ 20.00

Received by pm Date 7/10/79 (14088)

Publication prepared by pm Date 7/11/79

Published in Daily Shoshonean

Publication dates 7/19 - 26/79

Publication approved pm Date 7/26/79

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RYH J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 86-7097, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 80.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 28th day of August, 19 79.

A. Glen Sayton
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO }
County of Latah } ss.

Jack Marineau

being first duly sworn, on oath,
deposes and says:

That he is the printer of The
DAILY IDAHONIAN, a newspaper
of general circulation, printed and
published daily except Sunday at
Moscow, Latah County, Idaho, in
compliance with Sections 60-106,
60-107, and 60-108 of the Idaho
Code and the amendments there-
to; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supple-
ment thereto, upon the following

dates: *July 19, 26,*
1979

the same being the dates desig-
nated for the publication of said
legal notice.

Marineau
Subscribed and sworn to before

me this *24th* day of *July*

1979
Carol Fleener

Notary Public,
residing at Moscow, Idaho



OK
7/26/79

DEPARTMENT OF HEALTH
HUMAN RESOURCES DIVISION

MICROFILMED

November 26, 1982

RE: Permit No. 86-7097

Mark Solomon
Route #4, Box 393-A
Moscow, ID 83843

Dear Mr. Solomon:


Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



RECEIVED

INTER-DEPARTMENT MEMO — 1

AUG 16 1982

FROM

JB

DATE

8/14/82

Department of Water Resources

TO File 86-7097

SUBJECT

Ownership of P.d. is in question and may have been developed in trespass. The property line has not been surveyed by a licensed surveyor and both parties claim ownership. Should probably be checked out by the legal dept.

Lacking info of the location of the p/o I can see no choice but to license with the information shown on the permit & on the field exam.

RECORDED

Jerry

SIGNATURE

CONTINUED

MAP (Attach Aerial Photo)

R4W

T40N

29

Pd
E
Pio x

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SENE SEC 29 T40N R4W

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature _____

Checked by

Approved by:

Date _____

Date _____

ate

47°30"

1 860 000
FEET

46°45'
116°52'30"

(MOSCOW EAST)

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS

Topography from aerial photographs by photogrammetric methods
Aerial photographs taken 1957. Field check 1960

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system, west zone
1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Dashed land lines indicate approximate locations

Fine red dashed lines indicate selected fence lines

TRUE NORTH
MAGNETIC NORTH
APPROXIMATE MEAN
DECLINATION, 1960

THIS MAP
FOR SALE BY U.S. GEOLOGICAL SURVEY
A FOLDER DESCRIBES



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
C. Stephen Allen
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 16, 1982

Mr. Mark Solomon
Rt. 4 Box 393A
Moscow, Id. 83843

Re: 86-7097

Dear Mr. Solomon:

On July 9th, I attempted to do a water rights exam for your domestic source. While I could find the source, I could not find a means of conveyance to the place of use.

In order to obtain a water right, a diversion structure must be present, meaning a pump or gravity-flow system. Please contact me so I can determine the course of action that must be taken.

If I do not hear from you within a month, I'll have to assume the system does not exist and will be forced to recommend cancellation of the permit.

If you have any questions, please contact me at this office.

Sincerely,

LAWRENCE D. BEARD
E.I.T.

LDB/pms

100-86-7097

Lawrence Beard
Dept. of Water Resources
Coeur D'Alene, Idaho

August 8, 1982

Dear sir,

As regards your letter of July, 9, we seem to have a problem. Upon your inspection, you observed a 12 foot hand dug well with a bucket and a rope in it. This working water system, tested by centuries of use, quite adequately serves the purpose of providing an accessible domestic water source for my use. The second component of the system, which you did not see, are the five gallon containers that are filled from said bucket and hand carried up the hill to the house. If the above described system can be somehow shown to not meet the requirements of the State of Idaho Dept. of Water Resources for providing water because of the lack of a modern energy consuming pumping system, I will initiate legal action on the basis of discrimination due to economic conditions.

Yours truly,

Mark Solomon
Rt 4, Box 393-A
Moscow, Id.
83843

RECEIVED
AUG 10 1982

Department of Water Resources
Northern District Office

RECEIVED

WATER RIGHT NUMBER 86-7097

OWNER LAST NAME - SOLOMON

FIRST NAME - MARK

ORIG OWNER -

ADDRESS LINE 1 - RT. 4 BOX 393A

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - MOSCOW

STATE - ID ZIP CODE - 83843

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - PERMIT

STATUS -

PRIORITY - 07-11-1979 COUNTY - LATAH

TOTAL DIV. RATE - .0200 -CFS

TOTAL DIV. VOLUME - 1/2 .00 AFA TRFR/AMEND -

WATER DIST. -

OLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SENE 29 40N 04W LOT REDIV -

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE -

.0200 CFS

USE DIV. VOLUME -

1/2

.00 AFA

USE - DOMESTIC

PLACE OF USE - TWN 40N RNG 04W SEC 29 TRACT SENE LOT AC

DECREE NAME -

DATE -

TOTAL ACRES

0

REMARKS - REINSTATED 1-16-81.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 09-01-1981 PERMIT/DENIED - 08-28-1979 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - HAND PUMP

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 29, 1982

Mr. Mark Solomon
Rt. 4 Box 393A
Moscow, Id. 83843

RE: 86-7097

Dear Mr. Solomon:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

Box 931A

Moscow, ID 83



RECEIVED

SEP 3 1981



Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 86-7097

Name(s) of Permit Holder:

Mark Solomon

Post Office Address:

Rt 4 Box 393 A

Moscow, ID, 83843

Tel. No. _____

Source of Water:

10' well, unnamed creek, trip to Felton creek

Extent of Use:

☒ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/31/81

Date

Mark Solomon

Signature of Permit Holder

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SOLOMON, MARK
RT. 4 BOX 393A
MOSCOW, ID 83843

138365

JUNE 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 86-7097 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

ACT
ION

C PROOF DUE - 09-01-1981

WATER RIGHT NUMBER 86-7097

ACT
ION

L STAGE - PERMIT

WATER RIGHTS EDIT REPORT

08/30/79

PAGE 38

PROOF DUE - 09-01-1980 PERMIT/DENIED - 08-28-1979

WATER RIGHT NUMBER 86-7097

WATER RIGHTS EDIT REPORT

07/11/79

GE 8

ACT
ION

N OWNER LAST NAME - SOLOMON

FIRST NAME - MARK

N ADDRESS LINE 1 - RT. 4 BOX 393A

CITY - MOSCOW

STATE - ID ZIP CODE - 83843

N SOURCE - GROUNDWATER

N STAGE - APPLICATION

PRIORITY - 07-09-1979

COUNTY - LATAH

TOTAL DIV. RATE -

.0200CFS

N DIVERSION POINT - SENE 29 40N 04W

N FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0200CFS

N USE - DOMESTIC

PLACE OF USE - TWN 40N RNG 04W SEC 29 TRACT SENE

N DIVERSION MEANS - HAND PUMP

BL
✓

9/78

IDENT. NO. 86-7097

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT DATA ENTRY LOG

[illegible]

August 21, 1980

Mark Solomon
Route 4, Bmx 393A
Moscow, ID 83843

Dear Mr. Solomon:

Re: Permit No. 86-7092

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to September 1, 1981.

Enclosed also is your receipt #15962 in the amount of \$15.00.

Sincerely,

RITA FLECK
Sr. Secretary

Enclosures



Idaho Forge & Fabrication

P. O. Box 8576

1428 S. Main

Moscow, Idaho 83843



Dept of Water Resources
Statehouse
Boise, Idaho 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SOLOMON, MARK
RT. 4 BOX 393A
MOSCOW, ID 83843

168247

JUNE 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 86-7097 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 29, 1979

Mark Solomon
Rt. 4 Box 393 A
Moscow, Idaho 83843

Dear Mr. Solomon,

RE: Permit No. 86-7097

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill, Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: [Signature]

APPLICATION NUMBER: 86-7097

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. N/A
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/6/79
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received. Date: 7/26/79
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 9-79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature] Date: 8-10-79

STATE OFFICE REVIEW:

Short letter w/o conditions

- ☐ See attached sheet for more information.

By: [Signature] Date: 8/21/79

RECEIVED

AUG 16 1979

Department of Water Resources

86-2092-

SOLOMON, MARK

RT. 4 BOX 393A, MOSCOW, ID 83843

Source: GROUNDWATER

Date Filed: 07/09/1979

Amount: 0.02 CFS

Diversion Point: SENE Sec 29 T 40N R 04W, LATAH Co.

Use: DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 29 T 40N R 04W

Diversion Means: HAND PUMP

RECEIVED
JUL 10 1979
FBI - BUTTE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

July 11, 1979

Mr. Mark Solomon
Rt. 4 Box 393a
Moscow, Idaho 83843

RE: 86-7097

Dear Mr. Solomon:

Enclosed is Receipt No. 14088 in the amount of \$20.00 which was received by this office for the filing fee on the above-referenced item.

Sincerely,

Patricia M. Styrpa

PMS

Enclosure

MICROFILMED