


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



POINT OF DIVERSION

ENCROACHMENT LAYOUT AND SURVEY TIES

SCALE: 1" = 40'



Stevens, Thompson & Hanyan, Inc.
Engineers/Planners
PORTLAND, OREGON

~~2 inches equal 1 mile.~~

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Armand H. Welle
(Applicant)
City Manager

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Nez Perce } ss.

Raelene Thornton, being duly sworn deposes and says, I am the Classified Bookkeeper of the Tribune Publishing Company, a corporation organized and existing under and by virtue of the laws of the State of Idaho, publishers of the LEWISTON MORNING TRIBUNE, a newspaper of general circulation published at Lewiston, Nez Perce County, Idaho; That the said Lewiston Morning Tribune is an established paper and has been published regularly and issued regularly at least once a day for more than 20 consecutive years immediately preceding the first publication of this notice, and has been so published uninterruptedly for said period; that the Notice of application for water attached hereto and which is made a part of this affidavit was published in the said Lewiston Morning Tribune, once a week for 2 consecutive weeks, the first publication thereof being on the 21 day of September, A. D. 19 78, and the last publication thereof being on the 28 day of September, A. D. 19 78, and said Notice of application was so published in the regular and entire issue of the said newspaper and not in a supplement thereof and was so published in every issue and number of the said paper, during the period and times of publication as set forth above.

Raelene Thornton

SUBSCRIBED AND SWORN TO BEFORE ME THIS THE

28 day of September, 19 78

Robert E. Love

Notary Public in and for the State of Idaho,
residing at Lewiston, therein.


NOTICE OF APPLICATION FOR WATER RIGHT 86-7090

City of Lewiston
PO Box 617, Lewiston, ID
Date Filed: August 3, 1978
Amount: 7.9 cubic ft/sec
Source: Clearwater River
Means: pump & pipe
Diversion Pt: SW 1/4 SE 1/4 Sec
27 T36N R5W BM Nez Perce
Co.
Place of Use: City of Lewiston
Use: municipal from Jan 1 to
Dec 31
If issued, any of the above
referenced permit(s) will be
subject to all prior water
rights. Protests against the
granting of any permit must
be filed with the Director of
the Idaho Department of
Water Resources, 4055
Government Way, Coeur
d'Alene, Idaho, 83814, on or
before October 9, 1978
C. Stephen Allred
Director

011
10-2-78

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

MICROFILMED

Point(s) of diversion: along clearwater river : SWSE sec 27, T 36N, 5W.

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
36N	SW	27																	
City of Lewiston																			

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature Larry Beard
 Checked by Bob Doyne
 Approved by [Signature]

Date 7/30/80
 Date 8/15/80
 Date 9/23/81

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 86-7090 Priority September 13, 1978 Amount 7.9 cfs

THIS IS TO CERTIFY, that City of Lewiston, Idaho
of Lewiston, ID, has complied with the terms and conditions of Permit
No. 86-7090 issued pursuant to Application for Permit dated September 13, 1978,
and has submitted proof to the Department of Water Resources on August 8, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 18.7 cfs of water from Clearwater River,
tributary to Snake River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Municipal	from 1/1 to 12/31	at 7.9 cfs and	N/A
	from to	cfs and	
	from to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 7.9 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
N/A acre feet per year, said waters to be diverted within the SWSE Sec. 27
T36N R5W in the County of Nez Perce

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW¼				SW¼								Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
October, 19 81.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 86-7090

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;


NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT



To appropriate the public waters of the State of Idaho

1. Name of applicant City of Lewiston, Idaho Phone (208) 746-3671
Post office address P. O. Box 617, City Hall, Lewiston, ID 83501
2. Source of water supply Clearwater River which is a tributary of The Snake River
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 36N
Range 5W B.M. Nez Perce County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 7.9 CFS for Municipal purposes from 1-1 to 12-31 ^{J.S.} (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 7.9 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. North Intake Pump Station on North Shore of Clearwater River. Water will enter pump station through filters, conveyed to City of Lewiston water treatment plant through 30" dia. supply line. Approx. 3½ miles by vertical turbine pumps.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage continuously to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

- a. If water is **not** for irrigation: City of Lewiston
- (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served City of Lewiston, or number of families to be supplied with domestic water _____.
- (5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	


Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. Please refer to
claim to water right No. 85-4000

9. a. Who owns the property at the point of diversion State of Idaho - Dept of Public Lands
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing _____

10. Remarks Item #7: City of Lewiston Water Plant is now being reconstructed, and
an influent measuring device to be installed under this contract. Time of con-
tract completion is 365 calendar days from April 14, 1978.
Item #8: Approximate population to be served at present is 30,000 people.
Item #10: Original point of diversion was made unacceptable because of forma-
tion of Lower Granite Dam Reservoir. The Idaho Department of Health and Welfare
determined the new point of diversion upstream of the reservoir in Free Flowing
River to prevent possible health hazards from waste waters in the reservoir. This
transfer of water right is permanent.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Armand H. Wake
(Applicant)
City Manager

Received by BK Date 8-3-78 Time 10:10 AMPreliminary check by _____ Fee \$ 105.00Received by B Date 9-13-78 (12097)Publication prepared by B Date 9-13-78Published in Sawston Masonic TribunePublication dates 9-21-78-78Publication approved B Date 10-2-78

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W. H. J. G.**ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES**

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 86-7090, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 79.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department. (2) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 24th day of October, 19 78.A. Glen Saxton

Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Nez Perce } ss.

Raelene Thornton, being duly sworn
deposes and says, I am the Classified Bookkeeper
of the Tribune Publishing Company, a corporation organized
and existing under and by virtue of the laws of the State of
Idaho, publishers of the LEWISTON MORNING TRIBUNE, a
newspaper of general circulation published at Lewiston, Nez
Perce County, Idaho; That the said Lewiston Morning Tribune
is an established paper and has been published regularly and
issued regularly at least once a day for more than 20 consecu-
tive years immediately preceding the first publication of this
notice, and has been so published uninterruptedly for said
period; that the Notice of application for water
attached hereto and which is made a part of this affidavit was
published in the said Lewiston Morning Tribune, once a
week for 2 consecutive weeks, the
first publication thereof being on the 21 day of
September, A. D. 19 78, and the last publica-
tion thereof being on the 28 day of September,
A. D. 19 78, and said Notice of application
was so published in the regular and entire issue of the said
newspaper and not in a supplement thereof and was so pub-
lished in every issue and number of the said paper, during the
period and times of publication as set forth above.

Raelene Thornton

SUBSCRIBED AND SWORN TO BEFORE ME THIS THE

28 day of September, 19 78

Robert E. Love

Notary Public in and for the State of Idaho,
residing at Lewiston, therein.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 2, 1981

RE: Permit No. 86-7090

City of Lewiston
P.O. Box 617
Lewiston, ID 83501

Dear Sirs:

Enclosed is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson", is written over the printed name.

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MICROFILMED

RECEIVED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

AUG 21 1980

Department of Water Resources

86-7090
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	7-7/79	K	
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 7/30/80 Accompanied by Allen Erickson Total Q measured 8400 gpm
If source is surface water, estimate total flow of source
Methods of measurement sparkling series 500 flow meter Meets Permit requirements? yes

Measurement calculations:
 $\frac{8400 \text{ gpm}}{448.8} = 18.7 \text{ cfs Capacity}$
Allow 7.9 cfs as per permit No Volume Amount

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
Pump #1	112.5-200	US Electric motors	00070178-123, 87-02024	IR Queen	7704-0209-002			
Pump #2	112.5-200	US Electric motors	000700178-123, 87-02025	IR Queen	7704-029-001			

System Description Pumps used either separately or simultaneously to transport water from river to treatment plant. water transported by 30" pipe. Water enters municipal supply from treatment plant
*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

USE	Irrigation requirement =	AFA/Acre
	Q (cfs)	FROM TO
Municipal	18.6 7.9 ✓	

Total 18.6 7.9 ✓
Remarks Permit was for 7.9 cfs. Claim #85-4000 was for 10.7 cfs. total water = 18.6 cfs = 8370 gpm. Usage fluctuates between 4000 gpm and 9000 gpm with average usage ≈ 6000 gpm.

MICROFILM

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

MICROFILMED

Point(s) of diversion: along clearwater river - SWSE sec 27, T 36N, 5W.

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
36N	5W	27																	
City of Hamilton																			

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature Tommy Beard
Checked by Bob Dwyer
Approved by Robin

Date 7/30/80
Date 8/15/80
Date 9/23/81

WATER RIGHT NUMBER 86-7090

OWNER LAST NAME - CITY OF LEWISTON

FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - CITY HALL

ADDRESS LINE 2 - P.O. BOX 617

ADDRESS LINE 3 -

CITY - LEWISTON

STATE - ID ZIP CODE - 83501

SOURCE - CLEARWATER RIVER

TRIBUTARY OF - SNAKE RIVER

STAGE - LICENSE

STATUS -

PRIORITY - 09-13-1978

COUNTY - NEZ PERCE

TOTAL DIV. RATE -

7.9000 -CFS

TOTAL DIV. VOLUME -

.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWSE 27 36N 05W LOT

REDIV -

272.0 48.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

5.0

FROM - 01-01 TO - 12-31 USE - MUNICIPAL

USE DIV. RATE -

7.9000

CFS

USE DIV. VOLUME -

.00 AFA

USE -

PLACE OF USE - TWN

RNG

SEC

DATE -

TOTAL ACRES

0

DECREE NAME -

REMARKS - P/U WITHIN CITY LIMITS OF LEWISTON.

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - CLAIM 85-4000.

PROOF DUE - 11-01-1979 PERMIT/DENIED - 10-24-1978 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL 01B 04

DIVERSION MEANS - PUMP STATION, PUMPS & PIPELINE.

IDENT. NO. 86-7090

WATER RIGHT
DATA ENTRY LOG[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

September 7, 1979

City of Lewiston
P. O. Box 617
Lewiston, ID 83501

RE: 86-7090

Dear Gentleman:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 86-7090

Name(s) of Permit Holder: City of Lewiston, Idaho

Post Office Address: P.O. Box 617

Lewiston, Idaho 83501

Tel. No. (208) 746-3

Source of Water: Clearwater River

Extent of Use: ☒ Domestic 4,861 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


AUGUST 6, 1979
Date

Marlin O. Brinkley
Signature of Permit Holder

City of Lewiston

P.O. Box 617

Lewiston, ID. 83501



~~Idaho Department of Water Resources~~ IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

July 31, 1979

City of Lewiston
Attn: Marlin D. Brinkley, P.E.
Director of Public Works
P.O. Box 617
Lewiston, ID 83501

Re: 86-7090

Dear Mr. Brinkley:

We are in receipt of your letter of July 24, 1979 in which you indicate a measuring device has been installed at the newly remodeled water plant.


I assume that installation of the measuring device is the final step in the remodeling process. Therefore you may be prepared to submit a statement of beneficial use in the form of the enclosed post card. If your facilities are completed, please return the card at your earliest convenience, so that we may proceed with licensing Permit No. 86-7090.

Sincerely,

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocation Section

DRT:pb

MICROFILMED



City of Lewiston

IDAHO'S ONLY SEAPORT

POST OFFICE BOX 617 • LEWISTON, IDAHO 83501

(208) 746-3671

RECEIVED

JUL 26 1979

Department of Water Resources

July 24, 1979

Mr. David R. Tuthill, Jr.
Supervisor, Water Allocation Section
Department of Water Resources
Statehouse
Boise, ID 83720

Dear Mr. Tuthill:

RE: PERMIT NO 86-7090

As a part of the conditions for approval on the above permit, a measuring device was required.

A Series 500 Sparling Flowmeter has been installed on the influent pipe of our newly remodeled water plant for measuring the amount of water taken from the Clearwater River.

Sincerely,

Marlin D. Brinkley
Marlin D. Brinkley, P.E.
Director of Public Works

/c

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 18, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

October 24, 1978

Re: Permit No. 86-7090

City of Lewiston, Idaho
P.O. Box 617, City Hall
Lewiston, Idaho 83501

Gentlemen

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. The Department will provide specifications for the installation to you.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:kw
Enclosure

MICROFILMED

86-7090

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. S.W. Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. 1 Time req. for Proof of B/U
7. ? Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. Idaho Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map
11. ☒ Fee & Rec't. No.

Copies Sent To:

<u>Yes 9-13-78</u> Idaho Health Department	<u>No</u> U.S.F.S.
<u>No</u> Idaho Fish & Game Dept.	<u>Yes 9-13-78</u> Dept. of Lands
<u>No</u> Bureau of Land Management	<u>No</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ☒ noOther rights on same land N/Av/a Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. NoID Power Co. Letter - G.W. & Tribs. NoSnake River Condition NoPayette River Letter NoPriority Date 9-13-78Water Quality #16 NoWater Quality #10 No
intrastate interstateAccess Port or
Meas. Dev. or Sc. Meas. yesTotalizing meter NoSupplemental NoRight-of-Way Cond. yesWatermaster Cond. No
Wtr. Dist No. Meas. Dev. Cond. for apps within
a Water Dist. No

Reviewer
10/17/78
MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Lewiston

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SK 9/12/78
(2) RJA 10-10-78

In form to receipt

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management
☒ lands
☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) SK 9/12/78

In form for advertising

Platted on Map No. _____

Located within Water District No. _____

Critical groundwater area: yes _____ no _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

Other rights on the same place of use

Comments: _____

Affidavit of Publication received(date) 10-2-78

Final date for protests 10-9-78

Protests received: yes _____ no ☒

All requested information received from agencies or applicant: yes ☒ no _____

Action recommended:

☒ Approve _____ Deny

8-3-78 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Northern

By Bob James Date 10-10-78

RECEIVED
OCT 13 1978

Department of Water Resources

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 14, 1978

RE: Application No. 86-7090

Lewiston Morning Tribune
500 C St
Lewiston, Id 83501

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Bill moved
10-2-78
[Signature]

RECEIVED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, any of the above referenced permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho, 83814, on or before October 9, 1978.

C STEPHEN ALLRED
Director

Published in the Lewiston Morning Tribune, Lewiston, Id
on September 21 and September 28, 1978.

MICROFILMED

86-7090

City of Lewiston

PO Box 617, Lewiston, Id

Date Filed: August 3, 1978

Amount: 7.9 cubic ft/sec

Source: Clearwater River

Means: pump & pipe

Diversion Pt: SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 27, T36N R5W BM Nez Perce Co

Place of Use: City of Lewiston

Use: municipal from Jan 1 to Dec 31

Lewiston Morning Tribune

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 13, 1978

RE: Application No. 86-7090

City of Lewiston,
PO Box 617
City Hall
Lewiston, Id 83501

Gentlemen,

Attached is your receipt No. 12097 in the amount of \$ 105.00 for the
filing fee on the above referenced item which was received in this office.

Very truly yours,

Alea Beito
Secretary

AB

Attachment

MICROFILMED

September 13, 1978

RE: Application No. 86-7090

Mr Scribner
Dept of Lands
Statehouse
Boise, Id 83720

Dear Mr Scribner,

Please find enclosed an application that may be of interest to your agency.
The applicant wishes to appropriate water from a stream which appears to be
navigable.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure

MICROFILMED

September 13, 1978

RE: Application No. 86-7090

Dept of Health & Welfare
Division of Environment
1825 Idaho St
Lewiston, Id 83501

Gentlemen,

Please find enclosed an application that may be of interest to your agency.
Please review it and submit any comments you may have as soon as possible.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure

MICROFILMED