

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. T32N R4E SEC 13

T32N R4E SEC 13

~~DEC 14 1989~~

RESOLVED

4 HOUSES
1 WELL

2



13

MICROFILMED

DEC 19 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Weeks

Ralph A. Schenk

(Applicant)

Jim Hendren

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 19 1991
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Richard Weeks, Rolland Schenks & Jim Hendren
Current Address: Rt. 1 Box 89-A Kooskia, ID 83539
2. Accompanied by: Rolland Schenks
Address: Rt. 1 Box 89 Kooskia, ID
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____


Permit No. 81-07128
Phone No. 926 7220
EXAM. DATE: 6/20/90
83539
Phone No. 926-4823

B. OVERLAP REVIEW

1. Other water rights with same place of use: none
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




MICROFILMED

SEP 17 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

115°52'30"
46°07'30"




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

PHOTOGRAPHS



pump house



well



pu's

MICROFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 81-07128

Priority: June 27, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

4.8 AF

This is to certify, that RICHARD WEEKS
ROLLAND SCHENKS
JIM HENDREN

RT 1 BOX 89B
KOOSKIA ID 83539

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 27, 1988; and has submitted Proof of Beneficial Use on April 4, 1990. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.4 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF
	Totals	0.04 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 13, Township 32N, Range 04E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
32N	04E	13	SWNE	0.8		0.8

Total number of acres irrigated: 0.8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 81-07128

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16th day of July, 1992.

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 81-7628

To appropriate the public waters of the State of Idaho

RICHARD WEEKS AND
ROLLAND SCHENKS AND

APPROVED

1. Name of applicant JIM HENDREN Phone 926-4823

Post office address RT. 1 KOOSKIA, ID 83539

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____

Sec. 13 Township 32N Range 4E B.M. Idaho County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .16 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .16 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL - 170' DEEP
PUMP - 1 1/2 HP, PIPELINE TO HOUSES

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

DEC 19 1988

a. Hydropower; show total feet of head and proposed capacity in kW.

- c. Municipal; show name of municipality.

- e. Other; describe fully.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

- ponding place of use below. See instructions for standard symbols.

[illegible]

10. Describe any other water rights used for the same purposes as described above.

- b. Who owns the land to be irrigated or place of use? ALL 3 APPLICANTS


- applicant to make this filing.

FILED

חברת א 8861

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T32N R4E SEC 13



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Weeks

Kathleen J. Schenk

(Applicant)

Jim Henderson

Proposed Priority 6/27/88
Received by [Signature] Date 6/27/88 Time 2:00 PM Preliminary check by [Signature]
Fee \$ 30.00 Receipted by [Signature] # N 352 Date 6/28/88
Publication prepared by [Signature] Date 6/29/88 Published in Ad. Ch. & Survey
Publication approved [Signature] Date 7/26/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 81-7128, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Witness my hand this 30th day of August, 1988.

[Signature]
Director

MICROFILMED

DEC 19 1988

**NOTICE OF APPLICATION FOR
WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

81-07127

LUNDERS, DELBERT; LUNDERS,
LEXIE; RT 1 BOX 654; KAMIAH, ID
83536

Source: SPRING Tributary: SINKS
Diversion Pt: LOT 4 (SWSWSW) Sec 20
T 33N R 04E

Use: STOCKWATER (.070 CFS)

Date Filed: 6/17/1988

In: T33N R04E S20 Lot 4 (SWSW)

81-07128

HENDREN, JIM; SCHENKS,
ROLLAND; WEEKS, RICHARD; RT 1;
KOOSKIA, ID 83539

Source: GROUNDWATER

Diversion Pt: NESWNE Sec 13 T 32N R
04E

Use: DOMESTIC (.160 CFS)

Date Filed: 6/27/1988

In: T32N R04E S13 SWNE

81-07129

TEATS, HENRY L.; P.O. BOX 66;
KOOSKIA, ID 83539

Source: CLEAR CREEK Tributary:
CLEARWATER RIVER, MIDDLE F

Diversion Pt: SWSWNW Sec 25 T 32N
R 04E

Use: IRRIGATION (.100 CFS)

Date Filed: 6/23/1988

In: T32N R04E S25 SWNW 4.0 ACRES
TOTAL

82-07165

ASKER, RONALD; ASKER, PATRICIA;
P.O. BOX 279; ELK CITY, ID 83525

Source: SPRING Tributary: WHITAKER
CREEK Source: WHITAKER CREEK

Tributary: AMERICAN RIVER

Diversion Pt: NENW Sec 13 T 29N R
08E SENWNW Sec 13 T 29N R 08E

Use: IRRIGATION (.200 CFS)
DOMESTIC (.040 CFS) DIVERSION TO

STORAGE (.200 CFS) IRRIGATION
STORAGE (1.00 AF) IRRIGATION

FROM STORAGE (1.00 AF)
RECREATION STORAGE (1.00 AF)

Date Filed: 6/16/1988

In: T29N R08E S13 NENW NWNW
NWNW 10.0 ACRES TOTAL

82-07166

CUTLIP, ELDON; CUTLIP, KAREN; HC
66 BOX 369; KOOSKIA ID 83539

Source: SPRINGS Tributary: SINKS

Diversion Pt: NESWNW Sec 3 T 30N R
04E NWSWNW Sec 3 T 30N R 04E

SWSWNW Sec 3 T 30N R 04E
SESWNW Sec 3 T 30N R 04E

Use: DOMESTIC (.040 CFS)

Date Filed: 6/03/1988

In: T30N R04E S03 SWNW

82-07167

DAUGHTERTY, LEE L.; N.W. 350
DILLON; PULLMAN, WA 99163

Source: SPRING Tributary: AMERICAN
RIVER

Diversion Pt: LOT 2 (SWSENW) Sec 34
T 29N R 08E

Use: DOMESTIC (.040 CFS)

Date Filed: 6/27/1988

In: T29N R08E S34 SENW

82-07168

CASH, FRANK R.; P.O. BOX 100;
STITES, ID 83552

Source: CLEARWATER RIVER,
SOUTH FORK Tributary:

CLEARWATER RIVER

Diversion Pt: NENESE Sec 29 T 32N R
04E

Use: IRRIGATION (.020 CFS)

Date Filed: 6/28/1988

In: T32N R04E S29 NESE 1.0 ACRES
TOTAL

82-07169

BANKS, RANDY; RT. 1 BOX 73A;
TROY, ID 83871

Source: SPRING Tributary: AMERICAN
RIVER

Diversion Pt: SESWSW Sec 12 T 29N R
08E

Use: DOMESTIC (.020 CFS)

Date Filed: 6/29/1988

In: T29N R08E S12 SWSW

Use: IRRIGATION (.030 CFS)
DOMESTIC (.080 CFS)

Date Filed: 6/03/1988

In: T30N R03E S27 SESW 1.0 ACRES

TOTAL

85-07472

HARMON, HENRY; RT. 2 BOX 284;
GRANGEVILLE, ID 83530

Source: SPRING Tributary:
CLEARWATER RIVER, SOUTH FO

Diversion Pt: SWNW Sec 25 T 30N R
03E

Use: DOMESTIC (.060 CFS)

Date Filed: 6/22/1988

In: T30N R03E S25 NENW SENW

The permit(s) will be subject to all prior
water rights. Protests must be filed with

the Director, Dept. of Water Resources,
Northern Region, Government Way

Suite 9, Coeur d'Alene, Idaho 83814 on
or before JULY 25, 1988.

R. KEITH HIGGINSON, Director
Published 7/06/1988 & 7/13/1988

Jy6-13

NOTICE OF PUBLICATION

Charlotte Sotin being first duly

Bookkeeper

Y FREE PRESS, a weekly newspaper which

ed weekly at Grangeville, Idaho County,

hich is of general circulation in said county

and state; that the said notice, of which the one hereto attached

is a true copy, was published in said paper for two weeks,

being published two times, the first publication being

on the 6th day of July, 1988,

and the last publication on the 13th day of

July, 1988; and that the said notice

was published in the newspaper proper and not a supplement;

that said newspaper has been continuously and uninterruptedly

published in said county during a period of more than seventy-

eight consecutive weeks prior to the first publication of said

notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 13th day

of July, 1988.

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

82-07170

MC DANIEL, EARL W.D.; P.O. BOX
127; ATHOL, ID 83801

Source: UNNAMED STREAM Tributary:
AMERICAN RIVER

Diversion Pt: NENWNW Sec 35 T 29N
R 08E

Use: MINING (3.000 CFS)

Date Filed: 6/29/1988

In: T29N R08E S35 NENW NWNW
NWSW

85-07465

HYTHOLT, CHARLES H.; RT. 2 BOX
555; KAMIAH, ID 83536

Source: GROUNDWATER

Diversion Pt: NWSENE Sec 12 T 33N R
03E

Use: IRRIGATION (.060 CFS)

Date Filed: 6/16/1988

In: T33N R03E S12 SENE 2.0 ACRES
TOTAL

85-07466

SANFORD, ROBERT; POB 42;
KAMIAH, ID 83536

Source: CLEARWATER RIVER
Tributary: SNAKE RIVER

Diversion Pt: SWSE Sec 19 T 33N R
04E

Use: IRRIGATION (.800 CFS)

Date Filed: 6/21/1988

In: T33N R04E S19 Lot 19 (NESW) Lot
17 (SESW) Lot 16 (SWSE) 40.0 ACRES

TOTAL

85-07467

KURTS, OREN; KURTS, MABLE; P.O.
BOX 33; STITES, ID 83552

Source: SPRING Tributary: SINKS

Diversion Pt: SESWNW Sec 27 T 31N
R 01E

Use: DOMESTIC (.020 CFS)

Date Filed: 6/13/1988

RECEIVED

1988

85-07468

BRÜDER, JAMES; BRÜDER, MARY;
RT. 1 BOX 692; KAMIAH, ID 83536

Source: LAWYER CREEK Tributary:
CLEARWATER RIVER

Diversion Pt: LOT 10 (SWNW) Sec 12 T
33N R 03E

Use: IRRIGATION (.020 CFS)

Date Filed: 6/13/1988

In: T33N R03E S12 Lot 10 (NENE) 1.0
ACRES TOTAL

85-07469

HEITTER, ERSAL; LOEBER, LESTER;
RT. 2 BOX 171; GRANGEVILLE, ID
83530

Source: GROUNDWATER

Diversion Pt: SESESW Sec 27 T 30N R
03E

MICROFILMED

DEC 19 1988

July 21, 1992

RICHARD WEEKS
ROLLAND SCHENKS
JIM HENDREN
RT 1 BOX 89B
KOOSKIA ID 83539

RE: WATER RIGHT NO. 81-07128

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

SEP 17 1992

DATE: 07/13/92
PAGE: 1

Stage: LICENSE

Pou County: IDAHO

Conditions of Approval:

R49 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

Remarks: Domestic use is for 4 homes.

Dates:	App. Received:	06/27/1988	Priority Date:	06/27/1988	(Priority Date Advanced.)
	Proof Due Date:	09/01/1989	Proof Made Date:	04/04/1990	(Proof Received Late.)
	Exam Made Date:	06/20/1990	Exam Sent to S.O.:		
	Licensed Date:				

Misc:	Water District Number:	Field Exam Fee:	N (Not Required)

Audit: 07/13/92 SKAGGS

RECEIVED
JUL 1 0 1992

Department of Water Resources

WATER RIGHT NO. 81-07128

Priority: June 27, 1988

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 4.2 AF

This is to certify, that RICHARD WEEKS
ROLLAND SCHENKS
JIM HENDREN

89B
RT 1 BOX
KOOSKIA ID 83539

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 27, 1988; and has submitted Proof of Beneficial Use on April 4, 1990. An examination indicates that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.4 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.8 AF
	Totals	0.04 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 13, Township 32N, Range 04E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
32N 04E 13	SWNE 0.8			0.8

Total number of acres irrigated: 0.8

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 17 1992

WATER RIGHT NO. 81-07128

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this _____ day of _____, 19____.

R. Keith Higginson, Director

I do not agree with this because, I have
Two 5 acre lots and each was bought with
with water rights to this well, which was
To have four homes on it. I'm selling
my lot that don't at this time have a home
on it. But I'm selling it like I bought
it, with water rights. There is a stand pipe
there that was put in with all the water lines
were put in, back in 1980 or 1981. The transaction
should be final sometime next week.

Tim Hendren

MICROFILMED

SEP 17 1992

July 1, 1992

RICHARD WEEKS
ROLLAND SCHENKS
JIM HENDREN
RT 1 BOX 89A
KOOSKIA ID 83539

RE: WATER RIGHT NO. 81-07128

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 81-07128

Date 6-25-92
CE

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>.04 cfs (DOM) .03 cfs (IRR) = .04 total per B/U</u>
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u>1.5 x 8.8 x .7 = .064</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.06 cfs 50' (2.31 x 40)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same</u> Season Recommended
	<u>✓</u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>.8 x 3.0 = 2.4 afa (IRR) 2 x .6 = 1.2 afa (DOM)</u>
	<u> </u>	<u>✓</u>	Limited by Flow? <u>.03 x 24.5 x 1.9835 = 14.6 > 2.4</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u>Split DOM use</u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u>to show IRR</u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4, 1/4?
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM / 3 Homes</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R49</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduce rate, 4 homes
Split (DOM) use to show (IRR) w.l. in NESW 25'
No w.l. in same 1/4 / Use 50' dynamic estimate
in 170' well + 40psi low end DOM / Max. estimates

License 10-Day ✓ 15-Day Special Correspondence
100' dynamic = .048
150' " = .038

Allow 4 homes per Permit holders statement
that all 4 original homes stubbed in with
water lines 1980 or 81/3 Homes built, 1 pending.

MEMORANDUM

RECEIVED
JUN 19 1991

Department of Water Resources

TO: FILE

VIA: Robert Haynes - Manager, Northern Regional office.

FM: Tom King - Sr. Water Resource Agent, Northern Region TDK

Date: 8/22, 1990

SUBJECT: 81-07128

=====

Due to the new definition of domestic use in IC 42-111, the irrigation of lawns and gardens under this permit is listed separately as irrigation. This is not a change in the nature of use, just a change in definitions.

MICROFILMED

SEP 17 1992

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 81-07128

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- ☒ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

J. King

Date

7/5/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
JUN 19 1991

BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Richard Weeks, Rolland Schenks & Jim Hendren Permit No. 81-07128
Current Address: Rt. 1 Box 89-A Kooskia, ID 83539 Phone No. 926 7220
2. Accompanied by: Rolland Schenks EXAM. DATE: 6/20/90
Address: Rt. 1 Box 89 Kooskia, ID Phone No. 926-4823
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N.T.S.

MICROFILMED

SEP 17 1992

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The water was pumped from a 170' deep well by a 1 1/2 hp pump to a pressure tank then to the place of residences.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	submersible				
Motor Make					
Hp	1 1/2				
Motor Serial No.					
Pump Make	not known				
Pump Serial No. or Discharge Size	by Mr. Schwartz				

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

SEP 17 1992

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

.04 PER X-FEE

2. Alternate Method for Checking Purposes:

3 Domestic

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.75(3) = 2.25$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 19.4 \times 4.9$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.25$

2. Volume Calculations for Other Uses:

3 Domestic .6(3) = 1.8

NOT REFILED

SEP 17 1992

[illegible]

1. Recommended Amounts

Period of Use
From _____ **To** _____

12131

Rate of Diversion

Q (cfs)

70,

Annual Volume

Λ (εἶς)

~~376-1.8~~

23

IR RIGATTON

5/12

11/15

703

Totals:

401

~~3.1~~

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

2. Recommended Amendments

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

Robert Knobel

Dr. J. A. Knab

06/11/16

05/04/9

K. Licensing recommendation shall be prepared by an Idaho Department of Health Resources employee on a computer printout attached hereto.

583

55'

584

460 000 FEET


585

R. 4 E R. 5 E

586

115°52'30"


46°07'30"



MICROFILMED

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II
P H O T O G R A P H S



pump house



well

p.u.'s

MICROFILMED

SEP 17 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 81-67128

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port:	Y ☐	N ☒	Static Water Level:	☒
Pressure Gauge:	Y ☐	N ☒	Casing Diameter:	<u>6</u>
Flowing:	Y ☐	N ☒	Temperature:	<u> </u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED

SEP 17 1992

May 2, 1990

JIM HENDREN
ROLLAND SCHENKS
RICHARD WEEKS
RT. 1 BOX 89A
KOOSKIA, ID 83539

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 81-07128

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

JUN 28 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 81-7128

Date: 4-25-90

General Considerations:

2 Name same as permit
3 Signature the same as permit holder
4 Address change _____ If yes, prepare a data entry
3 Proof received timely _____
_____ Reinstated

Source of Water:

9 Surface water
9 Groundwater
_____ 1. well log in file
_____ 2. drilling permit
W A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

5 Rate of diversion appropriate for uses
4 Is rate or volume and fee appropriate?
5 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

1 Is a measuring device or access port required?
1 Has one been installed?
1 Waiver or modification of measuring device requested

Remarks:

Proof acceptable
No fee required for 0.04 cfs

* Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

* *First proof form received on Aug 23, 89.*

Form 217
08/89
RECEIVED
APR 4 1990
wcheck
Department of Water Resources

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 81-7128 Telephone No. 208 926-7220

Name(s) of Permit Holder(s): Richard Weeks Pollard Schenks Jim Hendren

Post Office Address: Rt 1 Box 89-A Kootenai, Idaho 83539

Source of Water: Drilled Well

If ground water, well driller's name: Leach Well Drilling Date drilled: Spring - 1981

Extent of Use:
Domestic 3 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs 4 acre/feet

Show date water was first diverted and beneficially used under this permit: 10-1-1981

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? Yes No Installed? Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Richard Weeks 208-926-7220
Name Telephone No.
Rt 1 Box 89-A Kootenai, Id. 83539
Address


MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 28 1990

March 31 1990 Richard G Weeks
Date Signature (and title if on behalf of a company or organization)

Reginald G. Weeks
171, Box 89-A
Ketchikan, Idaho
83539



State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, Idaho
83706-2237

Thendren
Rt Box 8913
Kearns, IA 83539



State of Idaho
Department of water Resources
State House
Boise, Idaho 83720

January 29, 1989⁹⁰

Richard Weeks
Rolland Schenks
Jim Hendren
Rt. 1 Box 89B
Kooskia, ID 83539

Gentlemen:

Re: Permit No. 81-7128

Returned is the proof of beneficial use received on August 23, 1989. The form indicates the water is being used at a rate of 30 gpm.

Included with the proof due notice was a fee schedule. The fee schedule indicated that for the diversion of greater than 0.04 cfs, there is a \$50 license exam fee. Thirty gallons per minute is equal to approximately 0.07 cfs.

If you wish to have a license issued for 0.07 cfs, then a \$50 license exam fee is required. If you choose not to pay the fee, the department can conduct the field exam and recommend a license for 0.04 cfs (18 gpm).

Under the item which asks for the date water was first diverted and beneficially used under this permit, you have written don't know. It is important I get some indication. An approximate year or "prior to" some date would be helpful.

Please respond to this letter within 30 days.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUN 28 1990

March 21, 1990

Richard Weeks
Rolland Schenks
Jim Hendren
Rt. 1 Box 89B
Kooskia, ID 83539

Gentlemen:

Re: Permit No. 81-7128

Enclosed is a copy of my letter dated January 29, 1990.

Please respond to it within 15 days. If no response is received, I will notify you that the permit has lapsed.

If you have any questions, contact me. I can explain the application/permit/licensing process to develop a water right.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUN 28 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 81-7128

Date: 10-30-1989

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
X Address change _____ If yes, prepare a data entry
_____ Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
_____ Groundwater
_____ 1. well log in file - *no microfilm for this sec.*
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

_____ Rate of diversion appropriate for uses
_____ Is rate or volume and fee appropriate?
_____ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
_____ Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: - *Return for fee = .02 - 7 gpm / 30 gpm = .07 cfs.*

_____ Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

October 31, 1989

James Hendren
Rt. 1
Kooskia, ID 83539

Dear Mr. Hendren:

Re: Permit No. 81-7128

On August 23, 1989, the department received the proof of beneficial use form for the above referenced permit.

Before the department accepts the proof, I have a concern regarding the diversion rate. You stated on the proof that the well produces about 30 gallons per minute. Thirty gallons per minute is equal to about 0.07 cfs. Note the instruction form. For the diversion of water at a rate of 0.07 cfs, there is a license examination fee of \$50.

Also, at the bottom of the proof form, you have crossed out a portion of the proof. When the field exam is conducted, do you have a person you wish the department to contact? If not, the field examiner will try to locate the well and houses on his own.

Please return the proof and fee within thirty days.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUN 28 1990

138407
June 30, 1989

JIM HENDREN
ROLLAND SCHENKS
RICHARD WEEKS
RT. 1
KOOSKIA, ID 83539

PROOF DUE NOTICE

RE: PERMIT NO. 81-07128

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 28 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 31, 1988

JIM HENDREN
ROLLAND SCHENKS
RICHARD WEEKS
RT. 1
KOOSKIA, ID 83539

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 81-07128

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECEIVED

DEC 19 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY CSA DATE 6/28/88 APPLICATION NUMBER 81-7128

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☐ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
AUG 18 1988

Department of Water Resources

☐ Yes ☐ No In form for advertising
☐ Yes ☐ No Statewide advertising
☐ Yes ☐ No Fee amount, receipt date & No. recorded on application

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☒ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
 Final date for protest 7/27/88
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below.

☐ See below for additional information

Date of priority recommended 6/21/81
By [Signature] Date 8/18/88

P23

P160

460

By KW ☐ See below for additional information
Date 8/25/88

ADDITIONAL INFORMATION



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

Dear Claimant:

The Department of Water Resources acknowledges receipt of your water right application for permit.

This office is currently in the process of advertising the application in the local county newspaper. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt for the fee involved in filing this application.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enc. - Receipt

MICROFILMED

DEC 19 1988



81-07128

HENDREN, JIM
SCHENKS, ROLLAND
WEEKS, RICHARD
RT. 1
KOOSKIA, ID 83539

Source: GROUNDWATER

Diversión Pt: NESWNE Sec 13 T 32N R 04E

Use: DOMESTIC (.160 CFS)

Date Filed: 6/27/1988

In: T32N R04E S13 SWNE

MICROFILMED

DEC 19 1988