


JOB NO. 83-217
 DRAWN BY JMB
STEPHEN M. BROOKS
 LAND SURVEYOR
 GRANGEVILLE, IDAHO

SURVEYOR'S CERTIFICATE
 I, STEPHEN M. BROOKS, BEING A duly registered land
 surveyor in the State of Idaho in L.S. 933, do hereby
 certify that the foregoing is a true and correct
 copy of the original survey made by
 me for ROBERT THOMAS AND IS A TRUE AND CORRECT
 AS SHOWN

Stephen M. Brooks
 STEPHEN M. BROOKS L.S. 933

STATE OF IDAHO, COUNTY OF IDAHO
 I, ROBERT THOMAS, BEING A duly registered land
 surveyor in the State of Idaho in L.S. 933, do hereby
 certify that the foregoing is a true and correct
 copy of the original survey made by
 me for ROBERT THOMAS AND IS A TRUE AND CORRECT
 AS SHOWN

RECORDED BY _____
 INSTRUMENT NO. _____
 DEPUTY _____



RECORD OF SURVEY
 LOCATED IN
 SECTIONS 7 AND 8, T.31N, R.5E, B.M.
 IDAHO COUNTY
 IDAHO
 SCALE 1"=500'
 JULY, 1985
MAILED
 OCT 13 1988

LEGEND

- 1. POSITION FOR SECTION CORNER, ESTABLISHED BY DUNE PHOTOGRAPH, NOT SET THE CORNER FALLS IN CHECK BED
- 2. SET 2" DIA IRON PIPE WITH BRASS CAP FOR WITNESS CORNER
- 3. FOUND IRON PIPE - BRASS CAP, SET BY G.L.O. 1919
- 4. SET 3/8" DIA IRON PIPE WITH PLASTIC CAP STAMPED L.S. 933
- 5. 1" O.L.O. 1919 RECORD

BASIS OF BEARINGS

N83°03'48"W 2828.42' BETWEEN THE SOUTHEAST CORNER AND THE SOUTH
 1/4 CORNER OF SECTION 5, AS SHOWN THE MAP FILED UNDER INSTRUMENT
 NO. 30839, IDAHO COUNTY RECORDS

5102

T.32N. T.32N.

2876 III SW
(STITES)


T.31N. T.31N.
5101

5100

SPRINK

sec 1 →
2'30"

5099



**NOTICE OF APPLICATION FOR
WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

81-7120

THOMAS, ROBERT C.
8330 PEMBROOK ST., BOISE, ID
83704

Source: SPRING trib. to CLEAR CREEK
Diversion Pt: NENENE Sec 07 T31N R
05E

Use: DOMESTIC (0.040 CFS)

Date Filed: 04/21/1988

In: NWNW Sec 08 T 31N R 05E.

81-7121

THOMAS, ROBERT C.
8330 PEMBROOK ST., BOISE, ID
83704

Source: CLEAR CREEK trib. to CLEAR-
WATER RIVER, MIDDLE FORK
Diversion Pt: NWNW Sec 08 T 31N R
05E

Use: IRRIGATION (0.030 CFS)

Date Filed: 04/21/1988

In: NWNW Sec 08 T 31N R 05E.

82-7162

CASH, GEORGE A.
RT. 1 BOX 73A, DAVENPORT, WA
99122

Source: BAKER GULCH trib. to
CROOKED RIVER

Diversion Pt: SWSW SESW NWSW
NESW SWSE SESE Sec 24 T 28N R
07E NWNE NENE Sec 25 T 28N R 07E

Use: MINING (1.0 CFS)

Date Filed: 04/22/1988

In: NESW SWSW SESW SWSE
SESE Sec 24 T 28N R 07E NENE
NWNE Sec 25 T 28N R 07E.

85-7455

WALKER GERALD S. &/or HELEN
BLODGER, KNUTE &/or LEONA G.
RT. 2 BOX 721, GRANGEVILLE, ID
83530

Source: SPRINGS trib. to THREEMILE
CREEK

Diversion Pt: NWNWNW SENWNW
SENWSW Sec 08 T 29N R 03E

Use: DOMESTIC (0.1 CFS)

Date Filed: 04/18/1988

In: SWSW Sec 32 T 30N R 03E.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
4055 Government Way, Suite 9, Coeur
d'Alene, Idaho 83814 on or before MAY
23, 1988.

R. KEITH HIGGINSON, Dir.

Published 5/4 & 5/11/88.

M4-11

AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly

sworn, says he is the Bookkeeper

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 4th day of May 19 88.,
and the last publication on the 11th day of
..... May 19 88.; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 11th day
of May 19 88.

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

MAY 16 1988

Department of Water Resources
Northern District Office

MAILED

OCT 13 1988



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 81-7120

1. Owner: ROBERT C. THOMAS

Phone No. 926-0910

Current Address: RT 1 Box 39C

2. Accompanied by: SAME

EXAM. DATE: 2/24/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: SPRING tributary to CLEAR CR.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

PU only - other system parts are all buried



SECTIONS 7 AND 8, T 34 N, R 3 E, S 1 M.
IDAHO COUNTY IDAHO
SCALE 1"=100'



- ① - Personen des öffentlichen Lebens, die sich an der Vorbereitung, Durchführung oder Ausführung der Straftat beteiligen
- ② - Personen, die die Straftat begangen haben, aber nicht die Hauptrolle spielen
- ③ - Personen, die die Straftat begangen haben, aber nicht die Hauptrolle spielen
- ④ - Personen, die die Straftat begangen haben, aber nicht die Hauptrolle spielen
- ⑤ - Personen, die die Straftat begangen haben, aber nicht die Hauptrolle spielen

There is a gap of 1000 ft between the boundary between the two
the source of the 1000 ft, as shown in the 1000 ft scale on the
the 1000 ft, and 1000 ft.

1. STAFFING OF BARRACKS BEING A MAJOR CONCERN OF THE
BARRACKS STAFF OF THE ARMY. THE STAFF OF THE ARMY
WAS CONCERNED WITH THE STAFFING OF THE BARRACKS OF
THE ARMY AND THE STAFF OF THE ARMY WAS CONCERNED
WITH THE STAFFING OF THE BARRACKS OF THE ARMY.

Epinephelus
SILVER SPINNAKER

I HEREBY CERTIFY THAT THIS INSTRUMENT WAS FILED AND
RECORDED IN THE REGISTRY OF _____
ON _____ 19____ AT THE _____ OF _____

SECRET

00 00 00 - 217 000000 00 0100

STEPHEN M. BROOKS
LAND SURVEYOR
GRANGEVILLE, IDAHO

MICROFILMED
SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 81-07120

Priority: April 21, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that ROBERT C THOMAS

RT 1 BOX 39C

KOOSKIA ID 835390000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 21, 1988; and has submitted Proof of Beneficial Use on July 2, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRING

tributary to **CLEAR CREEK**

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENENE , Sec. 7, Township 31N, Range 05E
IDAHO County

PLACE OF USE: DOMESTIC

TWN RGE SEC

31N 05E 8

NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED


SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 81-07120

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4th
day of SEPTEMBER, 1992.

Acting for  R. Keith Higginson, Director

MICROFILMED

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 81-7120

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant ROBERT C. THOMAS Phone 316-5655
Post office address 8330 PEMBROOK, BOISE, ID 83704
2. Source of water supply SPRING which is a tributary of CLEAR CREEK
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 7 Township 31N Range 5E B.M. IDAHO County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .04 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. SPRING DEVELOPMENT WITH PIPELINE TO STORAGE TANK WITH PIPELINE INTO HOME.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to beneficial use is 3 years (minimum 1 year).

MICROFILMED

OCT 13 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
31N	5E	8					D												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANTS

b. Who owns the land to be irrigated or place of use? APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

FILED

OCT 13 1988


JOE NO. 03-212 DRAWN BY JWB
STEPHEN M. BROOKS
 LAND SURVEYOR
 GRAPEVILLE, IDAHO

SURVEYOR'S CERTIFICATE
 I, STEPHEN M. BROOKS, being a duly registered L.S.M. in the State of Idaho, do hereby certify that the foregoing is a true and correct copy of the original survey made at the request of the client, and that the same is a true and correct copy of the original survey made at the request of the client.

Stephen M. Brooks
 STEPHEN M. BROOKS L.S.M. 838

STATE OF IDAHO COUNTY OF IDAHO
 I HEREBY CERTIFY THAT THIS INSTRUMENT WAS FILED AND RECORDED IN THE COUNTY OF IDAHO, IN THE YEAR OF 1985, IN THE BOOK OF _____ PAGE OF _____

RECORDED _____ OF _____
 INSTRUMENT NO. _____



RECORDED

OCT 13 1988

5102

T.32N. T.32 N.

2876 III SW
(STITES)

T.31N. T.31 N.
5101

5100

SPL. N. 5

sect 1 →
2'30"
5099



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEE ATTACHED MAPS

MICROFILMED

OCT 13 1988

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert C. Thomas
(Applicant)

Proposed Priority 4/21/88

Received by [Signature] Date 4/21/88 Time 12:30 Preliminary check by JK

Fee \$ 30.00 Receipted by [Signature] # 46097 Date 4/21/88

Publication prepared by [Signature] Date 4/27/88 Published in Idaho City Times Press
5/4/88

Publication approved [Signature] Date 5/27/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 81-7120, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 28 day of JUNE, 1988.

[Signature]
Director

RECEIVED

OCT 13 1988

AFFIDAVIT OF PUBLICATION

OK
5/21/88
Charlotte Sotin

being first duly

sworn, says he is the Bookkeeper

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 4th day of May, 1988, and the last publication on the 11th day of May, 1988; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 11th day of May, 1988.

[Signature]
Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

MAY 16 1988

Department of Water Resources
Northern District Office

MAILED

OCT 13 1988

September 8, 1992

ROBERT C THOMAS
RT 1 BOX 39C
KOOSKIA ID 835390000

RE: WATER RIGHT NO. 81-07120

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

SEP

LICENSE REVIEW CHECKLIST

Permit # 81-07120

Date 8-28-92
28

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance _____
	☐	☒	Order to Reinstate Needed? _____
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended? _____
	☒	☐	Disagree with Actual Measurement? _____
			<u>.04 cfs (DOM)</u>
	☒	☐	Disagree with Theoretical? _____
	☐	☒	Limited by Capacity? <u>.04 cfs</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☒	☐	Disagree with Examiner's Calculations? _____
			<u>1.2 a fa (DOM)</u>
	☒	☐	Limited by Flow? _____
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source _____
	☒	☐	Notice of Intent to Void. _____
P/D			Verify with Map _____
	☒	☐	Amendment Needed? _____
	☒	☐	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	☒	☐	Amendment Needed? _____
	☒	☐	Is Overlap Analysis a Consideration? _____
USES	☐	☒	Change(s) in Nature of Use? _____
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM / Home</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
			☐ Water Dist.
			☒ App Rec'd
			☒ Exam Made

COMMENTS/MEMOS NEEDED: _____

License ☒ 10-Day ☐ 15-Day ☐ Special Correspondence _____

DATE: 08/28/92
PAGE: 1

Stage: LICENSE

Audit: 08/28/92 SKAGGS

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 81-07120

A. GENERAL INFORMATION

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ☒ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Government Lot ?
Method of determination
☒ 6. Compare USGS/Land Survey? Aerial Photos/Permit.
Method of determination,
Irrigation (Rule 5,1,8),

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- All actual uses listed (Rule 5,1,2):
All unused, permitted uses listed (Rule 5,1,2):
Overlaps (Rule 5,1,4):
Return flows (Rule 5,1,5):
Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.


WELL INSPECTION REPORT

Check with permit and well log for discrepancies


Signature Tom D. King

Tom D. King Sr. Water Resource Agent

Date 9/18/91



Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 81-7120

1. Owner: ROBERT C. THOMAS Phone No. 926-0910

Current Address: RT 1 Box 39C

2. Accompanied by: SAME EXAM. DATE: 7/24/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: SPRING tributary to CLEAR CR.


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

SEP 17 1992

MICROFILMED

SEP 17 1992

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached N/A
Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

PU only - other system parts are all buried

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Spring water is gravity fed into a perforated plastic barrel which is buried through a 1 1/2" pvc line to home. Home has a very small water fall. There is a pressure pump (1/2 hp) inside home.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity					

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	7	31N	SE	Idaho	Map/survey Plat (attached)

6. **Place(s) of Use:**

Indicate Method of Determination

Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
31N	SE	8					D												

Do not use this space

PHOTOFILMED

SEP 17 1992

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

1 home L&G
0.04 cfs as per
permit

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED
SEP 17 1992

1 home L&G 1.2

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO OVERLAP - TDK

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04 cfs</u>	<u>1.2 afa</u>
Totals:			<u>0.04 cfs</u>	<u>1.2 afa</u>

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature


Theresa J. Bright

Certification Date

4/10/91

Field Report Preparation Date


7/24/91




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

REPRODUCTION FILMED

SEP 17 1992



SECTIONS 7 AND 8, T. 34 N., R. 3 E., S. 4 E.
IDAHO COUNTY IDAHO
SCALE 1"=100'



LEADER

- [illegible]

PAUL DE KROMHOUT

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 08-14-2010 BY 60322 UCBAW/SJS

SURVEYOR'S CERTIFICATE

[illegible]

John J. O'Connell
JUL 10 1966

STATE OF IOWA, COUNTY OF IOWA

1. The first step is to identify the problem or goal. This involves understanding the current situation and what needs to be achieved.

SECRET

SEP 10 1964
STEPHEN M. BROOKS
LAND SURVEYOR
CRANEVILLE, IOWA

MICROFILMED
SEP 17 1992

November 1, 1990

ROBERT C. THOMAS
8330 PEMBROOK ST.
BOISE, ID 837040000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 81-07120

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
NOV 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 81-7120

Date: 10-24-90

General Considerations:

g Name same as permit
g Signature the same as permit holder
n Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

g Surface water
_____ Groundwater
_____ 1. well log in file
w 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

g Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

h Is a measuring device or access port required?
h Has one been installed?
h Waiver or modification of measuring device requested

Remarks:

*Proof acceptable
July 1 is on Sunday*

nff Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late		= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 2 1990

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

RECEIVED

SEP 4 1990

no fee received

The Idaho Department of Water Resources will consider this form as a statement that the permittee has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 81-7120 Telephone No. 926-0910Name(s) of Permit Holder(s): ROBERT C. THOMASPost Office Address: RT 1 Box 39C KOOSKIA, ID. 83539Source of Water: SPRING DEVELOPMENT WITH PIPELINE TO HOUSE.

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:

Domestic ☒ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted .04 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: JULY 1, 1988

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ NoFee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

ROBERT C. THOMAS

Name

926-0910

Telephone No.

RT. 1 Box 39C KOOSKIA ID. 83539.

Address

The above information is my true statement of the extent to which the above numbered permit has been used and I hereby relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

NOV 27 1990

June 28, 1990

Date

Robert C. Thomas

Signature (and title if on behalf of a company or organization)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 29, 1990

Robert C. Thomas
Rt. 1 Box 39C
Kooskia, ID 83539

Dear Mr. Thomas:

Re: Permit No. 81-7120

Returned is the proof of beneficial use form submitted to this office on July 2, 1990.

Please sign and return the form within ten days.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Rita I. Fleck'.

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

NOV 27 1990

INTER-DEPARTMENT MEMO

TO: File # 81-7120

SUBJECT: Returned Mail

FROM: Spina

DATE: 6-26-90

Idaho County Rosser's Office lists address for Robert C.
Thomas as: Rt 1 Box 39-C
Kootenai Ida 83539

resent to this address on
6-26-90

MICROFILMED
NOV 27 1990

(✓) For your information

() Response required

Signature

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

1 North Orchard Street
Boise, Idaho 83706-2237

EXP



FORWARDING ORDER SUPPLIED




RECEIVED
MAY 02 1990

Department of Water Resources

MICROFILMED

NOV 27 1990



138706
April 30, 1990

ROBERT C. THOMAS
8330 PEMBROOK ST.
BOISE, ID 837040000

PROOF DUE NOTICE

RE: PERMIT NO. 81-07120

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures



STATE OF IDAHO
AUG 9 1988

DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 81-07120

Name(s) of Permit Holder(s): ROBERT C. THOMAS

Post Office Address: 8330 PEMBROOK DR.
BOISE ID 83704 Tel. No. 266-5655

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on JUNE 27 1988 (date) and I understand that I must continue to develop the water system with diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8-6-88
Date

Robert C. Thomas
Signature of Permit Holder

ROBERT T. THOMAS
8330 PEMBROOK DR.
BOISE, ID. 83704



MICROFILMED

NOV 2 / 1990



AUG 11 1988

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 29, 1988

ROBERT C. THOMAS
8330 PEMBROOK ST.
BOISE, ID 837040000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 81-07120

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct you attention to the conditions of approval on the final page.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

MAILED

OCT 13 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JK DATE 4/26/88 APPLICATION NUMBER 81-7120

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trustwater supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. If yes, attach large diversion supplementary analysis sheet.
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
JUN 13 1988

Department of Water Resources
RECEIVED
JUN 06 1988

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

☒ Yes ☐ No Affidavit of publication received
☐ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
 Final date for protest 5/23/58
☐ Yes ☒ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below.

☐ See below for additional information
Date of priority recommended 4/21/88
By [Signature] Date 6/2/88

STATE OFFICE REVIEW allow 2 yrs. for B/U development
P17 26
 By rw ☐ See below for additional information
 Date 6/21/88

ADDITIONAL INFORMATION

81-7120

THOMAS, ROBERT C.

8330 PEMERDOK ST., BOISE, ID 83704

Source: SPRING trib. to CLEAR CREEK

Diversion Pt: NENENE Sec 07 T 31N R 05E

Use: DOMESTIC (0.040 CFS)

Date Filed: 04/21/1988

In: NWNW Sec 08 T 31N R 05E

MICROFILMED

OCT 13 1988