


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Kooskia

by X Orval J. York
(Applicant)
Mayor

* Per Conversation w/city Clerk-JR

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that City of Kooskia Kooskia, Idaho has on February 13, 1978 submitted Application No. 82-7059 for a permit to appropriate 0.70 cubic feet per second of water from a groundwater source by means of a well, pump and pipeline within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 5, T32N, R4E, B.M., Idaho County to be used from Jan. 1 to Dec. 31 for municipal purposes within the E $\frac{1}{2}$ Sec 5 & W $\frac{1}{2}$ Sec. 4, T32N, R4E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 27, 1978.

C. STEPHEN ALLRED

Director

Published in the Idaho County Free Press, Grangeville, Id. on March 8 and March 15, 1978.

M8-15

AFFIDAVIT OF PUBLICATION


..... Nona Donaldson being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 8 day of MARCH 197...8..., and the last publication on the 15 day of MARCH 197...8; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

..... Nona C. Donaldson

Subscribed and sworn to before me this 16 day of March 197...8..

..... Marilyn J. Seely, Notary Public for State of Idaho, residing at Grangeville, Idaho.

OK
3-17-78
SDW



UNFILED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 81-7116 ~~82-7059~~ Priority February 13, 1978 Amount 0.67 cfs

THIS IS TO CERTIFY, that City of Kooskia
of Kooskia, Idaho, has complied with the terms and conditions of Permit
No. 82-7059 issued pursuant to Application for Permit dated February 13, 1978,
and has submitted proof to the Department of Water Resources on February 4, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.68 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Municipal</u>	<u>from January 1 to December 31</u>	<u>at 0.67 cfs and</u>	<u>N/A</u>
	<u>from _____</u>	<u>at _____ cfs and</u>	<u>_____</u>
	<u>from _____</u>	<u>at _____ cfs and</u>	<u>_____</u>

(both dates inclusive)

Subject, however, to the condition that no more than 0.67 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
N/A acre feet per year, said waters to be diverted within the SE 1/4 NE 1/4 Section 5,
Twp 32N, Rge 4E in the County of Idaho

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				Totals			
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4

Total number of acres irrigated _____

MICROFILMED

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 320 day of September, 19 85.

Acting for the Director

DRE

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 82-7059

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

Identification No. _____

Application No. 82-7059

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

APPLICATION FOR PERMIT APPROVED 1978

To Appropriate the Public Waters of the State of Idaho Department of Water Resources
 (TYPE OR PRINT IN INK)

1. Name of applicant City of Kooskia Phone: _____
 post office address Kooskia Id. 83539

2. Source of water supply Ground water which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 5 Township 32N
 Range 4E B.M. Idaho County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.70 for Municipal purpose from Jan 1 to Dec 31 (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.70 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
 capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
 (Mo. Day) (Mo. Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 380 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
 is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 5 Township 32N
 Range 4E B.M. W 1/2 sec 4 T 32N R 4E

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Kooskia, or number of families to be
 supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

Idaho Department of Water Resources

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9																			

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

* 2 wells located in sec 3, T35N R4E


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

City of Kooskia
by X Orval J. York
(Applicant) Mayor

* Per Conversation w/city Clerk - JR

Proposed Priority 2/13/78

Received by BK Date 2-13-78 Time 4:30pm

Preliminary check by jo Fee \$ 25.00 45.00

Received by j Date 2/21/78 # 10347

Publication prepared by jo Date 2-24-78

Published in Idaho Co Free Press - Grangeville

Publication dates 3-8-78

Publication approved slw Date 3-17-78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Reiff jo

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 82-7059, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1983.

c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. Denial of said application is for the following reasons: _____

Witness my hand this 26th day of April 1978.

Norman C Young
Administrator

AFFIDAVIT OF PUBLICATION

..... NONA DONALDSON being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 8 day of MARCH 1978, and the last publication on the 15 day of MARCH 1978; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

..... Nona C. Donaldson

Subscribed and sworn to before me this 16 day of March 1978.

..... Marjorie J. Stolley, Notary Public for State of Idaho, residing at Grangeville, Idaho.

OK
3-17-78
SDW

TO: Fide

10-11-85

FROM: Jim

RE: Conversation w/ Rich Christensen

P.O. Box 188

Grangeville, Idaho

83530

Ph. 983-0850

The above is an attorney for the city of Kooskia and was asked by them to follow-up on why the Dept apparently had no record of two wtr. rt. claims filed on two wells not covered under this right.

Mr. Christensen will be sending me copies of the copies they have of said claims



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 4, 1985

RE: Water Right No. 82-7059

City of Kooskia
Box 126
Kooskia, ID 83539

Gentlemen:

Enclosed is a copy of License 82-7059 recognizing water use of 0.67 cfs for municipal purposes. Our records show that you have been using additional water from two other wells which are not covered by a water right. You should be aware that this water is not protected for your use under Idaho law and therefore you should strongly consider filing for a water right.

Enclosed for your convenience is an application for water permit form.

If you have any questions, please contact one of our Regional Offices in Coeur d'Alene or Boise. The addresses are:

Northern Region
4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

Western Region
450 W. State St.
3rd Floor
Boise, ID 83720
(208) 334-2190

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosures

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

November 8, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 82-7059

City of Kooskia
Box 126
Kooskia, ID 83539

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 82-7059, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.67 cfs Source: groundwater

The maximum quantity diverted shall not exceed N/A acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 5, Twp 32N, Rge 4E

Beneficial Use: Municipal use within the city limits of Kooskia.

Priority date established: February 13, 1978

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

OCT 4 1983

Department of Water Resources

OCT 4 1983

Department of Water Resources

82-7059

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 8/25/83 Accompanied by Gene Mattix Total Q measured 1.68
If source is surface water, estimate total flow of source GW
Methods of measurement Meter Meets Permit requirements? yes

Measurement calculations: 1000 gal/min @ 12" = 132 = 1.01 cfs 300 gpm = 0.67 1.01 + 0.67 = 1.68 cfs
Wells 1 & 2 - Not Filed Well #3
Applied for 0.70

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
#1	20	GE	TTJ610247	Peerless	188869	Badger 6"		Pump simultaneously
#2	25	Submersible						
#3	25	Submers				M&Crometer 784378		

System Description #1 - 12" x 125' well, pump & 6" main connected with #2 - 6" x 125' well, pump & 6" main to 2 - 45,000 gallon concrete storage tanks and #3 - 8" x 490' well, pump & 6" main to same storage tanks and gravity flow to municipal system
*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =	AFA/Acre
	Q (cfs)	V (afa)
<u>Municipal</u> ✓	<u>0.70 0.67</u> ✓	<u>N/A</u>

Total 0.70 0.67 N/A

MICROFILMED

Remarks Mr. Mattix is in charge of water system for city. He was under the impression that another filing had been made - a new Application should be filed for three wells or claim should be filed on wells #1 & #2, for 1.01 cfs. ~ Applicant not informed at this time & other
no rights found for 'City of Keosauqua'
none in NWNW of Sec. 4 (by pd/tr on terminal)
none in NENE of Sec. 5

MICROFILMED

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: ✓ SENE, SEC 5, T 32 N, R 4 E

Place(s) of Use City of Kosciusko

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
32N	4E	5																	

Recommended Amendments:


- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
- ☒ None
 ☐ Other

Examiner's Signature [Signature]
 Checked by [Signature]
 Approved by Ray Walker

Date 8/15/83
 Date 9/27/83
 Date 10-30-84

82-7059

#3 by Taylor





Mapped, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography by photogrammetric methods from aerial
photographs taken 1963. Field checked 1966

Polyconic projection. 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
west zone
1000-meter Universal Transverse Mercator grid ticks,
zone 11, shown in blue

Fine red dashed lines indicate selected fence lines



THIS MAP COMPLIES WITH
FOR SALE BY U. S. GEOLOGICAL SURVEY
A FOLDER DESCRIBING TOPOGRAPHIC

MICROFILMED

76 meters east as shown by dashed contour ticks
Fine red dashed lines indicate selected fence lines

THIS MAP COMPLIES WITH
FOR SALE BY U. S. GEOLOGICAL SURVEY, DE
A FOLDER DESCRIBING TOPOGRAPHIC

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 1, 1983

City of Kooskia
Box 126
Kooskia, ID 83539

RE: 82-7059

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms


cc: IDWR - State Office

MICROFILMED

City of K Kila
Box 126
Kaschman, Id 83537



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 82-7059

Name(s) of Permit Holder: City of Kaoshia

Post Office Address: Box 126

Kaoshia, Id. 83539 Tel. No. 926-4684

Source of Water: well - ground water

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other municipal water supply

Measuring Device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-2-83
Date

City of Kaoshia, city clerk
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138251

CITY OF KODSKIA
KODSKIA, ID 83539

PROOF DUE NOTICE

JANUARY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 82-7059 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 15, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

IDENT. NO. 82-7059

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

May 3, 1978

Re: Permit No. 82-7059

City of Kooskia
Kooskia,
Idaho 83539

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 82-7059. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:KW

Enclosure

ENCLOSURE

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Kasskin

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JK 5-23-78

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) JK 1-23-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) SDH 3-17-78

Affidavit of Publication received(date) 3-17-78

(12) _____

Final date for protests 3-27-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

2-13-78 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 3-29-78

RECEIVED

MAR 31 1978

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 2, 1978

Re: Application No. 82-7059 ✓
Claim No. 81-4014

Idaho County Free Press
Box 267
Grangeville, ID 83530

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

Bill received
OK 3-17-78
[Signature]

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of Kooskia
Kooskia, Idaho
has on February 13, 1978 submitted Application No. 82-7059
for a permit to appropriate 0.70 cubic feet per second ~~xxxxxx cubic feet per second~~
of water from a groundwater source
by means of a well, pump & pipeline
within the SE 1/4 Sec 5, T32N, R4E, B.M., Idaho County

to be used from Jan 1 to Dec 31
for municipal purposes

within the E 1/2 Sec 5 & W 1/2 Sec 4, T32N, R4E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before March 27, 1978.

C. STEPHEN ALLRED
Director

Published in the Idaho County Free Press, Grangeville, Id
on March 8 and March 15, 1978



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

February 14, 1978

City of Kooskia, Idaho
Attn: Lois Moores, Treas.
Kooskia, ID 83539

Dear Ms. Moores:

We are returning the check you submitted for the application for permit in the name of the City of Kooskia as it was for \$45.00 and the fee for the application is only \$25.00.

We will hold the application until a check for \$25.00 is received from you.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure: Check No. 5451

RECEIVED

FEB 23 1978

Department of Water Resources
Northern District Office

February 24, 1978

RE: Application No. 82-7059

Ed Tulloch
Dept of Health & Welfare
Division of Environment
1525 Idaho St
Lewiston, Id 83501

Dear Mr Tulloch,

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

February 24, 1978

RE: Application No. 82-7059

City of Kooskia
Kooskia, Id 83539

Gentlemen,

Attached is your receipt No. 10347 in the amount of \$ 25.00 for the
filing fee on the above referenced item which was received in this office.

Very truly yours,

Alea Beito
Secretary

AB

Attachment