


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 1/4 inches equal 1 mile.

4

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Daniel E. Olson
(Applicant)

MICROFILMED

AFFIDAVIT OF PUBLICATION

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following application(s)
have been filed to appropriate the public waters of the
State of Idaho:

81-7114

OLSON, DANIEL

RT. 1 BOX 69C, KOOSKIA,
ID 83539

Source: SPRING trib. to BIG
TINKER CREEK

Date Filed: 07-13-1984

Diversion Pt: NWSW Sec 23

T 32N R 05E

Use: STOCKWATER

(0.06CFS)

In: NWSW Sec 23 T 32N R
05E

The permit(s) will be subject
to all prior water rights.
Protests must be filed with
the Director, Dept. of Water
Resources, 4055 Gov't. Way,
Coeur d'Alene, Id. 83814 on or
before AUGUST 13, 1984.

KEN DUNN, Dir.
Jy 25 Ag. 1

Charlotte Sotin being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 25th day of July, 19 84,
and the last publication on the 1st day of
August, 19 84; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 3rd day
of August, 19 84.

[Signature], Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

AUG 9 1984

Department of Water Resources
Northern District Office

MICROFILMED



Q



reservoir

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 03 1991

A. GENERAL INFORMATION

1. Owner: DANIEL OLSON
Current Address: HC66, Box 255, Kooskia, ID. 83539
2. Accompanied by: George Perry
Address: Rt. 1 Box 120 Kooskia
Relationship to Permit Holder: None
3. Source: Spring tributary to Big Timber Creek

Permit No. 810714
Department of Water Resources
Phone No. _____


EXAM. DATE: 7/24/90
Phone No. 926-4518

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECORDED
MAY 21 1992



81-07114

T32N R5E SEC 23

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 81-07114

Priority: July 13, 1984

Maximum Diversion Rate:

0.01 CFS

Maximum Diversion Volume:

0.1 AF

This is to certify, that LEE L DAUGHERTY

NW 350 DILLON

PULLMAN WA 99163

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 13, 1984; and has submitted Proof of Beneficial Use on August 31, 1989. An examination indicates that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to BIG TINKER CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 23, Township 32N, Range 05E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

32N 05E 23

NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 10 range cattle.

MICROFILMED

MAY 21 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 81-07114

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21st
day of April, 1992.

Acting for *R. Keith Higginson*, Director

MAY 21 1992

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	81-07114	Olson, Daniel	0.02
Full Assignment	81-07114	Daugherty, Lee L.	

MICROFILMED

DEC 18 1980

RECEIVED

State of Idaho

Department of Water Resources

NOV 15 1990

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Don Olson, hereby assign to Lee L. Daugherty
of NW 350 Dillon, Pullman, Washington 99163 (New Owners)
Address

All my right, title, and interest in and to Permit No. A81-07114
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. Claim #A81-07114 to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 3 day of May, 19 90.

Don Olson
Permit Holder

Molly W. Olson
Spouse of Permit Holder

State of Idaho)
County of Lewis) ss

On this 3rd day of May, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

seal

MICROFILMED

Barbara Yates
Notary Public residing at
Ramiah, Idaho

My commission expires: DEC 18 1990
6-1-93

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Daniel Olson Phone 926-4958
Post office address Rt 1 Box 69-C - Kooskia, Id. 83539
2. Source of water supply Spring which is a tributary of Big Tinker Cr.
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 23 Township 32N
Range 5E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.01 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum) per letter 7/16/84
Amount 0.006 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 per letter 7/16/84 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Gas pump & pipeline
concrete tank

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 23 Township 32N
Range 5E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 30 hd. (cattle)

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 0.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

Constitutional ground water right.


9. a. Who owns the property at the point of diversion *App*

b. Who owns the land to be irrigated or place of use *App*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks *To 7*

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 1/4 inches equal 1 mile.

4

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Daniel E. Olson
(Applicant)

MICROFILMED

Proposed Priority 7/13/84

MICROFILMED

Received by pm Date 7/13/84 Time 2:00 PM

Preliminary check by RWA Fee \$ 30.00

Receipted by pm Date 7/16/84 (31595)

Publication prepared by pm Date 7/19/84

Published in Idaho County Free Press

Publication dates 7/25 & 8/1/84

Publication approved pms Date 8/13/84

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date: _____

Recommended for approval denial by RWA kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 81-7114, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Rate of diversion under this permit shall not exceed 0.02 cfs.

Witness my hand this 7th day of September, 1984.

A. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly sworn, says he is the Bookkeeper of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 25th day of July, 19 84, and the last publication on the 1st day of August, 19 84; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 3rd day of August, 19 84.


[Signature], Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

AUG 9 1984

Department of Water Resources
Northern District Office

MICROFILMED



CR
8/13/84

April 22, 1992

LEE L DAUGHERTY
NW 350 DILLON
PULLMAN WA 99163

RE: WATER RIGHT NO. 81-07114

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

RECEIVED
MAY 21 1992

March 27, 1992

LEE L DAUGHERTY
NW 350 DILLON
PULLMAN WA 99163

RE: WATER RIGHT NO. 81-07114

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Water Resource Agent

SC:clh

Enclosure

MICROFILMED
MAY 21 1992

LICENSE REVIEW CHECKLIST

Date 03-23-92

Permit # 81-7114

28

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance <u> </u>
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
	<u>NA</u>	<u> </u>	Disagree with Theoretical? <u>10x.00022 = .002 cfs</u>
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.01 cfs</u>
			<i>Adjusted Rate</i>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u>NA</u>	<u> </u>	Disagree with Examiner's Calculations?
			<u>10x.0134 = .0134 AFA</u>
	<u> </u>	<u>✓</u>	Limited by Flow?
			<i>Adjusted Volume</i>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Changes required to be compatible with
			Maps, Data Entry Standards, etc? <u> </u>
	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u> </u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irrigation Uses <u>Stock/10 Range Cattle</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u> </u> <u> </u> App Rec'd
			<u> </u> <u> </u> Exam Made
COMMENTS/MEMOS NEEDED:			
License	<u> </u>	10-Day <u>✓</u>	15-Day <u> </u> Special Correspondence <u> </u>

DATE: 03/23/92
PAGE: 1

DIVERSION
VOLUME

Audit: 03/23/92 SKAGGS

June 21, 1991

Daniel Olson
HC Box 255
Kooskia ID 83539

Re: Water Right Permit No. 81-07114 and Others

Dear Mr. Olson:

Enclosed is the Assignment of Permit form I spoke of in our recent phone conversation. Please sign and return it in the envelope provided.

I could find no record of any Water Rights in our files for the following areas:

Sections 2,3,9,10,and 11; Township 31 North; Range 4 East.

This is the legal description is what the Idaho County Assessor gave me. If this is not the legal description of the property you were inquiring about, please provide me with the correct legal description, and I will be happy to research that property for you. If the above legal description is correct, and you have water developments for which there are no recorded Water Rights, please notify our office. List how many developments that you have and I will send you Water Right Application forms so that you can begin the process of obtaining Rights to these developments.

Sincerely,

Theresa J. Bright
Field Examiner

Enc:Form, Env.

MICROFILMED

MAY 21 1992

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit E1-C7114

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

FILED
MAY 21 1992

Signature King

Date 8/1/90



reservoir

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 03 1991

A. GENERAL INFORMATION


1. Owner: DANIEL OLSON Permit No. 810714
Current Address: 4066, Box 255, Kooskia, ID. 83539 Department of Water Resources
Phone No. _____
2. Accompanied by: George Perry EXAM. DATE: 7/7/91
Address: Rt. 1 Box 120 Kooskia Phone No. 926-4518
Relationship to Permit Holder: None
3. Source: Spring tributary to Big Timber Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

MAY 21 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The spring is gauged and piped to a reservoir. The overflow ^{forms} into a small creek where the ~~old~~ head drink from.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Gravity	-	-	-	-	-

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					~~23~~	~~32N~~	~~5E~~	~~Idaho~~	~~Map~~
					NW 1/4 23	32N	5E	Idaho	ASSESSOR - TDK

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
32N	5E	23																	

MAY 21 1932

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: *10 head*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

MAY 21 1992

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

10 head

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Future plans might include pumping the spring water
to south across the road to for stock purposes.
No DOMESTIC USE - TDK

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater (10)	1/1	12/31	.02	.2
Totals:			.02	.2

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☒ None

☐ Other

J. AUTHENTICATION


Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date 4/16/90
Field Report Preparation Date 7/21/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

MAY 21 1992



Mile 87

Canyon

CLEARWATER

THE
HORN

28
Creek

Big Cedar

Creek

MAY 21 1932

81-07114
T32N R5E SEC 23

INTER-DEPARTMENT MEMO — 1

FROM Theresa Bright, Northern

TO Sharla Curtis

SUBJECT WR Permit/Exam 81-07114

DATE


7/1/91

RECEIVED

MAY 21 1992

When I called to verify legal description of Mr. Olson's property with the Assessor's office, I found he had sold the property. I requested he complete the assignment of Permit for which they did, but they failed to have it Notarized. Thought I'd send it along to you to put with the exam file.

Theresa Bright
SIGNATURE



State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

I, Daniel Olson hereby assign to Lee L. & Jennifer Daugherty
of 350 Dillon, Pullman WA 99163
(Full Address)

Select A. or B.

A. x All my right, title and interest in and to Permit # 81-07114 to appropriate the public waters of the State of Idaho.

B. The following described portion of my right, title, and interest in and to
Permit# to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage and/or number and type of uses within each 40 acre subdivision, legal description of the point of diversion and the amount of water in cubic feet per second for direct diversion, or acre feet for storage).

Made this day of , 19 .

Daniel E. Olson
Permit Holder

Molly W. Olson
Spouse of Permit Holder

State of Idaho)
County of) ss.

On this day of , 19 , personally appeared before me the signer (s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

seal

Notary Public residing at

My commission expires:

RECEIVED
MAY 21 1992

December 11, 1990

RE: Permit No. 81-07114

Lee L. Daugherty
NW 350 Dillon
Pullman, WA 99163

Dear Water Right Holders:

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

MICROFILMED

DEC 18 1990

October 30, 1989

DANIEL OLSON
RT. 1 BOX 69C
KOOSKIA, ID 83539

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 81-07114

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED

NOV 22 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 81-7114

Date: 10-30-81

General Considerations:

9 Name same as permit
9 Signature the same as permit holder
9 Address change _____ If yes, prepare a data entry
11 Proof received timely
1/88 Reinstated

Source of Water:

9 Surface water
9 Groundwater
11 1. well log in file
11 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

5 Rate of diversion appropriate for uses
9 Is rate or volume and fee appropriate?
7 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

11/8 Is a measuring device or access port required?
11/8 Has one been installed?
11/8 Waiver or modification of measuring device requested

Remarks:

Proof acceptable

11/8 Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

- address change

Form 217
03/86

RECEIVED
AUG 31 1989

For Office Use Only
Fee Received ☒
Date 11/22/89
Receipt # 11/22/89
Receipt by 11/22/89
Reviewed by 11/22/89
Sent to region 11/22/89

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 81-07114

Name(s) of Permit Holder: Daniel Olson

Post Office Address: HC 66 Box 255

Kootenai Id 83539

Telephone No. 208-926-4958

Source of Water: Spring

Extent of Use:

Domestic 0 (number of households)

Stockwater 30 head cattle (number and type of stock)

Irrigation _____ (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 7/88

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Daniel E. Olson
(Name)

208 926-4958
(Telephone Number)

HC 66 Box 255 Kootenai ID 83539
(Address)

The above information is a true and correct statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOV 22 1989

Date

Daniel E. Olson (by Mollie Olson)
Signature of Permit Holder (and title, if appropriate)

138406
June 30, 1989

DANIEL OLSON
RT. 1 BOX 69C
KOOSKIA, ID 83539

PROOF DUE NOTICE

RE: PERMIT NO. 81-07114

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

NOV 22 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 81-7114

Name(s) of Permit Holder(s): DANIEL OLSON

Post Office Address: RT 1 BYGGE

KOOSKIE ID

☒ I hereby certify that construction of the above referenced permit began on 7/1/89 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6/1/89
Date

Daniel T. Olson
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED
JUN 16 1988

MICROFILMED

NOV 24 1989



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

September 24, 1984

RE: Permit No. 81-7114

Daniel Olson
Rt. 1, Box 69C
Kooskia, ID 83539

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RWH APPLICATION NUMBER: 81-7114

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☐ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/13/84
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/9/84
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/13/84 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RWH Date: 8/28/84

STATE OFFICE REVIEW:

- 217 26
☐ See attached sheet for more information.
By: RWH Date: 9-5-84

RECEIVED
SEP 05 1984

MICROFILMED

Department of Water Resources

81-2114

OLSON, DANIEL

RT. 1 BOX 690, KOOSKIA, ID 83539

Source: SPRING trib. to BIG TINKER CREEK

Date Filed: 07/13/1984

Diversion Pt: NWSN Sec 23 T 32N R 05E

Use: STOCKWATER (0.06 CFS)

In: NWSN Sec 23 T 32N R 05E 0.02

*changed on
computer
8/14/84
[signature]*

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 16, 1984

Mr. Daniel Olson
Rt. 1 Box 69C
Kooskia, Id. 83539

Dear Mr. Olson:

Enclosed is your Receipt No. 31595 in the amount of \$30.00 for the filing of your Application for Permit.

During our review of your application we notice that you have applied for 0.06 cfs of water (approx. 27 gpm) for stock use for 30 head of cattle.

This amount is considered excessive for the intended use and our Department will take steps to reduce the amount to 0.02 cfs (approx. 9 gpm), unless you can prove to the Director's satisfaction that the excess water is needed.

If we do not hear from you within 30 days, we shall reduce your amount of water to the normal amount for 30 head of cattle which is 0.02 cfs.

If you have any questions, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Receipt

MICROFILMED