


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald H. Collins
(Applicant)

MICROFILMED

Proposed Priority

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

81-7109

**RYANS WILDERNESS INN
INC.**

STAR RT. 1 BOX 52,
KOOSKIA, ID 83536

Source: GROUNDWATER

Date Filed: 06/22/1983

Diversion Pt: NWNE Sec
33N R 07E

Use: Commercial (0.20 CFS)

Domestic (0.04 CFS)

In: NWNE Sec. 33 T 33N R
07E

81-7110

COLLINS, ARNOLD D.
RT. 1 BOX 53, KAMIAH, ID
83536

Source: GROUNDWATER

Date Filed: 06/28/1983

Diversion Pt.: NWSW Sec 13
T 33N R 04E

Use: Use: IRRIGATION
(0.02 CFS) STOCKWATER

(0.02 CFS) DOMESTIC
(0.06 CFS)

In: NWSW Sec 13 T 33N R
04E FOR 1 ACRES

82-7124

SHAWLEY, WILLIAM J.
P.O. BOX 698, KAMIAH, ID
83536

Source: UNNAMED
STREAM trib. to

AMERICAN RIVER

Date Filed: 06/23/1983

Diversion Pt: NESW Sec 34
T 29N R 08E

Use: Domestic (0.02 CFS)

In: NESW Sec 34 T 29 N R
08E

82-7125

**SCHAFER, RONALD
EARL**

P.O. BOX 377, ELK CITY, ID
83525

Source: GROUNDWATER

Date Filed: 06/27/1983

Diversion Pt: NWNW Sec 22
T 29N R 08E

Use: DOMESTIC (0.02 CFS)

In: NWNW Sec 22 T 29N R
08E

84-7168

**WILKINS, DOYLE &/or
LENNIS**

RT. 1 BOX 19, KAMIAH, ID
83536

Source: CLEARWATER
RIVER trib. to SNAKE
RIVER

Date Filed: 06/24/1983

Diversion Pt: LOT 04 Sec 07
T 33N R 04E

Use: IRRIGATION (0.09
CFS)

STOCKWATER (0.02 CFS)

In: LOT 04 LOT 05 Sec 07 T
33N R 04E For 3 ACRES

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly

sworn, says he is the office manager

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 13 day of July, 1983, and the last publication on the 20 day of July, 1983; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona C. Donaldson

Subscribed and sworn to before me this 20 day
of July, 1983

[Signature], Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

JUL 22 1983

Department of Water Resources
Northern District Office

84-7170

**MORPHEW, CORWITH
EUGENE**

RT. 1 BOX 36-E, KAMIAH,
ID 83536

Source: GROUNDWATER

Date Filed: 06/28/1983

Diversion Pt: NWSE Sec 19
T 33N R 04E

Use: IRRIGATION (0.02
CFS) STOCKWATER (0.01
CFS) DOMESTIC (0.02 CFS)

In: NESE NWSE Sec 19 T
33N R 04E FOR 11 ACRES

85-7374

STITES SHAKE INC.
P.O. BOX 37, STITES, ID
83552

Source: GROUNDWATER

Date Filed: 06/23/1983


Diversion Pt: NWSE Sec 20
T 32N R 04E

Use: DOMESTIC (0.04 CFS)

In: NWSE Sec 20 T 32N R
04E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before August 1, 1983. KEN DUNN, Dir.
Published 7/13 & 7/20/83.
Jy 13-20

MICROFILMED



RECEIVED
JUN 19 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION


- Permit No. 8107110
1. Owner: ARNOLD D. COLLINS Phone No. 986-4765
Current Address: RT 1 BOX 53 KAMIAH, ID. 83536
2. Accompanied by: Arnold Collins EXAM. DATE: 7/25/90
Address: same Phone No. same
Relationship to Permit Holder: —
3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
☐ Copies Attached
2. Other water rights with same point of diversion: NONE
☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

- ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
- MICROFILMED**
SEP 17 1992



Arnold D. Collins Phone 926-4765
RT 1, Box 53, Keweenaw, Id. 83536
Ground water which is a tributary of
version is MW % of SW % of Section 13 Township 33N, R4E 1/4 ONE FIVE

UNRECORDED
SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 81-07110

Priority: June 28, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.02 CFS
4.2 AF

This is to certify, that ARNOLD D COLLINS
RT 1 BOX 53

KAMIAH ID 83536 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 28, 1983; and
has submitted Proof of Beneficial Use on July 26, 1988. An examination indicates
that the works have a diversion capacity of .020 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	3.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	1.2 AF
	Totals	0.02 CFS	4.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 13, Township 33N, Range 04E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
33N	04E	13	NWSW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 81-07110

CONDITIONS/REMARKS:

6. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of July, 1992

Acting for R. Keith Higginson, Director

MICROFILMED

SEP 17 1992

Form 202
3/28
RECEIVED

Ident. No. 81-7110

JUN 28 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

Department of Water Resources
Northern District Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Arnold D. Collins Phone 926-4765
Post office address RT 1, Box 53, Kamiah, Id. 83536

2. Source of water supply Ground water which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 13 Township 33N
Range 4E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stock purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well Pump and pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 4" inches; proposed depth of well is 202' feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 13 Township 33N
Range 4E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 20 hd _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED


MICROFILMED

Total number of acres to be irrigated 1

b. Who owns the land to be irrigated or place of use **APPLICANT**

W-110313-52

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald H. Collins
(Applicant)

Proposed Priority 6/28/1983

MICROFILMED

Received by pa Date 6/28/83 Time 2:15
Preliminary check by RYA Fee \$ 30.00
Receipted by pm Date 6/28/83 (28399)
Publication prepared by pm Date 7/7/83
Published in Id. City Free Press
Publication dates 7/3-20/83
Publication approved pm Date 8/4/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by ZOK RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 81-7110, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of August, 1983.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly

sworn, says he is the office manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 13 day of July, 1983, and the last publication on the 20 day of July, 1983; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona C. Donaldson

Subscribed and sworn to before me this 20 day of July, 1983

[Signature] Notary Public for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

JUL 22 1983

Department of Water Resources
Northern District Office

MICROFILMED

04-7170
CORWITH
BOX 20-E, KAMIAH,
IDAHO
GROUNDWATER
DIVISION
JUL 22 1983
NORTH DISTRICT OFFICE

04-7166
WILKINS, DOYLE &/or
LENNIS
RT. 1 BOX 18, KAMIAH, ID
83606
Source: CLEARWATER
RIVER trib. to
RIVER
Date Filed: 06/23/1983
Diversión Pt: NWNW Sec 23
T20N R08E
Use: DOMESTIC (0.03 CFS)
In: NWNW Sec 23 T20N R
08E
04-7165
STOCKWATER
LOT 04 LOT 05
NWN R04E For 3 ACRES

03-7110
COLLINS, ARNOLD D.
RT. 1 BOX 53, KAMIAH, ID
83606
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversión Pt: NWSW Sec 13
T20N R04E
Use: Use: IRRIGATION
(0.03 CFS) STOCKWATER
(00.02 CFS) DOMESTIC
(0.03 CFS)
In: NWSW Sec 13 T20N R
04E FOR 1 ACRES
03-7134
SHAWLEY, WILLIAM J.
P.O. BOX 693, KAMIAH, ID
83606
Source: UNNAMED
STREAM trib. to
AMERICAN RIVER
Date Filed: 06/23/1983
Diversión Pt: NESW Sec 34
T20N R08E
Use: Domestic (0.03 CFS)
In: NESW Sec 34 T20N R
08E
03-7125
SCHAFER, RONALD
EARL
P.O. BOX 37, ELK CITY, ID
83605
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversión Pt: NWNW Sec 23
T20N R08E
Use: DOMESTIC (0.03 CFS)
In: NWNW Sec 23 T20N R
08E

03-7109
HYANS WILDERNESS INN
INC.
STAR RT. 1 BOX 22
KOOKIA, ID 83606
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversión Pt: NWNW Sec
23N R07E
Use: Commercial (0.03 CFS)
Domestic (0.04 CFS)
In: NWNW Sec 23 T20N R
07E
03-7110
COLLINS, ARNOLD D.
RT. 1 BOX 53, KAMIAH, ID
83606
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversión Pt: NWSW Sec 13
T20N R04E
Use: Use: IRRIGATION
(0.03 CFS) STOCKWATER
(00.02 CFS) DOMESTIC
(0.03 CFS)
In: NWSW Sec 13 T20N R
04E FOR 1 ACRES
03-7134
SHAWLEY, WILLIAM J.
P.O. BOX 693, KAMIAH, ID
83606
Source: UNNAMED
STREAM trib. to
AMERICAN RIVER
Date Filed: 06/23/1983
Diversión Pt: NESW Sec 34
T20N R08E
Use: Domestic (0.03 CFS)
In: NESW Sec 34 T20N R
08E
03-7125
SCHAFER, RONALD
EARL
P.O. BOX 37, ELK CITY, ID
83605
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversión Pt: NWNW Sec 23
T20N R08E
Use: DOMESTIC (0.03 CFS)
In: NWNW Sec 23 T20N R
08E





July 28, 1992

ARNOLD D COLLINS
RT 1 BOX 53
KAMIAH ID 83536

RE: WATER RIGHT NO. 81-07110

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

~~RECEIVED~~
~~JUL 30 1992~~
MICROFILMED

SEP 17 1992

July 1, 1992

ARNOLD D COLLINS
RT 1 BOX 53
KAMIAH ID 83536

RE: WATER RIGHT NO. 81-07110

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FILED

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 81-07110

Date 6-24-92
CS

	Yes	No	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>.02 cfs (DOM) .02 cfs (IRR)</u>
	<u> </u>	<u> </u>	Disagree with Theoretical? <u>$5 \times .88 \times .7 = .02$</u>
	<u> </u>	<u> </u>	Limited by Capacity? <u>.02 cfs 50' @ (2.31 x 40)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	<u>✓</u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u> </u>	<u>$1 \times 3.0 = 3.0 \text{ afa (IRR)}$ $2 \times .6 = 1.2 \text{ afa (DOM)}$</u>
	<u>✓</u>	<u> </u>	Limited by Flow? <u>$.02 \times 245 \times 1.9835 = 9.7 > 3.0$</u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended source</u>
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u>Drop STOCK</u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM/2 Homes</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u> </u>	<u>✓</u>	Other <u> </u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R49</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
	<u> </u>	<u>✓</u>	Reduced Rate, Uses
COMMENTS/MEMOS NEEDED:			<u>Stockwater use (1 Horse) included in DOM</u>
			<u>No well log found / No well logs for Section 13</u>
			<u>Using 50' as dynamic estimate for 202' well</u>
			<u>+ 40 psi low end DOM estimate / Max. Conditions = Reduction</u>
License	<u> </u>	<u>✓</u>	10-Day
	<u> </u>	<u> </u>	15-Day
	<u> </u>	<u> </u>	Special Correspondence

100' dynamic = .016
 150' " = .012

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 81-07110

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

RECEIVED
JUN 13 1991

Department of Water Resources

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature

J. L. King

Date

8/7/90

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 19 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 8107410

1. Owner: ARNOLD D. COLLINS

Phone No. 926-4765

Current Address: RT 1 BOX 53 KAMIAH, ID. 83536

2. Accompanied by: ARNOLD COLLINS

EXAM. DATE: 7/25/90

Address: same

Phone No. same

Relationship to Permit Holder: —

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED

SEP 17 1992

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The water from the 4" x 202' well is pumped to two residences by a 1/2 hp pump

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	~~Wegman~~	1/2		Sears	inaccessible

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	13	33N	4E	Idaho	Map

6. **Place(s) of Use:**


Indicate Method of Determination MAP

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
33N	4E	13										0							
												1							1 TDC
												5							

NOT FILMED

SEP 17 1992

Do not use this space



Arnold, R. Collins Phone 926-4765 81-07110
BT 1, Box 53, Kanto, Id. 83336 Map B
Ground water which is a tributary of M-H
version is 11 % of SW % of Section 11 Township 31N, R1E 1/4 ONE Flee

REPRODUCED

SEP 17 1992

GLENWOOD 5119 5118 12'30" 5117 5116 5115 5114

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

*2 Domestic
1 Ave
stock (1)*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (1)(3.0) = 3.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.0$

2. Volume Calculations for Other Uses:

*2 Domestic
1 stock*

SEP 17 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Mr. Collins stated they had only 1 horse

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (2)	1/1	12/31	.06	1.2
Irrigation	3/1	12/1	.02	3.0
stock (1)	1/1	12/31	.02	.2
Totals:			108	4.4

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Robert Knoblock

Signature


Robert Knoblock

Certification Date

4/16/90

Field Report Preparation Date

7/31/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

SEP 17 1992

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 81-07110

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____,

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes _____ No ☒

4. Access Port: Y ☒ N _____	Static Water Level: <u>unknown</u>
Pressure Gauge: Y _____ N ☒	Casing Diameter: <u>4"</u>
Flowing: <u>unknown</u> N _____	Temperature: <u>cool</u>

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y _____ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED

SEP 17 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

October 17, 1988

R. KEITH HIGGINSON
RECEIVED
OCT 20 1988

Department of Water Resources

Mr. Arnold Collins
Rt. 1 box 53
Kamiah, Id. 83536

Re: 81-7110

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECEIVED
SEP 17 1992

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 81-7110

Date: 2/24/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ N 1. well log in file *Not found, due to reported age of well*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
N Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	_____
NEW PRIORITY DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 26 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$50.00
Date 7/27/88
Receipt # 1001989
Receipt by CP
Reviewed by JS
Sent to region

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 8E-7110

Name(s) of Permit Holder: ARNOLD D. COLLINS

Post Office Address: Rt 1 Box 53 KAMIAH IDAHO

Telephone No. 926 4765

Source of Water: GROUND WATER

Extent of Use:

Domestic 2 (number of households) Stockwater 20 Hd. (number and type of stock)

Irrigation 0.02 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.08 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit:

Measuring Device: Required? Yes No Installed? Yes No Fee enclosed \$ 50.00 (See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

ARNOLD D. COLLINS 926-4765 (Name) (Telephone Number)

Rt 1 Box 53 KAMIAH IDAHO (Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

7-22-88 Date

Signature of Permit Holder (and title, if appropriate) OCT 13 1988

To: File 81-7110

From: Groundwater Protection

Date: 9/20

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*App location / Permit indicated
4" well -*

*well probably existed
prior to 1980.*

No action recommended

MICROFILMED

OCT 13 1988

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

Receipt No: C001989

Date: 07/27/88
Time: 15:13:43

Received
From: COLLINS, ARNOLD OR JUNE

Type of Payment	Program A cct	Amount
PROOF OF BENEFICIAL USE 81-7110	0650122 1238 6490	\$50.00

Total \$50.00

CHECK 4374

Idaho Department of Water Resources

Region: State

Signature: Christa Poncia

MICROFILMED

OCT 13 1988

138795
CERTIFIED MAIL
May 31, 1988

COLLINS, ARNOLD D.
RT. 1 BOX 53
KAMIAH, ID 83536

PROOF DUE NOTICE

RE: Permit No. 81-7110

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 13 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

COLLINS, ARNOLD D.
RT. 1 BOX 53
KAMIAH, ID 83536

SEPTEMBER 14, 1983

RE: PERMIT NO. 81-7110

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RYH

APPLICATION NUMBER: 81-7110

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 8/4/83 ✓

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/22/83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.

- ☐ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

6/28/83 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: _____

Date: 8/4/83

STATE OFFICE REVIEW:

return receipt

SLW/LIT

26

- ☐ See attached sheet for more information.

By: Keigh

Date: 8/24/83

RECEIVED
AUG 28 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

81-2110

COLLINS, ARNOLD D.

RT. 1 BOX 53, KAMIAH, ID 83536

Source: GROUNDWATER

Date Filed: 06/28/1983

Diversion Pt: NWSW Sec 13 T 33N R 04E

Use: IRRIGATION	(0.02 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.06 CFS)

In: NWSW Sec 13 T 33N R 04E FOR 1 ACRES

MICROFILMED