


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marvin Carroll
 Jean Carroll
 (Applicant)

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

81-7069

CARROLL, MARVIN &/or
JEAN

RT. 1 BOX 60B, KOOSKIA,
ID 83539

Source: GROUNDWATER

Date Filed: 06/26/1980

Amount: 0.07 CFS

Diversion Point: SESW Sec
20 T 32N R 05E, IDAHO Co.

Use: DOMESTIC (0.07
CFS) from 01/01 to 12/31

Place of Use: SESW Sec 20 T
32N R 05E

Diversion Means: WELL,
PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JULY 28, 1980.

C. STEPHEN ALLRED
Director

Published 7/9 & 7/16/80.

Jy9-16

Nona Donaldson being first duly

sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 9th day of July, 19 80, and the last publication on the 16th day of July, 19 80; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 18th day of July, 19 80.


Marilyn J. Staley, Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED
JUL 21 1980

Department of Water Resources
Northern District Office

81-7069



P/O →
P/L R

D G E

T H E
H O R N

32 N
5 E

Cedar

28
Creek

Big Cedar

Creek

Cedar

Little


Big

TAHOE

(STITES)

5101

81-7069



P/O
P/O

DGE

THE
HORN

Big Cedar

Cedar

Cedar

Little

Big

Clear

MICROFILMED

TAHOE

(STATES)

5101

5100

2'30"

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 81-7069 Priority June 26, 1980 Amount .04 cfs

THIS IS TO CERTIFY, that Marvin & Jean Carroll
of Kooskia, ID, has complied with the terms and conditions of Permit
No. 81-7069 issued pursuant to Application for Permit dated June 26, 1980,
and has submitted proof to the Department of Water Resources on July 21, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(1 unit)</u>	from <u>January 1</u> to <u>December 31</u> at <u>.04</u> cfs and <u>1.2</u> acre feet		
	from _____ to _____ at _____ cfs and _____		
	from _____ to _____ at _____ cfs and _____		
	(both dates inclusive)		

Subject, however, to the condition that no more than .04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the SESW Sec. 20
T32N R5E in the County of Idaho

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
32N	5E	20																	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
August, 19 82.

Director

DET

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Marvin and Jean Carroll Phone 926-4115
Post office address Mooskia, Idaho 83539 Rt. 1, Box 103
2. Source of water supply well (ground water) which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 32N
Range 5E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Allow .04 RH 8-5-80

Amount .07 for domestic purposes from 1-1-81 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

Allow .04 RG 8-5-80

- a. .07 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. well pump & pipe

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.

- c. ~~Proposed~~ well diameter is 6 inches; ~~proposed~~ depth of well is 480 feet.
(Month/Day) (Month/Day)

7. Time required for the completion of the works and application of the water to the proposed beneficial use is / years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 20 Township 32N

Range 5E B.M. From Map TK

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water /.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. spring

9. a. Who owns the property at the point of diversion we do

b. Who owns the land to be irrigated or place of use we do

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The well cannot be used for more than 6 hours at a time or the water gets bubbly, ^{and dry} but we have never run completely out.

Hand-drawn map on a grid showing land parcels, roads, and landmarks. The map includes a grid with dashed lines. A diagonal line runs from the top-left to the middle-right. A horizontal line is labeled "6 1/2 Standard Parallel North". A vertical line is labeled "RSE". A small square is labeled "house and garden". A larger square is labeled "sec. 20" and "house and garden". A north arrow points upwards. The map is divided into sections by a horizontal line and a vertical line. The top-left section contains a grid of numbers: 24, 19, 20, 21, 25, 30, 29, 28, 16, 31, 32, 33, 1, 6, 5, 4. The bottom-left section contains a grid of numbers: 24, 19, 20, 21, 25, 30, 29, 28, 16, 31, 32, 33, 1, 6, 5, 4. The right side of the map is mostly empty.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marvin Carroll
Jean Carroll
(Applicant)

Proposed Priority 6/26/80

Received by JK Date 6-26-80 Time None
Preliminary check by JK Fee \$ 20.00
Receipted by pm Date 6/27/80 (15267)
Publication prepared by pm Date 7/3/80
Published in Shale County Press
Publication dates 7/9+16/80
Publication approved pm Date 7/21/80
Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RA Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 81-7069, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Maximum rate of diversion allowed under this permit shall not exceed 0.04 cfs.

Witness my hand this 8th day of August, 1980.

J. Glen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

Nona Donaldson being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 9th day of July, 19 80, and the last publication on the 16th day of July, 19 80; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 18th day of July, 19 80.

Marilyn J. Stalley, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED
JUL 21 1980
Department of Water Resources
Northern District Office

MICROFILMED

WATER RIGHT NUMBER 81-7069

OK
Rwfr
12-17-84

OWNER LAST NAME - CARROLL

FIRST NAME - MARVIN

ORIG OWNER -

OWNER LAST NAME - CARROLL

FIRST NAME - JEAN

ORIG OWNER -

ADDRESS LINE 1 - RT. 1 BOX 60B

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - KOOSKIA

STATE - ID ZIP CODE - 83539

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 06-26-1980

COUNTY - IDAHO

TOTAL DIV. RATE -

.0400 -CFS

TOTAL DIV. VOLUME -

1.20 AFA

TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SESW 20 32N 05E LOT

REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE -

.0400 CFS

USE DIV. VOLUME -

1.20 AFA

USE - DOMESTIC

PLACE OF USE - TWN 32N RNG 05E SEC 20 TRACT SESW LOT

AC

DECREE NAME -

DATE -

TOTAL ACRES

0

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - SPRING.

PROOF DUP - 09-01-1981 PERMIT/DENIED - 08-08-1980 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P PLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL, PUMP AND PIPELINE.

September 22, 1982

RE: Permit No. 81-7069

Marvin & Jean Carroll
Route #1, Box 60B
Kooskia, ID 83529

Dear Mr. and Mrs. Carroll:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

RECEIVED
SEP 23 1982
WATER DIVISION

RECEIVED

JUL 19 1982

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

81-7069
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6-29-82 Accompanied by - Total Q measured -
If source is surface water, estimate total flow of source -
Methods of measurement Est Meets Permit requirements? yes

Measurement calculations:

one home

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
								5ab

System Description 6" x 480' Well, pump & pipe line & place of use

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement =		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Domestic</u>	<u>0.04</u> ✓	<u>1.2</u> ✓	<u>1-1</u>	<u>12-31</u>
Total	<u>0.04</u> ✓	<u>1.2</u> ✓		

Remarks

MICROFILM

MAP (Attach Aerial Photo)

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SESW-20-32N-SE

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
32N	5E	20												X					

Recommended Amendment:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

7-6-82

7/14/82

8/12/82

81-7069

T A H O E

Tahoe
Cam

910
914

D G E

T H E
H O R N

Big Cedar

32N
5E

Cedar

Creek

Creek

Little

Cedar

Big

MICROFILMED

Clear

2'30"

WATER RIGHT NUMBER 81-7069

WATER RIGHTS EDIT REPORT

08/17/81

PAGE 337

ACT
ION

L

L

PROOF MADE - P

FORM 1413-H13

Moore Business Forms, Inc. sv

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

August 18, 1981

Mr. marvin Carroll
Rt. 1 Box 608
Kooskia, Id. 83539

RE: 81-7069

Dear Mr. Carroll:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 81-7069.

Name(s) of Permit Holder: Marrin & Jean Carroll

Post Office Address: Rt. 1, Box 60B

Keaskia, Id. 83539 Tel. No. 926-4115

Source of Water: Well and spring on our land

Extent of Use: ☒ Domestic 1 (number of households)
☒ Stockwater 5 Cattle (number and type of stock)
☒ Irrigation 5 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 11, 1981
Date

Marrin Carroll
Jean Carroll
Signature of Permit Holder

Wendell L. Carroll
Rt. 1 Box 603
Kootenai, Id. 83535



RECEIVED

JUL 21 1981

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CARROLL, MARVIN & JEAN
RT. 1 BOX 60B
KOOSKIA, ID 83539

138353

JUNE 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 81-7069 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

ACT
ION

L STAGE - PERMIT

PROOF DUE - 09-01-1981 PERMIT/DENIED - 08-08-1980

L

COND. OF APPRVL - 16

WATER RIGHT NUMBER 81-7069

WATER RIGHTS EDIT REPORT

08/11/80

PAGE 90

ACT
ION
C

C FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0400CFS

TOTAL DIV. RATE - .0400CFS

Moore Business Forms, Inc. sv FORM 1413 HL3

☐

WATER RIGHT NUMBER 81-7069

WATER RIGHTS EDIT REPORT

07/02/80

PAGE 112

ACT

ION

N OWNER LAST NAME - CARROLL ✓

FIRST NAME - MARVIN ✓

N OWNER LAST NAME - CARROLL ✓

FIRST NAME - JEAN ✓

N ADDRESS LINE 1 - RT. 1 BOX 60B ✓

N SOURCE - GROUNDWATER ✓

CITY - KOOSKIA ✓

STATE - ID ✓ ZIP CODE - 83539 ✓

N STAGE - APPLICATION ✓

PRIORITY - 06-26-1980 ✓ COUNTY - IDAHO ✓

TOTAL DIV. RATE -

.0700CFS

N DIVERSION POINT - SESW 20 32N 05E ✓

N FROM - 01-01 TO - 12-31 ✓ USE - DOMESTIC ✓

USE DIV. RATE - .0700CFS

N USE - DOMESTIC ✓

PLACE OF USE - TWN 32N RNG 05E SEC 20 TRACT SESW ✓

N OTHER RIGHTS FOR SAME USE - SPRING. ✓

N DIVERSION MEANS - WELL, PUMP AND PIPELINE. ✓

AB 2/ N

3/79

IDENT. NO. 81-7069

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CARROLL, MARVIN & JEAN
RT. 1 BOX 60B
KOOSKIA, ID 83539

AUGUST 12, 1980

RE: PERMIT NO. 81-7069

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 81-7069

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 7/28/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/21/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/26/80 Date of priority recommended.

Special conditions of approval or cover letter.

Reduce to .04 cfs per letter of July 17

* maximum rate of diversion allowed under this permit shall not exceed 0.04 cfs

By: RLH

Date: 7/29/80

STATE OFFICE REVIEW:

send receipt w/ cover letter
Cons item 4 & 5
SLW to cond

USE above cond. item

- ☐ See attached sheet for more information.

By: Robyn

Date: 8/1/80

MICROFILMED

RECORDED

81-2069_

CARROLL, MARVIN &/or JEAN

RT. 1 BOX 60B, KOOSKIA, ID 83539

Source: GROUNDWATER

Date Filed: 06/26/1980

Amount: 0.07 CFS

Diversion Point: SESW Sec 20 T 32N R 05E, IDAHO Co.

Use: DOMESTIC (0.07 CFS) from 01/01 to 12/31

Place of Use: SESW Sec 20 T 32N R 05E

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED

July 11, 1980

Mr. and Mrs. Marvin Carroll
Rt. 1 Box 60B
Kooskia, Idaho 83539

Re: 81-7069

Dear Mr. and Mrs. Carroll:

During our review of your application for permit we notice that you have applied for 0.07 cfs of water (approx 31 gpm) for domestic use for one household.

This amount is excessive for the intended use and our Department will take steps to reduce the amount to 0.04 cfs (approx. 18 gpm) unless you can prove to the Director's satisfaction that the excess water is needed.

If we do not hear from you within 20 days, we shall reduce your amount of water to the normal amount for one household which is 0.04 cfs.

If you have any questions, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

4400FILMED

Your instructions on obtaining a
permit for wells are very ambiguous.
To be on the safe side I will send
payment. If I didn't need to, please
send the \$20⁰⁰ back.

Jean Carroll

UNRECORDED