


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. Crockett
(Applicant)

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

81-7065

CROCKETT, JOHN H.
P.O. BOX 511, OROFINO, ID
83544

Source: SPRINGS

Date Filed: 05/28/1980

Amount: 0.20 CFS

Diversion Point: LOT 07
(SWSE) NWSE Sec 05 T 32N
R 07E, IDAHO Co.

Use: IRRIGATION (0.15
CFS) from 03/15 to 11/15
DOMESTIC (0.05 CFS) from
01/01 to 12/31

Place of Use: NWSE LOT 07
(SWSE) Sec 05 T 32N R 07E
FOR 19 ACRES

Diversion Means:
CONCRETE RINGS,
RESERVOIR AND PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 23, 1980.

C. STEPHEN ALLRED

Director

Published 6/4 & 6/11/80.

Jn4-11

Robert Stolley

being first duly

sworn, says he is the Publisher
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 4th day of June, 1980, and the last publication on the 11th day of June, 1980 and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Robert Stolley


Subscribed and sworn to before me this 11 day
of June, 1980

Marilyn J. Stolley

Notary Public
for State of Idaho, residing at Grangeville, Idaho.

OK
6/17/80

RECEIVED



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 81-7065 Priority May 28, 1980 Amount 0.07 cfs

THIS IS TO CERTIFY, that John H. Crockett
of Orofino, Idaho, has complied with the terms and conditions of Permit
No. 81-7065 issued pursuant to Application for Permit dated May 28, 1980,
and has submitted proof to the Department of Water Resources on September 5, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.07 cfs of water from springs,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>0.02</u> cfs and	<u>6.0</u> acre feet
Domestic (3 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.05</u> cfs and	<u>3.6</u> acre feet
	from _____ to _____ at _____ cfs and _____		
	(both dates inclusive)		

Subject, however, to the condition that no more than 0.07 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
9.6 acre feet per-year, said waters to be diverted within the (2 points) Government Lot 7
(SW $\frac{1}{4}$ SE $\frac{1}{4}$), Section 5, Twp. 32N, Rge. 7E in the County of Idaho

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
32N	7E	5																	2

Total number of acres irrigated 2

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use hereinafter described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of August, 19 82.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant John H. Crockett Phone 476-4024

Post office address P.O. Box 511, Orofino, Id. 83544

2. Source of water supply (2) unnamed springs * R.H. 7-3-80 which is a tributary of unknown * Sinks
(SWSE) Per tel. conv. with Robt. Kinney, Atty. 5/29/80 RGH

3. Location of point of diversion is Lot 7 ¼ of ¼ of Section 5 Township 32 N.

Range 7 E.B.M. Idaho County, additional points of diversion if any:
Per tel. conv. with Robt. Kinney, Atty. 5/29/80 RGH
NWSE Sec. 5 T32N R7E.

4. Water will be used for the following purposes:

Amount 0.05 cfs for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.13 cfs for irreigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum) Per tel. conv. with Robt. Kinney, Atty. 5/29/80 RGH

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. concrete rings, reservoir, & pump

b. Height of storage dam 6 feet, active reservoir capacity 6000 gal acre-feet; total reservoir capacity acre-feet, materials used in storage dam: concrete

Period of year when water will be diverted to storage Jan. 1 to Dec. 31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 3 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: Lot 7 ¼ of ¼ of Section 5 Township 32 N.

Range 7 E.B.M.

(2) Amount of power to be generated: None horsepower under N/A feet of head.

(3) List number of each kind of livestock to be watered

50 head

(4) Name of municipality to be served None, or number of families to be supplied with domestic water three.

(5) If water is to be used for other purposes describe: N/A

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
32 N.	7	5														10 x	9 x		19

Total number of acres to be irrigated 19

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion John H. Crockett & Margaret H. Crockett

b. Who owns the land to be irrigated or place of use Same as above

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N/A

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John H. Crockett
(Applicant)

Proposed Priority 5/28/80

Received by ms Date 5/28/80 Time 1:00 PM
Preliminary check by RWH Fee \$ 20.80
Receipted by ms Date 5/29/80 (16995)
Publication prepared by ms Date 5/29/80
Published in Idaho County News Times
Publication dates 6/4 + 11/80
Publication approved ms Date 6/17/80
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RWH AT jin

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 81-7065 , and said application is hereby approved .


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1 , 19 83 .
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 10 th day of July , 19 80 .

A. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION



..... Robert Stolley being first duly sworn, says he is the Publisher of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 4th day of June 19X. 80, and the last publication on the 11th day of June 19X. 80 and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

..... Robert Stolley

Subscribed and sworn to before me this 11 day of June 19X. 80

..... Marilyn J. Stolley, Notary Public for State of Idaho, residing at Grangeville, Idaho.

OK
6/17/80

RECEIVED
JUN 17 1980

Deputy Clerk, District Court
Northern District of Idaho

MICROFILMED

VERIFIED DHA

WATER RIGHT NUMBER 81-7065

OWNER LAST NAME - CROCKETT FIRST NAME - JOHN H. ORIG OWNER -
ADDRESS LINE 1 - P.O. BOX 511 ADDRESS LINE 2 -
ADDRESS LINE 3 - CITY - CROFIND STATE - ID ZIP CODE - 83544
SOURCE - SPRINGS TRIBUTARY OF - SINKS
STAGE - LICENSE STATUS - PRIORITY - 05-28-1980 COUNTY - IDAHO TOTAL DIV. RATE - .0700 -CFS
TOTAL DIV. VOLUME - 9.60 AFA TRFR/AMEND - WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
DIVERSION POINT - SWSE 05 32N 07E LOT 07 REDIV - 272.0 48.0 34.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 22.6
FROM - 03-15 TO - 11-15 USE - IRRIGATION USE DIV. RATE - .0200 CFS USE DIV. VOLUME - 6.00 AFA
FROM - 01-01 TO - 12-31 USE - DOMESTIC USE DIV. RATE - .0500 CFS USE DIV. VOLUME - 3.60 AFA
USE - IRRIGATION PLACE OF USE - TWN 32N RNG 07E SEC 05 TRACT SWSE LCT 07 AC 02
DECREE NAME - DATE - TOTAL ACRES 2
REMARKS - 2 P/D IN LCT 7, SWSE, S5, T32N, R7E.
NON IRRIG USE - D/3 HOMES.
OTHER RIGHTS FOR SAME USE -
PROOF DUE - 08-01-1983 PERMIT/DENIED - 07-10-1980 PROTESTED - HEARING - OLD NO. -
PROOF MADE - P FLD EXAM - CONC. OF APPROVAL -
DIVERSION MEANS - CONCRETE KINGS, RESERVOIR AND PUMP.

81-7065



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 25, 1979

Mr. Robert E. Kinney
Attorney at Law
P. O. Box 2260
Orofino, ID 83544

Dear Mr. Kinney:

I am returning your check #92-191 in the amount of \$20.00 and the Application for Permit of John H. Crockett. Items three, eight A one and eight B. all place the point of diversion and place of use within the SE $\frac{1}{4}$ of Section five.

The map however shows the points all within the SW $\frac{1}{4}$.

If you have any further questions please do not hesitate to contact our office.

Sincerely,

Tom D. King
Senior Water Resource Agent
tdk/jb

Enc: Application for Permit
Check #92-191

MICROFILMED

Robert E. Kinney
ATTORNEY

310 College Avenue P.O. Box 2260 - Orofino, Idaho 83544
208/476-5781

September 12, 1979

Idaho Department of Water Resources
Route 5, Box 203-Suite 1
Coeur d'Alene, Idaho 83814


Re: Crockett Water Right Application

Gentlemen:

Enclosed herewith please find a completed application for permit relative to Mr. John H. Crockett. I have also enclosed herewith my check in the amount of \$20.00 to cover the costs of filing same.

Please cause the same to be filed at your earliest convenience. Should you have questions or comments with reference to the above, please contact me at your convenience.

Respectfully,


ROBERT E. KINNEY
Attorney at Law

REK:g
enc. 2

MICROFILMED

RECEIVED

SEP 17 1979

Department of Water Resources
Northern District Office

September 22, 1982

RE: Permit No. 81-7065

John H. Crockett
Box 511
Orofino, ID 83544

Dear Mr. Crockett:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 17, 1982

RE: Permit No. 81-7065

John H. Crockett
Box 511
Orofino, ID 83544

Dear Mr. Crockett:

A representative of this Department has made an examination of the works covered by your Permit No. 81-7065, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.07 cfs Source: springs trib. to sinks

The maximum quantity diverted shall not exceed 9.6 acre feet
per year.

Point(s) of diversion: (2 points) Gov. Lot 7(SW $\frac{1}{4}$ SE $\frac{1}{4}$), Sec. 5, Twp. 32N,
Rge. 7E, Idaho County

Beneficial use: Domestic use for 3 units and irrigation of 2 acres within
the Gov. Lot 7(SW $\frac{1}{4}$ SE $\frac{1}{4}$), Sec. 5, Twp. 32N, Rge. 7E

Priority date established: May 28, 1980

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

JUL 19 1982

Department of Water Resources

81-7065

Permit No.

25-2

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			476-4576 - Steve Crockett
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6-30-82 Accompanied by — Total Q measured —
If source is surface water, estimate total flow of source —
Methods of measurement — Meets Permit requirements? yes

Measurement calculations: one stand pipe for ~~the~~ home serving buckets 0.04 cfs - 244
stand pipe & pump for irr - 0.03 cfs - 6.045 - 3 lawn sprinklers
developed spring for one home. 0.02 - 1.245

Q = Allow .02 cfs for Irrigation as per permit

V = 2ACX3.0 = 6.0 or .02 x 1.9835 x 245 = 9.7

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	1/3	Wayne		Peerless				

System Description 3" dia concrete ring in gravity flow to 1000 gal concrete Res then
gravity flow to riser for domestic and pump for irrigation

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.0 AFA/Acre

USE	Q (cfs)	FROM	TO
(3 UNITS) Domestic	<u>0.05</u>	<u>1-1</u>	<u>12-31</u>
Irrigation	<u>0.03</u>	<u>3-15</u>	<u>11-15</u>
	<u>.02</u>		


Total 0.07 9.6

Remarks NO Overlapping rights - 84-7036 within easement
pumpnet in at time of exam hoses & sprinklers out. 3-9-82-JK

MICROFILMED



OK
Jui

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: (2 pts) Lot 1 (SWSE) Sec 5, T32N, R7E

Place(s) of Use

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
32N	7E	5															2		2
																	6		
																	7		

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

☒ None

☐ Other

Examiner's Signature

Checked by

Approved by

Date


Date

Date

7-7-82

7/14/82

8/9/82



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

September 26, 1980

Mr. John H. Crockett
P. O. Box 511
Orofino, Idaho 83544

RE: 81-7065

Dear Mr. Crockett:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

RECEIVED

JUL 31 1980

Department of Water Resources

Orofino, Idaho
July 28, 1980

Dep't of Water Resources
Statehouse
Boise, Idaho
Dear Sirs:

I have received an application for Permit,
Identification No. 81-7065, and would like a
proof form to obtain a water license.

Thank you,
John W. Crockett

Box 511

Orofino, ID
83544

MICROFILMED

ENCLOSURES

RE: AL

24. SECRETARY
BILL ECK

Sincerely,

If you have questions concerning your permit, feel free to contact us.

and they will make a recommendation based on their findings.

After we receive that we will notify the regional office to conduct a field exam
please complete and return it to this office to start the licensing procedures.

use: postcard.

Pursuant to your letter of July 28, 1980, enclosed is a statement of beneficial

RE: Permit No. 81-1002

Dear Mr. Clockett:

0101100, ID 83244
BOX 211
John H. Clockett

August 8, 1980

John H. Crockett
Box 511
Prosser, ID
83544



Department of Water Resources
Statehouse
Boise, ID
83720

WATER RIGHT NUMBER 81-7065

OWNER LAST NAME - CROCKETT
ADDRESS LINE 1 - P.O. BOX 511

FIRST NAME - JOHN H.

ORIG OWNER -

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - DROFIND

STATE - ID ZIP CODE - 83544

SOURCE - SPRINGS

TRIBUTARY OF - SINKS

STAGE - LICENSE

STATUS -

PRIORITY - 05-28-1980 COUNTY - IDAHO

TOTAL DIV. RATE - .0700 -CFS

TOTAL DIV. VOLUME - 9.60 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SWSE 05 32N 07E LOT 07 REDIV -

272.0 48.0 34.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 22.6

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE -

.0200 CFS

USE DIV. VOLUME -

6.00 AFA

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE -

.0500 CFS

USE DIV. VOLUME -

3.60 AFA

USE - IRRIGATION

PLACE OF USE - T4N 32N R4G 07E SEC 05 TRACT SWSE LOT 07 AC 02

DECREE NAME -

DATE -

TOTAL ACRES 2

REMARKS - 2 P/D IN LOT 1, SWSE, S5, T32N, R7E.

NON IRRIG USE - 0/3 HOMES.

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 08-01-1983 PERMIT/DENIED - 07-10-1980 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - CONCRETE RINGS, RESERVOIR AND PUMP.

9/78

IDENT. NO. 81-7065

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT DATA ENTRY LOG

[illegible]

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 81-7065

Name(s) of Permit Holder: John H. Crockett

Post Office Address: Box 511

Orofino, ID 83544 Tel. No. 476-4024

Source of Water: 3 Springs

Extent of Use: ☐ Domestic 3 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation 19 (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8-30-80
Date

J.H. Crockett
Signature of Permit Holder

MICROFILMED

John H. Crockett
Box 511
Crofton, ID 83544



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 23, 1980

John H. Crockett
P.O. Box 511
Orofino, Idaho 83544

Dear Mr. Crockett,

RE: Permit No. 81-7065

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RAH APPLICATION NUMBER: 81-1065

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☐ Yes ☒ No

Field check required.

☐ Yes ☒ No

Critical groundwater area.

☐ Yes ☒ No

Request dam safety information. Sent by: _____ Date: _____

☐ Yes ☒ No*

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Map does not agree with legal

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No

Platted by: _____ Map No. _____

☐ Yes ☐ No

Other rights on same place of use. _____

☒ Yes ☐ No*

In form for advertising.

Final date for protests: 6/23/80

☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/13/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No

Measuring device required.

☐ Yes ☒ No

Access port required.

☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

5/28/80

Date of priority recommended.

Special conditions of approval or cover letter. _____

By: RAH Date: 6/23/80

STATE OFFICE REVIEW:

SEND RECEIPT W/COVER LETTER

CORR ITEM 3

COVER LETTER W/O COND S.L. w/o cond

- ☐ See attached sheet for more information.

By: RAH Date: 7/3/80

Department of Water Resources

81-2065-

CROCKETT, JOHN H.

P.O. BOX 511, OROFINO, ID 83544

Source: SPRINGS

Date Filed: 05/28/1980

Amount: 0.20 CFS

Diversion Point: LOT 07 (SWSE) NWSE Sec 05 T 32N R 07E, IDAHO Co.

Use: IRRIGATION	(0.15 CFS)	from 03/15 to 11/15
DOMESTIC	(0.05 CFS)	from 01/01 to 12/31

Place of Use: NWSE LOT 07 (SWSE) Sec 05 T 32N R 07E FOR 19 ACRES

Diversion Means: CONCRETE RINGS, RESERVOIR AND PUMP.

MICROFILMED

Robert E. Kinney
ATTORNEY

310 College Ave., P.O. Box 2260 - Orofino, Idaho 83544
208/476-5781

May 22, 1980

Tom D. King
Senior Water Resource Agent
State of Idaho
Department of Water Resources
Suite 1
4055 Government Way
Coeur d' Alene, ID 83814

Re: Crockett Water Right Application


Mr. King:

Enclosed herewith please find a completed amended application relative to the above claim. Should you find the same to be in order, please process as soon as possible.

I have reissued my check in the amount of Twenty Dollars (\$20.00) to cover costs of this application.

Thank you for your assistance.

Sincerely,


Robert E. Kinney

REK/cg

MICROFILMED