


This is a detailed plat map of a portion of Section 15, Township 36N, Range 11E, showing the layout of a proposed road and the resulting parcels. The map includes the following details:

- Section 15:** The map covers a portion of Section 15, which is divided into four quarters: NW1/4, NE1/4, SW1/4, and SE1/4.
- Proposed Road:** A road is shown running generally north-south, with a width of 60 feet. The road easement is shown as a dashed line, and the gross right-of-way (R/W) is shown as a solid line. The road is labeled "ROAD EASEMENT" and "ROAD R/W".
- Parcel Data:**
 - NW1/4NE1/4 SEC. 15:** Gross acreage = 19.943, Road R/W acreage = 0.989, Net acreage = 18.954.
 - NE1/4NE1/4 SEC. 15:** Gross acreage = 19.943, Road R/W acreage = 0.989, Net acreage = 18.954.
 - SW1/4NE1/4 SEC. 15:** Gross acreage = 19.943, Road R/W acreage = 0.989, Net acreage = 18.954.
 - SE1/4NE1/4 SEC. 15:** Gross acreage = 19.943, Road R/W acreage = 0.989, Net acreage = 18.954.
- Other Features:**
 - Water:** A "Pond & Spring Site" is indicated in the NE1/4NE1/4 quarter.
 - Adjacent Sections:** The map shows the boundaries of Section 14 to the north and Section 16 to the east.
 - Survey Data:** Various bearings and distances are provided for the boundaries and the proposed road. For example, the north boundary of Section 15 is N89°-58'-10" W 2633.06'.



1" = 2000'

If distances are
correct in exam
P/U would also
be in NENE 1/4 1/4

Contacted Assessor
This is correct.
Owner's Legal is
S 1/2 of NENE 1/4 1/4

BC

"EXISTING Pond"

P/B +
P/U


30 N
03 E
SEC 15

FEB 26 1998

85-07614

BC

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A	1/4	N/A	Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

FEB 26 1999



P.D.



CISTERN

APPROVED
FEB 26 1996

85-07614

RECEIVED

DEC 30 1994

NORTHERN REGION
IDWR

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Idaho - ss.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

85-07614

MULLINIX, DARYL K. *OK*

521 PARK ST.

GRANGEVILLE, ID 83530

Source: UNNAMED STREAM Tributary:
BUTCHER CREEK

Source: SPRINGS Tributary: BUTCHER
CREEK

Diversion Pt: SWNE Sec. 15 AT 30N

R 03E in IDAHO County. SENENE Sec.

15 T 30N R 03E in IDAHO County.

Use: STOCKWATER (1.00 AF)

STOCKWATER STORAGE (1.00 AF)

STOCKWATER FROM STORAGE (1.00
AF)

DIVERSION TO STORAGE (1.00 CFS)

Total Diversion: (1.00 CFS) (1.00 AF)

Date Filed: 11/8/1994

In: IDAHO County

T30N R03E S15 SENE

For additional information concerning
the property location, call the Northern
Regional Office at (208) 769-1450.


The permit(s) will be subject to all prior
water rights. Protests must be filed with
the applicant and with the Director,
Dept. of Water Resources, Northern
Region, 1910 Northwest Blvd., Suite
210, Coeur d'Alene, Idaho 83814,
together with a protest fee of \$25.00 on
or before JANUARY 3, 1995.

R. KEITH HIGGINSON, Director

Published: 12/15/1994 & 12/22/1994


D14-21

Andrew J. McNab, being
first duly sworn, says he is the Publisher
of the IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho, and is
of general circulation in said county and state, that the said notice, of
which the one hereto attached is a true copy, was published in said
paper for two weeks, being published two
times, the first publication being on the 14th day of
December, 19 94, and the last
publication on the 21st day of December, 19 94;
and that the said notice was published in the newspaper proper and not
a supplement; that said newspaper has been continuously and uninter-
ruptedly published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or advertise-
ment.



STATE OF IDAHO }
COUNTY OF IDAHO }

On this 21st day of December in the year of 1994,
Before me, a Notary Public, personally appeared _____
Andrew J. McNab, known or identified to me
to be the person whose name subscribed to the within instrument, and
being by me first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.



Notary Public for Idaho

Residing at Grangeville

My commission expires 10-8-99

RECORDED

MAR 30 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07614

Priority: November 8, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that DARYL K MULLINIX

521 PARK ST

GRANGEVILLE ID 83530

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 8, 1994; and has submitted Proof of Beneficial Use on January 30, 1995. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from:

SPRING

tributary to BUTCHER CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
STOCKWATER STORAGE	01/01 to 12/31		1.0 AF
STOCKWATER FROM STORAGE	01/01 to 12/31		1.0 AF
Totals		0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE, Sec. 15, Township 30N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

30N 03E 15

NENE

PLACE OF USE:

STOCKWATER FROM STORAGE, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 15 head of livestock.

FEB 26 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07614

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of NOVEMBER, 1995.


Acting for KARL J. DREHER, Director



RECEIVED
FEB 26 1996

State of Idaho
Department of Water Resources

RECEIVED
NOV 29 1995

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 85-07614

Department of Water Resources

Date of Priority: November 8, 1994

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

1.2 AF

Comes now

DARYL K MULLINIX

521 PARK ST

GRANGEVILLE ID 83530

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 85-07614, and requests that the permit be changed as follows:

Source: **SPRING**

tributary to **BUTCHER CREEK**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
STOCKWATER STORAGE	01/01 to 12/31		1.0 AF
STOCKWATER FROM STORAGE	01/01 to 12/31		1.0 AF
	Totals	0.02 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENENE , Sec. 15, Township 30N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

30N 03E 15

NENE

PLACE OF USE:

STOCKWATER FROM STORAGE, same as STOCKWATER use

RECEIVED

FEB 26 1996

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Daryl K. Mullinix, this 10 day of November, 1995.

Daryl K. Mullinix
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 85-07614

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JW # 0033995 Date 11-29-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES


I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 85-07614 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 15 head of livestock.

Witness my hand this 30th day of November, 1995.


Acting for KARL J. DREHER, Director



RECEIVED

JAN 30 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 85-07614 Telephone No. 1-208-983-2408

2. Name(s) of Permit Holder(s): Daryl E. Mullinix

3. Mailing Address: 521- Park St. Grangeville, ID 83530

4. Source of Water: Springs If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____

b. **OPTIONAL:**

Pump Horsepower: 1/4 Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): 15 head horses & cows

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: _____ cfs OR 1 acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No _____
Has the measuring device been installed? Yes _____ or No _____

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No _____
Has the measurement port been installed? Yes _____ or No _____

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Daryl E. Mullinix Telephone Number: 1-208-983-2408

Address: 521 Park St. Grangeville ID. 83530

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Daryl E. Mullinix (include your title, if on behalf of company or organization)
MAR 30 1995 Date: 1/26/95

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 85-07614

Proposed Priority: November 8, 1994

Maximum Diversion Rate:

0.10 CFS

This is to certify, that **DARYL K MULLINIX**

521 PARK ST

GRANGEVILLE ID 83530

has applied for a permit to appropriate water from:

**UNNAMED STREAM
SPRINGS**

tributary of **BUTCHER CREEK**
tributary of **BUTCHER CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	
STOCKWATER STORAGE	01/01 to 12/31		1.0 AF
STOCKWATER FROM STORAGE	01/01 to 12/31		1.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.10 CFS	
	Totals	0.10 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWNENE , Sec. 15, Township 30N, Range 03E

SENENE , Sec. 15, Township 30N, Range 03E

IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

30N 03E 15

SENE

PLACE OF USE: STOCKWATER FROM STORAGE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1996**.
2. Subject to all prior water rights.
3. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder shall contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
4. Stockwater use is for 15 head of livestock.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19 day of January, 1995

[Signature]
for **R. Keith Higginson, Director**

MAR 30 1995

Form 202
RECEIVED
JAN 05 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 85-07614

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Daryl K. Mullinix Phone 208-983-2408

Post office address 521 Park St. Grangeville ID 83530
UNNAMED STREAM

2. Source of water supply creek & Springs (3) which is a tributary of Butcher Creek

3. Location of point of diversion is SE 1/4 NE 1/4 of SW NE 1/4 NE 1/4 1/4 of _____ 1/4, Govt. Lot _____

Sec. 15 Township 30N Range 3E B.M. IDAHO County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.0 ^{ACR} for STOCKWATER STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 ^{ACR} for STOCKWATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 1.0 ^{ACR} for STOCKWATER FROM STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.10 ^{ACR} for DIVERSION TO STORAGE purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.10 and/or (b) 1.0 (~~200~~ 800 gals/day)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing pond & spring box with pump to water trough.

b. Height of storage dam 9 feet; active reservoir capacity 1 acre-feet; total reservoir capacity 1 acre-feet; period of year when water will be diverted to storage: 1/1 to 12/31 inclusive.

c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____

Well was drilled for (well owner) _____

7. Time required for the completion of the works and application of the water to be proposed beneficial use is

1 years (minimum 1 year).
* per IDWR standards. 1/11/95 c.s.

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 15 HEAD OF RANGE STOCK
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
30 N.	3 E.	15				S													
						S (STORAGE)													
						X (DIVERSION TO STORAGE)													
						S (STORAGE)													

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? Daryl K. Mullinix
- b. Who owns the land to be irrigated or place of use? _____
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: Spring water to be used for stock and maintaining pond storage.

MAR 30 1995

Existing pond & spring box

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

RECEIVED
JUL 30 1995

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David H. Mallory
(Applicant)

Received by db Date 11/8/94 Time 1:15 p Preliminary check by [Signature]
Fee \$ 50.00 Received by db # N008431 Date 11/8/94
Publication prepared by db Date 12/1/94 Published in Idaho Free Press 12/15+22/94
Publication approved db Date 12/30/94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
MAR 30 1995

Section 14

- Parcel A:** Located in the northwest corner of Section 14.
- N1/2NE1/4NE1/4:** Gross acreage = 19.943; Road R/W acreage = 0.989; Net acreage = 18.954.
- S1/2NE1/4NE1/4:** 19.943 acres.


Section 15

- NW1/4NE1/4:** Located in the northwest corner of Section 15.
- SW1/4NE1/4:** Located in the southwest corner of Section 15.
- SE1/4NE1/4:** Located in the southeast corner of Section 15.

Other Features:

- Road Easement:** Indicated along the western boundary of Parcel A.
- Pond & Spring Site:** Handwritten note near the center of the section.
- Gross Road Net A:** Located at the top right of the map.
- Scale Bar:** Shows distances from 0' to 400'.
- Bearings and Distances:** Provided for all boundary segments, such as N89°-58'-10"W 2633.06' and S89°-55'-35"E 1316.50'.

MAR 30 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 30, 1995

DARYL K MULLINIX
521 PARK ST
GRANGEVILLE ID 83530

RE: WATER RIGHT NO. 85-07614

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
FEB 26 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 27, 1995

DARYL K MULLINIX
521 PARK ST
GRANGEVILLE ID 83530

RE: WATER RIGHT NO. 85-07614

Dear Water Right Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed.

As of this date, I have not received the amendment. If I do not receive it within fourteen (14) days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin. Enclosed for your convenience is another amendment form in the event the first one was misplaced. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

FEB 26 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 25, 1995

DARYL K MULLINIX
521 PARK ST
GRANGEVILLE ID 83530

RE: WATER RIGHT NO. 85-07614

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

LICENSE REVIEW CHECKLIST

PERMIT NO. 85-07614 DATE 10-24-95



NAME Change OK 10-26-95 Or Address Change?

PRIORITY DATE Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended?

SOURCE Changes or just clarification of originally intended source? ONLY 1 SPRING
 Notice of Intent to Void necessary? NO

POINT OF DIV Amendment needed?
 Overlaps?

PLACE OF USE Amendment needed? Change to NENE 1/4 1/4 OF SEC 15
 Overlaps?

DIV RATE Permit/fee limits: .10 CFS
 Meas Q = Theo Q = .06 Recommend: .02
Flow to cistern (pipe flow)

ANNUAL VOLUME Volume Limit: Season: (1-1 to 12-31)
 POND = Calculations: 15 head of cattle = .2 gR

100 X 100 X 7 X .6 = .96 AF or (1.04 f) Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
 Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
YES Other Edit Stock use remark to OK

NEW CONDITIONS Watermaster control - District
 Measuring/Locking Devices
 Irrigation Overlap
 Other
 Water Quality Heat/Cool/Fish verified

COMMENTS: ① NO DIVERSION TO STORAGE EVIDENT.
 ② NO ACTIVE FLOW COMPONENT SINCE SPRING IS UNDER POND-CONTINUED
 ③ According to Assessor's Office - 1/2 of NENE 1/4 1/4 - EXAM CORRECT.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed
Stockwater Stor		1.0	Adjustment Memo Needed <u>YES</u>
Stock From Stor		1.0	
Stockwater	.02	.2	LICENSE AMEND P/U <u> </u>
TOTAL	.02	1.2	1ST AMEND LETTER <u>P41 + P38</u> 2ND AMEND LETTER <u>P47</u>

CONTINUED

③ However, large pond could be equivalent to "diverting from a spring box" so keep active flow
 10-26 CHANGES MADE (PER JIM THROUGH Shelley.

MEMORANDUM

TO: File 85-07614 / Daryl Mullinix
FROM: Brenda Chapman
DATE: October 24, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 85-07614 are based on the information below:

F. FLOW CALCULATIONS

An estimated system capacity was calculated using the Lotus pipeflow program.

G. VOLUME CALCULATIONS

Since there is no information in the exam on the number of livestock, the permit limit of 15 head will be recommended.

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.02	.2
Stock Storage	1-01 to 12-31		1.0
Stock from Stor	1-01 to 12-31		1.0

The examiner's comment in the narrative stating there was no diversion to storage was correct; however, he went ahead and recommended the use. It will not be recommended.

2. Recommended Amendments

☐ Change P.D.	☐ Add P.D.	☐ None
☒ Change P.U.	☐ Add P.U.	☐ Other

The Idaho County Assessor confirmed that the correct place of use is in the SE of the NENE~~11~~; therefore, an amendment is necessary.

FEB 26 1996

SEE DOCUMENTS }

1" = 2000'

If distances are
correct in exam
PLU would also
be in NENE $\frac{1}{4}$ $\frac{1}{4}$

Contacted Assessor
This is correct.
Owner's Legal is
 $\frac{1}{2}$ of NENE $\frac{1}{4}$ $\frac{1}{4}$

(BC)

"EXISTING Pond"
P/D +
PLU

30 N
03 E
SEC 15

85-07614

(BC)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

File: 85-07614
By: Brenda Chapman
Date: 24-Oct-95

Pipe Flow Evaluation

Given:
 $Q = A \cdot V$

Input:
V= 5 fps
d= 1.5 in
Calculated:
Q= 0.06 cfs
28 gpm
A= 0.012266 sqft

Note: d = pipe diameter

RECEIVED
FEB 26 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 09 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 85-07614

1. Owner: Daryl Mullinix Phone No. (208) 983-2408

Current Address: 521 Park st, Grangerville Id 83530

2. Accompanied by: owner EXAM DATE: 6-22-95

Address: same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: spring tributary to river

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	15	30N	03E	Idaho	maps 7.5 min quad


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
30N	03E	15	S																

FEB 26 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	N/A	1/4	N/A	Submersible	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements: _____

26 1999

E. NARRATIVE/REMARKS/COMMENTS

pond is spring fed from under it.
flows from pond to cistern then pumped
to spicket and stock tank in barn.

* no diversion to storage was apparent with
the exception of seasonal runoff and the
spring below pond

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
JUN 26 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$\text{Storage} = 100 \times 100 \times 7 \times .6 = 1.0 \text{ AFA}$$

$$\text{D.V. To Storage} = .10 \times 365 \times 1.9837 =$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Stockwater</u>	<u>01-01</u>	<u>12-31</u>	<u>0.02</u>	<u> </u>
<u>Stockwater storage</u>	<u>01-01</u>	<u>12-31</u>	<u> </u>	<u>1.00</u>
<u>Stockwater from storage</u>	<u>01-01</u>	<u>12-31</u>	<u> </u>	<u>1.00</u>
* <u>Diversion to storage</u>	<u>01-01</u>	<u>12-31</u>	<u>0.10</u>	<u>72.4</u>
Totals:			<u>0.10</u>	<u>72.4</u>

2. Recommended Amendments

* ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Ed McCreary Date 7-5-95

Reviewer _____ Date _____


SEAL

* See adjotment memo. BC

FEB 26 1996



P.D.



CISTERN

12-21-1968
12-21-1968

85-07614

February 6, 1995

DARYL K MULLINIX
521 PARK ST
GRANGEVILLE ID 83530

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 85-07614

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MAR 30 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 20, 1995

DARYL K MULLINIX
521 PARK ST
GRANGEVILLE ID 83530

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 85-07614

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

MAR 30 1995

MEMORANDUM

DATE: January 12, 1995
TO: File No. 85-07614
FROM: Cindy Zimmerman *CZ*
SUBJECT: Review of Application for Permit

=====

During the review of this application, I noted that the stockwater use for 15 head of livestock was identified on the application and advertisement as 1.0 AF.

Per departmental standards, I have corrected stockwater use to reflect the flow rate of 0.02 cfs.

22137
MAR 30 1995

RECEIVED

DEC 30 1994

NORTHWEST REGION
IDWR

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO
County of Idaho - ss.**NOTICE OF INTENTION FOR**The following application has been
filed to appropriate the public waters of
the State of Idaho:

85-07614

NORTON, JAMES H.

521 2nd St.

Grangeville, ID 83424

Source: JUANICO STEAM Tributary

BUTTE CREEK

SOUTH OF GRANGEVILLE, BUTTE COUNTY

OF IDAHO

Diversion to Storage (1.00 AF)

Stockwater Storage (1.00 AF)

Stockwater from Storage (1.00 AF)

Diversion to Storage (1.00 AF)

Stockwater Storage (1.00 AF)

Stockwater from Storage (1.00 AF)

AF)

Diversion to Storage (1.00 AF)

Stockwater Storage (1.00 AF)

Stockwater from Storage (1.00 AF)

Date Filed: 11/8/1994

In: IDAHO County

TSON ROSE SIX SENE


For additional information concerning
the property location, call the Northern
Regional Office at (208) 765-1450.The permit(s) will be subject to all prior
water rights. Protests must be filed with
the applicant and with the Director,
Dept. of Water Resources, Northern
Region, 1010 Northwest Blvd., Suite
210, Coeur d'Alene, Idaho 83814,
together with a protest fee of \$25.00 on
or before JANUARY 1, 1995.

Respectfully submitted, Director


Publisher: [Signature]

85-07614

Andrew J. McNab, being
first duly sworn, says he is the Publisher
of the IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho, and is
of general circulation in said county and state, that the said notice, of
which the one hereto attached is a true copy, was published in said
paper for two weeks, being published two
times, the first publication being on the 14th day of
December, 19 94, and the last
publication on the 21st day of December, 19 94;
and that the said notice was published in the newspaper proper and not
a supplement; that said newspaper has been continuously and uninter-
ruptedly published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or advertise-
ment.


STATE OF IDAHO }
COUNTY OF IDAHO }

On this 21st day of December in the year of 1994,
Before me, a Notary Public, personally appeared _____
Andrew J. McNab, known or identified to me
to be the person whose name subscribed to the within instrument, and
being by me first duly sworn, declared that the statements therein are
true, and acknowledged to me that he executed the same.



Notary Public for Idaho
Residing at Grangeville
My commission expires 10-8-99

MAR 30 1995

Post-It® Fax No 7671		Date 12/9/94	# of pages 1
To Marietta/Id Co Free Press		From Dianne Ball	
Co./Dept Composing/Legal		Co. Id Dept Water Res.	
Phone # 983 1200		Phone # 769 1450	
Fax # 983 1336		Fax # 769 1454	

85-07614

Please replace old sheet with this new one

MULLINIX, DARYL K
521 PARK ST
GRANGEVILLE, ID 83530

Source: UNNAMED STREAM
Source: SPRINGS

Tributary: BUTCHER CREEK
Tributary: BUTCHER CREEK

Diversion Pt: SWNE NE Sec 15 T 30N R 03E in IDAHO County.
SENE NE Sec 15 T 30N R 03E in IDAHO County.

Use: STOCKWATER	(1.00 AF)
STOCKWATER STORAGE	(1.00 AF)
STOCKWATER FROM STORAGE	(1.00 AF)
DIVERSION TO STORAGE (.100 CFS)	
Total Diversion: (.100 CFS)	(1.00 AF)

Date Filed: 11/ 8/1994

In: IDAHO County
T30N R03E S15 SENE

MAR 30 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

R. KEITH HIGGINSON
Director

CECIL D. ANDRUS
Governor

December 8, 1994

Daryl K. Mullinix
521 Park St.
Grangeville, ID 83530

Re: Water Appropriation Application No. 85-07614

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If your application is for groundwater and unless you are using a well that was constructed prior to July 1, 1987, it will be necessary for you to apply for a well drilling permit upon approval of the appropriation application. Well drilling permits can be issued by this office only to holders of approved appropriation permits.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

12-14-94

1995