





13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward A. Clark
(Applicant)

N ←

Plan View
Not To Scale
Measurements are approximate



I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are:

- ☒ Not present
☐ located on plan/
design & SCS-ENG 6
completed

Cooperator

Date:

CONSTRUCTION SPECIFICATIONS
ID-SS-E57456, 614 ATTACHED

Job Class II

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Ed Clark
Spring #2
Idaho SWCD



Designed	RD 8-94	Approved by	RD
Drawn	RD 8-94	Title	SCS
Traced		Sheet	1
Checked		Drawn by	1

MICROFILMED

JAN 20 1995

Tile Detail
Not To Scale

MICROFILMED
JAN 20 1995



Extend The clean Rock
4\"/>

Job Class II

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Ed Clark
Spring #2
Idaho SWCD

Utilities are: ☒ Not present

☐ located on plan/
design & SCS-ENG 6
completed

Cooperator _____

Date: _____


CONSTRUCTION SPECIFICATIONS
ID-SS-E _____ ATTACHED

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed <u>RL 8-94</u>	Date <u>8-94</u>	Approved by <u>RL</u>	Title <u>SCS</u>
Drawn <u>RL 8-94</u>		Checked <u>RL</u>	Scale <u>2</u>
Traced <u>RL</u>		Reviewed <u>RL</u>	
Checked <u>RL</u>			

Headbox Detail
Not To Scale

Protect Lid From
Livestock



I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are: ☒ Not present

☐ located on plan/
design & SCS-ENG 6
completed

Cooperator _____

Date: _____

CONSTRUCTION SPECIFICATIONS
ID-SS-E _____ ATTACHED


Job Class II

Ed Clark
Spring #2
Idaho SWCD
U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

MICROFILMED
JAN 20 1995

Designed by <u>PEJ 8-94</u>	Drawn by <u>PEJ</u>
Date <u>8-94</u>	Title <u>SCS</u>
Checked <u>3</u>	Drawn by <u>3</u>
Controlled <u>3</u>	

Tire Trough Detail
Not To Scale



MICROFILMED
JAN 20 1995

Extend The Galvanized Pipe
10 Feet Beyond The Edge
Of The Trough

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are: ☒ Not present

☐ located on plan/
design & SCS-ENG 6
completed

Cooperator _____ Date: _____
CONSTRUCTION SPECIFICATIONS
ID-SS-E _____, ATTACHED

Job Class II

Ed Clark
Spring #2
Idaho Syed
U.S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed by: <u>RS 8-94</u>	Date: <u>8-94</u>
Drawn by: <u>RS 8-94</u>	Title: <u>SCS</u>
Checked by: <u>4</u>	Scale: <u>4</u>
Entered by: <u>4</u>	Sheet: <u>4</u>

Master Map

1912
30/12

395
712
1-1

BAERLOCHER

C 439
ED CLARK

44.3

500

25.9

C 21
GLEN & RICHARD GIL

T 608
232

630

T 610
448
C

MBPSETT - Edgewood
McDonnell

331

251

C 14
ROBERT KILMAR

82.7


2012
29/12

MICROFILMED
JAN 20 1995

A 270

K 76

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	NA	NA	Gravity	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

NOT REFILED

FEB 26 1996

2776 II NW
(NEZPERCE)



FORWARDED
FEB 26 1996

TA
MISE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

P H O T O G R A P H S



Spring - cistern



Stock Tank



Stock Tank

RECEIVED

FEB 26 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07613

Priority: November 2, 1994

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

2.7 AF

This is to certify, that EDWARD A CLARK

RT 2 BOX 81A

KAMIAH ID 83536

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 2, 1994; and has submitted Proof of Beneficial Use on January 11, 1995. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

UNNAMED STREAM
SPRING

tributary to THORN SPRINGS CREEK
tributary to THORN SPRINGS CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	2.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSWNE , Sec. 29, Township 33N, Range 03E
SWSWNE , Sec. 29, Township 33N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

33N 03E 29

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 150 range cattle.

FEB 26 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07613

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of January, 1996.


Acting for, KARL J. DREHER, Director



FEB 26 1996

RECEIVED

JAN 11 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 85-07613 Telephone No. (208) 935-2408
2. Name(s) of Permit Holder(s): Edward A. Clark
3. Mailing Address: Rt. 2 Box 81A, Kamiah, ID 83536
4. Source of Water: unnamed stream / spring If GROUNDWATER (well), Date Drilled: mo. / yr.
 - a. Well Driller: N/A Drilling Permit Number: - -
 - b. **OPTIONAL:**
Pump Horsepower: N/A Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock): 150 beef cattle
Irrigation (No. of acres): Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u> </u>	or	No <u>X</u>
	Has the measuring device been installed?	Yes <u> </u>	or	No <u> </u>
Flow Measurement Port:	Is a flow measurement port required?	Yes <u> </u>	or	No <u>X</u>
	Has the measurement port been installed?	Yes <u> </u>	or	No <u> </u>
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Edward A. Clark Telephone Number: (208) 935-2408
Address: Rt. 2 Box 81A, Kamiah, ID 83536
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Edward A. Clark 1/8/95
(include your title, if on behalf of company or organization)

JAN 20 1995

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 85-07613

Proposed Priority: November 2, 1994

Maximum Diversion Rate:

0.06 CFS

This is to certify, that **EDWARD A CLARK**

RT 2 BOX 81A

KAMIAH ID 83536

has applied for a permit to appropriate water from:

**UNNAMED STREAM
SPRING**

tributary of **THORN SPRINGS CREEK**
tributary of **THORN SPRINGS CREEK**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

STOCKWATER

01/01 to 12/31

0.06 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSWE , Sec. 29, Township 33N, Range 03E
SWSWE , Sec. 29, Township 33N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

33N 03E 29


SWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1996**.
2. Subject to all prior water rights.
3. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
4. Stockwater use is for 150 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3rd day of January, 1995

for 
R. Keith Higginson, Director

JAN 20 1995

RECEIVED
DEC 15 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 85-07613

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Edward A. Clark Phone 935-2408
Post office address Rt. 2, Box 81A Kamiah, ID 83536
UNNAMED STREAM THORN SPRINGS CREEK
2. Source of water supply Spring which is a tributary of Thorn Springs Creek
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 33 N Range 03 E B.M. Idaho County; additional
points of diversion if any: SW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 29 Twn 33 N Rge 3E
4. Water will be used for the following purposes:
Amount 0.06 cfs for stockwater purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Spring development
by means of 4" tile intake supply pipe into
concrete headbox to rubber tire trough.
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? N/A
 - e. If well is already drilled, when? N/A; Drilling firm _____
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
N/A years (minimum 1 year).

RECEIVED

JAN 20 1995

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. 150 head beef cattle
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. N/A
- e. Other; describe fully. N/A

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
33N	03E	29			S														


Total number of acres to be irrigated N/A

10. Describe any other water rights used for the same purposes as described above. NONE


11. a. Who owns the property at the point of diversion? Edward A. Clark
- b. Who owns the land to be irrigated or place of use? Edward A. Clark
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: See attached SCS plans; development completed 8/94.

JAN 20 1995



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward A. Clark
(Applicant)


Received by db Date 11/2/94 Time 2:50 p Preliminary check by AB
Fee \$ 50.00 Receipted by db # N008420 Date 11/2/94
Publication prepared by db Date 11/9/94 Published in Cottonwood Chronicle 11/2/94
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:




JAN 20 1995

N ←

Plan View
Not To Scale
Measurements are approximate

JAN 20 1995



Job Class II

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are: ☒ Not present
☐ located on plan/
design & SCS-ENG 6
completed



Cooperator _____

Date: _____

CONSTRUCTION SPECIFICATIONS
ID-SS-E 574, 516, 614 ATTACHED

Ed Clark Spring #2 Idaho SWCD	
U. S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE	
Designed <u>REJ</u> 8-94	Approved by <u>REJ</u>
Drawn <u>REJ</u> 8-94	Title <u>SC7</u>
Traced _____	Sheet <u>1</u> of <u>4</u>
Checked _____	Drawing No. <u>1</u>

Tile Detail
Not To Scale



PAID
JAN 20 1995

Extend The clean Rock
4\"/>

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are: ☒ Not present

☐ located on plan/
design & SCS-ENG 6
completed

Cooperator

Date:

CONSTRUCTION SPECIFICATIONS
ID-SS-E ATTACHED

Job Class II


Ed Clark
Spring #2
Idaho SWCD

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed by <u>RDJ</u>	Date <u>8-94</u>
Drawn by <u>RDJ</u>	Date <u>8-94</u>
Checked by <u>RDJ</u>	Date <u>8-94</u>
Approved by <u>RDJ</u>	Date <u>8-94</u>
Field Office <u>SCS</u>	Project <u>2</u>
Sheet <u>2</u>	Total <u>2</u>

Headbox Detail
Not To Scale

Protect Lid From
Livestock



I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are: ☒ Not present

☐ located on plan/
design & SCS-ENG 6
completed

Cooperator _____

Date: _____

CONSTRUCTION SPECIFICATIONS
ID-SS-E _____ ATTACHED

Job Class II

Ed Clark
Spring #2
Idaho SMCU


U.S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed PBJ 8-94	Drawn PBJ 8-94	Checked PBJ	Typed PBJ
Date 8-94	Title SCS	Sheet 3	Of 3

JAN 20 1995

Fire Trough Detail Not To Scale

Protect End With
Large Rocks



Extend The Galvanized Pipe
10 Feet Beyond The Edge
Of The Trough

Utilities are:

- ☒ Not present
☐ located on plan/
design & SCS-ENG 6
completed

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Cooperator

Date:

CONSTRUCTION SPECIFICATIONS
ID-SS-E _____, ATTACHED

Job Class II

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Ed Clark
Spring #2
Idaho SWCD

Designed by <u>Ed Clark</u>	Approved by <u>Ed Clark</u>
Drawn by <u>Ed Clark</u>	Title <u>SCS-ENG 6</u>
Checked by <u>Ed Clark</u>	Scale <u>1/4" = 1'</u>
Created by <u>Ed Clark</u>	Sheet <u>4</u> of <u>4</u>

RECEIVED

JAN 20 1995

8081

DATE *Aug 31/84*

NAME	<i>Ed Clark</i>
ADDRESS	<i>Kamiah Ida.</i>

SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RETD.	PAID OUT

QUAN.		DESCRIPTION	PRICE	AMOUNT
<i>14 hrs</i>	<i>1</i>	<i>backhoe</i>	<i>40.00</i>	<i>560 00</i>
<i>6 hrs</i>	<i>2</i>	<i>labor</i>	<i>12.00</i>	<i>78 00</i>
	<i>3</i>			
	<i>4</i>			<i>638 00</i>
	<i>5</i>			
	<i>6</i>			
	<i>7</i>			
	<i>8</i>			
	<i>9</i>			
	<i>10</i>			
	<i>11</i>			
	<i>12</i>			

CUSTOMER'S SIGNATURE _____ RECEIVED _____

KEEP THIS SLIP FOR REFERENCE
5L527/01527 RECEIPT

MICROFILMED
JAN 20 1995

Master Map

BAERLOCHER

580

C439
ED CLARK

44.3

C21
GLEN & RICHARD GILL

T 608

ADD
630

T 610

C14
ROBERT KILMAR

82.7

REPRODUCED
JAN 20 1995

A 270

K-76

MB F5671 - ED
McGowan Hill



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 23, 1996

EDWARD A CLARK
RT 2 BOX 81A
KAMIAH ID 83536

RE: WATER RIGHT NO. 85-07613

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

FEB 26 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 85-07613 DATE 1-16-96



NAME Change OK ☒ Or Address Change?

PRIORITY DATE ☒ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended? NO

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed?
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps?

DIV RATE ☒ Permit/fee limits: .06 cfs Stock/150 cattle
 Meas Q = Theo Q = Recommend:
150 head @ .05 is acceptable
 Combined rates exceed capacity

ANNUAL VOLUME ☒ Volume Limit: Season: 1-1 to 12-31
 Calculations: 2.7 per ADM is OK.
150 x .0134 = 2.0
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses?
 Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
 Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in ¼ ¼?
 Other

NEW CONDITIONS Watermaster control - District
 Measuring/Locking Devices
 Irrigation Overlap
 Other
 Water Quality Heat/Cool/Fish verified

COMMENTS: Note: Volume is higher if the 4-7-75 ADM MEM is used than
it would be if actually calculated by # of stock.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Stock water</u>	<u>.05</u>	<u>2.7</u>	Adjustment Memo Needed	<u>NO</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 04 1996
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 85-7613

1. Owner: Edward A Clark Phone No. 935-2408

Current Address: RT 2 Box 81A KAMIAH ID 83536

2. Accompanied by: owner EXAM DATE: 6-26-95

Address: same as above Phone No. same

Relationship to Permit Holder: _____

3. Source: UNNAMED STREAM tributary to THORN SPRINGS CREEK
spring ~~into~~ THORN SPRINGS CREEK

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	NE	29	33N	03E	IDAHO	USGS 7.5 MIN QUAD
		NW	SW	NE	29	33N	03E	IDAHO	"
									NO G.L. FOUND


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33N	03E	29			S														
												</							

FEB 26 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	NA	NA	NA	Gravity	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

FEB 20 1980

E. NARRATIVE/REMARKS/COMMENTS

~~H²O used to water 150 Head of cattle.~~
~~Had float system in tanks to fill as needed.~~

175' OF 4" TILE WAS USED TO COLLECT WATER FROM
SPRING + UNDAMMED STREAM. FROM THE TILE, WATER
FLOWED INTO A CULVERT HEADBOX AND TO TWO
TRACTOR TIRE WATER TROUGHS.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
6 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

RATE BASED ON STANDARD FOR 150 HEAD OF STOCK.**G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:****VOLUME BASED ON STANDARD FOR 150 HEAD OF STOCK.****H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Stock water</u>	<u>01-01</u>	<u>12-31</u>	<u>.05</u>	<u>27</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.05</u>	<u>27</u>

2. Recommended Amendments


___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name Josh M^E Crocker Date 11/1/95

Reviewer _____ Date _____

SEAL

FEB 26 1996



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # _____

P H O T O G R A P H S



Spring - cistern

Stock Tank

Stock Tank

FEB 26 1996

January 19, 1995

EDWARD A CLARK
RT 2 BOX 81A
KAMIAH ID 83536

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 85-07613

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
JAN 20 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 3, 1995

EDWARD A CLARK
RT 2 BOX 81A
KAMIAH ID 83536

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 85-07613

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

JAN 20 1995

Affidavit of Publication

RECEIVED

DEC 05 1994

IDWR

STATE OF IDAHO, }
County of Idaho, } ss.

I, ROBERT E. WHERRY, being first duly sworn, depose and say that I am the Publisher of the COTTONWOOD CHRONICLE, a weekly newspaper, published and issued weekly at Cottonwood, Idaho County, State of Idaho, which is of general circulation in said county and state, that the said notice, of which the one hereto is attached is a true copy, was published in said newspaper for 2 weeks being published 2

times, the first publication being on the 17th

day of November, 19 94, and the last

publication on the 24th day of

November, 19 94; and that the said notice was published in the newspaper proper and not in a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight (78) consecutive weeks prior to the first publication of said notice or advertisement.

Robert E. Wherry

STATE OF IDAHO, }
County of Idaho, }

On this 30th day of November in the year of 1994, before me, a Notary Public, personally appeared Robert E. Wherry, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true and acknowledged to me that he executed the same.

Robert E. Wherry
Notary Public for Idaho

Residing at Cottonwood

My commission expires: 12/94

RECORDED

JAN 20 1995

Notice

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

85-07612

CLARK, EDWARD A

RT 2 BOX 81A

KAMIAH, ID 83536

Source: SPRING Tributary: THORN SPRINGS CREEK

Source: UNNAMED STREAM Tributary: THORN SPRINGS CREEK

Diversion Pt: SWSWNE Sec 28 T 33N R 03E in IDAHO County.

SWNWSW Sec 28 T 33N R 03E in IDAHO County.

Use: STOCKWATER (.060 CFS)

Total Diversion: (.060 CFS)

Date Filed: 11/2/1994

In: IDAHO County

T33N R03E S28 NWSW

85-07612

CLARK, EDWARD A

RT 2 BOX 81A

KAMIAH, ID 83536

Source: UNNAMED STREAM Tributary: THORN SPRINGS CREEK

Source: SPRING Tributary: THORN SPRINGS CREEK

Diversion Pt: NWSWNE Sec 29 T 33N R 03E in IDAHO County

SWSWNE Sec 29 T 33N R 03E in IDAHO County

Use: STOCKWATER (.060 CFS)

Total Diversion: (.060 CFS)

Date Filed: 11/2/1994

In: IDAHO County

T33N R03E S29 SWNE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before DECEMBER 5, 1994.

R. Keith Higginson, Director

Published in the Cottonwood Chronicle 11/17/1994 & 11/24/1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 9, 1994

Edward A. Clark
Rt. 2, Box 81A
Kamiah, ID 83536

Subject: Water Appropriations Application Permit Numbers 85-07612 & 85-07613

Dear Mr. Clark:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N008420. Please refer to your Application for Permit Numbers in future matters concerning these water right applications.

Your Applications for Permits are currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your applications are not protested, they will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the applications are not protested. If your Applications for Permit are protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Applications for Permits can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Applications for Permits and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt
AB:db

RECEIVED
JAN 20 1995

85-07613

CLARK, EDWARD A
RT 2 BOX 81A
KAMIAH, ID 83536

Source: UNNAMED STREAM
Source: SPRING

Tributary: THORN SPRINGS CREEK
Tributary: THORN SPRINGS CREEK

Diversion Pt: NWSWNE Sec 29 T 33N R 03E in IDAHO County.
SWSWNE Sec 29 T 33N R 03E in IDAHO County.

Use: STOCKWATER (.060 CFS)
Total Diversion: (.060 CFS)

Date Filed: 11/ 2/1994

In: IDAHO County
T33N R03E S29 SWNE

11/20/1995