





N ←

PLAN VIEW
Not Drawn To Scale
Measurements are approximate

NOTE:

All PVC used must be bedded

Utilities are:

- ☒ Not present
☐ located on plan/
 design & SCS-ENG 6
 completed

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

X

Cooperator

CONSTRUCTION SPECIFICATIONS
 ID-SS-E574,516, 614 ATTACHED

Date:

JAN 20 1995

862-#94-48

Job Class II


Ed Clark
 Spring Development #1
 Idaho SWCD

U. S. DEPARTMENT OF AGRICULTURE
 SOIL CONSERVATION SERVICE

Designed: R. J.	Date: 3-94	Approved by: R. J.
Drawn: R. J.	Date: 3-94	Title: S-C-T
Traced:		Title:
Checked:		Sheet No. 1
		Drawing No. 1

Use Galvanized Pipe
PVC "must be bedded" if used
Culvert Headbox

Headbox Detail
Not Drawn To Scale



I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are: ☒ Not present

☐ located on plan/
design & SCS-ENG 6
completed

Cooperator _____

Date: _____

CONSTRUCTION SPECIFICATIONS
ID-SS-E _____ ATTACHED

862-#94-48

Job Class II

Ed Clark
Spring #1


Idaho SWCD

U. S. DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

Designed By <u>RSJ</u>	Approved By <u>RSJ</u>
Date <u>3-94</u>	Title <u>SCS</u>
Checked <u>RSJ</u>	Drawn <u>RSJ</u>
Created <u>RSJ</u>	Sheet <u>2</u> of <u>3</u>

MICROFILMED
JAN 20 1995

Fire Trough Detail
Not Drawn To Scale



10' minimum of Galvanized Pipe Beyond
The edge of The Trough, on Both sides

Utilities are:

- ☒ Not present
☐ located on plan/
design & SCS-ENG 6
completed

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Cooperator


Date:

CONSTRUCTION SPECIFICATIONS
ID-SS-E _____, ATTACHED

862 - #94-48		Job Class <u>II</u>	
Ed Clark Spring #1			
Idaho SWCD			
U.S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE			
Designed by <u>RB</u>	3-94	Approved by <u>RB</u>	3-94
Drawn by <u>RB</u>	3-94	Checked by <u>RB</u>	3-94
Sheet No. <u>3</u>	of <u>3</u>	Drawn by	

MICROFILMED
JAN 20 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward A. Clark
(Applicant)

RECEIVED
JAN 20 1995


Hand-drawn diagram on graph paper. A rectangular area is outlined with a thick black line. A diagonal line runs from the bottom-left corner to the top-right corner. The text "P4 1/4 SE 1/4" is written along the diagonal line. The text "UNARMED STREAM" is written vertically along the diagonal line. A small square labeled "PD" is located on the diagonal line. A circle labeled "PU" is located below the square. A yellow arrow points to the top-right corner of the rectangle.

Photo of Diversion and System Attached

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

FEB 26 1996



CLARK
T. 33 N., R. 3 E.

FEB 26 1996

PERMIT # 85-7612

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



TIRE
TROUGH



SPRING, BEY
AND STREAM

FEB 26 1996

Affidavit of Publication

STATE OF IDAHO, }
County of Idaho, } ss.

I, ROBERT E. WHERRY, being first duly sworn, depose and say that I am the Publisher of the COTTONWOOD CHRONICLE, a weekly newspaper, published and issued weekly at Cottonwood, Idaho County, State of Idaho, which is of general circulation in said county and state, that the said notice, of which the one hereto is attached is a true copy, was published in said newspaper for 2 weeks being published 2

times, the first publication being on the 17th day of November, 19 94, and the last

publication on the 24th day of

November, 19 94; and that the said notice was published in the newspaper proper and not in a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight (78) consecutive weeks prior to the first publication of said notice or advertisement.

Robert E. Wherry

STATE OF IDAHO, }
County of Idaho, }

On this 30th day of November in the year of 1994, before me, a Notary Public, personally appeared Robert E. Wherry, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true and acknowledged to me that he executed the same.

Robert E. Wherry
Notary Public for Idaho

Residing at Cottonwood

My commission expires: 12/94

RECEIVED

DEC 05 1994

NOTARY PUBLIC
IDAHO

Notice

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

85-07612

CLARK, EDWARD A
RT 2 BOX 81A
KAMIAH, ID 83536

Source: SPRING Tributary:
THORN SPRINGS CREEK

Source: UNNAMED
STREAM Tributary: THORN
SPRINGS CREEK

Diversion Pt: SWSWNE Sec
28 T 33N R 03E in IDAHO
County.

SWNWSW Sec 28 T 33N R
03E in IDAHO County.

Use: STOCKWATER (.060
CFS)

Total Diversion: (.060 CFS)

Date Filed: 11/2/1994

In: IDAHO County

T33N R03E S28 NWSW

85-07613

CLARK, EDWARD A
RT 2 BOX 81A
KAMIAH, ID 83534

Source: UNNAMED
STREAM Tributary: THORN
SPRINGS CREEK

Source: SPRING Tributary:
THORN SPRINGS CREEK

Diversion Pt: NWSWNE Sec
29 T 33N R 03E in IDAHO
County

SWSWNE Sec 29 T 33N R
03E in IDAHO County

Use: STOCKWATER (.060
CFS)

Total Diversion: (.060 CFS)

Date Filed: 11/2/1994

In: IDAHO County

T33N R03E S29 SWNE

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before DECEMBER 5, 1994.

R. Keith Higginson, Director
Published in the Cottonwood
Chronicle 11/17/1994 & 11/24/
1993

RECORDED

JAN 20 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07612

Priority: November 2, 1994

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

2.0 AF

This is to certify, that EDWARD A CLARK

RT 2 BOX 81A

KAMIAH ID 83536

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 2, 1994; and has submitted Proof of Beneficial Use on January 11, 1995. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from:

SPRING

tributary to THORN SPRINGS CREEK

UNNAMED STREAM

tributary to THORN SPRINGS CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.05 CFS	2.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNWSW , Sec. 28, Township 33N, Range 03E

SWNWSW , Sec. 28, Township 33N, Range 03E

IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

33N 03E 28

NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.


FEB 26 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07612

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of FEBRUARY, 1996.


Acting for KARL J. DREHER, Director



FEB 26 1996

RECEIVED
JAN 11 1995
Department of Water Resources

FOR OFFICE USE ONLY
Amt. of Fee \$: 100.00
Receipt No: C031957
Receipt By: RT
Date Received: 1-11-95

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 85-07612 Telephone No. (208) 935-2408
2. Name(s) of Permit Holder(s): Edward A. Clark
3. Mailing Address: Rt. 2 Box 81A, Kamiah, ID 83536
4. Source of Water: Unnamed stream / Spring If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
 - a. Well Driller: N/A Drilling Permit Number: ____ - ____ - ____
 - b. **OPTIONAL:**
Pump Horsepower: N/A Pressure (psi): ____ Dynamic pumping level (ft): ____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): ____ Stockwater (No. and type of stock): 150 beef cattle
Irrigation (No. of acres): ____ Other: ____
6. Total rate of diversion and/or volume for which proof is submitted: 0.06 cfs OR ____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes ____ or No <u>X</u>
	Has the measuring device been installed?	Yes ____ or No ____
Flow Measurement Port:	Is a flow measurement port required?	Yes ____ or No <u>X</u>
	Has the measurement port been installed?	Yes ____ or No ____
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Edward A. Clark Telephone Number: (208) 935-2408
Address: Rt. 2 Box 81A, Kamiah, ID 83536
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Edward A. Clark Date: 1/8/95
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 85-07612

Proposed Priority: November 2, 1994 Maximum Diversion Rate: 0.06 CFS

This is to certify, that **EDWARD A CLARK**
RT 2 BOX 81A
KAMIAH ID 83536

has applied for a permit to appropriate water from:

SPRING
UNNAMED STREAM

tributary of **THORN SPRINGS CREEK**
tributary of **THORN SPRINGS CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.06 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION:

SWSWNE , Sec. 28, Township 33N, Range 03E
SWNWSW , Sec. 28, Township 33N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

33N 03E 28 NWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1996.
2. Subject to all prior water rights.
3. A separate stream alteration permit from the IDWR is required for any activity in the stream channel other than construction and/or maintenance of the diversion structure. If the proposed construction or operation involves construction of an outfall or any other work in the stream channel other than a water diversion, the right holder contact the Department and obtain a Stream Channel Alteration permit prior to the start of construction.
4. Stockwater use is for 150 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3rd day of January, 1995.

JAN 20 1995

R. Keith Higginson
R. Keith Higginson, Director

RECEIVED
DEC 15 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 85-07612

Department of Water Resources To appropriate the public waters of the State of Idaho

1. Name of applicant Edward A. Clark Phone 935-2408
Post office address Rt. 2, Box 81A Kamiah, ID 83536
SPRING THORN SPRINGS CREEK
2. Source of water supply Unnamed Stream which is a tributary of Thorn Springs Creek
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 33N Range 03E B.M. Idaho County; additional
points of diversion if any: SW $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec 28 Twn 33N Rge 3E
4. Water will be used for the following purposes:
Amount 0.06 cfs for stockwater purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.06 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Spring development
by means of 4" tile intake supply pipe into concrete
headbox to rubber tire trough.
 - b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? N/A **MICROBIOLOGICAL**
 - e. If well is already drilled, when? N/A; Drilling firm _____ JAN 20 1995
Well was drilled for (well owner) _____
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
N/A years (minimum 1 year).

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. 150 head beef cattle
- c. Municipal; show name of municipality. N/A
- d. Domestic; show number of households. N/A
- e. Other; describe fully. N/A

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
33N	03E	28										S							

Total number of acres to be irrigated N/A


10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Edward A. Clark
- b. Who owns the land to be irrigated or place of use? Edward A. Clark
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. N/A

12. Remarks: See attached SCS plans; development completed 7/94.

Minneapolis

JAN 20 1995



2776 II NW
(NEZPERCE)


RO3E
32 N.

BS-7612

JAN 20 1985

N ←

PLAN VIEW
Not Drawn To Scale
Measurements are Approximate

NOTE:

All PVC used must be bedded

Utilities are: ☒ Not present
☐ located on plan/
 design & SCS-ENG 6
 completed

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

X _____
 Cooperator

Date: _____

CONSTRUCTION SPECIFICATIONS 20 1995
 ID-SS-E574,516, 614 ATTACHED

862-#94-48

Job Class II


Ed Clark
 Spring Development #1
 Idaho SWCD

U. S. DEPARTMENT OF AGRICULTURE
 SOIL CONSERVATION SERVICE

Designed	RJ	Date	3-94	Approved by	RJ
Drawn	RJ	Date	3-94	Title	SCS
Traced				Sheet	1
Checked				Drawing No.	1

Use Galvanized Pipe
PVC "must be bedded" if used
Culvert Headbox

Headbox Detail
Not Drawn To Scale



Utilities are:

- ☒ Not present
☐ located on plan/
design & SCS-ENG 6
completed

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Cooperator


Date:

CONSTRUCTION SPECIFICATIONS
ID-SS-E _____, ATTACHED

862-#94-48		Job Class 11	
Ed Clark Spring #1			
Idaho SWCD			
U.S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE			
Designed by: L.S. 3-94	Approved by: [Signature]	Drawn: [Signature]	3-94
Checked: [Signature]	at 3	Sheet: 2	of 2

RECEIVED
JAN 20 1995

Fire Trough Detail
Not Drawn To Scale



10' minimum of Galvanized Pipe Beyond The edge of The Trough on Both sides

I have reviewed the plans and specifications and agree to construct this project to the best of my ability in accordance with them.

Utilities are: ☒ Not present

☐ located on plan/ design & SCS-ENG 6 completed


Cooperator _____ Date: _____

CONSTRUCTION SPECIFICATIONS
 ID-SS-E _____ ATTACHED

862 - 794-48		Job Class II	
Ed Clark Spring #1			
IADL SWCD			
U. S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE			
Original	18 3-98	Approved by	18 3-98
Drawn	18 3-98	Title	18 3-98
Traced		Sheet	18 3-98
Checked		Drawn by	18 3-98

JAN 20 1995

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

RECORDED

JAN 20 1995

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Edward A. Clark

(Applicant)

Received by db Date 11/2/94 Time 2:50p Preliminary check by AS
Fee \$ 50⁰⁰ Receipted by db # N008420 Date 11/2/94
Publication prepared by db Date 11/9/94 Published in Idaho News Chronicle "11+24"
Publication approved _____ Date _____ 94

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JAN 20 1995

Master Map



TOM & JOANNE SCHUSTER
ROUTE 2 BOX 31
KAMIAH, IDAHO 83536

DATE July 20/94

NAME	Ed Clark
ADDRESS	Kanjan Idaho 83406

SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RETD.	PAID OUT
---------	------	--------	--------	----------	----------------	----------

QUAN.		DESCRIPTION	PRICE	AMOUNT
6 hrs	1	Labor	12	78 00
13 hrs	2	backhoe	40	520 00
1	3	Tire Trough	100	100 00
	4			<u>698 00</u>
	5			
	6			
	7			
	8			
	9			
	10			
	11			
	12			

TOP SECRET - REFERENCE
SECRET - REFERENCE

RECEIVED
JAN 20 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 15, 1996

EDWARD A CLARK
RT 2 BOX 81A
KAMIAH ID 83536

RE: WATER RIGHT NO. 85-07612

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.


Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure



FEB 26 1996

BRENDA

NAME	Change	OK	Or Address Change?
PRIORITY DATE		☒	Advance? <u> </u> Advanced to: <u> </u> Order to reinstate needed? <u> </u> Incorrect fee for rate recommended? <u>NO</u>
SOURCE		☒	Changes or just clarification of originally intended source? <u> </u> Notice of Intent to Void necessary? <u> </u>
POINT OF DIV		☒	Amendment needed? <u>DELETE SWNE DIV POINT</u>
PLACE OF USE		☒	Overlaps? <u> </u>
DIV RATE		☒	Amendment needed? <u> </u> Overlaps? <u> </u>
ANNUAL VOLUME		☒	Permit/fee limits: <u>.06 CFS / 150 cattle</u> Meas Q = <u> </u> Theo Q = <u> </u> Recommend: <u>.05</u> <u>PER STOCK MEM (4-7-75) 150 cattle rate is .05</u> Combined rates exceed capacity <u> </u>
USES		☒	Volume Limit: <u> </u> Season: <u> </u> Calculations: <u>150 cattle = 2.4 f for yr</u> Flow limit: <u> </u> cfs x <u> </u> x 1.9835 = <u> </u> Combined volumes exceed capacity/allowable <u> </u>
ADDITIONAL INFO		☒	Change in Nature of Use or additional uses? <u> </u> Amendment necessary? <u> </u>
NEW REMARKS		☒	Replaces Surface Water <u>050</u> Supplemental GW <u> </u> Irr/Dom Combination <u>WB5</u> PPU Recommendation <u> </u> Boise River/Wood River Source Aes/Rec Uses <u>W38</u>
NEW CONDITIONS		☒	Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$? <u> </u> Other <u> </u>
COMMENTS:		☒	WM Control- District <u> </u> Meas/Lock Devices <u> </u> Irrigation Overlap <u> </u> Other <u> </u> Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
Stockwater	.05	2.0		YES
			LICENSE	✓
			1ST AMEND LETTER	
			2ND AMEND LETTER	

MEMORANDUM

TO: File 85-07612 / Edward Clark
FROM: Brenda Chapman
DATE: February 9, 1996
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 85-07612 are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.05	2.0

The volume recommendation has been reduced to the standard for 150 head of cattle.

26 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 25 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 85-7612

1. Owner: Edward A Clark Phone No. 935-2408

Current Address: RT 2 Box 81A Kamiah Id 83536

2. Accompanied by: owner EXAM DATE: 6/26/95

Address: Same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: SPRING
unnamed stream tributary to QUANAH STREAM
Down Springs Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N/A

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
SPRING		SW	NW	SW	28	33N	03E	IDAHO	USGS 7.5 QUAD
STREAM			NW	SW	28	33N	03E	IDAHO	USGS 7.5 QUAD


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33N	3E	28									S								

FEB 26 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = **NTS**

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

FEB 26 1996

E. NARRATIVE/REMARKS/COMMENTS

Water from spring and creek used for
stock. These systems gravity fed to
stock tanks on drip system to keep
tanks full.

Have conditions of permit approval been met? ☒ yes ☐ no

FEB 26 1996

F. FLOW CALCULATIONS

Measured Method:

____ Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*

$$\begin{array}{r} \text{cattle} \\ 12960 \times 150 \times 365 \\ \hline 43560 \end{array}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Stock Water	01-01	12-31	.05	15.1
Totals:			.05	15.1

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other


I. AUTHENTICATION

Field Examiner's Name Ed McCracken Date 11/13/95

Reviewer _____ Date _____

* See adjustment memo. BC

SEAL
FEB 26 1996



January 18, 1996

Mr. Edward A Clark
Rt 2 Box 81A
Kamiah ID 83536

RE: Field Examination for Water Right Permit Numbers 85-07612 &
85-07613

Dear Mr. Clark:

During the review of the above files it was not clear from our examiners reports if both of the Water Right Permits were for 150 head of stock for a total of 300, or if combined they served 150 head of stock.

The only difference it will make will be the annual volume of water that will be assigned to each Water Right License.

If you have a total of 300 head of stock please contact me at this office, otherwise we will recommend that both of these water rights serve 150 head of stock total.

Sincerely,


Allen Beardslee
Sr. Water Resource Agent

FEB 26 1996

PERMIT # 85-7612

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



TIDE
TROUGH

SPRING BEY
AND STREAM

FEB 26 1986

January 19, 1995

EDWARD A CLARK
RT 2 BOX 81A
KAMIAH ID 83536

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 85-07612

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
JAN 20 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 3, 1995

EDWARD A CLARK
RT 2 BOX 81A
KAMIAH ID 83536

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 85-07612

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

RECEIVED
JAN 20 1995

Affidavit of Publication

DEC 05 1994

STATE OF IDAHO, }
County of Idaho, } ss.

I, ROBERT E. WHERRY, being first duly sworn, depose and say that I am the Publisher of the COTTONWOOD CHRONICLE, a weekly newspaper, published and issued weekly at Cottonwood, Idaho County, State of Idaho, which is of general circulation in said county and state, that the said notice, of which the one hereto is attached is a true copy, was published in said newspaper for 2 weeks being published 2

times, the first publication being on the 17th day of November, 1994, and the last

publication on the 24th day of

November, 1994; and that the said notice was published in the newspaper proper and not in a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight (78) consecutive weeks prior to the first publication of said notice or advertisement.

Robert E. Wherry

STATE OF IDAHO, }
County of Idaho, }

On this 30th day of November in the year of 1994, before me, a Notary Public, personally appeared Robert E. Wherry, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true and acknowledged to me that he executed the same.

John E. Wherry
Notary Public for Idaho

Residing at Cottonwood

My commission expires: 12/94

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

CLARK, EDWARD A
RT 2 BOX 81A
KAMIAH, ID 83536

Source: SPRING Tributary: THORN SPRINGS CREEK

Source: UNNAMED Stream Tributary: THORN SPRINGS CREEK

Diversion P: SWNE Sec 28 T 33N R 03E in IDAHO County.

SWNE Sec 28 T 33N R 03E in IDAHO County.

Use: STOCKWATER (.000 CFS)

Total Diversion: (.000 CFS)

Date Filed: 11/2/1994

In: IDAHO County

TSAN 203E 33N SWNE

CLARK, EDWARD A

RT 2 BOX 81A

KAMIAH, ID 83534

Source: UNNAMED

Stream Tributary: THORN SPRINGS CREEK

Source: SPRING Tributary: THORN SPRINGS CREEK

Diversion P: NWSNE Sec 29 T 33N R 03E in IDAHO County.

SWNE Sec 29 T 33N R 03E in IDAHO County

Use: STOCKWATER (.000 CFS)

Total Diversion: (.000 CFS)

Date Filed: 11/2/1994

In: IDAHO County

TSAN 203E 33N SWNE

For additional information concerning the property location, call the Northern Regional Office at (208) 760-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before DECEMBER 5, 1994.

R. Keith Haggblom, Director
Published in the Cottonwood Chronicle 11/17/1994 & 11/24/1994

RECORDED

JAN 20 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 9, 1994

Edward A. Clark
Rt. 2, Box 81A
Kamiah, ID 83536

Subject: Water Appropriations Application Permit Numbers 85-07612 & 85-07613

Dear Mr. Clark:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N008420. Please refer to your Application for Permit Numbers in future matters concerning these water right applications.

Your Applications for Permits are currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your applications are not protested, they will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the applications are not protested. If your Applications for Permit are protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Applications for Permits can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Applications for Permits and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt
AB:db

NOV 10 1994

JAN 20 1995


From the desk of -

ED CLARK

245-6426

Please find the following
enclosed :

(2) applications for Permit
with copies of SCS
plans, map/photos,
and proof of completion
(ie copies of invoices),
and check for \$100



JAN 20 1995

85-07612

CLARK, EDWARD A
RT 2 BOX 81A
KAMIAH, ID 83536

Source: SPRING
Source: UNNAMED STREAM

Tributary: THORN SPRINGS CREEK
Tributary: THORN SPRINGS CREEK

Diversion Pt: SWSWNE Sec 28 T 33N R 03E in IDAHO County.
 SWNWSW Sec 28 T 33N R 03E in IDAHO County.

Use: STOCKWATER (.060 CFS)
 Total Diversion: (.060 CFS)

Date Filed: 11/ 2/1994

In: IDAHO County
 T33N R03E S28 NWSW

RECORDED

JAN 20 1995