





Grangeville East, Quad Sheet
T-30N R-3E
Sec. 17

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
				gravity fed	


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements: None



2 1/4 MI. TO IDAHO 7

57°30'

5089

5088

2775' NW
(GRANGEVILLE WEST)

COTTONWOOD 15 MI.
0.2 MI. TO U.S. 95

5086

5085

55'

COUNTY AIRPORT

Sewage Disposal

Gravel Pit

Grangeville

DAMAS PRAIRIE

CUNNINGHAM Park

Armory

FLORENCE ST

MEADOW

IDAHO ST

MAIN ST

AVE

ST

ST

ST

ST

Threemile Creek

Creek


16

21

RECEIVED
FEB 26 1996

30N 3E S17

Drive-in Theater



85-07562

Mr. Rylaarsdam's
P. U.



Mr. Rylaarsdam's
P. D.



RECEIVED

FEB 26 1996

AFFIDAVIT OF PUBLICATION



STATE OF IDAHO
County of Idaho - ss.

Marietta Hanson

first duly sworn, says she is the Bookkeeper of the
IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho,
and is of general circulation in said county and state, that the
said notice, of which the one hereto attached is a true copy, was
published in said paper for two weeks, being published
two times, the first publication being on the
18th day of September, 1991,
and the last publication on the 25th day of
September, 1991; that the said notice was
published in the newspaper proper and not a supplement; that
said newspaper has been continuously and uninterruptedly
published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or
advertisement.

Marietta Hanson

STATE OF IDAHO }
COUNTY OF }

On this 25th day of September in the year
of 1991, before me, a Notary Public, personally
appeared Marietta Hanson, known or
identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me
that he executed the same.

[Signature]
Notary Public for Idaho
Residing at Grangeville, Idaho
My commission expires: 9-10-92

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT
APPLICATION FOR PERMIT NO. 85-
7562 in the name of Bob L. &/or Marinus
Rylaarsdam was advertised incorrectly
on August 21 & 28, 1991.

The place of use was incorrectly
described as T30N R30E S17 NWSE;
whereas, correctly it should be T30N
R3E S17 NWSE.

(For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.)

Protests to the above-referenced
correction must be filed with the
Director, Dept. of Water Resources,
1910 Northwest Blvd., Suite 210, Coeur
d'Alene, Id. 83814 on or before October
7, 1991.

R. KEITH HIGGINSON, Dir.
Published in the Idaho County Free Pres
on 9/18 & 25/1991.

S18-25

OK
9/30/91

RECEIVED
NOV 21 1991

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Idaho - ss.

Marietta Hanson

....., being first duly sworn, says she is the Bookkeeper..... of the IDAHO COUNTY FREE PRESS, a weekly newspaper published and issued weekly at Grangeville, Idaho county, State of Idaho, and is of general circulation in said county and state, that the said notice, of which the one hereto attached is a true copy, was published in said paper for two..... weeks, being published two..... times, the first publication being on the 21st..... day of August....., 19⁹¹....., and the last publication on the 28th..... day of August....., 19⁹¹.....; that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight consecutive weeks prior to the publication of said notice or advertisement.

Marietta Hanson

STATE OF IDAHO }

}

COUNTY OF }

On this 28th..... day of August..... in the year of 1991....., before me, a Notary Public, personally appeared Marietta Hanson....., known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Residing at Grangeville, Idaho.....

My commission expires: 9-10-92.....

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

85-07562

RYLAARSDAM, BOB. L

RYLAARSDAM, MARINUS

RT 2 BOX 87

GRANGEVILLE, ID 835309607

Source: UNNAMED STREAM

Tributary: THREEMILE CREEK

Diversion Pt. NWNWSE Sec 17 T 30N R 03E

Use: STOCKWATER STORAGE (.27 AF)

DIVERSION TO STORAGE (.200 CFS)

Total Diversion: (.200 CFS)

Date Filed: 8/9/1991

In: T30N R30E S17 NWSE

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before SEPTEMBER 9, 1991.

R. KEITH HIGGINSON, Director
A21-28

RECEIVED

AUG 30 1991

NORTHERN REGION
IDWR

RECEIVED

NOV 21 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07562

Priority: August 9, 1991

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.2 AF

This is to certify, that MARINUS RYLAARSDAM
BOB L RYLAARSDAM

RT 2 BOX 87

GRANGEVILLE ID 83530-9607

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 9, 1991; and has submitted Proof of Beneficial Use on October 1, 1992. An examination indicates that the works have a diversion capacity of 0.000 cfs of water from:

UNNAMED STREAM

tributary to THREEMILE CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER STORAGE	01/01 to 12/31		0.2 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.02 CFS	
	Totals	0.02 CFS	0.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE, Sec. 17, Township 30N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER STORAGE

TWN RGE SEC

30N 03E 17

NWSE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater storage use is for 10 range cattle.

FEB 26 1996


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07562

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14th
day of DECEMBER, 1995.


Acting for KARL J. DREHER, Director



1-31261096

RECEIVED

SEP 21 1992

Department of Water Resources

RECEIVED

SEP 30 1992

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 50.00

Date 10-1-92

Receipt No. 0025633

Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 85-07562 Telephone No. 983-1515
2. Name(s) of Permit Holder(s): Bob L. Rylaarsdam & MARINUS RYLAARSDAM
3. Mailing Address: RR 2 Box 87 Grandville, ID 83530
4. Source of Water: UNNAMED STREAM, tributary of Three Mile Creek

If GROUNDWATER, Well Driller's Name: _____ Date Drilled: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater 10 Beef CATTLE (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .2 cfs OR .2 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR
Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Bob L. RYLAARSDAM (208) 983-1515
Name Telephone No.

Same as above
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9-16-92 Bob L. Rylaarsdam
Date Signature (and title, if on behalf of a company or organization)

DEC 11 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 85-07562

Proposed Priority: August 9, 1991 Maximum Diversion Rate: 0.20 CFS

This is to certify, that **BOB L RYLAARSDAM**
MARINUS RYLAARSDAM
RT 2 BOX 87
GRANGEVILLE ID 835309607

has applied for a permit to appropriate water from:

UNNAMED STREAM tributary of **THREEMILE CREEK**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER STORAGE	01/01 to 12/31		0.2 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.20 CFS	
	Totals	0.20 CFS	

LOCATION OF POINT(S) OF DIVERSION: NWNWE Sec. 17, Township 30N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER STORAGE
TWN RGE SEC

30N 03E 17 NWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1992.
2. Subject to all prior water rights.
3. Stockwater storage use is for 10 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

11th day of October, 1991.

[Signature]
for R. Keith Higginson, Director

RECEIVED

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

- X1. Name of applicant MARINUS ^{OR} BOB L. RYLAARSDAM Phone (208) 983-1515
Post office address R.R. 2 Box 87, GRANGEVILLE, Idaho 83530-9607
2. Source of water supply unnamed Stream which is a tributary of Threemile Creek
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 17 Township 30 N Range 3 E B.M. Idaho County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .27 aF for STORAGE FOR Livestock water purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .2 cfs for DIVERSION TO STORAGE purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) .27
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. a ditch 2x2x50 feet will connect the stream channel to the storage pond.
b. Height of storage dam 4 feet; active reservoir capacity .24 acre-feet; total reservoir capacity .27 acre-feet; period of year when water will be diverted to storage: Jan. 1 to Dec. 31 inclusive.
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1.5 years (minimum 1 year).

NOV 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. NA
- b. Stockwatering; list number and kind of livestock. 10 - cattle
- c. Municipal; show name of municipality. NA
- d. Domestic; show number of households. NA
- e. Other; describe fully. NA

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
30N	3E	17										\$				\$			PER MAP TDX


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NA

- X 11. a. Who owns the property at the point of diversion? MARINUS & BOB L. RYLAARSDAM
- b. Who owns the land to be irrigated or place of use? MARINUS & BOB L. RYLAARSDAM
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOV 21 1991



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 15, 1995

MARINUS RYLAARSDAM
BOB L RYLAARSDAM
RT 2 BOX 87
GRANGEVILLE ID 835309607

RE: WATER RIGHT NO. 85-07562

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

FEB 26 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 85-07562 DATE 12-12-95



NAME Change OK ☒ Or Address Change?

PRIORITY DATE ☒ Advance? Advanced to:
 Order to reinstate needed?
 Incorrect fee for rate recommended?

SOURCE ☒ Changes or just clarification of originally intended source?
 Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed?
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps?

DIV RATE ☒ Permit/fee limits: .20 CFS STOCK STORAGE .2 AF
 Meas Q = Theo Q = Recommend: .02
 None - no water running at time - rate of
 .02 CFS determined from # of cattle in a feasible
 Combined rates exceed capacity recommendation.

ANNUAL VOLUME ☒ Volume Limit: .2 af (Storage) Season: 1-1 to 12-31
 Calculations: Pond volume = .8 af
 DIV TO STORAGE VOL N/A
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses? DO NOT
 Amendment necessary? ADD STOCKWATER

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
 Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$?
 Other

NEW CONDITIONS Watermaster control - District
 Measuring/Locking Devices
 Irrigation Overlap
 Other
 Water Quality Heat/Cool/Fish verified

COMMENTS:

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Stockwater</u>	<u> </u>	<u> </u>	Adjustment Memo Needed	<u>YES</u>
<u>Storage</u>	<u> </u>	<u>.2</u>	LICENSE	☒
<u>Div to Storage</u>	<u>.02</u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>

RECEIVED
DEC 14 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 85-07562

1. Owner: Bob L Rylaarsdam Phone No. (208) 983-1515

Current Address: Rt. 2 Box 87 Grangeville, ID 83830

2. Accompanied by: Mr. Rylaarsdam EXAM DATE: 8/16/94

Address: same Phone No. same

Relationship to Permit Holder: Owner

3. Source: Unnamed Stream tributary to Threemile Creek

B. OVERLAP REVIEW

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	SE	17	30N	3E	Idaho	U.S.G.S. Topo.

2. Place(s) of Use:


Indicate Method of Determination U.S.G.S. Topo.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

5

6 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = 100'

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 X Aerial Photo Attached (required for irrigation of 10+ acres)
 X Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
				gravity fed	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

E. NARRATIVE/REMARKS/COMMENTS

The unnamed stream was dried up when the exam was done. No measurement was taken.

The diversion is a ditch constructed to let water flow into the pond during high flow. There is a 1 1/4" pipe used for the overflow for the pond.

Have conditions of permit approval been met? ☒ yes ☐ no

FEB 26 1996

F. FLOW CALCULATIONS

Measured Method:

None

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

None

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$

2. Volume Calculations for Other Uses:

$\text{Pond surface area. } (60' \times 75' \times 8' \text{ deep}) \frac{43,560}{60' \times 75'} = .1 \text{ acres}$
 $10 \text{ cattle} = .02 \text{ cfs}$

$\text{Pond capacity} = .1 \text{ acres} \times 8' \text{ deep} = .8 \text{ ac.ft.}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Stockwater storage
 Diversion to storage
 Stockwater

From
 To

Period of Use
 To
 From

Rate of Diversion
 Q (cfs)

Annual Volume
 V (afa)

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☒ None
☐ Add P.U. as reflected above
☐ Other

I. AUTHENTICATION

Field Examiner's Name

Don M. Kuntz

Date

9/6/94

Reviewer

Date

SEAL

* See memo, BC

FEB 26 1996

MEMORANDUM

TO: File 85-07562 / Bob L. Rylarrsdsam
FROM: Brenda Chapman
DATE: December 12, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 85-07562 are based on the information below:

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use: This portion was not completed; however the rest of the exam provided enough information to make the place of use location recommendation.

F. FLOW CALCULATIONS

Because there was no water flowing in the stream at the time of the exam, the recommended rate (also capacity) has been determined by the what the rate of flow for 10 cattle would need to be. The reduced rate of .02 cfs is an acceptable estimation in lieu of an actual measurement.

G. VOLUME CALCULATIONS

Even though the pond volume is .8 af, the permit is limited to .2 af of stockwater storage.


H. RECOMMENDATIONS


1. Recommended Amounts


Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater Stor	1-01 to 12-31		.2
Div to Storage	1-01 to 12-31	.02	

Stockwater does not need to be added to this permit.

RECEIVED
DEC 15 1995
FBI - MEMPHIS










85-07562

Mr. Rylaarsdam's
P. U.



Mr. Rylaarsdam's
P. D.



RECEIVED
SEP 26 1996

October 2, 1992

BOB L RYLAARSDAM
MARINUS RYLAARSDAM
RT 2 BOX 87
GRANGEVILLE ID 835309607

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 85-07562

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

DEC 11 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 22, 1992

Bob and Marinum Rylaarsdam
Rt 2 Box 87
Grangeville, ID 83530

Re: Permit No. 85-07562

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted in connection with the above referenced permit. Unfortunately, it is unacceptable as filed.

You indicate the total rate of diversion to be 0.20 cfs. When the total rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 0.20 cfs is \$50. Please note the back of the enclosed instruction sheet/fee schedule.

In order to meet all of the required dates, you will need to return the properly completed form and fee no later than October 1, 1992.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

MICROFILMED

DEC 11 1992

July 31, 1992

BOB L RYLAARSDAM
MARINUS RYLAARSDAM
RT 2 BOX 87
GRANGEVILLE ID 835309607

PROOF DUE NOTICE

RE: PERMIT NO. 85-07562

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



DEC 11 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 16, 1991

BOB L RYLAARSDAM
MARINUS RYLAARSDAM
RT 2 BOX 87
GRANGEVILLE ID 835309607

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 85-07562

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,


PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

RECEIVED
NOV 21 1991

AFFIDAVIT OF PUBLICATION



STATE OF IDAHO

County of Idaho - ss.

Marietta Hanson

first duly sworn, says she is the Bookkeeper of the IDAHO COUNTY FREE PRESS, a weekly newspaper published and issued weekly at Grangeville, Idaho county, State of Idaho, and is of general circulation in said county and state, that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 18th day of September, 1991, and the last publication on the 25th day of September, 1991; that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of seventy-eight consecutive weeks prior to the publication of said notice or advertisement.

Marietta Hanson

STATE OF IDAHO }


COUNTY OF }

On this 25th day of September in the year of 1991, before me, a Notary Public, personally appeared Marietta Hanson, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Residing at Grangeville, Idaho

My commission expires: 9-10-92



OK
9/30/91

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 85-7562 in the name of Bob L. &/or Marinus Rylaarsdam was advertised incorrectly on August 21 & 28, 1991.

The place of use was incorrectly described as T30N R30E S17 NWSE; whereas, correctly it should be T30N R3E S17 NWSE.

(For additional information concerning the property location, call the Northern Regional Office at 765-4639.)

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Id. 83814 on or before October 7, 1991.

R. KEITH HIGGINSON, Dir.

Published in the Idaho County Free Press on 9/18 & 25/1991.

NOTIFIED

NOV 21 1991

August 13, 1991

Mr. Bob Rylaarsdam
Camas Prairie Angus Ranch
RR 2 Box 87
Grangeville, Id 83530

Re: Water Appropriation Application

55-7562

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application For Permit To appropriate the Public Waters Of The State Of Idaho, as well as the required appropriation filing fee, for which your Receipt is enclosed. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise to be considered for approval by the Director. You will be notified by mail of the Directors decision.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

Tom D. King
Sr. Water Resource Agent

Enc: Receipt

NOV 21 1991

12. 12th

NORTHERN REGION
I D W R

Maunthe Hansen

My commission expires:.....9-10-92

NOV 21 1991

85-07562

RYLAARSDAM, BOB. L
RYLAARSDAM, MARINUS
RT 2 BOX 87
GRANGEVILLE, ID 835309607

Source: UNNAMED STREAM

Tributary: THREEMILE CREEK

Diversion Pt: NWNWSE Sec 17 T 30N R 03E

Use: STOCKWATER STORAGE (.27 AF)
DIVERSION TO STORAGE (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 8/ 9/ 1991

In: T30N R03E S17 NWSE

NOV 21 1991



CAMAS PRAIRIE ANGUS RANCH

Marinus & Bob L. Rylaarsdam


R. R. 2, Box 87

Grangeville, Idaho 83530

208-983-1515

August 8, 1991

IDAHO DEPARTMENT OF WATER RESOURCES
1910 NORTHWEST BLVD., Suite 210
GEOFFREY d'Alene, ID 83814



PEOPLE;

Enclosed find our application for a storage permit. We did not realize that we needed a permit to build a pond to store livestock water. We would really appreciate it if you could get us the permit ASAP so that we can get started building the pond early this fall so that we can complete it before it becomes too wet! Also would like to have it built so that we can fill it for next year's use. The small creek dries up in the summer and it is necessary to haul water to the cattle, something we would like to avoid having to do next year.

Thank-you.

Sincerely,

Bob L. Rylaarsdam

NOV 21 1991