


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Carlton

(Applicant)

RICHARD CARLTON
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

An aerial photograph of a city grid, likely New York City, showing a dense pattern of streets and buildings. A large, bold, black number '20510358' is superimposed over the center of the image, oriented vertically. The number is composed of thick, slightly irregular strokes, giving it a hand-drawn or stamped appearance. The background shows a clear grid pattern of streets, with some larger open spaces and parks visible. The overall image has a high-contrast, grainy quality, typical of a photocopy or a low-quality scan.

NWSE

MSW

SENIOR


M N M S

2020

MNMN

NAME

85-075



440 000 FEET
(WASH.)

5147

5146

5145

5144

(LEWISTON ORCHARDS NORTH)

2676 IV NW

0.1 MI. TO U.S. 12

SPALDING 10 MI.

5141


0.6 MI. TO U.S. 12

SPALDING 11 MI.

5138

86
85





LEWISTON ORCHARDS
2676 IV NW
0.1 MI TO U.S. 12
SPALDING 10 MI

T.36N.
T.35N.

85-07536
T36NR5W
Sec. 31

Ends Just Before RR BR

MICROFILMED
APR 14 1999

WASHINGTON

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 85-07536



MICROFILMED
APR 14 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
CIVIL REPORT SUPPLEMENT

PERMIT # 85-07536



PD



PD



PD

MICROFILMED

APR 14 1999

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 85-07536

Priority: May 11, 1989

Maximum Diversion Rate:

1.03 CFS

Maximum Diversion Volume:

84.0 AF

This is to certify, that US DEPT OF DEFENSE

DEPT OF ARMY

CORPS OF ENGINEERS

BLDG 602, CITY-COUNTY AIRPORT

WALLA WALLA WA 99362-9265

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 11, 1989; and has submitted Proof of Beneficial Use on March 12, 1992. An examination indicates that the works have a diversion capacity of 1.030 cfs of water from:

CLEARWATER RIVER

tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	1.03 CFS	84.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7 (NESW), Sec. 31, Township 36N, Range 05W
NEZ PERCE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
36N	05W	31	NWNW 2	Lot 5 (SWNW) 7	SENE 1	
			Lot 7 (NESW) 7	Lot 8 (NWSE) 3		20
06W	36		NENE 1			1

Total number of acres irrigated: 21

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.05 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 10th day of

MARCH, 19 99.

Acting for  KARL J. DREHER, Director

MICROFILMED

APR 14 1999

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 85-07536

Date of Priority: May 11, 1989 Maximum Diversion Rate: 1.03 CFS
Maximum Diversion Volume: 84.0 AF

Comes now US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
BLDG 602, CITY-COUNTY AIRPORT
WALLA WALLA WA 99362-9265

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 85-07536, and requests that the permit be changed as follows:

Source: **CLEARWATER RIVER** tributary to **SNAKE RIVER**


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/01 to 11/30	1.03 CFS	84.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(NESW), Sec. 31, Township 36N, Range 05W
NEZ PERCE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
36N	05W	31	NWNW 2	Lot 5(SWNW) 7	SENE 1	
			Lot 7(NESW) 7	Lot 8(NWSE) 3		20
	06W	36	NENE 1			1

Total number of acres irrigated: 21



Melissa L. B. J.
Notary Public Comm. Expires 8/15/99
Wa.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Clarkston, Wa, this 6th day of January, 19 99.

MICROFILMED

APR 14 1999

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 85-07536

FOR DEPARTMENT USE ONLY

Preliminary check by SW Fee = 50.00 Received by HW # C044783 Date 3/9/99

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 85-07536 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.05 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 10TH day of MARCH, 1999.


Acting for KARL J. DREHER, Director

APR 14 1999

RECEIVED
MAR 12 1992

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 125⁰⁰
Date 3/16/92
Receipt # N005281
Receipt by _____
Reviewed by _____
Sent to region _____

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 85-07536

Name(s) of Permit Holder: U.S. Army Corps of Engineers

Post Office Address: Bldg. 602, City-County Airport Walla Walla, WA 99362-9265

Telephone No. 509-522-6794

Source of Water: Snake River (Charwater River - tributary of the Snake)
3/13/92 Klg

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 21.3 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 1.03 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: May 11, 1989

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Phil Hixon-Clarkston Resources Office
(Name)

509-758-9676
(Telephone Number)

Clarkston, WA

(Address)

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAY 22 1992

2/18/92
Date

Richard Carter, Chief, Real Estate Div.
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 85-07536

Proposed Priority: May 11, 1989

Maximum Diversion Rate:

1.03 CFS

This is to certify, that U.S. DEPT. OF DEFENSE
DEPT. OF ARMY
CORPS OF ENGINEERS
BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WA 993629265

has applied for a permit to appropriate water from:

CLEARWATER RIVER

tributary of SNAKE RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	1.03 CFS

LOCATION OF POINT(S) OF DIVERSION: NENESW Sec. 31, Township 36N, Range 05W
NEZ PERCE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
36N	05W	31	SWNW 7.1	NESW 7.1	NWSE 7.1	21.3

Total number of acres irrigated: 21.3

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1995.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.05 cubic feet per second for each acre of land.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.05 cubic feet per second for each acre of land.
7. The maximum rate of diversion under this permit shall not exceed 1.03 cfs.

MICROFILMED

MAR 19 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 85-07536

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of February, 1990.

J. Glen Saxton
for R. Keith Higginson, Director

MICROFILMED

MAR 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant U.S. Army Corps of Engineers Phone 509-522-6794
Post office address Bldg 602, City-County Airport, Walla Walla, WA 99362-9265
2. Source of water supply Clearwater River which is a tributary of Snake River
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 31 Township T36N Range R5W B.M. Nez Pierce County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
- #3 Amount 1.03 for irrigation purposes from 1 April to 31 Oct (both dates inclusive)
(cfs ~~1.03~~)
- #2 Amount 0.57 for irrigation purposes from 1 April to 31 Oct (both dates inclusive)
(cfs ~~0.57~~)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) PER CORRESPONDENCE 8/4/1989 - JK
5. Total quantity to be appropriated is (a) 1.60 1.03 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. A 450 8x6 Ben Franklin pump supplies
water. Via an underground system for approximately 21.08 of lawn and meadow grass.
A 250 pump is a booster for pump #3.
- b. Height of storage dam N/A feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Intake Proposed well diameter is 16 inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

MAR 19 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. N/A
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Irrigation of lawn and meadow grass between PRR Bridge and Memorial Bridge. The 250 gpm is a booster pump for the 450 gpm pump.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
T36N	R5W	31							7.02		7.03					7.03			21.08
		~~31~~							--J--		J--					--J--	TK	5/24/89	

Total number of acres to be irrigated 21.08


10. Describe any other water rights used for the same purposes as described above. N/A

11. a. Who owns the property at the point of diversion? U.S. Government
- b. Who owns the land to be irrigated or place of use? U.S. Government
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Both pumps are set in sumps gravity-fed directly by river water.

MICROFILMED
MAR 19 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard Carlton

(Applicant)

RICHARD CARLTON
Chief, Real Estate Division
Walla Walla District, Corps of Engineers

Received by M Date 5/11/89 Time 1:15 PM Preliminary check by J
Fee \$ 65.00 Receipted by mm # N2882 Date 5/11/89
Publication prepared by mm Date 5/24/89 Published in Switz & Gubare
Publication approved mm Date 6/24/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAR 19 1990


LEWISTON PUBLISHING COMPANY, INC.
The Lewiston Morning Tribune
505 C St., P.O. Box 957
Lewiston, Idaho 83501
(208) 743-9411

LEGAL ADVERTISING INVOICE

Date 080789 INVOICE No. LEB0164471
Account No. 96475 CLEARWATER
Description 64471NOTIC
Times 2 Lines 55
Tab Lines

SOLD TO:

STATE OF IDAHO
DEPT. OF WATER RESOURCES
4055 GOVERNMENT WAY
COEURDALENE
ID 83814



\$ 55.00

NOTICE: This is an invoice of Purchase made by you. Statement will be rendered the first of the month.
Please Retain This Invoice as Your Statement Will Refer To Invoice by No. Only.

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, ss.
County of Nez Perce

Sue Baumeister, being duly sworn,
deposes and says, I am the Legal Clerk
of the Tribune Publishing Company, a corporation organized and existing
under and by virtue of the laws of the State of Idaho, publishers of the
LEWISTON MORNING TRIBUNE, a newspaper of general circulation
published at Lewiston, Nez Perce County, Idaho; That the said Lewiston
Morning Tribune is an established paper and has been published regular-
ly and issued regularly at least once a day for more than 21 consecutive
years next immediately preceding the first publication of this notice, and
has been so published uninterrupted for said period; that the

NOTICE OF APPLICATION FOR
attached hereto and which is made a part of this affidavit was published in
the said Lewiston Morning Tribune, 2 time(s). Publication be-
ing on 060289 WEEK for 2 consecutive WEEKS, or once a
publication thereof being on the 060289, and the last pub-
lication thereof being on the 060989, and said
NOTICE OF APPLICATION FOR
was so published in the regular and entire issue of said newspaper and
not in a supplement thereof and was so published in every issue and
number of the said paper, during the period and times of publication as
set forth above.

SUBSCRIBED AND SWORN BEFORE ME THIS THE 14

day of June 1989

Sheral M. Lantz
Notary Public in and for the State of Idaho,
residing at Lewiston, therein.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

CITY OF OROFINO
P.O. BOX 312
OROFINO, ID 83544

Source: CLEARWATER RIVER,
NORTH FORK Tributary:
CLEARWATER RIVER
Diversion Pt: NWNE Sec 35 T 37N R
01E

Use: POWER (63,000 cfs)
Date Filed: 5/10/1989
In: T37N R01E S34 SWSW
U.S. DEPT OF DEFENSE
DEPT. OF ARMY
CORPS OF ENGINEERS
BLDG. 602, CITY-COUNTY AIR-
PORT

WALLA WALLA, WA 993629265
Source: CLEARWATER RIVER
Tributary: SNAKE RIVER
Diversion Pt: NENESW Sec 31 T
36N R 05W

Use: IRRIGATION (1,600 CFS)
Date Filed: 5/11/1989
In: T36N R05W S31 SWNW
NESW NWSE

21.0 ACRES TOTAL
KONEN, KENNETH
KONEN, GRACE
RT. 1 BOX 12-A

JULIAETTA, ID 83535
Source: POTLATCH RIVER Trib-
utary: CLEARWATER RIVER
Diversion Pt: NENW Sec 3 T 37N
R 03W

Use: IRRIGATION (.120 CFS)
Date Filed: 5/01/1989
In: T37N R03W S03 NENW
4.0 ACRES TOTAL

For additional information concern-
ing the property location, call North-
ern Regional Office at 765-4639.

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the Director, Dept. of
Water Resources, Northern Region,
1910 Northwest Blvd., Suite 210, Co-
eur d'Alene, Idaho 83814 on or be-
fore JUNE 19, 1989.

R. KEITH HIGGINSON, Director

MICROFILMED

MAR 19 1990

MEMORANDUM

DATE: March 23, 1999
TO: File 85-07536
FROM: Kari Lynn Townsend
RE: Address change

In January 1999 we had information regarding a new address for this file.

Somehow the WR2 database did not get updated and the license was printed for the old address.

The March 23, 1999 cover letter for the license and all accompanying paperwork for this days transaction were mailed to the new address which is:

201 N Third St
Walla Walla WA 99362-1876

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 23, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
BLDG 602, CITY-COUNTY AIRPORT
WALLA WALLA WA 99362-9265

RE: WATER RIGHT NO. 85-07536

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 14 1999

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of **March, 1999**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 85-07536

US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
BLDG 602, CITY-COUNTY AIRPORT
WALLA WALLA WA 99362-9265


Kari Lynn Townsend
Secretary

MICROFILMED
APR 14 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

APR 14 1999

State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098


Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

INVOICE

Receipt C044783
3.9.99 Ha

BILL TO	USAED, Millington Finance Center	
	ATTN: CEFC-AO-P	
	5720 Integrity Drive	
	Millington, TN 38054-5005	
DATE: Feb. 3, 1999	P. O. No: DACW68-99-M-3058	0229/21 56105 1155
Per the above referenced purchase order (copy attached) Application for Amendment of Water Right Reference: River intake for Clearwater Irrigation System located on Lewiston <u>50.00</u>		
Thank you, 		
TOTAL		\$50.00

~~Micro-MEL~~

APR 14 1999

ORDER FOR SUPPLIES OR SERVICES

(Contractor must submit four copies of invoice.)

Form Approved
OMB No. 0704-0187
Expires Jun 30, 1997

PAGE 1 OF 8

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0187), Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES.

SEND YOUR COMPLETED FORM TO THE PROCUREMENT OFFICIAL IDENTIFIED IN ITEM 6.

1. CONTRACT / PURCH ORDER NO DACW68-99-M-3058		2. DELIVERY ORDER NO.		3. DATE OF ORDER 99JAN22	4. REQUISITION / PURCH REQUEST NO. W68SBV-9008-3943	5. PRIORITY
6. ISSUED BY DEPARTMENT OF THE ARMY WALLA WALLA DISTRICT COE 201 NORTH THIRD AVENUE WALLA WALLA WA 99362-1876 Cherie Douglas 805 (509) 527-7219		CODE G400000	7. ADMINISTERED BY (If other than 6) CONTRACTING DIVISION-G4P0000 201 NORTH 3RD AVENUE WALLA WALLA, WA 99362-1876		CODE G4P0000	8. DELIVERY FOB ☒ DEST ☐ OTHER (See Schedule if other)
9. CONTRACTOR Vendor Id: 00008617 STATE OF IDAHO DEPART OF WATER RESOURCES 208 327 7932 1301 N ORCHARD ST BOISE ID 837209000		CODE	FACILITY CODE		10. DELIVER TO FOB POINT BY (Date) 99MAR01	11. MARK IF BUSINESS IS ☐ SMALL ☐ SMALL DISADVANTAGED ☐ WOMEN-OWNED
14. SHIP TO EASTERN NAT RES CL-G4ROPMB 100 FAIR STREET CLARKSTON, WA 99403		CODE G4ROPMB	15. PAYMENT WILL BE MADE BY USAED, MILLINGTON FINANCE CENTER ATTN: CEFC-AO-P 5720 INTEGRITY DRIVE MILLINGTON TN 38054-5005		CODE G4P0MIL	MARK ALL PACKAGES AND PAPERS WITH CONTRACT OR ORDER NUMBER

16. ORDER OF	DELIVERY	This delivery order is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.	
	PURCHASE	X	Reference your <u>Cindy Zimmerman 1/22</u> furnish the following on terms specified herein. ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.

NAME OF CONTRACTOR	SIGNATURE	TYPED NAME AND TITLE	DATE SIGNED (YYMMDD)
If this box is marked, supplier must sign Acceptance and return the following number of copies:			

17. ACCOUNTING AND APPROPRIATION DATA / LOCAL USE 96X31230000 082434	2520001TCW010180	NA 96454	Award Oblig Amt US\$	50.00
---	------------------	----------	----------------------	-------

18. ITEM NO.	19. SCHEDULE OF SUPPLIES / SERVICE	20. QUANTITY ORDERED/ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
0001	ATTN: Cindy Zimmerman 208-327-7900 LLA - APPLICATION FOR AMENDMENT OF WATER RIGHT LICENSE. Reference: River intake for Clearwater Irrigation System located on Lewiston	1.00	LS	50.000000	50.00

*If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.		24. UNITED STATES OF AMERICA BY: Patricia A. Carroll <i>Patricia A. Carroll</i> 1/28/99 CONTRACTING / ORDERING OFFICER	25. TOTAL \$ 50.00
26. QUANTITY IN COLUMN 20 HAS BEEN ☐ INSPECTED ☐ RECEIVED ☐ ACCEPTED, AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED DATE SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE		27. SHIP. NO. ☐ PARTIAL ☐ FINAL	28. D.O. VOUCHER NO.
36. I certify this account is correct and proper for payment. DATE SIGNATURE AND TITLE OF CERTIFYING OFFICER		31. PAYMENT ☐ COMPLETE ☐ PARTIAL ☐ FINAL	32. PAID BY
37. RECEIVED AT		38. RECEIVED BY (Print)	39. DATE RECEIVED (YYMMDD)
40. TOT. CONTAINERS		41. S/R ACCOUNT NUMBER	42. S/R VOUCHER NO.
33. AMOUNT VERIFIED CORRECT FOR		34. CHECK NUMBER	
35. BILL OF LADING NO.		36. DIFFERENCES	
37. INITIALS		38. INITIALS	

MEMORANDUM

DATE: January 7, 1999

TO: File 85-07536

FROM: Kari Lynn Townsend

RE: Telephone Conversation

Dawn called from the Corps of Engineers Field Office and asked for more time to get the Application for Amendment returned to us.

She has to request a purchase order to pay for the filing fee of \$50.00 and that may take a little time to go thru channels.

I told her I would move the call up date to 2-25-99 and that she could request more time if it was necessary.

MICROFILMED

APR 14 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 4, 1999

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
BLDG 602, CITY-COUNTY AIRPORT
WALLA WALLA WA 99362-9265

RE: WATER RIGHT NO. 85-07536

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within 14 days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

*This letter was
actually mailed*

To:

MICROFILMED

APR 14 1999

*201 N Third St
Walla Walla WA*

99362-1876

*Karilynne
1-4-99*

MEMORANDUM

DATE: December 21, 1998

TO: File 85-07536

FROM: Kari Lynn Townsend

RE: Returned mail/phone call

The cover letter of December 14, 1998 was returned by the postoffice today. I called the phone number on the B/U form and reached a bank in Walla Walla, WA. The lady that answered the call gave me the current phone number for Corps of Engineers. The correct phone number is (509) 527-7424.

I called the new phone number and the man that answered gave me the new address for Dept. of Army, Corps of Engineers at:

201 N Third St
Walla Walla WA 99362-1876


I resent the mail that had been returned.

MICROFILMED
APR 14 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
North Orchard Street
Boise, Idaho 83706-2237

RETURN SERVICE
REQUESTED

PRESORTED
FIRST CLASS



NO SUCH
ADDRESS

RECEIVED

DEC 21 1998

Department of Water Resources

MICROFILMED

APR 14 1999





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

December 14, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
BLDG 602, CITY-COUNTY AIRPORT
WALLA WALLA WA 99362-9265

RE: WATER RIGHT NO. 85-07536

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that your place(s) of use is in a location other than what was described on your permit. Therefore, before a license can be issued, the permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 14 1999

MEMORANDUM

TO: File 85-07536

FROM: Sharla

DATE: December 8, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 85-07536 are as follows:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of use:

T36N, R5W, S31 – NWNW (2 acres), SWNW (7 acres),
SENW (1 acres), NESW (7 acres),
NWSE (3 acres)
R6W, S36 – NENE (1 acre)
TOTAL = 21 acres

H. RECOMMENDATIONS


Irrigation	3/1 – 11/30	1.03 cfs	84.0 afa
------------	-------------	----------	----------


For irrigation rights of 5 acres or more, the number of acres per $\frac{1}{4}$ are rounded to the nearest whole number. The number of acres per $\frac{1}{4}$ were changed to reflect the legal descriptions from the topo map as diagramed onto the aerial photo attached.

The standard irrigation volume for this area is 4.0 af/acre; the standard irrigation season for the area is 3/1 – 11/30.


Examiner: Wayne Baldwin
Exam Date: June 11, 1998

MICROFILMED
APR 14 1999





Assigned to	By whom surveyed	Date of completion	Amount of survey			When complete
			Miles	chains	links	
1. 1000	John J. Smith	August 13th 1870	0.5	2.2	76	September 20
2. 1000	"	"	5.6	10	61	"



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 16 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 85-07536

1. Owner: US Corp of Engineers Phone No. _____

Current Address: Bldg 602, City County Air Port Walla Walla Wa 99362-9265

2. Accompanied by: Don Wiedmyer EXAM DATE: 6-11-98

Address: _____ Phone No. ⁵⁰⁹ 751-0241

Relationship to Permit Holder: _____

3. Source: Clearwater River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	31	T36N	05W	002 Perce	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
36N	05W	31					2.3	6.3	9.2	7						3.2			~~11.2~~
36N	06W	36	1.8																21.3

MICROFILMED

APR 14 1999

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

System consist of 7 stations
56 heads / station

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		60			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

NOT FILMED

APR 14 1999

E. NARRATIVE/REMARKS/COMMENTS

There was no way to get a measurement on this. My theoretical came to 1.6 cfs, I'm not sure if there is enough system loss to drop it to 1.03 which is permitted (Spoke to Shelly 11-11-98)

Note addition of 36N-06W-36 See Aerial
Irrigation acreage is probably 21.3 I came up with 24.8 but aerial is so tight, hard to take out Path & trees

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 14 1999

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

Theoretical

$$\frac{8.8(8)(60)}{19 + (2.31 \times 90)} = \frac{369.6}{226.9} = 1.6 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 24.8 \times 3 = 74.4$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.03 \times 213 \times 1.9835 = 435$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 74.4$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>6-1-01</i>	<i>10-31</i>	<i>1.03</i>	<i>74.4</i>
Totals:			<i>1.03</i>	<i>74.4</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name *Wayne Elder* Date *11-11-98*


Reviewer _____ Date _____

SEAL

MICROFILMED
APR 14 1993



85-078



T.36N.

T.35N.


85-07536
T36NR5W
Dec. 31

Ends Just Before RR BR

APR 14 1903

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PERMIT # 8507536



APR 14 1960

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STUDY REPORT SUPPLEMENT

PERMIT # 85-07536



PD

PV

PV

APR 14 1980

ORDER FOR SUPPLIES OR SERVICES

Form Approved
OMB No. 0704-0187
Expires Aug 31, 1992

PAGE 1 OF 3

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0187), Washington, DC 20503.

1. CONTRACT/PURCH ORDER NO. JACW68-92-M-3907		2. DELIVERY ORDER NO.		3. DATE OF ORDER 02/25/92		4. REQUISITION/PURCH REQUEST NO. W68SBV-2094-EA01		5. CERTIFIED FOR NATIONAL DEFENSE UNDER DMS REG 1	
6. ISSUED BY Department of the Army Walla Walla District COE Bldg. 614 Walla Walla, WA 99362-9265 Bryan Stroud		CODE W68SBV21		7. ADMINISTERED BY Bryan Stroud 509-522-6816		CODE W68SBV47		8. DELIVERY FOB [X] DEST [] OTHER (See Schedule)	
9. CONTRACTOR Vendor Id: 00007327		CODE		FACILITY CODE		10. DELIVER TO FOB POINT BY 03/15/92		11. MARK IF BUS. IS [] SMALL [] SMALL DIS-ADVANTAGED [] WOMEN-OWNED	
NAME AND ADDRESS Idaho Department of Water Resources 1910 Northeast Blvd. Coeur d'Alene, ID 83814-						12. DISCOUNT TERMS 0 % 0 Net 30			
						13. MAIL INVOICES TO See Block 15			
14. SHIP TO Walla Walla District Corps of Engineers Bldg 620, City-County Airport Walla Walla, WA 99362-9265 DACW6892M3907		CODE W68SB620		15. PAYMENT WILL BE MADE BY USAED Portland ATTN: CENPP-RM-FE P.O. Box 2946 (503/326-6992) Portland, OR 97208-2946		CODE 96454		MARK ALL PACKAGES AND PAPERS WITH CONTRACT OR ORDER NUMBER	
16. DELIVERY		This delivery order is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract.							
PURCHASE		X Reference your furnish the following on terms specified herein.							
ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.									
NAME OF CONTRACTOR		SIGNATURE		TYPED NAME AND TITLE		FUNDS AVAILABLE		DATE SIGNED	
If this box is marked, supplier must sign Acceptance and return the following number of copies:						X		FEB 26 1992	
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE EA CCLLA341620000									
18. ITEM NO.	19. SCHEDULE OF SUPPLIES/SERVICE	20. QUANTITY ORDERED/ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT				
	PAY IN ADVANCE NOTE: Please send check to CENPW-RE to be forwarded to payee.								
*If quantity accepted by the Government is same as quantity ordered, indicate by x. If different, enter actual quantity accepted below quantity ordered and encircle.		24. UNITED STATES OF AMERICA BY: Mary Lou Bollinger b01 CONTRACTING/ORDERING OFFICER				25. TOTAL	125.00		
26. QUANTITY IN COLUMN 20 HAS BEEN [] INSPECTED [] RECEIVED [] ACCEPTED AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED		27. SHIP. NO.		28. D.O. VOUCHER NO.		29. DIFFERENCES			
DATE SIGNATURE OF AUTHORIZED GOVERNMENT REP.		[] PARTIAL [] FINAL		32. PAID BY		33. AMT VERIFIED CORRECT FOR			
36. I certify this account is correct and proper for payment		31. PAYMENT [] COMPLETE [] PARTIAL [] FINAL		MICROFILMED MAY 22 1992		34. CHECK NUMBER			
DATE SIGNATURE AND TITLE OF CERTIFYING OFFICER						35. BILL OF LADING NO.			
37. REC'D AT	38. RECEIVED BY	39. DATE REC'D	40. TOTAL CONT.	41. S/R ACCOUNT NUMBER	42. S/R VOUCHER NO.				

Idaho Department of Water

ITEM NO.	SCHEDULE OF SUPPLIES/SERVICE	QUANTITY	UNIT	UNIT-PRICE	AMOUNT
0001	FSC F999 Water [REDACTED]	1	EA	[REDACTED]	[REDACTED]

52.252-0002

CLAUSES INCORPORATED BY REFERENCE (JUN 1988)

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available.

(End of clause)

52.203-0001

OFFICIALS NOT TO BENEFIT (APR 1984)

(Reference 3.102-2)

52.203-0003

GRATUITIES (APR 1984)

(Reference 3.202)

52.203-0005

COVENANT AGAINST CONTINGENT FEES (APR 1984)

(Reference 3.404(c))

52.203-0006

RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT (JUL 1985)

(Reference 3.503-2)

52.203-0007

ANTI-KICKBACK PROCEDURES (OCT 1988)

(Reference 3.502-3)

52.212-0008

DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS (SEP 1990)

(Reference 12.304(b))

52.212-0009

VARIATION IN QUANTITY (APR 1984)

(Reference 12.403(a))

52.222-0003

CONVICT LABOR (APR 1984)

(Reference 22.202)

52.222-0026

EQUAL OPPORTUNITY (APR 1984)

(Reference 22.810(e))

52.0222-4040. SERVICE CONTRACT ACT OF 1965, AS AMENDED--CONTRACTS OF

\$2,500 OR LESS

(Reference)

MICROFILMED

MAY 22 1992

Idaho Department of Water

52.225-0003

BUY AMERICAN ACT--SUPPLIES (JAN 1989)

(Reference 25.109(d))

52.232-0001

PAYMENTS (APR 1984)

(Reference 32.111(a)(1))

52.232-0008

DISCOUNTS FOR PROMPT PAYMENT (APR 1989)

(Reference 32.111(c)(1))

52.232-0023

ASSIGNMENT OF CLAIMS (JAN 1986)

(Reference 32.806(a)(1))

52.232-0025

PROMPT PAYMENT (APR 1989)

(Reference 32.908(c))

52.233-0001

DISPUTES (APR 1984)

(Reference 33.214)

52.243-0001

CHANGES--FIXED-PRICE (AUG 1987)

(Reference 43.205(a)(1))

52.243-7001

PRICING OF CONTRACT MODIFICATIONS (DEC 1991)

(Reference 43.205-71)

52.249-0001

TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) (SHORT FORM)

(APR 1984)

(Reference 49.502(a)(1))

52.249-0004

TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (SERVICES) (SHORT FORM)

(APR 1984)

(Reference 49.502(c))

52.249-0008

DEFAULT (FIXED-PRICE SUPPLY AND SERVICE) (APR 1984)

(Reference 49.504(a)(1))

MICROFILMED
MAY 22 1992

March 27, 1992

US DEPT OF DEFENSE
DEPT OF ARMY
CORPS OF ENGINEERS
BLDG 602, CITY-COUNTY AIRPORT
WALLA WALLA WA 993629265

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 85-07536

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
MAY 22 1992

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 85-07536
3/13/92 Reviewed by Klg Date 3/13/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
Ground water source
NA Drilling permit required?
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
125 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address _____ Proof Made 3/12/92
3/27/92 Klg



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
WALLA WALLA, WASHINGTON 99362-9265

RECEIVED
MAR 12 1992

REPLY TO
ATTENTION OF:

March 9, 1992

Department of Water Resources

Real Estate Division

Mr. Gary Spackman
Idaho Department of Water Resources
1301 Orchard Street
Statehouse Mail
Boise, Idaho 83720

Dear Mr. Spackman:

87-07536

We have enclosed a completed Proof of Beneficial Use form and a Commencement of Works card for Permit No. 85-07536. This permit pertains to the irrigation system for the Lewiston Levees Greenbelt at the Lower Granite Lock and Dam project.

* The examination fee of \$125 has been computed on the basis of the volume of water appropriated, 1.03 cubic feet per second, and confirmed with the regional office. This disbursement is now proceeding and you will receive the check shortly by separate transmittal.

We look forward to the timely completion of this licensing action. For future coordination, please write to the above address or telephone Mr. Steven Gale at (509) 522-6795.

Sincerely,

Richard Carlton
Chief, Real Estate Division

Enclosures

MICROFILMED

MAY 22 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 85-0736 85-07536

Name(s) of Permit Holder(s): US Army Corps of Engineers

Post Office Address: Bldg. 602, City-County Airport
Walla Walla, WA 99362-9265 Tel. No. 509-522-6794

☒ I hereby certify that construction of diversion work on the above referenced permit began on ~ May 1982 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

2/18/92
Date

Richard Carver
Signature of Permit Holder

US Army Corps of Engineers
Bldg. 602, City-County Airport
Walla Walla, WA 99362-9265

PLACE
STAMP
HERE

RECEIVED



FILED
MAY 22 1992

MAR 12 1992 IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
February 21, 1990

U.S. DEPT. OF DEFENSE
DEPT. OF ARMY
CORPS OF ENGINEERS
BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WA 993629265

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P85-07536

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED
MAR 19 1990

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAR 19 1990

Form No. 202a.
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: JK DATE: _____ APPLICATION: 85-7536

REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ yes ___ No* In form to receipt:

ADDITIONAL INFORMATION

- | YES | NO |
|--|--------------------------|
| ☒ | ☐ |
| Overlapping place of use: (Describe source & relationship to present application on the back.) | |
| ☒ | ☐ |
| Overlapping point of diversion: | |
| ☒ | ☐ |
| Field check required: Field check by: _____ | |
| ☒ | ☐ |
| Field report attached: | |
| ☒ | ☐ |
| Critical groundwater area: | |
| ☒ | ☐ |
| Groundwater management area: | |
| ☒ | ☐ |
| Send dam safety information: | |
| ☒ | ☐ |
| Send power requirement letter: | |
| ☒ | ☐ |
| Send fish farm requirement letter: | |
| ☒ | ☐ |
| Power residency affidavit: | |
| ☒ | ☐ |
| Power efficiency form: | |
| ☒ | ☐ |
| Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.) | |
| ☒ | ☐ |
| Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.) | |
| ☒ | ☐ |
| *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT | |

DATE REQUESTED: _____

Additional information on reverse side:

RECEIVED
AUG 14 1989

Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

- ☐ U.S. BLM
☐ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES NO

- ☒ Affidavit of publication received:
☒ Application published correctly: If not, record action taken.

- ☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 6/19/89
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 5/11/89 ✓
Recommended by: PJA Date 8/10/89

STATE OFFICE REVIEW

P03, P17

HK (below) 26 DIG

See below for additional information. By kw Date 9/21/89

ADDITIONAL INFORMATION

Overlap Review Conducted ☐ yes ☐ no (If no, explain) _____

Use of water under this permit shall not exceed 1.03 cfs.

OK to allow 5 yrs. to develop - U.S. Gov't.

MEMORANDUM

TO: FILE 85-7536

FROM: JIM JOHNSON

RE: EVALUATION OF EXCESSIVE FLOW REQUEST

DATE: September 21, 1989

EVALUATION OF WATER REQUIREMENT FOR 21 ACRES

One acre-inch/week is required to produce healthy turf. *
One acre inch/week is equivalent to 27,150 gallons/week/acre.
21 acres need (21 X 27,150) 572,322 gallons/week.

EVALUATION OF WATER DELIVERY SYSTEM

Seven stations are used to supply water to the 21 acres.
Each station covers an average of 3 acres.
If each station operated 1 hour 3 times a week the volume
required per operation is 27,150 gallons.
The rate of 27,150 gallons/hour is 1.01 cfs.

CONCLUSION

The amount requested on the application is 1.03 cfs. Using the
above analysis the rate requested is justified.

* Source, Hydraulic Handbook. publisher Colt Industries, 1979,
p. 97

MICROFILMED

MAR 19 1990




DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
WALLA WALLA, WASHINGTON 99362-9265

REPLY TO
ATTENTION OF:

August 8, 1989

Real Estate Division

Mr. Tom D. King
Senior Water Rights Agent
Idaho Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur D'Alene, Idaho 83814



Dear Mr. King:

This is in response to your letter of June 21, 1989, which concerned our Application for Permit No. 85-07536. As requested, we are enclosing the completed Fact Sheet for Excessive Irrigation Flows along with supporting information from our operation and maintenance manual for the Lewiston levee irrigation system. This information is provided to explain and justify the required rate of appropriation which exceeds the typical allowance.

Please note that we would like to ~~amend~~ the initial application, since we find that a total appropriation rate of 1.03 cubic feet per second will satisfy our irrigation needs. In usual operation, the total system demand of 1.03 cfs is provided by use of Pump No. 3 as the primary point of supply or diversion. Pump No. 2, with a capacity of 0.57 cfs, is used in conjunction with Pump No. 3 as a booster or back-up whenever Pump No. 3 cannot supply the total system needs. Thus, we wish to apply for both points of diversion, which are used on a rotational or back-up mode of operation to supply a ~~total of 1.03 cfs~~. Our irrigation flow rate is ~~0.46 cfs per acre~~.

Based on the data provided and our direct experience in maintaining the grounds, landscaping, and vegetation on the Lewiston levees, we request your approval to exceed the standard irrigation flow rate in this particular case. If we can be of further assistance, please call Mr. Steven Gale at (509) 522-6795.

Thank you for your assistance in processing this application.

Sincerely,

MICROFILMED

MAR 19 1990

James R. Ray
for Richard Carlton
Chief, Real Estate Division

Enclosure

Ident. No. 85-07536

Fact Sheet
for
Excessive Irrigation Flows

This information is to be submitted with any application for permit for which the irrigation rate of flow requested is more than 0.02 cfs/acre. One exception is that 0.03 cfs per acre is allowed for up to five (5) acres.

Soil type and soil profile: See attached description, pages 26-2 and 26-3

Soil water holding capacity: Low: sandy loam

Soil intake family curve (if known): Not known

Field slope: Flat to 1:2

Anticipated crops: Lawn and meadow grass

Method of irrigation: See attached page 23-12 and plate 26.02-1.1*

Remarks: * The irrigation schedule was established to irrigate the seven stations for one hour each, once per week in April and October, three times each week May through September. This schedule is based on Soil Conservation Service data for the Lewiston area, and on our experience managing the vegetation.

Note that pump #2 is only a booster or back-up for pump #3. Pump #3 is the only pump of the two currently being used to irrigate the seven stations. Pump #3 demand is only 1.03 cfs.

MICROFILMED

MAR 19 1990

LOWER GRANITE LOCK AND DAM

**OPERATION AND
MAINTENANCE MANUAL**

**LEWISTON LEVEE
BEAUTIFICATION**

MICROFILMED

MAR 19 1990

**U.S. ARMY ENGINEER DISTRICT, WALLA WALLA
CORPS OF ENGINEERS**



26.02 IRRIGATION

a. General. Climate and soil are factors in determining irrigation requirements for plant life. (Water is quantitatively the most important nutrient required for plant growth and survival). The climate in the Lewiston area provides approximately 13 inches of rainfall in the winter months and includes approximately 15 inches of snowfall. The summers are hot and dry with temperatures commonly exceeding 100° F (37.5° C). The frost-free season extends for about 200 days. The soil in which the plant is grown is classified as chard very fine sandy loam. The 12 inches of top soil used for plantings was obtained from top soil excavation at Hells Gate site development and Silcott. The top soil from Silcott contains more sand than the top soil from Hells Gate. The top soil in its natural state before transfer to the levees was capable of percolating precipitation at a higher rate than in its new location because of particle rearrangement. Before transfer, the particle arrangement was vertical due to natural causes. The soil in its new location has suffered particle rearrangement and compaction, which will slow down the soils percolation rate. In the undisturbed state the soil had a high erosion hazard under irrigation in areas with slopes of 3 to 7 percent. From the above, it is obvious that the soil being used for planting with rearranged particle structure and steeper slopes will have a positive effect on irrigation procedures. The Soil Conservation Service, Lewiston, Idaho, advised that, of a precipitation of 1½" per foot of soil, only 50% (¾") is usable for plant life. The Soil Conservation Service also advised that in normal years during the month of July, in the Lewiston area, the irrigation water demand is approximately 0.30 inch per day, or 0.90 inch every 3 days, or

MICROFILMED

MAR 19 1990

1.80 inches every 6 days for plant growth.

NOTE: The above does not establish a rate, but does indicate a practical base.

(1) Precipitation (Irrigation) Rate. The percolation rate (slow-fast) has a direct effect on the rate precipitation can be applied. Application rates higher than the ability of the soil to absorb the application results in erosion and ponding. The same is true for soils that have reached the saturation point as a result of over-watering.

(2) Over Precipitation (Irrigation). Over-watering is detrimental to plant life and should be avoided. Common problems are: soil leaching (high percolation rate soil), drowning (caused by lack of air in soil), and disease. Over-watering also causes shallow root growth which does not contribute to healthy plants. Watering "as needed" promotes deeper root growth where nutrients and water are more abundant.

b. Moisture Requirements. Moisture requirements for growth depend on climate, soil and type of plant. The soil used for plantings on the levee system is relatively uniform (chard very sandy loam) and, therefore, is capable of supporting plant life provided precipitation rates and time of application are controlled by capacity of irrigation heads and time clocks.

(1) Irrigation System Capability. The irrigation systems have the capability of supplying a relatively uniform precipitation rate per hour within the capacity limits of the irrigation heads installed.

MICROFILMED

MAR 19 1990

LEWISTON LEVEE BEAUTIFICATION, PART II, CHAPTER 3
23.02

(2) Large Radius Impact Pop-Up Sprinklers. Impact pop-up sprinklers are installed throughout the irrigation system. See Contract 76-C-0092 drawings, Sheets 70 through 76, inclusive. The sprinklers have an approximate catalog radius of 53 feet when operated at 65 psi and can be operated from 20 to 340 degrees of full circle for part circle and 360 degree full circle. The sprinklers are equipped with 11/64 x 11/64 inch nozzle for a capacity of approximately 13.3 gpm. Each sprinkler riser is provided with a check valve to prevent low elevation sprinkler heads from draining. The average spacing between units is approximately 70 feet, which increases the precipitation rate in inches per hour by approximately 50 percent over catalog diameter of 53 feet. See paragraph J. for method of calculating precipitation rate.

(a) Manufacturer and Model. The impact pop-up sprinklers are Moody Model 40.

(3) Small Radius Pop-Up Sprinklers. The small radius pop-up sprinklers installed are Buckner Model 403DHO, in half circle and are rated at 3.6 gpm at 30 psi with 15-foot radius. Full circles are Model 403FO rated at 4.8 gpm at 30 psi with 15-foot radius. For installation, see Contract 76-C-0092 drawings, Sheets 70 through 76, inclusive.

(4) Rotary Sprinklers. The rotary sprinklers are Toro Model 1L, rated at 0.44 gpm at 22 psi with a 13-foot radius. For installation see Contract 76-C-0092 drawings, Sheets 70 through 76, inclusive.


(5) Shrub Sprays. The shrub sprays are Toro Models 542-10 rated at 1.0 gpm at 25 psi with a radius of 12 feet and Model 544-10 rated at 2 gpm at 25 psi with a radius of 12 feet. For installation, see Contract 76-C-0092 drawings, Sheets 70 through 76, inclusive.

(6) Bubblers. Hydro-rain Model 500-A bubblers are installed. Maximum operating pressure is 80 psi; flow rate adjustable from 0 to 6 gpm. For installation, see Contract 76-C-0092 drawings, Sheets 70 through 76, inclusive.

(7) Atomospheric Vacuum Breakers. Fedco Model 710A vacuum breakers are installed in the West Lewiston levee system.

MICROFILMED

MAR 19 1990



REPRODUCED

MAR 19 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

June 21, 1989

U.S. Army Corps of Engineers
Bldg 602, City County Airport
Walla Walla, Wa. 99362

Re: Water Appropriation Application #85-07536


Dear Applicant:

The Department of Water Resources acknowledges receipt of your Application For Permit To appropriate The Public Waters Of The State Of Idaho, and has assigned it identification number #85-07536. Please refer to this number in all further correspondence.

The maximum rate of diversion for irrigation is 0.02 cfs per acre (0.03 cfs per acre if less than five acres are to be irrigated). You may file for more than this amount if you wish, but it may not be approved unless you provide evidence that the excess water is needed. To seek approval for the excess flow, you must complete the enclosed fact sheet for excessive irrigation flows.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

Enc: Fact Sheet

MICROFILMED

MAR 19 1990



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES NORTHERN DISTRICT

COEUR D' ALENE, IDAHO 83814

1910 Northwest Blvd., Suite 210
Telephone: (208) 765-4639

Re: Application for Permit No. 85-7536

Dear Applicant:

The Department of Water Resources herewith acknowledges receipt of your application for a permit to appropriate a portion of the public water of the State of Idaho as well as the appropriate filing fee, for which a receipt is enclosed. The appropriation application has been assigned the above-referenced number. To assist us in providing you with accurate, speedy service, please refer to this number in all future correspondence.

Your appropriation application is currently in the process of being advertised in the county newspaper. The advertisement will be published for two weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the appropriation application is protested, you will be sent a copy of the protest. All protests must be resolved before the appropriation application can be approved or denied. If the protestant does not voluntarily withdraw the protest, this Department will conduct a conference and/or hearing on the matter.

If the appropriation application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will then conduct a complete review prior to the final processing of the appropriation application and notify you of the outcome of this review. If the appropriation application is approved, a copy of your appropriation permit (bearing the reference number) will be sent to you.

If your source of water is a well (unless you are using a well that is already in existence), you will also have to apply for a permit to construct the well. These drilling permits can be obtained from this office, but can only be issued to holders of valid ground water rights or approved appropriation permits.

If you have any questions or if I can be of any further assistance, please feel to contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms
Enc. - Receipt

MAR 19 1990

85-07536

U.S. DEPT. OF DEFENSE
DEPT. OF ARMY
CORPS OF ENGINEERS
BLDG. 602, CITY-COUNTY AIRPORT
WALLA WALLA, WA 993629265

Source: CLEARWATER RIVER

Tributary: SNAKE RIVER

Diversion Pt: NENESW Sec 31 T 36N R 05W

Use: IRRIGATION (1.600 CFS)

Date Filed: 5/11/1989

In: T36N R05W S31

SWNW

NESW

NWSE

21.0 ACRES TOTAL

MICROFILMED

MAR 19 1990



DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
WALLA WALLA, WASHINGTON 99362-9265

REPLY TO
ATTENTION OF:

May 10, 1989

Real Estate Division

Idaho Department of Water Resources
1910 Northwest Blvd.
Suite 210
Coeur D'Alene, Idaho 83814

Gentlemen:

Enclosed is an Application for Permit to appropriate the public waters of the State of Idaho. This application pertains to our proposed diverting works on the Clearwater River to irrigate our grounds at the Lewiston Levees. The works will include two intakes (~~points of diversion Nos. 2 and 3~~).

We are submitting a check in the amount of \$65.00 to pay the application fee for the total quantity, ~~1.60~~ cubic feet per second, to be appropriated by this system.

Thank you for your assistance in processing this water rights application. For subsequent action, please write to the above address or telephone Mr. Steven Gale at (509) 522-6795.

Sincerely,

Richard Carlton
Chief, Real Estate Division

Enclosures

MICROFILMED

MAR 19 1990

