

IDA

555

RIE

370 000 FEET

R 2 E

116° 15'

 $46^{\circ} 7' 30''$ 

5107

1 620 000
FEET

5106

5105

5104

CR0FILMED

DEC 21 1988

5103

[Handwritten signature]
10/19/88

AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 5th day of October, 1988,
and the last publication on the 12th day of
October, 1988; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin
.....

Subscribed and sworn to before me this 12th day
of October, 1988.

[Signature]
..... Notary Public
for State of Idaho, residing at Grangeville, Idaho.

NOTICE OF CORRECTION
NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 85-7490 in the name of Roman Catholic Diocese of Boise was advertised incorrectly on 8/17 & 24/1988. The Diversion Pt. was incorrectly advertised as Lot 12 (SESENE) Sec 19 T32N R02E; whereas, it should be Lot 12 (SESENW) Lot 12 Sec 19 T32N R02E. The place of use was incorrectly advertised as T32N R02E S19 SENE; whereas it should be T32N R02E S19 SENW. Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Suite 9, Coeur d'Alene, Id. 83814 on or before October 24, 1988.
R. KEITH HIGGINSON, Dir.
Published in the Idaho County Free Press on 10/5 & 12/1988.

05-12

RECEIVED

OCT 18 1988

Department of Water Resources
Northern District Office

MICROFILMED

DEC 21 1988

80 50	80 00
East 7	8 00
80 20	79 92
80 50	79 92
80 30	79 75
80 43	80 00
80 20	80 40
80 26	80 12
79 92	80 40
79 89	79 70
79 60	80 00
79 90	79 90
80 40	80 00
80 45	80 30
80 30	79 70
80 50	79 80
80 20	80 00
80 13	79 70
79 76	79 90
80 00	80 00

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION


- Permit No. 85-07490
Phone No. 962-3536
1. Owner: Roman Catholic Diocese of Boise
San Anthony's Parson
Current Address: P.O. Box 769 Boise ID 83701 RT. 1 Box 92 Green Creek ID 83633
2. Accompanied by: None EXAM. DATE: 6/20/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
AUG 22 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

Permit # 85-07490

PHOTOGRAPHS



Pu/PD

MICROFILMED

AUG 22 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07490

Priority: July 26, 1988

Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume:¹ 4.5 AF

This is to certify, that ROMAN CATHOLIC DIOCESE OF BOISE
P.O. BOX 769

BOISE, ID 837010769 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 26, 1988; and has submitted Proof of Beneficial Use on December 29, 1988. An examination indicates that the works have a diversion capacity of .020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.02 CFS	4.5 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 12(SENW), Sec. 19, Township 32N, Range 02E
IDAHO County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
32N	02E	19	LOT 12(SENW)	1.5		1.5
Total number of acres irrigated:						1.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

RECEIVED

AUG 22 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07490

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 21ST
day of AUGUST, 1991.

Acting for


R. Keith Higginson, Director

AUG 22 1991.

APPROVED

ROMAN CATHOLIC DIOCESE OF BOISE

342-1311

- Post office address ~~Rt 1 Box 96 Green Creek, ID. 83533~~

3. Location of point of diversion is SE 1/4 of SE 1/4 of NE NW 1/4, Govt. Lot 12

Sec. 19 Township 32N Range 2E B.M. 10AKO County; additional

points of diversion if any: _____

- Amount 05 cfs for IRRIGATION purposes from 4/1 to 11/1 (both dates inclusive)
(cfs cannot be negative)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.05 CFS and/or (b) _____
cubic feet per second acre feet per annum

- 6. Proposed diverting works:**

- a. Description of ditches, flumes, pumps, headgates, etc. _____

DRILLED WELL, APPROX 310' DEPTH, 6" CASING WITH PUMP TO STANDARD
FOR SPRINKLING IN CEMETARY

- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total _____

reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____

_____ to _____ inclusive.

- c. ~~Proposed~~ ^{EXISTING} well diameter is 6 inches; proposed depth of well is 310 feet.

- d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 years (minimum 1 year).

MICROFILMED

DEC 21 1988

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

11. a. Who owns the property at the point of diversion? CHURCH

SAME

N/A

15

[illegible]

OK FM MAP

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding

9. Description of place of use:

e. Other; describe fully. IRRIGATION OF 15 ACRES CEMENTARY

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

COTTONWOOD THOPHOTOQUAD
IDA

554

17' 30"

555

556

R 1 E

370 000 FEET

R 2 E

116° 15'

48° 7' 30"



5107

1620 000
FEET

5106

5105

5104

5103


CROFILMED

DEC 21 1988

5103

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 2 E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark R. Schumacher
Chancellor (Applicant)

Received by Ken Date 8/1/88 Time 1:00 PM Preliminary check by JK
Fee \$ 30 Receipted by af # COO 1972 Date 7/26/88
Publication prepared by af Date 8/16/88 Published in 8/18 & 24/88
Publication approved af Date 8/30/88 10/19/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 85-7490, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

Witness my hand this 30th day of November, 1988.

J. Glen Saxton

MICROFILMED
DEC 1988



ROMAN CATHOLIC DIOCESE OF BOISE

JUL 28 1988

Department of Water Resources
P. O. BOX 769 BOISE, IDAHO 83701-0769

July 26, 1988

Mr. Robert G. Haynes, P.E.
Idaho Department of Water Resources
Northern Region
Suite No. 9
Gouvernement Way
Coeur d'Alene, Idaho 83814

RECEIVED

AUG 1 1988

Department of Water Resources
Northern District Office

Dear Mr. Haynes,

I have been asked by Fr. Thomas Mathes to provide a list of the officers and the board of directors for the Diocese of Boise.

The Diocese of Boise is a corporation sole, therefore there is no board of directors.

There are, however, three officers. They are as follows:

Most Rev. Sylvester Treinen
Bishop of Boise
P. O. Box 769
Boise, Idaho 83701-0769

Rev. D. J. Riffle
Vicar General
804 North 9th. Street
Boise, Idaho 83702

Rev. Mark R. Schumacher
Chancellor
P. O. Box 769
Boise, Idaho 83701-0769

If I can be of further assistance, please let me know.


Sincerely,

Mark R. Schumacher
Rev. Mark R. Schumacher
Chancellor

DEC 21 1988

Telephone (208) 342-1311

[Handwritten signature]
10/19/88



AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly
sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 5th day of October, 1988.,
and the last publication on the 12th day of
October, 19 88; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 12th day
of October, 1988..

[Signature] Notary Public
for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

OCT 18 1988

Department of Water Resources
Northern District Office

MICROFILMED

DEC 21 1988

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

85-07482

HAZELBAKER, VINCIL W.;
HAZELBAKER, ANNIE K.; RT. 1 BOX
106 A; GRANGEVILLE, ID 83530
Source: SPRING Tributary: SINKS
Diversion Pt: SWSWNW Sec 15 T 31N
R 03E
Use: DOMESTIC (.020 CFS)
STOCKWATER (.020 CFS)
Date Filed: 7/11/1988
In: T31N R03E S15 SWNW.

85-07483

KEY, KENNETH R.; KEY, CAILY J.;
BOX 303; GRANGEVILLE, ID 83530
Source: BUTCHER CREEK Tributary:
CLEARWATER RIVER, SOUTH FO
Diversion Pt: SENWSW Sec 22 T 30N
R 03E
Use: STOCKWATER (.020 CFS)
Date Filed: 7/12/1988
In: T30N R03E S22 NWSW.

85-07485

LEE, LEONARD L.; BOX 356;
KOOSKIA, ID 83539
Source: CLEARWATER RIVER,
SOUTH FORK Tributary:
CLEARWATER RIVER
Diversion Pt: NESWSE Sec 5 T 32N R
04E
Use: IRRIGATION (.030 CFS)
Date Filed: 7/27/1988
In: T32N R04E S05 SWSE
1.0 ACRES TOTAL.

85-07486

CHADWICK, MARJORIE E.; RT 1 BOX
6A; GRANGEVILLE, ID 83530
Source: GROUNDWATER
Diversion Pt: SWNW Sec 13 T 30N
R02E
Use: COMMERCIAL (.280 CFS)
Date Filed: 7/20/1988
In: T30N R02E S13 SWNW.

85-07487

MOORE, DELVIN; RT 2 BOX 598;
GRANGEVILLE, ID 83530
Source: SPRING Tributary: SINKS
Diversion Pt: NWSE Sec 32 T30N R
03E

Use: DOMESTIC (.040 CFS)

Date Filed: 7/22/1988

In: T30N R03E S32 NWSE.

85-07488

R & D INVESTMENTS; BOX 356 HWY
95; GRANGEVILLE, ID 83530
Source: GROUNDWATER
Diversion Pt: SWNE Sec 14 T 30N R
02E

Use: COMMERCIAL (.040 CFS)
DOMESTIC (.040 CFS)

Date Filed: 7/27/1988

In: T30N R02E S14 SWNE.

85-07489

ARNZEN, ERIC; RT 1 BOX 128;
COTTONWOOD, ID 83522
Source: GROUNDWATER
Diversion Pt: SWNE Sec 24 T 32N R
01E
Use: IRRIGATION (4.000 CFS)
STOCKWATER (.150 CFS) DOMESTIC
(.040 CFS)
Date Filed: 7/18/1988
In: T32N R01E S24 SWNE SWNE
SESW NWSE SWSE SESE
200.0 ACRES TOTAL.

AFFIDAVIT OF PUBLICATION

Charlotte Sotin being first duly

sworn, says he is the Bookkeeper
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for two weeks,
being published two times, the first publication being
on the 17th day of August, 1988,
and the last publication on the 24th day of
August, 1988; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Charlotte Sotin

Subscribed and sworn to before me this 24th
of August, 1988

[Signature] Notary Public

for State of Idaho, residing at Grangeville, Idaho.

85-07490

ROMAN CATHOLIC DIOCESE OF
BOISE; BOX 769; BOISE, ID
837010769
Source: GROUNDWATER
Diversion Pt: LOT 12 (SESENE) Sec 19
T 32N R 02E
Use: IRRIGATION (.050 CFS)
Date Filed: 8/01/1988
In: T32N R02E S19 SENE
2.0 ACRES TOTAL.

85-07491

ADKISON CORP.; 616 E. S. ST.;
GRANGEVILLE, ID 83530
Source: GROUNDWATER
Diversion Pt: SWSE Sec 29 T 30N R
03E
Use: COMMERCIAL (.020 CFS)
Date Filed: 8/05/1988
In: T30N R03E S29 SWSE

85-07492

EARP, ZELMER KENNETH; RT. 2, BOX
430; GRANGEVILLE, ID 83530
Source: GROUNDWATER
Diversion Pt: NWSWNE Sec 29 T 30N
R 03E
Use: DOMESTIC (.040 CFS)
DATE FILED: 8/01/1988
IN: T30N R03E S29 SWNE.

RECEIVED

AUG 22 1988

Department of Water Resources
Northern District Office

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, Government Way
Suite 9, Coeur d'Alene, Idaho 83814 on
or before SEPTEMBER 6, 1988.

R. KEITH HIGGINSON, Director
Published 8/17/1988 & 8/24/1988

A17-24

Microfilm

DEC 21 1988

August 21, 1991

ROMAN CATHOLIC DIOCESE OF BOISE
P.O. BOX 769
BOISE, ID 837010769

RE: WATER RIGHT NO. 85-07490

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

MICROFILMED

AUG 22 1991

July 24, 1991

ROMAN CATHOLIC DIOCESE OF BOISE
P.O. BOX 769
BOISE, ID 837010769

RE: WATER RIGHT NO. 85-07490

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED

AUG 22 1991

LICENSE REVIEW CHECKLIST

Permit No. 85-7490

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance no ☒
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ☒

Limited by capacity no ☒

Total volume Limited by flow no ☒

Capacity Chart checked for AF rate/ac 3.0 ☒
Actual measurement checked no ☒
Theoretical checked 288.8 x .7/40 + 2.31 x 40 = .09 cfs
If greater than permit, check for other rts no ☒

Source Changed? yes no ☒
If so, is memo needed to clarify? no ☒

P/D Verify with map yes ☒ permit yes ☒
More than one per 44? Remember remark no ☒
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart yes ☒

P/U Verify with map yes ☒ permit yes ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 no ☒
Description of non-irrig uses no ☒
Special overlap condition no ☒

Conditions -
Measuring device no ☒
W.Master control no ☒
Overlap no ☒
Water quality no ☒
Other no ☒

Dates/Misc. -
Water Dist no ☒
App Rec'd no ☒
Proof Rec'd no ☒

CHECK FOR ADJ. CLAIM Needed according to proof filed no ☒
Filed - needs amended no ☒
Add'l fee required no ☒
Not filed no ☒
Not needed yes ☒ proof made 12/29/88

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day no ☒

Back of field report signed? yes ☒
Reviewer Curtis Date 7/9/81 Review time 6 min.

AUG 2 1981

State Right #85-7490

U. ENKOTT WELL DRILLING AND SUPPLIES

PUMP SALES AND SERVICE

FENN, IDAHO 83531

Phone 962-3923

Well Log

Depth and Strata

WELL NO. CF/1-Well 124

0-foot Overburden
2-foot White sandy clay
10-foot Gray sand (soft)
15-foot Brown coarse sand
some water at 115'
26-foot Brown rotten rock
11-foot sand (Med hard)
35-foot Brown rock (Med hard)
40-foot Pure green W/sand
65-foot (granite)
Granite-green
77-foot (med. hard)
Redish rotten rock
105-foot (soft)
Green granite
142-foot (med. hard)
brown rock W/sand
173-foot (Med hard)
Green granite
182-foot (hard)
Pure granite, black
214-foot (Med. hard)
Redish rotten rock
40-foot (soft)
Green granite (hard)
171-foot
Redish rotten rock
184-foot (soft)
Green sandy granite
114-foot (very hard)
BOTTOM OF WELL
Hit some water at
380 feet, also some
at 480 feet
Total--- 10 G.P.M.
(pat)
MEMO:

OWNER OF WELL Greencreek Parish
LOCATION OF WELL NE1/4SW1/4S-24/T-32N/R-1E
NEAREST POST OFFICE Greencreek
STATE Idaho COUNTY Idaho
DRILLING BEGUN April 15, 1974 WELL FINISHED April 25, 1974

Well Record

160' Well Record
4" PVC X 125PSI
CASING SIZE 6 5/8 X .188 CASING DEPTH 6" to 108 feet, 2' AGL
HOLE SIZE 6 inches HOLE DEPTH 514 feet
CAPACITY OF WELL 10 Gallons Per Minute Static: 40 feet
PUMP SETTINGS Check Pump Records
CASING PERFORATIONS 4 inch from 120 to 140'-160 to 180'-200 to 220'-
240 to 260'-280 to 300'-320 to 340'-360 to 380'-400 to 420'-440 to 460'-
480 to 500'

Invoice

DATE May 31, 1974

Item	Unit Price	Amount
400 feet		
6 inch drilling-- 414 feet	\$ 8.00	\$ 3,200.00
6 inch casing-- 110 feet	5.25	577.50
4 inch PVC liner-- 420 feet	2.50	1,050.00
Bentonite-- 1 sack	5.00	5.00
6 inch drilling-- 400 to 500 feet	8.50	850.00
6 inch drilling-- 500 to 514 feet	9.00	126.00
TOTAL		\$5,808.00
CREDIT		580.85

Top of 4 inch PVC liner
is at 100 feet below ground
level.
110 feet of 6 inch casing
is .188

TOTAL AMOUNT DUE \$ 5,227.65

RECORDED
AUG 22 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Greenwood Parish
Address Greenrock Idaho 83533
Drilling Permit No. None
Water Right Permit No. None 85-7490

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>108</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
<u>160</u> inches	<u>4 PVC</u> inches	_____ feet	<u>420</u> feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No IN-PVCHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation 3/16 inches by 2 inches SAW

Number	From	To
<u>35</u> perforations	<u>BOTTOM</u> feet	_____ feet
_____ perforations	<u>40 ft up</u> feet	_____ feet
_____ perforations	<u>PVC</u> feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent☐ Cemented between strata

Describe access port _____

7. WATER LEVEL

Static water level _____ feet below land surface.

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ OF. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____


Discharge G.P.M.	Pumping Level	Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
	0	2	overburden		
	2	4	white sandy clay		
	2	60	gray sand soft		
	60	95	Brown coarse sand some water at 115		
	115	126	Brown rotten rock w/sand (med hard)		
	126	140	more green w/sand		
	165		granite-green		
	165	199	(med hard) reddish rotten		
	199	206	(soft) green granite		
	206	242	(med hard) brown rock w/sand		
	242	273	(med hard) green granite		
	273	382	(hard) more granite black		
	382	424	(med hard) reddish rotten rock		
	440		soft green granite hard		
	440	471	reddish rotten rock		
	471	484	(soft) green sandy granite		
	484	514	feet very hard granite (very hard)		
	514		Bottom of well		
	480		380 ft some water 109 P.M.		

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County IdahoNE 1/4 SW 1/4 Sec. 29, T. 32 N. 2 E. 2
S. 2 R. 2 W. 2

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name UHL EN KOTT Well Drilling Firm No. 125Address Idaho 83531 Date 6-24-91Signed by (Firm Official) Ray Uhlendorf

and

(Operator) Pat Uhlendorf

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 85-07490

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

JW King

Date

8/17/90

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

- Permit No. 85-07490
Phone No. 962-3536
1. Owner: Roman Catholic Diocese of Boise
Don Anthony's Parson
Current Address: P.O. Box 769 Boise ID 83701 ~~Box 90 Greenwood ID 83533~~
2. Accompanied by: NONE EXAM. DATE: 6/20/90
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

O well
+ 2 hr
+ + + sprinkler
G

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
AUG 22 1991

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The water from the well ^(30' b.w.g.) is pumped with a 2hp berkeley pump and used to water the cemetery lawn. The lawn is sprinkled by a rainbird sprinkler connected ~~to~~ with a garden hose to a riser.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
submersible	Franklin	2	2621011	Berkeley	7616108

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
-	12	SE	SE	NW	19	32N	2E	Idaho	Map

6. **Place(s) of Use:**


Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
32N	2E	19																	2
																			1.5

TDK

AUG 22 1991

Do not use this space



NAME: Roman Catholic (St Anthony's) PERMIT NUMBER: 85-07490
PD: T 32N, R 2E, SEC. 19, SE SE NE NW GL 1/2 MAP: # 59M
PU: T , R , SEC. , AC/IRR: QUAD:
SOURCE: Groundwater TRIBUTARY TO:

Do not use this space

D. FLOW MEASUREMENTS *None*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

ONE SPRINKLER $\approx \frac{8 \text{ gpm}}{448.8} = 0.02 \text{ TDK}$

2. Alternate Method for Checking Purposes:

2 Acres

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = ~~2~~ (3.0) (1.5) = 4.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.4835 = ^{0.2} ²⁴⁵ 9.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4.5$

2. Volume Calculations for Other Uses:

RECEIVED
AUG 22 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

1. What is the main purpose of the document?
 2. What are the key findings of the study?
 3. What are the limitations of the study?
 4. What are the implications of the study?
 5. What are the conclusions of the study?
 6. What are the recommendations of the study?
 7. What are the future research directions?
 8. What are the acknowledgments?
 9. What are the references?
 10. What are the appendices?
 11. What are the footnotes?
 12. What are the endnotes?
 13. What are the glossary terms?
 14. What are the abbreviations?
 15. What are the acronyms?
 16. What are the symbols?
 17. What are the units?
 18. What are the scales?
 19. What are the methods?
 20. What are the results?
 21. What are the discussions?
 22. What are the conclusions?
 23. What are the recommendations?
 24. What are the future research directions?
 25. What are the acknowledgments?
 26. What are the references?
 27. What are the appendices?
 28. What are the footnotes?
 29. What are the endnotes?
 30. What are the glossary terms?
 31. What are the abbreviations?
 32. What are the acronyms?
 33. What are the symbols?
 34. What are the units?
 35. What are the scales?
 36. What are the methods?
 37. What are the results?
 38. What are the discussions?
 39. What are the conclusions?
 40. What are the recommendations?
 41. What are the future research directions?
 42. What are the acknowledgments?
 43. What are the references?
 44. What are the appendices?
 45. What are the footnotes?
 46. What are the endnotes?
 47. What are the glossary terms?
 48. What are the abbreviations?
 49. What are the acronyms?
 50. What are the symbols?
 51. What are the units?
 52. What are the scales?
 53. What are the methods?
 54. What are the results?
 55. What are the discussions?
 56. What are the conclusions?
 57. What are the recommendations?
 58. What are the future research directions?
 59. What are the acknowledgments?
 60. What are the references?
 61. What are the appendices?
 62. What are the footnotes?
 63. What are the endnotes?
 64. What are the glossary terms?
 65. What are the abbreviations?
 66. What are the acronyms?
 67. What are the symbols?
 68. What are the units?
 69. What are the scales?
 70. What are the methods?
 71. What are the results?
 72. What are the discussions?
 73. What are the conclusions?
 74. What are the recommendations?
 75. What are the future research directions?
 76. What are the acknowledgments?
 77. What are the references?
 78. What are the appendices?
 79. What are the footnotes?
 80. What are the endnotes?
 81. What are the glossary terms?
 82. What are the abbreviations?
 83. What are the acronyms?
 84. What are the symbols?
 85. What are the units?
 86. What are the scales?
 87. What are the methods?
 88. What are the results?
 89. What are the discussions?
 90. What are the conclusions?
 91. What are the recommendations?
 92. What are the future research directions?
 93. What are the acknowledgments?
 94. What are the references?
 95. What are the appendices?
 96. What are the footnotes?
 97. What are the endnotes?
 98. What are the glossary terms?
 99. What are the abbreviations?
 100. What are the acronyms?
 101. What are the symbols?
 102. What are the units?
 103. What are the scales?
 104. What are the methods?
 105. What are the results?
 106. What are the discussions?
 107. What are the conclusions?
 108. What are the recommendations?
 109. What are the future research directions?
 110. What are the acknowledgments?
 111. What are the references?
 112. What are the appendices?
 113. What are the footnotes?
 114. What are the endnotes?
 115. What are the glossary terms?
 116. What are the abbreviations?
 117. What are the acronyms?
 118. What are the symbols?
 119. What are the units?
 120. What are the scales?
 121. What are the methods?
 122. What are the results?
 123. What are the discussions?
 124. What are the conclusions?
 125. What are the recommendations?
 126. What are the future research directions?
 127. What are the acknowledgments?
 128. What are the references?
 129. What are the appendices?
 130. What are the footnotes?
 131. What are the endnotes?
 132. What are the glossary terms?
 133. What are the abbreviations?
 134. What are the acronyms?
 135. What are the symbols?
 136. What are the units?
 137. What are the scales?
 138. What are the methods?
 139. What are the results?
 140. What are the discussions?
 141. What are the conclusions?
 142. What are the recommendations?
 143. What are the future research directions?
 144. What are the acknowledgments?
 145. What are the references?
 146. What are the appendices?
 147. What are the footnotes?
 148. What are the endnotes?
 149. What are the glossary terms?
 150. What are the abbreviations?
 151. What are the acronyms?
 152. What are the symbols?
 153. What are the units?
 154. What are the scales?
 155. What are the methods?
 156. What are the results?
 157. What are the discussions?
 158. What are the conclusions?
 159. What are the recommendations?
 160. What are the future research directions?
 161. What are the acknowledgments?
 162. What are the references?
 163. What are the appendices?
 164. What are the footnotes?
 165. What are the endnotes?
 166. What are the glossary terms?
 167. What are the abbreviations?
 168. What are the acronyms?
 169. What are the symbols?
 170. What are the units?
 171. What are the scales?
 172. What are the methods?
 173. What are the results?
 174. What are the discussions?
 175. What are the conclusions?
 176. What are the recommendations?
 177. What are the future research directions?
 178. What are the acknowledgments?
 179. What are the references?
 180. What are the appendices?
 181. What are the footnotes?
 182. What are the endnotes?
 183. What are the glossary terms?
 184. What are the abbreviations?
 185. What are the acronyms?
 186. What are the symbols?
 187. What are the units?
 188. What are the scales?
 189. What are the methods?
 190. What are the results?
 191. What are the discussions?
 192. What are the conclusions?
 193. What are the recommendations?
 194. What are the future research directions?
 195. What are the acknowledgments?
 196. What are the references?
 197. What are the appendices?
 198. What are the footnotes?
 199. What are the endnotes?
 200. What are the glossary terms?
 201. What are the abbreviations?
 202. What are the acronyms?
 203. What are the symbols?
 204. What are the units?
 205. What are the scales?
 206. What are the methods?
 207. What are the results?
 208. What are the discussions?
 209. What are the conclusions?
 210. What are the recommendations?
 211. What are the future research directions?
 212. What are the acknowledgments?
 213. What are the references?

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	1/1	12/31	105.62	~~6~~ 4.5
Totals:			105	~~6~~ 4.5

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
Signature Robert Knoblock
Certification Date 7/16/90
Field Report Preparation Date 6/20/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

AUG 22 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

P H O T O G R A P H S



pu/pd

RECEIVED

AUG 22 1991

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 85-07490
Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ 1/4 _____ 1/4 Gov. Lot _____

2. Owner: _____

Address: _____

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☐ N ☒
Pressure Gauge: Y ☐ N ☒
Flowing: Y ☐ N ☐

Static Water Level: unknown
Casing Diameter: 6"
Temperature: cool

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

RECEIVED

AUG 22 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES


NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CFCIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 16, 1989

Roman Catholic Diocese of Boise
P.O. Box 769
Boise, Id. 83701



Re: 85-7490 (St. Anthony's Parish)

Department of Water Resources

Gentlemen:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JUN 15 1989



1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 85-7490

Date: 4/19/89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

03/86

RECEIVED

DEC 29 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$50.00

Date C00-4881Receipt # C00-4881Receipt by CPReviewed by OSSent to region OS

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 85-7490Name(s) of Permit Holder: Roman Catholic Diocese of Boise (St. Anthony's Parish)Post Office Address: P. O. Box 769 Rt. 1 Box 90Boise, Idaho 83701
342-1311Telephone No. Greencreek, Id. 83533
962-3536Source of Water: Ground Water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 1.5 (acres) Other/Remark _____Total rate and/or volume for which proof is submitted .05 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: 3/15/89Measuring Device: Required? Yes X No
Installed? Yes X NoFee enclosed \$ 50.00
(See License Examination Fee Schedule)Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

Rev. Thomas Mathes

(Name)

962-3565

(Telephone Number)

St. Anthony's Parish, Rt. 1, Box 90, Greencreek, Idaho 83533

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUN 15 1989

Date

Signature of Permit Holder (and title, if appropriate)

Roman Catholic Diocese of Boise
by Mark R. Schumacher, Chancellor

Dec 14, 1988

UHLENKOTT WELL DRILLING AND SUPPLIES

PUMP SALES AND SERVICE

Well Log

Depth and Strata

FENN, IDAHO 83531

Phone 962-3923

0 feet
Overburden
2 feet
White sandy clay
60 feet
Gray sand (soft)
95 feet
Brown course sand
some water at 115'
126 feet
Brown rotten rock
W/sand (Med hard)
135 feet
Brown rock (Med hard)
140 feet
More green W/sand
165 feet (granite)
Granite-green
197 feet (med. hard)
Redish rotten rock
206 feet (soft)
Green granite
242 feet (med. hard)
brown rock W/sand
273 feet (Med hard)
Green granite
382 feet (hard)
More granite, black
424 feet (Med. hard)
Redish rotten rock
440 feet (soft)
Green granite (hard)
471 feet
Redish rotten rock
484 feet (soft)
Green sandy granite
514 feet (very hard)
BOTTOM OF WELL
Hit some water at
380 feet, also some
at 480 feet
Total--- 10 G.P.M.
(pat)
MEMO:

OWNER OF WELL Greencreek Parish
LOCATION OF WELL NE¹/SW¹/S-24/T-32N/R-1E
NEAREST POST OFFICE Greencreek
STATE Idaho COUNTY Idaho
DRILLING BEGUN April 15, 1974 WELL FINISHED April 25, 1974

WELL NO. CP#1-Well 124

Well Record

160 P
4" PVC X 125PSI
CASING SIZE 6 5/8 X .188 CASING DEPTH 6" to 108 feet 2' AGL
HOLE SIZE 6 inches HOLE DEPTH 514 feet
CAPACITY OF WELL 10 Gallons Per Minute Static: 40 feet
PUMP SETTINGS Check Pump Records
CASING PERFORATIONS 4 inch from 120 to 140'-160 to 180'-200 to 220'-240 to 260'-280 to 300'-320 to 340'-360 to 380'-400 to 420'-440 to 460'-480 to 500'

Invoice

DATE May 31, 1974

Item	Unit Price	Amount
400 feet		
6 inch drilling-- ~~614~~ feet	\$ 8.00	\$ 3,200.00
6 inch casing-- 110 feet	5.25	577.50
4 inch PVC liner-- 420 feet	2.50	1,050.00
Bentonite-- 1 sack	5.00	5.00
6 inch drilling-- 400 to 500 feet	8.50	850.00
6 inch drilling-- 500 to 514 feet	9.00	126.00
	TOTAL	\$5,808.00
	CREDIT	500.05

Top of 4 inch PVC liner
is at 100 feet below ground
level.
110 feet of 6 inch casing
is .188

TOTAL AMOUNT DUE \$ 5,227.65

MICROFILMED

JUN 15 1989

January 3, 1989

Roman Catholic Diocese of Boise
St. Anthony's Parish
P.O. Box 769
Boise, ID 83701

RE: Permit No. 85-7490

Dear Permit Holders:

The department received your proof of beneficial use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by February 3, 1989. Upon receipt of the well information, the department will continue processing the proof by notifying the region that a field exam is needed.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

JODI I. SCHULTZ
Clerical Assistant

MICROFILMED

JUN 15 1989

JUN 15 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 5, 1988

ROMAN CATHOLIC DIOCESE OF BOISE
P.O. BOX 769
BOISE, ID 837010769

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 85-07490

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED
DEC 21 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: *[Signature]*DATE: 8/3/88APPLICATION: 85-07490REQUIRED INFORMATION

- ☒ Name: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
- ☒ Address:
- ☒ Source: (See USGS Quad for names of water sources)
- ☒ Point of Diversion: (10 acres for spring, lot & block descriptions for Subdivisions, local name)
- ☒ County:
- ☒ Quantity: (flow and/or volume)
- ☒ Period of use:
- ☒ Nature of proposed use: (Include description of use)
- ☒ Description of diverting works:
- ☒ Time required for beneficial use of water:
- ☒ Place of use or acres irrigated:
- ☒ Map:
- ☒ Signature: (If applicant is corp., partnership, or municipality title of signator is required)
- ☒ Fee:
- ☒ yes ☐ No* In form to receipt:

ADDITIONAL INFORMATION

YES NO

- ☒ Overlapping place of use: (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion:
- ☒ Field check required: Field check by: _____
- ☒ Field report attached:
- ☒ Critical groundwater area:
- ☒ Groundwater management area:
- ☒ Send dam safety information:
- ☒ Send power requirement letter:
- ☒ Send fish farm requirement letter:
- ☒ Power residency affidavit:
- ☒ Power efficiency form:
- ☒ Within trust water boundry: (If yes, attach Trust Water Supplementary Analysis Sheet.)
- ☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)
- ☒ *REQUEST ADDITIONAL INFORMATION FROM THE APPLICANT

DATE REQUESTED: _____

Additional information on reverse side: _____

RECEIVED

NOV 03 1988

Department of Water Resources

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising:
☒ Fee amount, receipt number and date recorded on application:

SEND COPIES TO

YES NO

- ☐ I.D. Health and Welfare
☐ I.D. Fish and Game
☐ I.D. Lands
☐ Adjudication Bureau

YES NO

- ☐ U.S. BLM
☐ U.S. Forest Svc.
☐ Water District # _____
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

YES / NO

- ☒ Affidavit of publication received:
☒ Application published correctly; If not, record action taken.
P/D - P/U dr. incorrect. De-advised.
☒ Publication dates and paper recorded on application:
☒ Protests received, Final date for protest 9/16/88 10/24/88
☒ Protests, dates, resolution of protest recorded on application:
☒ Recommendations attached:
☒ Measuring device required:
☒ Measuring port required:
☒ Water delivered by water master? District # _____
☒ Special conditions of approval or cover letter: (see additional info. below)
☒ See Below For Additional Information
Recommended Date of Priority 7/26/88 ✓
Recommended by: P/R Date 9/20/88

STATE OFFICE REVIEW

See below for additional information. By KW Date 11/29/88

ADDITIONAL INFORMATION

App. describes an existing well - condition 46
N/A

NOTICE OF CORRECTION

NOTICE IS HEREBY GIVEN THAT APPLICATION FOR PERMIT NO. 85-7490 in the name of Roman Catholic Diocese of Boise was advertised incorrectly on 8/17 & 24/1988.

The Diversion Pt. was incorrectly advertised as Lot 12 (SESENE) Sec 19 T32N R02E; whereas, it should be Lot 12 (SESENW) Lot 12 Sec 19 T32N R02E. The place of use was incorrectly advertised as T32N R02E S19 SENE; whereas it should be T32N R02E S19 SENW.

Protests to the above-referenced correction must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Suite 9, Coeur d'Alene, Id. 83814 on or before October 24, 1988.

R. KEITH HIGGINSON, Dir.

Published in the Idaho County Free Press on 10/5 & 12/1988.

MICROFILMED

DEC 21 1988

85-07490

ROMAN CATHOLIC DIOCESE OF BOISE
BOX 769
BOISE, ID 837010769

Source: GROUNDWATER

Diversion Pt: LOT 12 (SESEⁿⁿ~~NE~~) Sec 19 T 32N R 02E

Use: IRRIGATION (.050 CFS)

Date Filed: 8/01/1988

In: T32N R02E S19

ⁿⁿ
~~SENE~~

2.0 ACRES TOTAL

*changed on
9/29/88*

UNRECORDED
DEC 21 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

June 1, 1988

R. KEITH HIGGINSON
Director

JUL 28 1988

St. Anthony's Catholic Church
Rt. 1 Box 90
Greencreek, Id. 83533

Department of Water Resources

Gentlemen:

We are enclosing your Check No. 92-1 in the amount of \$30.00 and your Application for Permit to allow an officer to sign the form on page three. Please be sure to show the official's title below the signature. The application must be signed by an officer of the corporation, or someone who is authorized to do so.

We will also need a mailing list of all officers and board of directors.

If you have any questions, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

Enc. - Application
Check

MICROFILMED

DEC 21 1988