


DRILLED THE WELL.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David W. Hensin
(Applicant)



MICROFILMED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: David W. Heusinkveld Permit No. 85-07458
Current Address: 3834 Barr Rd. Lewiston ID 83501 Phone No. 743-8847
2. Accompanied by: David Heusinkveld EXAM. DATE: 7/10/90
Address: same Phone No. same
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
JUL 16 1991

Scale: 1" = NTS


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

TES
E INTERIOR
RVEY

2 890 000 FEET (WASH)

4.5 MI. TO U.S. 95
LEWISTON 4.3 MI. 57'30"

2676 IV NW
(LEWISTON ORCHARDS NORTH)



HEUSINKVELD
PD: T35N, R5W, SEC.22,
PU:
SOURCE: GROUNDWATER

QUAD: L-53
SENE

PERMIT #85-07458
GL: 
ACRES: ^2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07458

Priority: May 25, 1988

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 11.3 AF

This is to certify, that DAVID W. HEUSINKVELD
3834 BARR RD.

LEWISTON, ID 83501 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 25, 1988; and
has submitted Proof of Beneficial Use on January 3, 1989. An examination indicates
that the works have a diversion capacity of .110 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.04 CFS	11.3 AF

LOCATION OF POINT(S) OF DIVERSION: SENE, Sec. 22, Township 35N, Range 05W
NEZ PERCE County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN RGE SEC</u>					
35N 05W 22	SENE	2.5			2.5

Total number of acres irrigated: 2.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

JUL 16 1991


PAGE 2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 85-07458

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8TH
day of July, 1991.

Acting for


R. Keith Higginson, Director

MICROFILMED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No.

85-07458

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant DAVID W. HEUSINKVELD Phone 208-743-3133
Post office address 307 ST JOHN'S WAY LEWISTON, ID 83501

2. Source of water supply WELL which is a tributary of SENE Sec 22 T 35 N R 5 W From Nez Perce Assessor PA 6/1/88

3. Location of point of diversion is 1/4 of 1/4 of 1/4, Govt. Lot LOT #8
Sec. BLOCK 67 Township LEWISTON ORCHARDS Range TRACT #2 B.M. NEZ PERCE County; additional
points of diversion if any: SEE ATTACHED LEGAL DESCRIPTION

4. Water will be used for the following purposes:
Allow 0.04* Reduce to .015 cfs per tel con with Dr. Heusinkveld 8/22/88 R&A
Amount 11 cfs for IRRIGATION purposes from 1 APRIL to 30 OCT (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

---0.75-* Allow 0.04 cfs*

5. Total quantity to be appropriated is (a) 11 cfs and/or (b) _____
*kw 9/15/1988 cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP IN WELL

b. Height of storage dam NONE feet; active reservoir capacity NONE acre-feet; total
reservoir capacity NONE acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 130 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
COMPLETED years (minimum 1 year).

MICROFILMED

FEB 09 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
OT 8	BLOCK 67	LEWISTON ORCHARDS TRACT #2																	2½ ACRES
		SEE ATTACHED LEGAL DESCRIPTION OF PROPERTY																	
		WILL IRRIGATE 2½ ACRES																	
35N	5W	22				2													2
from Nez Perce		23						.5											.5
Assessor		AMM																	

6/1/88

Total number of acres to be irrigated 2½

10. Describe any other water rights used for the same purposes as described above. WATER FROM LEWISTON ORCHARDS IRRIGATION DISTRICT
11. a. Who owns the property at the point of diversion? DAVID W. HEUSINKVELD
- b. Who owns the land to be irrigated or place of use? DAVID W. HEUSINKVELD
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: THIS WELL IS FOR STANDBY USE IN CASE LEWISTON ORCHARDS IRRIGATION DISTRICT RUNS OUT OF WATER. I HAVE PLANTED MANY TREES AROUND MY HOME THAT WILL DIE WITHOUT WATER. I AM TOO OLD TO REPAIR IT. I FEAR WE WILL RUN OUT OF WATER THIS YEAR.

FEB 09 1989

VHLENKOTT UNDERGROUND OF GRANGEVILLE, ID.

DRILLED THE WELL.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David W. Hensin
(Applicant)

Received by RGH Date 5/19/88 Time 12:50 PM Proposed Priority 5/25/88
Preliminary check by RGH
Fee \$ 30.50 Receipted by [signature] # N168 Date 6/1/88
Publication prepared by [signature] Date 6/7/88 Published in See Thomas 6/16-23/88
Publication approved [signature] Date 7/1/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of
Idaho No. 85-7458, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
December 1, 1989.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other
water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all
rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time
than the priority of this permit and shall not give rise to any right or claim against any future rights to the
use of water, other than hydropower, within the State of Idaho initiated later in time
than the priority of this permit.
- e. Other: The maximum rate of diversion for irrigation purposes under this
permit shall not exceed 0.04 cfs.

Witness my hand this 9th day of December, 1988.

J. Glen Saxton

MICROFILMED

FEB 09 1989

The land referred to in this policy is described as: **LEGAL DESCRIPTION OF PROPERTY**

Situate in **TO BE IRRIGATED** County of Nez Perce, State of Idaho, to-wit:
Commencing at the intersection of the centerlines of 17th Street and Richardson Avenue; thence North $89^{\circ}35'$ East a distance of 990 feet; thence North $0^{\circ}09'$ West a distance of 30 feet to the North line of Richardson Avenue to the true point of beginning; thence continuing North $0^{\circ}09'$ West a distance of 316.82 feet to a point; thence North $89^{\circ}08'$ East a distance of 293.67 feet to the West line of Barr Street; thence South $14^{\circ}16'$ East along the West line of Barr Street a distance of 172.28 feet to a point which is the intersection of the West line of Barr Street and the West line of 18th Street; thence South $0^{\circ}19'$ East a distance of 152.3 feet to the North line of Richardson Avenue; thence South $89^{\circ}35'$ West along the North line of Richardson Avenue a distance of 335.86 feet to the point of beginning. The above property being a part of Lot 8, Block 67, Lewiston Orchards Tract No. 2; EXCEPTING THEREFROM HOWEVER, the West 20 feet thereof AND the North 24 feet thereof.

D. M. M. Henshaw

TRIBUNE PUBLISHING COMPANY, INC.
The Lewiston Morning Tribune
505 C St., P.O. Box 957
Lewiston, Idaho 83501
(208) 743-9411

Date 062388 INVOICE No. 100137054
Account No. 96475
Description 37054NOTIC
Times 2 Lines 120
Tab Lines _____

LEGAL ADVERTISING
INVOICE

SOLD TO: STATE OF IDAHO
DEPT. OF WATER RESOURCES
4055 GOVERNMENT WAY
COEURDALENE
ID 83814

\$ 105.00

NOTICE: This is an invoice of Purchase made by you. Statement will be rendered the first of the month.
Please Retain This Invoice as Your Statement Will Refer To Invoice by No. Only. 1988

RECEIVED

NOTICE OF APPLICATION FOR
WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

85-07458
HEUSINKVELD, DAVID W.
307 ST. JOHN'S WAY
LEWISTON, ID 83501
Source: GROUNDWATER
Diversión Pt: SENE Sec 22 T 35N R 05W
Use: IRRIGATION (.110 CFS)
Date Filed: 5/25/1988
In: T35N R05W S22 SENE
S23 SWNW
3.0 ACRES TOTAL

85-07462
MC GREGOR CO.
DIVN. OF MC GREGOR LAND
& LIVESTOCK CO.
P.O. BOX 740
COLFAX, WA 99111
Source: GROUNDWATER
Diversión Pt: NENW Sec 6 T 34N R 04W
Use: INDUSTRIAL (.060 CFS)
DOMESTIC (.010 CFS)
Date Filed: 6/06/1988
In: T34N R04W S06 NENW

86-07234
MC GREGOR CO.
DIVN. OF MC GREGOR LAND
& LIVESTOCK CO.
P.O. BOX 740
COLFAX, WA 99111
Source: GROUNDWATER
Diversión Pt: NESE Sec 5 T 37N R 02W
Use: INDUSTRIAL (.080 CFS)
DOMESTIC (.010 CFS)
In: T37N R02W S05 NESE

95-08581
HAYDEN LAKE IRRIGATION DIS-
TRICT
C/O BILL BATEY
P. O. BOX 162
HAYDEN LAKE, ID 83835
Source: GROUNDWATER
Diversión Pt:
NESWSE Sec 5 T 51N R 04W
SENWSW Sec 14 T 51N R 04W
Use: IRRIGATION (12.050 CFS)
STOCKWATER (.009 CFS)
INDUSTRIAL (4.490 CFS)
COMMERCIAL (4.490 CFS)
MUNICIPAL (1.560 CFS)
DOMESTIC (2.930 CFS)
FIRE PROTECTION (2.930 CFS)
Date Filed: 4/25/1988
MUNICIPAL PLACE OF USE LOCATED
WITHIN THE CITY LIMITS OF HAY-
DEN.

In: T51N R04W S11
S11 NESW
NWSW SWSW
SESW
SWSE
SESE
S14 NENE
NWNE
SWNE
SENE
NENW NWNW
SWNW SENW
NESW
NWSW
SWSW
SESW

S15 SWSW
SESW
NESE
SWSE
SESE
SESW
S16 NENE
S21 NWNE
SWNE SENE
NESE
SWSE
SESE
S22 NENE
NWNE
SENE
NENW
NWNW
NESE
SWSE SESE
S23 NENE
NWNE
SWNE
SENE
NENW
NWNW
SWNW SENW

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, ss.
County of Nez Perce

J. J. Phillips, being duly sworn,
deposes and says, I am the Legal Clerk
of the Tribune Publishing Company, a corporation organized and existing
under and by virtue of the laws of the State of Idaho, publishers of the
LEWISTON MORNING TRIBUNE, a newspaper of general circulation
published at Lewiston, Nez Perce County, Idaho; That the said Lewiston
Morning Tribune is an established paper and has been published regular-
ly and issued regularly at least once a day for more than 21 consecutive
years next immediately preceding the first publication of this notice, and
has been so published uninterrupted for said period; that the

NOTICE OF APPLICATION
attached hereto and which is made a part of this affidavit was published in
the said Lewiston Morning Tribune, 2 time(s). Publication be-
ing on 061688, or once a
DAY for 2 consecutive DAYS, the first
publication thereof being on the 061688, and the last pub-
lication thereof being on the 062388, and said

NOTICE OF APPLICATION
was so published in the regular and entire issue of said newspaper and
not in a supplement thereof and was so published in every issue and
number of the said paper, during the period and times of publication as
set forth above.

SUBSCRIBED AND SWORN BEFORE ME THIS THE 24
day of June 1988

Sheral M. Lentz
Notary Public in and for the State of Idaho,
residing at Lewiston, therein.

S26 NWNW
S27 NENE NWNE
NENW
NWNW
SWNW
1582 ACRES TOTAL
The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, Government Way Suite
9, Coeur D'Alene, Idaho 83814 on or before
JULY 5, 1988.

R. KEITH HIGGINSON, Director

MICROFILMED

FEB 09 1989

July 10, 1991

DAVID W. HEUSINKVELD
3834 BARR RD.
LEWISTON, ID 83501

RE: WATER RIGHT NO. 85-07458

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JUL 16 1991

LICENSE REVIEW CHECKLIST

Permit No. 85-7458

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance no ✓

Order to reinstate needed? yes no ✓

Total cfs Limited by fee N/A

Limited by capacity permit

Total volume Limited by flow 4.5

Chart checked for AF rate/ac 4.5

Capacity Actual measurement checked 4.5

Theoretical checked 4.5

If greater than permit, check for other rts no

Source Changed? yes no ✓
If so, is memo needed to clarify? no

P/D Verify with map permit ✓
More than one per 1/4? Remember remark no
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart no ✓

P/U Verify with map permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses no
Special overlap condition no

Conditions -
Measuring device 32
W.Master control 32
Overlap 32
Water quality 32
Other 32

Dates/Misc. -
Water Dist 32
App Rec'd 32
Proof Rec'd 32

CHECK FOR ADJ. CLAIM Needed according to proof filed no
Filed - needs amended no
Add'l fee required no
Not filed no
Not needed proof made 1989

Comments/Changes to Examiner's Recommendations:

License 10-day 10-day 30-day 30-day JUL 16 1991

Back of field report signed? yes
Reviewer S. Curtis Date 7/3/91 Review time 6 min.

yes

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 85-07458

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey?Aerial Photos/Permit.

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- TDK ✓ All actual uses listed (Rule 5,1,2): LIST STOCK WATER HERE
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ J. AUTHENTICATION

Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

Check with permit and well log for discrepancies

Signature JNL Kemp Date 8/16/90



UNCLASSIFIED

JUL 16 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: David W. Heusinkveld Permit No. 85-07458
Current Address: 3834 Barr Rd Lewiston ID 83501 Phone No. 743-8847
2. Accompanied by: David Heusinkveld EXAM. DATE: 7/10/90
Address: same Phone No. same
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100 ft

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
JUL 16 1991

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The water from the well (8" x 130' static water level 39ft) is pumped with a 5 hp pump to a delivery system to 5 lines of Rainbird sprinklers. Water from the well is also used for the animals. The rainfall size is $3/16"$ and there are 7 heads on each line.

☐ See Remarks on page 4 for continuation

Pump Serial No.	Pump Make	Motor Serial No.	Hp	Motor Make	Well or Diversion Identification No.*
			5 hp		Submersible

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

1661 9 T 7002

CONFIDENTIAL

Do not use this space

D. FLOW MEASUREMENTS

None

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
		~~_____~~	~~_____~~	—	~~_____~~	—

2. Measurements:

~~Measurements:~~

~~(H)(Q) = 6.8(7)~~ ~~=~~ ~~random sprinkler~~
~~@ size 3/16" @~~
45 psi ~~=~~ ~~(6.8(gal/min))(2)~~
~~448.8~~

HP = $\frac{(H)(Q)}{8.8(7)}$ * 5 = $\frac{(32)(Q)}{(8.8)(7)}$ = .11 cfs

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

2.5 Acres

15 geese
18 ducks
9 guineas
30 chickens

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); **Dynamic pumping level:** _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: $(3) \times (4) \div 8.8 = \underline{\hspace{1cm}}$ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: $(6) \times 1.34 = \underline{\hspace{1cm}}$ (7)

Panel Input KW: _____ **Ave PF x** _____ **Ave Volts x** _____ **Ave Ampsx .001732 =**

Panel Input HP: $(6) \times 1.34 = \underline{\hspace{1cm}} (7)$ **Efficiency:** $(5)/(7) \times 100 = \underline{\hspace{1cm}} \%$

6-11-62

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.5 \times 3.5 = 8.75$$
$$V_{ns} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} = \underline{8.75}$$

2. Volume Calculations for Other Uses:

$$\frac{1500(214)}{325,828.8} = 0.1 \text{ AF} \quad 1500 \text{ g/d PER DRILLING FEE.}$$

negligible { 15 geese
18 ducks
~~9 guinea~~
30 chickens

~~2 gal/day/animal $\Rightarrow$ 46 gal/day~~
= 1 AF

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Can recommend only .04 cfs. Dr. Heusinkveld is diverting ^{permitted} cfs and has failed to pay drilling ~~per~~ Fees.

Mr. Heusinkveld has geese, ducks, & chickens that use water from the well.

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	.04	8.75 TDK
~~Stock (36)~~	~~1/1~~	~~12/31~~	~~1.00~~	~~1~~ TDK
Totals:			.04	0.1 TDK 8.85 8.75

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Robert Knoblock
 Signature Robert Knoblock
 Certification Date 4/16/90
 Field Report Preparation Date 7/16/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

JUL 16 1991

2890 000 FEET (WASH)

4.5 MI. TO U.S. 95
LEWISTON 4.3 MI. 57'30"

2676 IV NW
(LEWISTON ORCHARDS NORTH)

504

506

Spring

16

GRELL

15

14

Lewiston Orchards

POWERS

1552

1516

1558

1587

1505

1606

1569

1597

22

23

1400

1400

Creek

1364

1422

Quarry

1400

Tammany School

1177

1400

28

Spring

27

1483

1600

1600

26

1600

33

34

35

HEUSINKVELD

PD: T35N, R5W, SEC. 22, SENE

PU:

SOURCE: GROUNDWATER

QUAD: L-53

PERMIT #85-07458

GL: 16

ACRES: 2

GL: ~~2~~
ACRES: 2

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 85-07458

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. _____ N, Rge. _____ Sec. _____, _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ Gov. Lot _____

2. Owner: _____

Address: _____

City _____, State _____

3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐

Pressure Gauge: Y ☐ N ☒

Flowing: Y ☐ N ☒

Static Water Level: 32 ft

Casing Diameter: 8"

Temperature: 60.1

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : _____

MICROFILMED

JUL 16 1991



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT

COEUR D' ALENE, IDAHO 83814

1910 Northwest Blvd., Suite 210

Telephone: (208) 765-4639

February 10, 1989

Mr. David Heusinkveld
3834 Barr Rd.
Lewiston, Id. 83501

Re: 85-7458

Dear Mr. Heusinkveld:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JUL 16 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 85-7450

Date: 1.4.89

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ y 1. well log in file
_____ y 2. drilling permit
_____ y A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
_____ y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

_____ Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JAN 03 1989

No Enc. Am
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by 99
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 85-7458-

Name(s) of Permit Holder: DAVID W. HEUSINKVELD-

Post Office Address: ~~301 ST JOHNS WAY~~ 3834 BARR RD -
LEWISTON, IDAHO

Telephone No. 208-743-3133 OFFICE
208-743-8847 HOME

Source of Water: WELL -

Extent of Use:

Domestic 0 (number of households)

Stockwater 15 GESE
18 DUCKS
9 GUINEAS (number and type of stock)
30 CHICKENS

Irrigation 2 1/2 (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted .04 cfs - _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: MAY 1987 -

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ 0 -
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

DAVID HEUSINKVELD
(Name)

208-743-3133 OFFICE
(Telephone Number)

208-743-8847 HOME

3834 BARR RD, LEWISTON, IDAHO, 83501
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 09 1989

29 DEC 88
Date

David W. Heusinkveld -
Signature of Permit Holder (and title, if appropriate)

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
December 27, 1988

DAVID W. HEUSINKVELD
307 ST. JOHN'S WAY
LEWISTON, ID 83501

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 85-07458

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 09 1989

[Handwritten signature]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

REC-11

OCT 31 1988

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

October 12, 1988

David W. Heusinkveld
307 St John's Way
Lewiston, ID 83501-2473

Department of Water Resources

RE: APPLICATION FOR PERMIT 85-07458

Dear Mr. Heusinkveld:

In response to your letter dated September 30, 1988, the additional ninety dollar (\$90) drilling permit fee must be submitted if the department issues the water right permit for the diversion of 0.075 cubic feet per second (about 34 gallons per minute).

The department, however, can issue the permit for 0.04 cubic feet per second (about 18 gallons per minute) without the submittal of the additional fee. Based on the content of your letter, this rate of diversion likely is all that you need.

Please advise us of what you want to do.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

c: N. Region
G.W. Prot. Sec

*Issue this no please.
Thank
DH*

MICROFILMED

FEB 09 1989

October 12, 1988

David W. Heusinkveld
307 St John's Way
Lewiston, ID 83501-2473

RE: APPLICATION FOR PERMIT 85-07458

Dear Mr. Heusinkveld:

In response to your letter dated September 30, 1988, the additional ninety dollar (\$90) drilling permit fee must be submitted if the department issues the water right permit for the diversion of 0.075 cubic feet per second (about 34 gallons per minute).

The department, however, can issue the permit for 0.04 cubic feet per second (about 18 gallons per minute) without the submittal of the additional fee. Based on the content of your letter, this rate of diversion likely is all that you need.

Please advise us of what you want to do.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

c: N. Region
G.W. Prot. Sec

MICROFILMED
FEB 09 1989

RECEIVED

DAVID W. HEUSINKVELD, M.D., F.A.C.S., P.A.
307 ST. JOHN'S WAY
LEWISTON, IDAHO 83501-2473

OCT 03 1988

PHONE (208) 743-3133

Department of Water Resources

30 SEPT 88

DEPARTMENT OF WATER RESOURCES
RE: APPLICATION FOR PERMIT 85-7458
DEAR SIR:

MY WELL IS PRIMARILY
FOR DOMESTIC USE AND TO WATER
MY GEESE. IT WILL BE USED
FOR IRRIGATION ONLY IN AN
EMERGENCY. IN THIS VERY DRY
YEAR (1988) I HAVE RUN THE
WELL ONLY TWICE TO TEST IT.
(IT WORKS FINE) DO I STILL NEED
TO PAY THE HIGHER FEE?

Yours Truly

David W. Heusinkveld

MICROFILMED

FEB 09 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

September 23, 1988

Ray Uhlenkott
Uhlenkott Well Drilling
Route 1, Box 20
Fenn, ID 83531

RE: Well Log - Hevsinkveld
Sec. 22, T35N, R5W

Dear Mr. Uhlenkott:

Please submit a well driller report for the Hevsinkveld well that you drilled this year.

Sincerely,

A handwritten signature in cursive script that reads "John E. Beal".

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt(GP12-1.133)

MICROFILMED

FEB 09 1989

September 21, 1988

David W. Hevsinkveld
307 St. John's Way
Lewiston, ID 83501

RE: APPLICATION FOR PERMIT 85-7458

Dear Mr. Hevsinkveld:

The above referenced water right application has been forwarded from our Coeur d'Alene office for final review. Our review shows that the water right permit can be issued upon your submittal of the additional drilling permit fee.

The file shows that the drilling permit fee which you paid in connection with drilling permit 85-88-Z-9 was in the amount of ten dollars (\$10). The required drilling permit fees for the use you propose is one hundred dollars (\$100).

Please submit the difference in the fees to the department, i.e. \$100 minus \$10 which equals \$90. The department will hold action on the approval of the water right application until the fee is received.

Feel free to contact this office if you have questions. The fee can be submitted to our Coeur d'Alene office if that is more convenient for you.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

c: N. Region
GW Prot. Sec.

MICROFILMED

FEB 09 1989

FROM

John Beal

DATE

9/19/88

TO

61a 524

SUBJECT

85-7458

- Drilling Permit

*This well was drilled as
A domestic under 85-89-Z-09.
An additional \$90 should be
paid if the before the
w- is approved*

SIGNATURE

JB

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED
MAR 21 1988

(Authorizing Construction of a Well)* Department of Water Resources

1. Applicant Dr. David Heusinkveld

2. Address 3834 BARR RD
LEWISTON, ID.

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location 1/4 SE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 22, Twp. 35N, Rge. 5W, County Nezperce,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

6. Well construction information:

☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 6 in Proposed depth 300'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

MICROFILMED

FEB 09 1989

7. Anticipated construction start date _____

8. Well Driller (if known) Whitlock Well Drilling

Address Rt 1 Box 20 FENN, IDAHO 83531

Date 11 Mar 88 Applicant's signature X David W. Heusinkveld

Title _____

ACTION OF IDWR

() Approved

() Denied

85-88-2-9

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Verbal Approval given 3/15/88

Dated this 24 day of March, 1988.

Signed

Title

SECTION MANAGER

GROUNDWATER PROTECTION

MICROFILMED

1989

Received by mg Fee \$10.00 Date 3-23-88

Receipt No. C000205 Construction start date _____

Construction start extension to _____

Extension approved by _____

Dr. Hue sink v/v

3/15/

Well.

Part 4 + 8

Lt 67

Truck 2

Louisa O-lands

BASI-85

Don.

Nepense
Co.

MICROFILMED

FEB 09 1989

DRILLING PERMITS

mm/dd/yy

NUMBER 85-88-Z-009 DATE WELL LOG RECEIVED / /
 LAST NAME HEUSINKVELD FIRST NAME DAVID
 ADDRESS 3834 BARR ROAD CITY LEWISTON STATE ID ZIP 83501
 TELEPHONE NO
 WATER RIGHT NUMBER INJECTION WELL NO

QTRQTR SENE GOVT LOT LOT&BLOCK SUBDIVISION

SECTION 22 TWP 35N RGE 05W COUNTY NEZ PERCE

USE 43 DESCRIBE USE DOMESTIC
 NEW, DEEPENED OR REPLACED (N,D,R) N HDT (Y OR N) N
 DRILLER NUMBER 125 DRILLER NAME UHLENKOTT
 CONDITIONS (Y OR N) N
 COMMENTS VERBAL APPROVAL GIVEN 3/15/88

mm/dd/yy mm/dd/yy
 FEE\$ 10 APPROVAL DATE 03/24/88 EXTENSION DATE / /

EDIT :<D:>:DRILPERM :Rec: 1868/2641 :Ins :NumCaps

MICROFILMED

FEB 09 1989

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY RJA DATE 5/1/88 APPLICATION NUMBER 85-07458

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☐ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☐ Place of use or acres irrigated
☐ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach _____ water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

RECEIVED
AUG 29 1988

Department of Water Resources

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED

Date Requested 22 1988

Department of Water Resources

PROCESSING

☐ Yes ☐ No In form for advertising
☐ Yes ☐ No Statewide advertising
☐ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7/5/88
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information
Date of priority recommended 5/25/88
By [Signature] Date 7/19/88

STATE OFFICE REVIEW

☐ See below for additional information
By kw Date 9/15/88

ADDITIONAL INFORMATION

app. describes existing well - condition 4/6 N/A



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 9, 1988

Mr. David Heusinkveld
307 St. John's Way
Lewiston, Id. 83501

Re: 85-07458

Dear Mr. Heusinkveld:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 85-07458. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the Lewiston Tribune. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. N168 for the amount of \$30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enc. - Receipt

MICROFILMED

FEB 09 1989



HEUSINKVELD, DAVID W.
307 ST. JOHN'S WAY
LEWISTON, ID 83501

Source: GROUNDWATER

Diversion Pt: SENE Sec 22 T 35N R 05W

Use: IRRIGATION (.110 CFS)

Date Filed: 5/25/1988

In: T35N R05W S22 SENE
S23 SWNW

3.0 ACRES TOTAL

MICROFILMED

FEB 09 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

May 23, 1988

Dr. David W. Heusinkveld
307 St. John's Way
Lewiston, Id. 83501

Re. Appropriation Application

Dear Sir:

This Department has received your check #98-228 in the amount of \$30.00 and your application to appropriate groundwater. They are being returned to allow you to complete Items #3, #9.a, #11.a and #13 in accordance with the enclosed instructions.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

MICROFILMED

FEB 09 1989

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

3/83

IDENT. NO. 85207458

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]