

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RGE. 3E

PD
2A

TWP. 30N

30

MICROFILMED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clarence Keller

(Applicant)

NOTICE OF APPLICATION

FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

85-7402

KELLER, CLARENCE

1302 S. HALL ST.,

GRANGEVILLE, ID 83530

Source: GROUNDWATER

Date Filed: 07/08/1983

Diversion Pt: NENE Sec 30

T 30N R 03E

Use: IRRIGATION (0.06

CFS) STOCKWATER (0.02

CFS) DOMESTIC (0.04 CFS)

In: NENE Sec 30 T 30N R

03E FOR 2 ACRES.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id. 83814 on or before

NOVEMBER 21, 1983.

KEN DUNN, Dir.

Published 11/2 & 11/9/83.

N2-9

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly

sworn, says he is the office manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for 2 weeks, being published 2 times, the first publication being on the 2 day of November, 1983, and the last publication on the 9 day of November, 1983; and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 10 day of November, 1983

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED


NOV 14 1983

Department of Water Resources
Northern District Office

MICROFILMED

85-7402

COTTONWOOD 15 MI.
0.2 MI. TO U.S. 95



MICROFILMED
T. 29 N.
JUL 10 1967

5081



MICROFILMED

JUL 10 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-7402

Priority: July 8, 1983

Amount: .12 CFS

7.4 AFA

This is to certify, that CLARENCE KELLER
1302 S. HALL

GRANGEVILLE, ID 83530 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated July 8, 1983, and has submitted proof to the Department of Water Resources on February 23, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .12 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.06 cfs	6.0 afa
Stockwater	01/01 to 12/31	.02 cfs	.2 afa
Domestic	01/01 to 12/31	.04 cfs	1.2 afa
Totals		.12 CFS	7.4 AFA

LOCATION OF POINT OF DIVERSION(S): NENE , Sec. 30, Township 30N, Range 3E
Idaho County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
30N	3E	30	NENE	2			2

Total number of acres irrigated: 2

PLACE OF USE: Stockwater, same as Irrigation use

PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18th day of MAY, 1987.

MICROFILMED

JUL 10 1987

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Clarence Keller Phone 983-0714
Post office address 1302 So. Hall Grangeville, Idaho 83530
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 30 Township 30 North
Range 3E B.M. Idaho County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount .04 cfs for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .02 cfs for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount .06 cfs for Irrigation purposes from 5-15 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .12 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 2 HP. SUBM. PUMP w/6" CASING, 403' DEEP + 1 1/4" PIPELINE.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is 6" inches; proposed depth of well is 403 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is ALLOW 1 YR. in use years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
- (1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 30 Township 30N
Range 3E B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered 8 head cattle
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water One.
- (5) If water is to be used for other purposes describe: _____

RECORDED

RECEIVED

[illegible]

Total number of acres to be irrigated 2

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion Clarence & Anita Keller

	1	2	3	4
a. Who owns the land to be irrigated or place of use	✓	✓	✓	✓

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

RGE. 3E

PD
2A

TWP. 30N

30

MICROFILMED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clarence Keller
(Applicant)

Proposed Priority 7/8/83

Received by mn Date 10/24/83 Time 11:00pm
7-8-83 9:00 am
Preliminary check by js Fee \$ 20.00
Receipted by MA Date 7-8-83 # 32368
Publication prepared by pn Date 10/27/83
Published in Idaho Free Press
Publication dates 11/29/83
Publication approved pn Date 11/4/83
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by gt kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 85-7402, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 1st day of December, 1983.

L. Glen Saxton
Chief, Operations Bureau

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following application(s) have been filed to appropriate the public waters of the State of Idaho:

85-7402

KELLER, CLARENCE
1302 S. HALL ST.,
GRANGEVILLE, ID 83530
Source: GROUNDWATER
Date Filed: 07/08/1983
Diversion Pt: NENE Sec 30
T 30N R 03E

Use: IRRIGATION (0.06
CFS) STOCKWATER (0.02
CFS) DOMESTIC (0.04 CFS)
In: NENE Sec 30 T 30N R
03E FOR 2 ACRES.

The permit(s) will be
subject to all prior water
rights. Protests must be filed
with the Director, Dept. of
Water Resources, 4055 Gov't.
Way, Coeur d'Alene, Id.
83814 on or before
NOVEMBER 21, 1983.

KEN DUNN, Dir.
Published 11/2 & 11/9/83.

N2-9

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly
sworn, says he is the office manager
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for 2 weeks,
being published 2 times, the first publication being
on the 2 day of November, 1983,
and the last publication on the 9 day of
November, 1983; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 10 day
of November, 1983

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

NOV 14 1983

Department of Water Resources
Northern District Office

RECEIVED

May 18, 1987

CLARENCE KELLER
1302 S. HALL
GRANGEVILLE, ID 83530

RE: Permit No. 85-7402

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 10 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

L
85-7402

Permit No.

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3 = 6 \text{ AF} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .06 \times 123 \times 1.9835 = 14.6 \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6 \text{ AF} \end{aligned}$$

- c) Volume Calculations for Other Uses:

Stock @ 0.2 AF

2. **Overlap Review**

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis:

MICROFILMED

JUL 10 1987

RECOMMENDED AMOUNTS

Permit No.	85-7402	Priority	7-8-83	Amount	0.12	App. Date	7-8-83	Date Proof Submitted	2-23-84	System Capacity	0.12
------------	---------	----------	--------	--------	------	-----------	--------	----------------------	---------	-----------------	------

4. Permit Holder: Clarence Keller

Address: 1302 S. HALL GRANGETVILLE 10. 83530

5. Source: Groundwater tributary to _____

6. Beneficial Use

Period of Use From To

Rate of Diversion
Q (cfs)Annual Volume
V (a1a)

Domestic

1-1 12-31

0.04

1.2

Stock

1-1 12-31

20'0

0.2

irrigation

51-01 51-5

90.0

0.5

Allowable Maximums:

0.12

7/2

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

10. Recommended Amendments

709 1 0 1687

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Don Foster

OK G.S. 4/23/87

Date 4-17-87

[illegible]

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: _____

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above

☐ None

☐ Other

MICROFILMED

JUL 10 1987

Examiner's Signature _____

Checked by

Approved by _____

Date _____

Date _____

Däte

RECEIVED

SEP 4 1984

Department of Water Resources

Permit No. 85-7402

Phone No.

1. Owner: Clarence Keller Phone No. _____
Current Address: 1302 S. Hall, Grangeville, Id 83530
2. Accompanied by: Mr Keller EXAM. DATE: 6/19/84
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
Well, pump and pipeline to home, stock and ~2 ac
of irrigation (including lawn). Irrigation uses 2- $\frac{5}{32}$ "
Rainbird sprinklers at 45 psi

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
pressure gage						

7. Measurements ☐ Additional data/computation sheets attached


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ **Photo of Diversion & System Attached** ☐ **Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached**

14. Remarks _____

15. Recommended Amendments
- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

16. Examiner's/Consultant's Signature _____ Date _____

Consultant's License Number _____

IDWR Director's Authorization to Conduct _____

Beneficial Use Examination _____

Date

MICROFILMED

10 1987


CONSULTANT SEAL

85-7402

COTTONWOOD 15 MI.
0.2 MI. TO U.S. 95



MICROFILMED
T. 29 N.
JUL 1 1966



MICROFILMED

JUL 10 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

CLARENCE KELLER
1302 S. HALL
GRANGEVILLE ID 83530

RE: Permit No. 85-7402

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JUL 10 1987

DEPARTMENT OF WATER RESOURCES

85-7402

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: Clarence Keller

Post Office Address: 1302 So Hall

Trangerville, Id, 83530 Tel. No. 983-0276

Source of Water: Well

Extent of Use:

☒ Domestic	<u>1</u>	(number of households)
☒ Stockwater	<u>844 cattle</u>	(number and type of stock)
☐ Irrigation	<u>2.00</u>	(acres)
☐ Other		

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

Access Point: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Signature of Permit Holder

Clarence Keller

Clarence K. Keller
1302 So. Hill
L. R. Angerville 83530



RECEIVED

FEB 23 1984



MAILED

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KELLER, CLARENCE
1302 S. HALL ST.
GRANGEVILLE, ID 83530

DECEMBER 20, 1983

RE: PERMIT NO. 85-7402

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
DEC 21 1983

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: R

APPLICATION NUMBER: 85-7402

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

☐ Yes ☒ No Final date for protests: 11/21/83

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 11/14/83

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

☒ 7/8/83 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: [Signature] Date: 11/21/83

STATE OFFICE REVIEW:

LTC

☐ See attached sheet for more information.

By: [Signature] Date: 11/29/83

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

85-2402-

KELLER, CLARENCE

1302 S. HALL ST., GRANGEVILLE, ID 83530

Source: GROUNDWATER

Date Filed: 07/08/1983

Diversion Pt: NENE Sec 30 T 30N R 03E

Use: IRRIGATION	(0.06 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: NENE Sec 30 T 30N R 03E FOR 2 ACRES

RECORDED

October 20, 1983

Mr. Clarence Keller
1302 S. Hall
Grangeville, ID 83530

Dear Mr. Keller:

We are reviewing the water right forms you submitted for your well in Sec. 30, Twp. 30N, Rge. 3E. However, the claim to a water right form is being returned to you.

A claim cannot be filed if the priority date (date of first use of the water) is later than March 25, 1963. As in your case, the application for permit is the correct form to file. On Item No 7 the application requires a time period be applied for from 1 to 5 years within which proof of beneficial use needs to be submitted. Even though your system is in a minimum of one year, a time period must be applied for in order that the Department can approve your permit. After the approval, proof can be submitted in the form of a postcard available through our office. Once this proof card is received, a field exam of your system to verify your water right can be conducted. The findings of the examiner will be used in the final licensing of your permit. Therefore, I have put 1 year under Item No. 7.

If you have any questions, please contact us. Otherwise, your application will be processed.

Sincerely,

Jan Grover
Senior Water Resource Agent

JG/cjk
Enclosures

WATER RIGHT
DATA ENTRY LOG

Item

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied
(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Updated

Transfer Updated

Keypunched by State Office

0.00 0.01 0.02 0.03 0.04 0.05 0.06 0.07 0.08 0.09 0.10 0.11 0.12 0.13 0.14 0.15 0.16 0.17 0.18 0.19 0.20 0.21 0.22 0.23 0.24 0.25 0.26 0.27 0.28 0.29 0.30 0.31 0.32 0.33 0.34 0.35 0.36 0.37 0.38 0.39 0.40 0.41 0.42 0.43 0.44 0.45 0.46 0.47 0.48 0.49 0.50 0.51 0.52 0.53 0.54 0.55 0.56 0.57 0.58 0.59 0.60 0.61 0.62 0.63 0.64 0.65 0.66 0.67 0.68 0.69 0.70 0.71 0.72 0.73 0.74 0.75 0.76 0.77 0.78 0.79 0.80 0.81 0.82 0.83 0.84 0.85 0.86 0.87 0.88 0.89 0.90 0.91 0.92 0.93 0.94 0.95 0.96 0.97 0.98 0.99 1.00
