


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Richard R. Badertscher, Diane Badertscher
(Applicant)

85-7308



MICROFILMED

State of Idaho
Department of Water Resources
WATER RIGHT LICENSE

License of Water Right No. 85-7308 Priority August 26, 1982 Amount 0.03 cfs

THIS IS TO CERTIFY, that Richard & Diane Badertscher
of Grangeville, Idaho, has complied with the terms and conditions of Permit
No. 85-7308 issued pursuant to Application for Permit dated August 26, 1982,
and has submitted proof to the Department of Water Resources on April 25, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.03 cfs of water from a spring,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Stockwater	from <u>January 1</u> to <u>December 31</u>	at <u>0.01</u> cfs and	<u>0.2</u> acre feet
Domestic (1 Unit)	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.03 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.4 acre feet per year, said waters to be diverted within the SE 1/4 Section 23,
Twp 30N, Rge 3E in the County of Idaho

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
30N	3E	23				X													

Total number of acres irrigated _____

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 10TH day of JANUARY, 19 86.

Acting for the Director

[Signature]

[Handwritten mark]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant RICHARD & DIANE BADERTSCHER Phone (208) 983-1494
Post office address 512 N. STATE ST. GRANDEVILLE, IDAHO 83530
2. Source of water supply SURFACE WATER (SPRING) which is a tributary of —
3. Location of point of diversion is SOUTH HALF OF S.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ of Section 23 Township 30N
(20 ACRES)
Nth Range 3 E.B.M. IDAHO County, additional points of diversion if any: —

4. Water will be used for the following purposes:

Amount 0.02 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.01 for STOCK WATER purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)
Amount — for — purposes from — to — (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.03 cubic feet per second and/or b. — acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 500 gallon holding tank
3/4 h.p. pump with 600' water line to house, & extra
holding tank, overflow to stock tank
b. Height of storage dam — feet, active reservoir capacity — acre-feet; total reservoir
capacity — acre-feet, materials used in storage dam: —
Period of year when water will be diverted to storage — to — inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is — inches; proposed depth of well is — feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year (minimum 1 year — maximum 5 years).

8. Description of proposed uses:


- a. If water is not for irrigation: SOUTH HALF OF
(1) Give the place of use of water: S.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ of Section 23 Township 30
NORTH Range 3 E.B.M. (20 ACRES)
(2) Amount of power to be generated: — horsepower under — feet of head.
(3) List number of each kind of livestock to be watered 6 STEERS, 5 HORSES

(4) Name of municipality to be served —, or number of families to be supplied with domestic water ONE FAMILY

(5) If water is to be used for other purposes describe: —

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

Roland R. Badertscher, Dione Badertscher
(Applicant)

Proposed Priority 8/26/1982

Received by mm Date 8-26-82 Time 12:00

Preliminary check by JK Fee \$ 30.00 # 24128

Received by mm Date 8-26-82

Publication prepared by mm Date 9/15/82

Published in Id. By. Free Press

Publication dates 9/22-29/82

Publication approved mm Date 10/5/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 85-7308, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:-

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 1st day of November, 1982.

L. Glen Saxton
Chief, Operations Bureau

RECEIVED

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

85-7302 ⁸

BADERTSCHER,
RICHARD &/or DIANE
512 N. STATE ST.,
GRANGEVILLE, ID 83530
Source: SPRING tributary
to SINKS
Date Filed: 08/26/1982
Amount: 0.03 CFS
Diversion Point: SENE Sec
23 T 30N R 03E, IDAHO Co.
Use: STOCKWATER (0.01
CFS) from 01/01 to 12/31
DOMESTIC (0.02 CFS) from
01/01 to 12/31
Place of Use: SENE Sec 23 T
30N R 03E
Diversion Means: TANKS,
PUMP AND PIPE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before OCTOBER 12, 1982.

A KENNETH DUNN
Director

Published 9/22 & 9/29/82.

S22-29

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly

office manager

sworn, says he is the _____
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
is published and issued weekly at Grangeville, Idaho County,
State of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for2..... weeks,
being published²..... times, the first publication being
on the 22 day of September, 19 82.,
and the last publication on the 29 day of
September, 19 82.; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Nona Donaldson

Subscribed and sworn to before me this 29 day
of September, 19 82

[Signature]

Notary Public

for State of Idaho, residing at Grangeville, Idaho.

RECEIVED

OCT 4 1982

Department of Water Resources
Northern District Office

WRR100
85-7308

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS PROOF READING REPORT

PAGE 1
7-MAR-1986 20:21:15

01 WATER RIGHT NUMBER - 85-7308

02 OLD (D) NUMBER -

03001 - BADERTSCHER ✓
03002 - BADERTSCHER ✓

LAST NAME

04001 - RICHARD ✓
04002 - DIANE ✓

FIRST NAME

05001 - C ✓
05002 - O ✓

ORIG. OWNER

06 ADD LINE 1 - RT. 2 BOX 300 ✓

07 ADD LINE 2 -

08 ADD LINE 3 -

09 CITY - GRANGEVILLE ✓

10 STATE - ID ✓

11 ZIP - 83530 ✓

12 STAGE - L LICENSE ✓

13 STATUS -

14001 - SPRING ✓

SOURCE

15001 - SINKS

TRIBUTARY OF

16 DIVERSION MEANS - TANKS, PUMP AND PIPE.

17 COUNTY - 49 IDAHO

18 DIVERSION CAPACITY - .030 ✓

19 TOTAL DIVERSION RATE - .030 ✓

20 TOTAL DIVERSION VOLUME - 1.40 ✓

21 WATER DISTRICT -

DIVERSION POINTS										
TRACT	SEC	TWN	RNG	LOT	RFLG	STREAM INDEX FIELDS				
22001 - SENE ✓	23001 - 23 ✓	24001 - 30N ✓	25001 - 03E ✓	26001 -	27001 -					
			28001 - 0	0.0	0.0	0.0	0.0	0.0	0.0	

29 NON-IRRIGATION USE -

PLACE OF USE						
USE CODE / USE	TWN	RNG	SEC	TRACT	ACRES	LOT
30001 - 04 STOCKWATER ✓	31001 - 30N ✓	32001 - 03E ✓	33001 - 23 ✓	34001 - SENE ✓	35001 -	36001 -
						TOTAL ACRES: 0

WATER USE			
PERIOD FROM	PERIOD TO	USE CODE / USE	DIVERSION RATE
37001 - 0101	38001 - 1231 ✓	39001 - 04 STOCKWATER ✓	40001 - 0.010 ✓
37002 - 0101	38002 - 1231 ✓	39002 - 43 DOMESTIC ✓	40002 - 0.020 ✓

42 DECREE PLAINTIFF NAME -

43 DECREE DEFENDANT NAME -

REMARKS

44001 -

APPROVAL CONDITIONS: 45001 -

46 OTHER RIGHTS FOR SAME USE -

D A T E S		D A T E S		F L A G S	
47 PRIORITY	- 26-AUG-1982 ✓	55 LICENSE	- 10-JAN-1986 ✓	63 TRANSFER/AMENDED	-
48 PROOF DUE	- 1-DEC-1983	56 APPL RECEIVED	-	64 DLE/CAREY ACT	-
49 PROOF MADE	- 1-JAN-1900	57 FIELD EXAM MADE	-	65 FLAG_1	-
50 APPROVE/DENIED	-	58 DECREE	-	66 FLAG_2	-
51 PROTESTED	-	59 START WORK	-	67 FLAG_3	-
52 HEARING	-	60 ORDER SHOW CAUSE	-		

WRR100
85-7308

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHTS PROOF READING REPORT

PAGE 2
7-MAR-1986 20:21:15

- - - - - D A T E S - - - - - D A T E S - - - - - F L A G S - - - - -

53 VERIFIED -
54 LAST UPDATE - 7-MAR-1986

61 DATE_1 -
62 DATE_2 -



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 13, 1986

RE: Permit No. 85-7308

Richard & Diane Badertscher
Rt. 2, Box 300
Grangeville, ID 83530

Dear Mr. and Mrs. Badertscher:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

Form 219
12/83
RECEIVED

OCT 4 1983

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

85-7308
Permit No.

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:

DATE

INITIALS

REMARKS

☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 8/24/83 Accompanied by — Total Q measured est. 0.03

Source Spring Tributary to Sinks Supp. annubar measurement sheet used? —

If source is surface water, estimate total flow of source —

Methods of measurement est. Meets permit requirements? —

Measurement calculations: one home
no stock at time of exam but facilities exist - ALLOW
volume
for up to
10 stock
0.2 AK

WELL/DIV. NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	<u>1/2</u>							<u>Submersible</u>

System Description 8' x 4' diameter concrete rings with 1 1/2" line to place of use

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = — AFA/Acre

USE

Q (cfs)

V (afa)

FROM

TO

Stock ✓
Domestic ✓
(1 unit)

0.02 ✓
0.02 ✓

0.2 ✓
1.2 ✓

1-1 ✓ 12-31 ✓
1-1 ✓ 12-31 ✓

Total

0.03 ✓

1.4 ✓

Remarks —

MICROFILMED

[illegible]

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SE, NE, Sec 23, T30N, R3E.

Place(s) of Use

[illegible]☐ Other

Date 11-27-85

85-7308

Topographic map showing contour lines, spot elevations, and labels for 'Creek', 'Mill', and 'Gravel Pits'. The map includes a grid with numbers 10, 11, 12, 14, 15, 22, 23, 24, 25, 34, and 35. Handwritten text '85-7308' is in the top right corner.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MAY 18, 1983

RICHARD BADERTSCHER
RT 2 BOX 300
GRANGEVILLE ID 83530

RE: Permit No. 85-7308

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Asent

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 85-7308

Name(s) of Permit Holder: RIKHARD & DIANE BADERTSCHER

Post Office Address: ROUTE #2 Box 300

GRANGEVILLE, IDAHO

83530

Tel. No. (208) 983-1494

Source of Water: SPRING

Extent of Use: ☒ Domestic ONE FAMILY (number of households)
☒ Stockwater 5 horses, 5 goats (number and type of stock)
☐ Irrigation 3 sheep - rabbits - ? (acres) (number of steers in future)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

4-20-83

Date

Richard Badertscher
Signature of Permit Holder

RICHARD M. BADERTSCHER
Rt. #2 Box 300
GRANDEVILLE, IDAHO 83530



RECEIVED

APR 25 1983

Idaho Dept. of Water Resources



MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BADERTSCHER, RICHARD & DIANE
512 N. STATE ST.
GRANGEVILLE, ID 83530

NOVEMBER 09, 1982

RE: PERMIT NO. 85-7308

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 85-7308

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 10/12/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/4/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 8/20/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: [Signature] Date: 10/19/82

STATE OFFICE REVIEW:

- 364/L16
☐ See attached sheet for more information.
By: [Signature]

Date: 10/20/82 OCT 25 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

DEPARTMENT OF AGRICULTURE

001521285

RECEIVED

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

IDENT. NO. 85-7308

WATER RIGHT
DATA ENTRY LOG

[illegible]

85-2307

BADERTSCHER, RICHARD &/or DIANE

512 N. STATE ST., GRANGEVILLE, ID 83530

Source: SPRING tributary to SINKS

Date Filed: 08/26/1982

Amount: 0.03 CFS

Diversion Point: SENE Sec 23 T 30N R 03E, IDAHO Co.

Use: STOCKWATER (0.01 CFS) from 01/01 to 12/31
DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 23 T 30N R 03E

Diversion Means: TANKS, PUMP AND PIPE.

MICROFILMED