


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 175'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Elec	3/4	5 KC39011001	Myers	9860191

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NOV 16 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Elec.	3/4	5K0390N1001	Myers	9860191

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements: None

NOV 16 1995





#85-07218

Domestic

P. U.



P. D.

Pump



Stockwater

P. U.



NOV 16 1995

NOV 16 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 85-07218

Priority: November 15, 1979

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

2.6 AF

This is to certify, that RALPH OSWALD
PO BOX 192

KAMIAH ID 83536 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated November 15, 1979; and
has submitted Proof of Beneficial Use on December 6, 1984. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.03 CFS	1.4 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	2.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SENESE , Sec. 21, Township 33N, Range 03E
SWSWNW , Sec. 22, Township 33N, Range 03E
NENWSW , Sec. 22, Township 33N, Range 03E
IDAHO County

PLACE OF USE: STOCKWATER

TWN RGE SEC

33N 03E 21 NENE
22 SWNW

NWSW

PLACE OF USE: DOMESTIC

TWN RGE SEC

33N 03E 22 NWSW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

NOV 16 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 85-07218

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Stockwater use is for 90 head of mixed stock.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of OCTOBER, 1995.


Acting for KARL J. DREHER, Director



NOV 16 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ralph Oswald Phone 935-0068

Post office address Box 182, Kamiah, Id

2. Source of water supply (3) Unnamed Springs which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 22 Township 33N

Range 3E B.M. Idaho County, additional points of diversion if any: _____

NWSW, sec 22, NENE, sec 21, T 33N, R 3E

4. Water will be used for the following purposes:

Amount 0.03 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.07 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Developed spring w/ pipe & motor.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 21 Township 33N

Range 3E B.M. NW SW, SW NW, sec 22, T 33N, R 3E

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 100 hd.

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Appl. cont

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Ralph Jensen
(Applicant)

Proposed Priority 11/15/79

Received by SH Date 11-15-79 Time 4:30 PM

Preliminary check by RJD Fee \$ 20⁰⁰ # 242

Receipted by KK Date 11/15/79

Publication prepared by pmo Date 11/29/79

Published in Idaho County Free Press

Publication dates 12/5 & 12/79

Publication approved AB Date 12-18-79

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by KK Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 85-7218, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 29th day of January, 19 80.

J. Glen Saylor
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 27, 1995


RALPH OSWALD
PO BOX 192
KAMIAH ID 83536

RE: WATER RIGHT NO. 85-07218

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,


Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAILED 11/1/95

NOV 16 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 85-07213 DATE 10-24-95



NAME ☒ Change OK ☐ Or Address Change?

PRIORITY DATE ☐ Advance? Advanced to:
☐ Order to reinstate needed?
☐ Incorrect fee for rate recommended?

SOURCE ☒ Changes or just clarification of originally intended source?
☐ Notice of Intent to Void necessary?

POINT OF DIV ☒ Amendment needed?
 ☒ Overlaps?

PLACE OF USE ☒ Amendment needed?
 ☒ Overlaps?

DIV RATE ☒ Permit (fee limits) .07 / .04
limit to .04
NO FEES PAID
 Meas Q = Theo Q = Recommend: .04
90 head (per chit) .03 cfs
Standard domestic @ .04
 Combined rates exceed capacity

ANNUAL VOLUME ☒ Volume Limit: Season: BOTH 1-1 to 12-31
 ☒ Calculations: Dom @
90 head @ 1.2 gF older one OK @ 1.4
 Flow limit: cfs x x 1.9835 =
 Combined volumes exceed capacity/allowable

USES ☒ Change in Nature of Use or additional uses?
☐ Amendment necessary?

ADDITIONAL INFO Supplemental Groundwater PPU Scenario
 Irr/Dom Combination Shared G/W System

NEW REMARKS Multiple p/d(s) in 1/4 1/4?
YES Other WO2, WO1

NEW CONDITIONS ☒ Watermaster control - District
 ☒ Measuring/Locking Devices
 ☒ Irrigation Overlap
 ☒ Other
 ☒ Water Quality Heat/Cool/Fish verified

COMMENTS: ① Never sent fees - reduce recommendation (per Shelley)

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	NO
<u>Stockwater</u>	<u>.03</u>	<u>1.4</u>	Adjustment Memo Needed	<u>YES</u>
<u>Domestic</u>	<u>.04</u>	<u>1.2</u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER	<u> </u>
<u>TOTAL</u>	<u>.04</u>	<u>2.6</u>		

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 09 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 85-07218

1. Owner: Ralph Oswald Phone No. (208) 935-0068

Current Address: P.O. Box 192 Kamiah Id 83536

2. Accompanied by: owner EXAM DATE: 6-27-95

Address: same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: Springs tributary to Snake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	21	33N	03E	IDAHO	USGS 7.5 min quad
			SW	NW	22	33N	03E	IDAHO	" "
			NW	SW	22	33N	03E	IDAHO	" "
			.						


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33N	03E	21	S																
33N	03E	22						S			S, D								

RECEIVED
OCT 10 1995
1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = 175'

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Elec	3/4	S KC39011001	Mayers	9860191

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

[Handwritten signature]

NOV 16 1995

E. NARRATIVE/REMARKS/COMMENTS

all three systems are gravity fed
into stock tanks and home is pressurized
By $\frac{3}{4}$ HP pump after gravity fed to cistern.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
NOV 16 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

90 Head = .03 - 1.4 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	01-01	12-31	.04	1.2
Stockwater	01-01	12-31	.03	1.4
Totals:			.07	2.6

*

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name Neil McCracken Date 7/5/95

Reviewer _____

MIPROFITMEN

SEAL

* SEE adjustment memo. BC

NOV 16 1995

MEMORANDUM

TO: File 85-07218 / Ralph Oswald
FROM: Brenda Chapman
DATE: October 24, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for Right 85-07218 are based on the information below:

H. RECOMMENDATIONS


1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.03	1.4
Domestic	1-01 to 12-31	.04	1.2

The permit holder did not pay an examination fee.
Therefore, the total rate of diversion will be limited to
.04 cfs.

NOV 16 1995

MEMORANDUM



DATE: April 11, 1995
TO: Bob Haynes, Northern Region Office
THRU: Shelley Keen
FROM: Cindy Zimmerman
SUBJECT: Review of B/U Field Report on Permit No. 85-07218

=====

During the review of the above field examination, I noted that the examiner did not identify the legal description of the point of diversion or place of use. The examiner also recommended a total diversion rate of 0.07 cfs yet no examination fee has been received on this right.

I am returning the field exam to you for clarification of my review. If you find that my review is correct, please take appropriate action.

Thanks,

Cindy

al,

**REBUILD
EXAM FILE
REDO
EXAM**
NOV 16 1995
4-17-95

Here is the exam we discussed on the phone. We tried to ascertain the real P/D and POU from the report, but we couldn't reach a satisfactory conclusion. Thanks.

S.W. Keen 4/11/95

RECEIVED
NOV 16 1995

DEC 14 1994

Department of Water Resources

Permit No. 85-07218

Current Address: P.O. Box 192 Kamiah, ID 83536

2. Accompanied by: _____ EXAM DATE: 8/18/94

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Springs tributary to sinks

1. Other water rights with the same place of use: None

2. Other water rights with the same point of diversion: None

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination U.S.G.S. Topo.

[illegible]

NOV 16 1995

2. Measurements:

None

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Elec.	3/4	5K0390N1001	Myers	9860191

4.

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached (required for irrigation of 10+ acres)
 X Photo of Diversion and System Attached

Scale: 1" = 1/4" N.T.S.



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Stockwater use is for 90 head of cattle

Have conditions of permit approval been met? ☒ yes ☐ no

NOV 16 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

None**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

None $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

90 head = .03 cfs - 1.4 AFA60 Horses
Mules**H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic</u>	<u>01-01</u>	<u>12-31</u>	<u>.04</u>	<u>1.2</u>
<u>Stockwater</u>	<u>01-01</u>	<u>12-31</u>	<u>.03</u>	<u>1.4</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.07</u>	<u>2.6</u>

2. Recommended Amendments


____ Change P.D. as reflected above ____ Add P.D. as reflected above X None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name John M. Kunz Date 9-8-94

Reviewer _____ Date _____

SEAL

NOV 16 1995





#85-07218

Domestic

P. U.




P. D.

Pump



Stockwater

P. U.



NOV 16 1935

MEMORANDUM

DATE: April 11, 1995
TO: Bob Haynes, Northern Region Office
THRU: Shelley Keen
FROM: Cindy Zimmerman
SUBJECT: Review of B/U Field Report on Permit No. 85-07218

=====

During the review of the above field examination, I noted that the examiner did not identify the legal description of the point of diversion or place of use. The examiner also recommended a total diversion rate of 0.07 cfs yet no examination fee has been received on this right.

I am returning the field exam to you for clarification of my review. If you find that my review is correct, please take appropriate action.

Thanks,

Cindy

RECEIVED

NOV 16 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

85-7218
OSWALD, RALPH
P.O. BOX 192
KAMIAH, ID 83536

Mailing address:
Statehouse
Boise, Idaho 83720

138100

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

NOV 6 1985

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

NOV 1 6 1975

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JANUARY 3, 1985

RALPH OSWOLD
P.O. BOX 192
KAMIAH ID 83536

RE: Permit No. 85-7218

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

765-4639
765-4639

NOV 16 1985

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has consented development to the extent shown below of Permit No. 85-7918

Name(s) of Permit Holder: Ralph Oswald

Post Office Address: P.O. Box 192

Tel. No. 935-0068

Source of Water: Spring

Extent of Use: ☐ Domestic 1 (number of households)
☐ Stockwater 100 (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

8/23/84
Date

MICROFILMED

Ralph Oswald
Signature of Permit Holder

Ralph C. Arnold
Box 92
Lamiah Idaho 83536



RECEIVED



DEC 6 1984

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138425

OSWALD, RALPH
P.O. BOX 192
KAMIAH, ID 83536

PROOF DUE NOTICE

OCTOBER 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 85-7218 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

January 24, 1980

Ralph Oswald
Box 192
Kamiah, Idaho 83536

Dear Mr. Oswald,

RE: Permit No. 85-7218

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

81-7059

BENTON, BARNY &/or
ESTHER &/or DOUG &/or
PAT
STAR RT. BOX 45,
KOOSKIA, ID 83539
Source: CLEARWATER
RIVER, MIDDLE FORK
tributary to CLEARWATER
RIVER

Date Filed: 11/16/1979
Amount: 0.42 CFS
Diversion Point: SWNE Sec
06 T32N R 05E, IDAHO Co.
Use: IRRIGATION (0.40
CFS) from 04/01 to 11/01
STOCKWATER (0.02 CFS)
from 01/01 to 12/31
Place of Use: SWNE Sec 06
T32N R 05E FOR 20 ACRES
Diversion Means: PUMP,
PIPE & SPRINKLERS

81-7060

BENTON, BARNY &/or
ESTHER &/or DOUG &/or
PAT
STAR RT. BOX 45,
KOOSKIA, ID 83539
Source: GROUNDWATER
Date Filed: 11/16/1979
Amount: 0.20 CFS
Diversion Point: SWSE Sec
32 T33N R 06E, IDAHO Co.
Use: DOMESTIC (0.2; CFS)
from 01/01 to 12/31
Place of Use: SWSE Sec. 32
T33N R 06E
Diversion Means: WELL,
PUMP & PIPE

81-7061

BENTON, BARNY &/or
ESTHER &/or DOUG &/or
PAT
STAR RT. BOX 45,
KOOSKIA, ID 83539
Source: LITTLE SMITH
CREEK tributary to
CLEARWATER RIVER,
MIDDLE FORK
Date Filed: 11/16/1979
Amount: 0.20 CFS
Diversion Point: NWSE Sec
32 T33N R 06E, IDAHO Co.
Use: IRRIGATION (0.18
CFS; from 04/01 to 11/01
STOCKWATER (0.02 CFS)
from 01/01 to 12/31
Place of Use: NWSE SWSE
Sec 32 T33N R 06E FOR 9
ACRES
Diversion Means: BOX,
PIPE & SPRINKLERS

81-7062

BENTON, BARNY &/or
ESTHER &/ or DOUG &/or
PAT
STAR RT. BOX 45,
KOOSKIA, ID 83539
Source: BIG SMITH CREEK
tributary to CLEARWATER
RIVER
Date Filed: 11/16/1979
Amount: 0.20 CFS
Diversion Point: NWSE Sec
32 T33N R 06E, IDAHO Co.
Use: IRRIGATION (0.18
CFS) from 04/01 to 11/01
STOCKWATER (0.02 CFS)
from 01/01 to 12/31
Place of Use: NWSE SWSE
Sec 32 T33N R 06E FOR 9
ACRES
Diversion Means: BOX,
PIPE & SPRINKLERS

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: SESE Sec 28
T30N R 03E
Diversion Means: WELL &
PUMP

85-7218

OSWALD, RALPH
P.O. BOX 192, KAMIAH, ID
83536
Source: 3 UNNAMED
SPRINGS
Date Filed: 11/15/1979
Amount: 0.07 CFS
Diversion Point: SWNW
NWSW Sec 22 T33N R
(03E NENE Sec. 21 T33N R
03E, IDAHO Co.
Use: STOCKWATER (0.03
CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: NENE Sec 21
T33N R 03E NWSW SWNW
Sec 22 T33N R 03E
Diversion Means:
DEVELOPED SPRING,
MOTOR & PIPE

85-7219

SODERBURG, JERRY
RT 2 BOX 25,
GRANGEVILLE, ID 83530
Source: GROUNDWATER
Date Filed: 11/16/1979
Amount: 0.16 CFS
Diversion Point: SESE Sec
28 T 30N R 03E, IDAHO Co.
Use: DOMESTIC (0.16 CFS)
from 01/01 to 12/31
Place of Use: SESE Sec 28T
30N R 03E
Diversion Means: WELL,
PUMP & PIPE
If issued, the permit(s)
will be subject to all prior
water rights. Protests
against the granting of any
permit must be filed with the
Director of the Idaho
Department of Water
Resources, 4055 Gov't Way,
Coeur d'Alene, Id, 83814 on or
before December 24, 1979.

C. STEPHEN ALLRED

Director

Published 12/5 & 12/12/79.

D5-12

82-7071

SUMPTER, ROBERT G.
&/or MARJORIE D.
STAR RT. 2 BOX 307,
KOOSKIA, ID 83539
Source: UNNAMED
SPRING tributary to SINKS
Date Filed: 11/15/1979
Amount: 0.04 CFS
Diversion Point: SWNE Sec
23 T33N R 04E, IDAHO Co.
Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: SWNE Sec 23
T33N R 04E
Diversion Means:
COLLECTION BOX & PIPE

85-7212

MASSEY, WANETA &/or
LYLE
P.O. BOX 5, Stites, Id 83552
Source: GROUNDWATER
Date Filed: 11/26/1979
Amount: 0.08 CFS
Diversion Point: SWSW Sec
20 T32N R 04E, IDAHO Co.
Use: DOMESTIC (0.08 CFS)
from 01/01 to 12/31
Place of Use: SWSW Sec 20
T32N R 04E
Diversion Means: WELL,
PUMP & PIPE

AFFIDAVIT OF PUBLICATION

Nona Donaldson

being first duly

worn, says he is the Office Manager
of the IDAHO COUNTY FREE PRESS, a weekly newspaper which
published and issued weekly at Grangeville, Idaho County,
state of Idaho, and which is of general circulation in said county
and state; that the said notice, of which the one hereto attached
is a true copy, was published in said paper for 2 weeks,
being published 2 times, the first publication being
in the 5 day of December, 1979,
and the last publication on the 12 day of
December, 1979; and that the said notice
was published in the newspaper proper and not a supplement;
that said newspaper has been continuously and uninterruptedly
published in said county during a period of more than seventy-
eight consecutive weeks prior to the first publication of said
notice or advertisement.

Nona P. Donaldson

Subscribed and sworn to before me this 14 day
December, 1979.

Marilyn J. Stolley, Notary Public
for State of Idaho, residing at Grangeville, Idaho.

85-7214

ALTMAN, GLEN &/or
DARLENE
RT. 1 BOX 119,
GRANGEVILLE, ID 83530
Source: GROUNDWATER
Date Filed: 11/15/1979
Amount: 0.54 CFS
Diversion Point: NWNW Sec
18 T30N R 03E, IDAHO Co.
Use: STOCKWATER (0.02
CFS) from 01/01 to 12/31
DOMESTIC (0.02 CFS) from
01/01 to 12/31
Place of Use: NWNW Sec 18
T30N R 03E
Diversion Means: WELL,
PUMP & PIPE

85-7217

MAKI, ANNA M.
RT. 2 BOX 57,
GRANGEVILLE, ID 83530
Source: GROUNDWATER
Date Filed: 11/15/1979
Amount: 0.04 CFS
Diversion Point: SESE Sec
28 T30N R 03E, IDAHO CO.

RECEIVED

DEC 17 1979

Department of Water Resources
Northern District Office

85-2218-

OSWALD, RALPH

P.O. BOX 192, KAMIAH, ID 83536

Source: 3 UNNAMED SPRINGS

Date Filed: 11/15/1979

Amount: 0.07 CFS

Diversion Point: SWNW NWSW Sec 22 T 33N R 03E NENE Sec 21 T 33N R 03E,
IDAHO Co.

Use: STOCKWATER	(0.03 CFS)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NENE Sec 21 T 33N R 03E NWSW SWNW Sec 22 T 33N R 03E

Diversion Means: DEVELOPED SPRING, MOTOR & PIPE

MICROFILMED