


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Culdesac City Hall, this 23 day of April, 19 80.

Fred O. Fox
(Signature) Mayor

FOR DEPARTMENT USE ONLY

Preliminary check by Reid 5/1/80 p.m. Fee = \$20.00

Received by pm Date 5/2/80 (16961)

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


I, L. GLEN SAXTON, Chief, Operations Bureau of the Department of Water Resources hereby
APPROVE the above referenced Amendment provided the conditions as set forth
on page 4 of Permit No. 85-7087 are met.

Witness my hand this 10th day of July

L. Glen Saxton
Chief, Operations Bureau

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Ronald J. Fendley
(Applicant)

10-21-81

Cemetery

North 449'


RECEIVED

OCT 23 1981

Department of Water Resources
Northern District Office


○ - F.H. - Fire Hydrate
○ - Water meter box
□ - Homes

MICROFILMED



Note: 6" main P.V.C. Water Lines
 $\frac{3}{4}$ " Lines from main through meter, to Homes. (galvanized)

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

MICROFILMED

Point(s) of diversion: T35N, R3W, sec 14, SE 1/4, NE 1/4

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
T35N	R3W	14				X									X				
		13						X											

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

Larry Beard

Date

8/8/80

Checked by

Bob Hynes

Date

8/13/80


Approved by

[Signature]

Date

9/25/81

(8) Remarks



Scale: 2 inches equal 1 mile.

T 35 N R. 3 W. B.M.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho

County of

Lewis

ss.

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

John L. Walker
Donald W. Heath
(Claimant)

Sworn to before me this 21 day of

June

1974

Notary Public

Residing at

Winchester

My commission expires

04-04-78

For Department Use Only

Received by CP Date 7-2-74
Prelim. check by _____ Date _____
\$10.00 fee received by _____ Date _____
Approved for publication by _____
Published in _____
Dates _____

Exception filed by: _____ Date _____
Forwarded to claimant by: _____

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 85-7087 (late proof)
Priority July 29, 1974 Amount 0.27 cfs

THIS IS TO CERTIFY, that City of Culdesac
of Culdesac, Idaho, has complied with the terms and conditions of Permit
No. 85-7087 issued pursuant to Application for Permit dated July 8, 1974,
and has submitted proof to the Department of Water Resources on October 22, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.27 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Municipal</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.27</u> cfs and <u>n/a</u>	
	from _____ to _____	at _____ cfs and _____	
	from _____ to _____	at _____ cfs and _____	

(both dates inclusive)

Subject, however, to the condition that no more than 0.27 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
n/a acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 14, Twp.
35N, Rge. 3W in the County of Nez Perce

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
35N	3W	13							X										
		14				X												X	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 2nd day of
May _____, 19 83.

Acting for the Director

Norman C. Young

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now CITY OF CULDESAC

of (address) CULDESAC, IDAHO, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 85-7087, and requests that the permit and permit map be changed as follows:

1. Point of diversion: 1/4 1/4, Section , Township , Range , B.M.,
County of . Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 0.50 for Municiple purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:


TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
35N	3W	14				X					X	X	X	X	X	X	X	X	
35N	3W	13							X										

Total number of acres to be irrigated =

4. a. Who owns the property at the point of diversion?
- b. Who owns the land to be irrigated or the place of use?
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Caldwell City Hall, this 23 day of April, 19 80.

Fred O. Fox
(Signature) Mayor

FOR DEPARTMENT USE ONLY

Rec'd 5/1/80
Preliminary check by _____ Fee = \$20.00

Receipted by [initials] Date 5/2/80 (16961)

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, Chief, Operations Bureau of the Department of Water Resources hereby

APPROVE the above referenced Amendment provided the conditions as set forth
on page 4 of Permit No. 85-7087 are met.

Witness my hand this 10th day of July

L. Glen Saxton
Chief, Operations Bureau

PUBLISHER'S AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR AMENDMENT OF A PERMIT

Notice is hereby given that the City of Culdesac has filed with the Department of Water Resources on May 1, 1980, an Application for Amendment of Permit No. 85-7087 changing the Place of Use and Nature of Use. The original permit, which was assigned to the City of Culdesac from John Mattson and Donald Feucht, showed water uses as follows: 0.10 cfs for domestic purposes from Jan. 1 to Dec. 31; and 0.40 cfs for irrigation purposes from April 1 to Oct. 31. The original permit also showed the place of use as follows: NESE, SENE Sec. 14, T35N, R3W, Boise Meridian; and the SWNW Sec. 13, T35N R3W, Boise Meridian. The City of Culdesac now wishes to amend said original Permit No. 85-7087 to show the water use as 0.50 cfs for municipal purposes from Jan. 1 to Dec. 31; and the place of use as located within the city limits of the City of Culdesac.

Any protest to the proposed amendment may be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before June 9, 1980.

C. STEPHEN ALLRED
Director

Amendment of A Permit

STATE OF IDAHO, }
County of Nez Perce } ss.

Linda Lou McCall, being duly sworn

deposes and says, I am the Classified Bookkeeper of the Tribune Publishing Company, a corporation organized and existing under and by virtue of the laws of the State of Idaho, publishers of the LEWISTON MORNING TRIBUNE, a newspaper of general circulation published at Lewiston, Nez Perce County, Idaho; That the said Lewiston Morning Tribune is an established paper and has been published regularly and issued regularly at least once a day for more than 20 consecutive years immediately preceding the first publication of this notice, and has been so published uninterruptedly for said period; that the Notice Of Application For Amendment attached hereto and which is made a part of this affidavit was published in the said Lewiston Morning Tribune, once a week for two consecutive weeks, the first publication thereof being on the 22nd day of May, A. D. 19 80, and the last publication thereof being on the 29th day of May, A. D. 19 80, and said Notice Of Application For was so published in the regular and entire issue of the said newspaper and not in a supplement thereof and was so published in every issue and number of the said paper, during the period and times of publication as set forth above.

Linda Lou McCall
SUBSCRIBED AND SWORN TO BEFORE ME THIS THE

29th day of May, 19 80.

W. E. H. H. H. H. H.

Notary Public in and for the State of Idaho,
residing at Lewiston, therein.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 85-7087
IN THE NAME OF JOHN MATTSON &/or
DONALD FEUCHT

ORDER

WHEREAS, on July 8, 1974, John Mattson and/or Donald Feucht applied to the Department of Water Resources for a permit to appropriate 0.50 cubic feet per second of water from a groundwater source to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, Twp. 35N, Rge. 3W B.M., Nez Perce County, to be used for domestic and irrigation purposes; and,

WHEREAS, on October 21, 1974, the Department approved said application and issued Permit No. 85-7087 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before October 1, 1979; and,

WHEREAS, on July 31, 1979, the Department notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,


WHEREAS, on October 16, 1979, the Department notified the permit holders that Permit No. 85-7087 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days from the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on October 22, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 85-7087 be REINSTATED and the priority advanced to July 29, 1974.

Dated this 13th day of December, 1979.


L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 85-7087

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

RECEIVED

RECEIVED

750

FEB 22 1980

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources

Department of Water Resources
Northern District Office

I, John Mattson & Donald Feucht, hereby assign to City of Culdesac
of Box 128 Culdesac, Idaho 83524
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 85-7087
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 4th day of February, 19 80.

John Mattson
Donald J. Feucht
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Nezperce) ss.

On this 4th day of February, 19 80, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Lela Schwane
Notary Public residing at

Culdesac, Idaho

My commission expires:

1984

ASSIGNED TO:
City of Culdesac
Box 128-Culdesac, Idaho 83524
02/13/80

Identification No. 85-7087

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant John Mattson &/or Donald Feucht
post office address Culdesac, Idaho 83524
2. Source of water supply Ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 14 Township 35N
Range 3W B.M. Nez Perce County; additional points of diversion if any: _____
(100,000 gallon storage reservoir for subdivision located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13, T. 35N, R. 3W, B.M.)
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.10 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.40 for Irrigation purpose from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.50 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, and pipeline to
reservoir for homes on new subdivision.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 555 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:

NE $\frac{1}{4}$	of	SE $\frac{1}{4}$	of	Sec.	14
SE $\frac{1}{4}$	of	NE $\frac{1}{4}$	of	Sec.	14

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 13 Township 35N
Range 3W B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water (40 lots on Pineview subdivision)
(5) If water is to be used for other purposes describe: _____

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
35N	3W	13							4										4
35N	3W	14				12.5									3.5				16

Total number of acres to be irrigated 20

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Alonzo J. T. Smith
(Applicant)

Proposed Priority 7-08-1974

Received by CP Date 7-8-74 Time 1:00 p.m.

Preliminary check by JE Fee \$2500

Receipted by JE Date 7-8-74 # 14159

Publication prepared by CP Date 7-12-74

Published in Lewiston Morning Tribune

Publication dates 7-18 & 7-25-74

Publication approved CP Date 10-7-74

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for (approval) denial by W BDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 85-7087, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 21 day of _____ October 19 74.


Director

PUBLISHER'S AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Nez Perce } ss.

D.N. Sinclair, being duly sworn

deposes and says, I am the Office Manager of the Tribune Publishing Company, a corporation organized and existing under and by virtue of the laws of the State of Idaho, publishers of the LEWISTON MORNING TRIBUNE, a newspaper of general circulation published at Lewiston, Nez Perce County, Idaho; That the said Lewiston Morning Tribune is an established paper and has been published regularly and issued regularly at least once a day for more than 20 consecutive years immediately preceding the first publication of this notice, and has been so published uninterruptedly for said period; that the Notice of Application attached hereto and which is made a part of this affidavit was published in the said Lewiston Morning Tribune, once a week for 2 consecutive weeks, the first publication thereof being on the 19th day of September, A. D. 1974, and the last publication thereof being on the 26th day of September, A. D. 1974, and said Notice of Application was so published in the regular and entire issue of the said newspaper and not in a supplement thereof and was so published in every issue and number of the said paper, during the period and times of publication as set forth above.

D.N. Sinclair

SUBSCRIBED AND SWORN TO BEFORE ME THIS THE

26th day of September, 1974.

Wm. D. D. 8-28-76

Notary Public in and for the State of Idaho,
residing at Lewiston, therein.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that John Mattson &/or Donald Feucht, Culesac, Idaho, have on July 8, 1974 submitted Application No. (85-7087) for a permit to appropriate 0.50 cubic feet per second of water from a ground water source by means of well, pump, pipeline, and reservoir within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M., Nez Perce County to be used from Jan. 1 to Dec. 31 for domestic purposes (0.10 cfs) for 40 lots in subdivision; and from April 1 to Oct. 31 for the irrigation of 20 acres (0.40cfs) within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 or on before October 7, 1974.

R. KEITH HIGGINSON
Director

May 3, 1983

RE: Permit No. 85-7087

City of Culdesac
Box 128
Culdesac, ID 83524

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 3, 1983

RE: Permit No. 85-7087

City of Culdesac
Box 128
Culdesac, ID 83824

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 85-7087, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.27 cfs Source: groundwater

The maximum quantity diverted shall not exceed n/a acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, Twp. 35N, Rge. 3W, Nez Perce County

Beneficial use: Municipal Use within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 13; SE $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 14; Twp. 35N, Rge. 3W

Priority date established: July 29, 1974 (late proof)

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

A REPORT ON THE TEST PUMPING
OF THE PINEVIEW ADDITION WELL - CULDESAC

October 9-10, 1975

Utilizing a 25 H.P. 6-inch submersible pump, the following starting conditions of the well were noted:


- 0' - ground level
- 386' - static water level
- 520' - pump intake

The test pumping began at 11:25 A.M. on October 9, 1975 and ended twenty-four hours later at 11:25 A.M. on October 10, 1975. The maximum drawdown during the entire test was two feet with a rated output of 123 G.P.M.

Conclusions:

As in the case of the municipal well, it is estimated that the ultimate capacity is 50-100% higher than that actually obtained, with the limitation being the size of the test pump and not the well aquifier.

However, the 123 G.P.M. average is above the design requirement of 112 G.P.M. (24 hour). The proposed pump for the well will deliver 160 G.P.M. at 510 feet T.D.H., well above the required 112 G.P.M.



David W. Cravens
D. W. Cravens
Well Tester

10-30-75
Date

George Kemper
George Kemper
Design Engineer

10-29-75
Date

RECEIVED
NOV 5 1975

Water quality reports from the State of Idaho are expected November 1975, based on samples taken at the time of the test.

Department of Water Resources
Northern District Office

W. J. Caldwell

This is a picture of the
Housing area outside our
City Limits near the
New Well

RECEIVED


OCT 28 1931

Department of Water Resources
Northern District Office

RECEIVED

LO-21-81

25 H.P.
Berkley or GE.
Pump
45 PSI.
125 GPM.
Existing well
NO. 2
100,000 GAL.
Storage water tank



Note: 6" main P.V.C. water lines
 $\frac{3}{4}$ " lines from main through meter, to homes. (galvanized)

RECEIVED

OCT 23 1981

Department of Water Resources
Northern District Office

○ F.H. - Fire Hydrate
○ - Water meter box
□ - Homes

MEMO

TO: Bob Haynes

September 28, 1981

FROM: Jim Johnson *Jim*

RE: Field Exam on Permit No. 85-7087

Bob, the use under this permit may be able to be licensed for the full amount of the permit depending on extent of development.

For example, it appears that the diversion works and holding reservoir is capable of supplying water to more than 6 households, therefore, instead of issuing a license for only .24 cfs for 6 households, .50 cfs can be used since that is the amount originally applied for.

The field exam shows that a measurement of 120 gpm was made by Hoffman, Fiske & Wyatt, Engineering Firm. However, there is no supporting evidence documenting the measurement. Also it is uncertain what use was measured.

The 25 HP pump could divert .5 cfs if the pumping lift was not greater than 283 feet assuming 30 psi. As you probably already know, our present policy on licensing water rights in subdivision developments is to recognize the maximum amount of water use that we can at the time of the field exam.

In other words, if the permit showed that 40 units were to be supplied with water and the system installed could supply each unit with water then the license would be issued recognizing all 40 units even though only a portion of the units were developed at the time of the field exam.

I would feel better about this particular permit if the field exam reflected that the system installed would satisfy the full 40 unit subdivision.

Please review - also if there is more information on the measurement made by the engineering firm, please attach it to the exam. If you have any questions, please let me know.

RECEIVED

OCT 18 1981

**Department of Water Resources
Permit Office**

HJR

John Spensli

746-2651

Fred Fox Mayors

*Mayors
only*

AUG 18 1980

FIELD REPORT

Department of Water Resources

85-7087

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	12/19/79	K	Sold to city of Cullasac Get assignment
☐ Telephone call made: (List Telephone No. used)			FISK - FUM CT
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

EXAMINATION

Date _____ Accompanied by _____ Total Q measured 123
~~120 gpm~~

If source is surface water, estimate total flow of source _____

Methods of measurement engineer in measure- Meets Permit requirements?
ment by Hoffman, Elske & Wyatt, Lewiston, Id

Measurement calculations:

$$\frac{120 \text{ gpm}}{448.8} = \underline{\underline{.27}} \text{ fs capacity}$$
 ~~$15 \times .04 = .60$~~ [illegible]

System Description Submersible pump pumps water to 100 000 gal
holding reservoir by 3" line, 6 households presently on
system

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
* MUNICIPAL	~~0.27~~ ✓	~~N/A~~ ✓** 3.6		
	~~0.4~~	~~6.0~~		
	0.27 ✓	N/A ✓** 9.6		
Total				


Remarks 6 households are presently on the system and it is possible that up to 40 units could eventually be constructed. The water is all being used for domestic purposes and no irrigation, except for lawns, is expected.

* MUNICIPAL USE SHOULD BE ALLOWED PER AMENDMENT APPROVED 7-18-80

** No volume computed per Admin memo of 11-5-79

J.J 2-2-82

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

Point(s) of diversion: T 35N, R 3W, sec 14, SE 1/4, NE 1/4

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
T 35N	R 3W	14				X									X				
		13							X										

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature: Larry Beard Date: 4/8/80
 Checked by: Bob [unclear] Date: 8/13/80
 Approved by: [unclear] Date: 9/25/81

DEPARTMENT OF WATER RESOURCES

The Department of Water Resources will consider this card as a statement that the permit
has completed development to the extent shown below of Permit No. 85-70871

Name(s) of Permit Holder: City of Culdesac

Office Address: Box 128
Culdesac Idaho 83524

Source of Water:

Intended Use:

☒ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☐ Other

Fire

Measuring Device:

Required?

☐ Yes

☐ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☐ No

Installed?

☐ Yes



☐ No

I hereby certify that the above information is a true statement of the extent to which the above numbered permit has
been developed.

Date

-1980

City of Culdesac
John J. Schwane, Clerk
Signature of Permit Holder Tra



Department of Water Resources

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

July 10, 1980

City of Culdesac
Culdesac,
Idaho 83524

Dear Sirs,

RE: Permit No. 85-7087

Enclosed is a copy of the approved application for amendment submitted in connection with the above referenced permit.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ;mr

Enclosure

NOTICE OF APPLICATION FOR AMENDMENT OF A PERMIT

Notice is hereby given that the City of Culdesac has filed with the Department of Water Resources on May 1, 1980, an Application for Amendment of Permit No. 85-7087 changing the Place of Use and Nature of Use. The original permit, which was assigned to the City of Culdesac from John Mattson and Donald Feucht, showed water uses as follows: 0.10 cfs for domestic purposes from Jan. 1 to Dec. 31; and 0.40 cfs for irrigation purposes from April 1 to Oct. 31. The original permit also showed the place of use as follows: NESE, SENE Sec. 14, T35N, R3W, Boise Meridian; and the SWNW Sec. 13, T35N R3W, Boise Meridian. The City of Culdesac now wishes to amend said original Permit No. 85-7087 to show the water use as 0.50 cfs for municipal purposes from Jan. 1 to Dec. 31; and the place of use as located within the city limits of the City of Culdesac.

Any protest to the proposed amendment may be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before June 9, 1980.

C. STEPHEN ALLRED

Director

Published in the Lewiston Morning Tribune on May 22 and May 29, 1980.

05/06/83

WATER RIGHTS PROOF READING REPORT

WRD417

WATER RIGHT NUMBER 85-7087

OWNER LAST NAME - FEUCHT
OWNER LAST NAME - MATTSON
OWNER LAST NAME - CITY OF CULDESAC
ADDRESS LINE 1 - P.O. BOX 128
ADDRESS LINE 3 -

FIRST NAME - DONALD
FIRST NAME - JOHN
FIRST NAME -

ADDRESS LINE 2 -
CITY - CULDESAC

STATE - ID ZIP CODE - 83524

127
5000 -CFS

SOURCE - GROUNDWATER
STAGE - PERMIT
TOTAL DIV. VOLUME - .00 AFA TRFR/AMEND -
DIVERSION POINT - SENE 14 35N 03W LOT REDIV -
FROM - 04-01 TO - 10-31 USE - IRRIGATION
FROM - 01-01 TO - 12-31 USE - DOMESTIC
USE - IRRIGATION X #L See Lic.
USE - IRRIGATION
DECREE NAME -

PRIORITARY OF -
PRIORITY - 07-29-1974 COUNTY - NEZ PERCE TOTAL DIV. RATE -
WATER DIST. - DLE/CAREY ACT - RIGHT BASIS -
0.0 0.0 0.0 0.0 0.0 0.0
USE DIV. RATE - .4000 CFS USE DIV. VOLUME -
USE DIV. RATE - .1000 CFS USE DIV. VOLUME -
PLACE OF USE - TWN 35N RNG 03W SEC 14 TRACT SENE LOT AC 12 TRACT NESE LOT AC 04
PLACE OF USE - TWN 35N RNG 03W SEC 13 TRACT SWNW LOT AC 04

TOTAL ACRES 20

REMARKS - REINSTATED 12-13-1979.

NON IRRIG USE - 07-40-HOMES.

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 10-01-1979 PERMIT/DENIED - 10-21-1974 PROTESTED -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL -

DIVERSION MEANS - WELL, PUMP, PIPELINE & RES.

HEARING -

OLD NO. -

M 1-1 12-31 27 cfs

Z & Reenter

IDENT. NO. 85-7087

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 12, 1980

City Of Culdesac
Box 128
Culdesac, Idaho 83524
Permit #85-7087

Dear Wateruser:

This office acknowledges receipt of the assignment conveying the above referenced permit to you.

This assignment has been entered into the Departments records. Enclosed for your records is a copy of the permit.

Sincerely,

Jan Grover
JAN GROVER
Supervisor, Water Rights

JG:jg

Enclosures

RECEIVED
MAR 15 1980
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

December 19, 1979

Mr. John Mattson
Culdesac, ID 83524

RE: 85-7087


Dear Mr. Mattson:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,



TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 85-2087

Name(s) of Permit Holder: Solidarity of Cu/Des

Post Office Address: Cu Desec, Id 8352

Source of Water:

Extent of Use:

☒ Domestic (number of households)

☐ Stockwater (number and type of stock)

☐ Irrigation (acres)

☐ Other

Measuring Device: Required?

☒ Yes ☐ No

Installed?

☐ Yes ☐ No

Access Port: Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Date

Signature of Permit Holder

RECEIVED

OCT 22 1979



Department of Water Resources IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

U.S. POSTAGE

15c

OLIVER
WENDELL
HOLMES

OCT 19 1979

1979



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

October 15, 1979


John Mattson and/or Donald Feucht
Culdesac, ID

Gentlemen:

Re: Permit No. 85-7087


You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, the above referenced permit has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided a form for that purpose in our notice to you dated July 31, 1979.

Your permit cannot be reinstated unless you submit the proof of beneficial use postcard, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.


C. STEPHEN ALLRED
Director

CSA:rf

Enclosure

OFFICE OF THE ATTORNEY GENERAL
10/16/79


MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

101191

July 31, 1979

John Mattson and/or Donald Feucht
Caldosac,
Idaho 83524


Gentlemen:

One of the conditions of approval of your water Permit No. 25-7087 was that evidence of the extent of development must be submitted to this office on or before October 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,


RITA FLECK
Sr. Secretary

Enc: 1

101191



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

July 30, 1979

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more expediently conducted by the Department's field examiner as well as you will derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

October 23, 1984

Re: Permit No. 85-7087

John Mattson &/or
Donald Faucht
Culdesac, Idaho 83524

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 85-7087. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>TE</u>	<u>7/8/74</u>	Application No. <u>85-7087</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>TE</u>	<u>7/8/74</u>	In form to receipt
	<u>TE</u>	<u>7/8/74</u>	Send Copies to: ☒ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(5)	<u>TE</u>	<u>7/8/74</u>	In form for advertising
(6)			Located within Water District No. _____
(7)	<u>TE</u>	<u>10/8</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>TE</u>	<u>10/8</u>	Groundwater levels: ☐ Decline (comment) _____ ☒ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>CP</u>	<u>10/7</u>	Affidavit of Publication received (date) <u>SEPT. 30, 1974</u>
(11)	<u>CP</u>	<u>9/12</u>	Final date for protests <u>OCT. 7, 1974</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>TE</u>	<u>10/8</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>TE</u>	<u>10/8</u>	Action recommended: ☒ Approve Priority <u>7/8/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Northern</u>	By <u>[Signature]</u>	Date <u>10/8/74</u>

MICROFILMED

RECEIVED

August 6, 1974

Re: Application No. 85-7087 - John Mattson &/or Donald Feucht

Lewiston Morning Tribune
505 C Street
Lewiston, ID 83501

Gentlemen:

Could you please submit the affidavit of publication and bill in connection with the above referenced item. The legal notice was to have been published in your newspaper on July 18 and July 25, 1974.

Your assistance in this matter is appreciated.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

MICROFILMED

NORTH CENTRAL DISTRICT HEALTH DEPARTMENT

1221 "F" STREET
PHONE: 746-1331, EXT. 65
LEWISTON, IDAHO 83501

RECEIVED

JUL 18 1974

Department of Health Services
North Central District

July 17, 1974

TO: Mr. Fred Eisenbarth

FROM: Spencer Overall

Thank you for the opportunity of reviewing the application. Both myself and my immediate supervisor, Mr. Dale Geaudreau, have reviewed it and neither of us have any comments.

Sincerely yours
Spencer Overall

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

NORTHERN DISTRICT OFFICE

JUL 12 1974



Cecil D. Andrus
Governor

R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

RECEIVED

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

JUL 18 1974

Enclosure
Not for Release

July 11, 1974

Re: Application for Permit No. 85-7087 - John Mattson &/or Donald Feucht

Mr. W. Spencer Overall
Department of Health
1226 F Street
Lewiston, ID 83501

Dear Mr. Overall:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

If we may be of any further assistance, feel free to contact us.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enclosure

RECEIVED

July 12, 1974

Re: Application No. 85-7087 - John Mattson &/or Donald Feucht

Lewiston Morning Tribune
505 C Street
Lewiston, ID 83501

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enc: Legal Notice(s)

Bill Submitted 10-7-74 by SP

MAILED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that John Mattson &/or Donald Feucht,

Culdesac, Idaho

~~has~~ on July 8, 1974 submitted Application No. 85-7087

for a permit to appropriate 0.50 cubic feet per second ~~acre feet per year~~
of water from a ground water source

by means of well, pump, pipeline, and reservoir

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M., Nez Perce County

to be used from Jan. 1 to Dec. 31 for domestic purposes (0.10 cfs) for 40 lots
~~now~~ in subdivision; and from April 1 to Oct. 31 for the irrigation of 20 acres
(0.40 cfs)

within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before Oct. 7,
~~August 1,~~ 1974.

R. KEITH HIGGINSON

Director

Published in the Lewiston Morning Tribune, Lewiston, Idaho

on ~~July 18~~ Sept. 19 and ~~July 25, 1974~~ Sept. 26, 1974

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

NOTICE IS HEREBY GIVEN that John Mattson &/or Donald Feucht, Culdesac, Idaho, have on July 8, 1974, submitted Application No. 185-7087 for a permit to appropriate 0.50 cubic feet per second of water from a ground water source by means of well, pump, pipeline, and reservoir within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M., Nez Perce County, to be used from Jan. 1 to Dec. 31 for domestic purposes (0.10 cfs) for 40 lots in subdivision; and from April 1 to Oct. 31 for the irrigation of 20 acres (0.40 cfs) within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before August 5, 1974.

R. KEITH HIGGINSON
Director

Published in the Lewiston Morning Tribune, Lewiston, Idaho, on July 18 and July 25, 1974.

o.k.
7-17-74
D

GALLY PROOF

9-19-74
legal Thursday tom

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that John Mattson &/or Donald Feucht, Culdesac, Idaho have on July 8, 1974 submitted Application No. 185-7087 for a permit to appropriate 0.50 cubic feet per second of water from a ground water source by means of well, pump, pipeline, and reservoir within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M., Nez Perce County to be used from Jan. 1 to Dec. 31 for domestic purposes (0.10 cfs) for 40 lots in subdivision; and from April 1 to Oct. 31 for the irrigation of 20 acres (0.40cfs) within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 13; NE $\frac{1}{4}$ SE $\frac{1}{4}$, SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 14, T. 35N, R. 3W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 401 Front Ave., Coeur d'Alene, Idaho, 83814 or on before October 7, 1974.

R. KEITH HIGGINSON
Director

o.k.
D

July 11, 1974

Re: Application for Permit No. 85-7087 - John Mattson &/or Donald Feucht

Mr. W. Spencer Overall
Department of Health
1226 F Street
Lewiston, ID 83501

Dear Mr. Overall:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our office as soon as possible. We normally complete the processing of an application within a four-week period and we are required to take final action shortly thereafter.

If we may be of any further assistance, feel free to contact us.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enclosure

MICROFILMED

July 11, 1974

Re: Application for Permit No. 85-7087

Mr. Donald Feucht
Route 1, Box 31
Culdesac, ID 83524

Dear Mr. Feucht:

Attached is your receipt No. 14159 in the amount of \$25 for the filing fee on the above referenced application which was received in this office.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Attachment

MICROFILMED

July 2, 1974

Mr. Donald Feucht
Route 1, Box 31
Culdasac, ID 83524

Dear Mr. Feucht:

We received the Claim to a Water Right you submitted to our office; however, since this is a new system, you should file an Application for Permit with our Department.

Enclosed is an Application which we have typed using the information on the Claim. Please note under Item 4 that we have listed 0.10 cubic feet per second for domestic purposes, which is equivalent to 50 gallons per minute. The maximum we can allow for irrigation purposes is 0.02 c.f.s. per irrigated acre.

Please review the Application making any changes or additions necessary. If all items are in order, please sign at the bottom of Page 3 and return the form to our office along with the required fee. The filing fee for 0.50 c.f.s. is \$25 (see enclosed fee schedule).

If there are any questions in this matter, feel free to contact us.

Very truly yours,

FRED EISENBARTH
Northern District Manager

FE:CP

Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
Section 42-220a, Idaho Code

CLAIM TO A WATER RIGHT

Under the provisions of Section 42-225a, Idaho Code, a person may file a claim to a right to use water which has been established by diversion and application to beneficial use. The filing of this claim does not confirm the water right but will serve for information purposes only. It may, however, become the basis for future adjudication of the water rights by the Court.

Name of the given last John Mattson & Donald Feucht

Culdesac Idaho 83724, chartered for the diversion and beneficial use of
(filling out class)

ground water contact water tributary to Well - 555-Ft. deep

The object and nature of said claim is as follows:

- (1) Surface source of water: (name of stream, lake, spring, etc. or ground water) **Drilled Well**

- (2) Describe the purpose for which the water has been used and the time during the year when you have used the right. Explain:

Amount	<u>50 gpm</u>	Use	<u>Domestic</u>	Period of Use:	From	<u>Jan. 1</u>	To	<u>Dec. 31</u>
Amount	<u>100 gpm</u>	Use	<u>Irrigation</u>	Period of Use:	From	<u>April 1</u>	To	<u>Oct. 31</u>
Amount	_____	Use	_____	Period of Use:	From	_____	To	_____
	(cis, gpm or a/f)		(dom., irri., stock, etc.)					(both dates inclusive)

- Estimated quantity of water claimed: 150 cubic feet per second, or _____ acre feet
_____ cfs, or _____ gallons per minute.

- Applied: (the date water was first applied to beneficial use) **April 1, 1974**

is not acceptable on a ground-water source with a priority later than March 25, 1963 or on a surface-water source with a priority later than May 20, 1971. An exception to this rule is that a claim may be filed on domestic use from a ground-water source with a priority later than May 20, 1971.

- SE 1/4 NE 1/4, Sec. 14 Twp. 35 N. Rge. 3 W. B. M. County of Nez Perce

Additional points of diversion: 100,000 Gal. storage reservoir for subdivision located
in SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 13 T35N R3W B.M.

- B) Describe means of diversion of water: (pump and pipeline, well, diversion dam, reservoir, length of ditch and field.

Give sizes and capacities; be as specific as possible. Well - pump - pipeline to reservoir for homes on new subdivision

- (c) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

[illegible]


Total No. of acres 20

10. If water is used for other than irrigation, fully describe that use, being as specific as possible: **development of subdivision Pineview addition, Culdesac, Idaho 40 lots**

- 7: _____ drinking water as a member of an organization, list name of organization: John Mattson,
and Donald Feucht

MICROFILMED

187 Remarks



Scale: 2 inches equal 1 mile.

T 35 N R. 3 W. B.M.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho

County of Lewis ss.

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.

Sworn to before me this 21 day of

June

John L. Wallace
Donna J. Fenchel
(Claimant)

Donald W. Smith
Notary Public

Residing at Winchester

My Commission expires

04-04-78

For Department Use Only

Received by CP Date 7-2-74

Revised, check by _____ Date _____

\$10.00 fee received by _____ Date _____

Approved for publication by _____

Published in _____

Dates _____

Exception filed by: _____

Forwarded to _____

claimant by: _____

Date _____