


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank Howard Jr.
(Applicant)

RECEIVED

Department of Water Administration

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Frank Howard, Jr., 139 East Main, Grangeville, Idaho has on June 7, 1972 submitted Application No. 85-7037 for a permit to appropriate 0.05 cubic feet per second of water from a ground water source by means of pump, tank, and pipes within the SE $\frac{1}{4}$ -SW $\frac{1}{4}$, Sec. 18, T. 30N, R. 3E, B.M., Idaho County to be used from Jan. 1 to Dec. 31 for industrial and stockwatering purposes within the SE $\frac{1}{4}$ -SW $\frac{1}{4}$, Sec. 18, T. 30N, R. 3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 8, 1972.

R. KEITH HIGGINSON
Director

Published in the Idaho County Free Press, Grangeville, Idaho on June 21 and June 28, 1972.
Jn21-28

Gary D. Cash being first duly

sworn, says he is the Office Manager

of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county

and state; that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks,

being published two times, the first publication being

on the 21st day of June, 1972,

and the last publication on the 28th day of

June, 1972; and that the said notice

was published in the newspaper proper and not a supplement;

that said newspaper has been continuously and uninterruptedly

published in said county during a period of more than seventy-

eight consecutive weeks prior to the first publication of said

notice or advertisement.

Gary D. Cash

Subscribed and sworn to before me this 28th day

of June, 1972

Buchanan C. Hatch

, Notary Public

for State of Idaho, residing at Grangeville, Idaho.

85 7037

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 85-7037 Priority June 7, 1972 Amount 0.05 cfs

THIS IS TO CERTIFY, that FRANK HOWARD, JR.
of Grangeville, Idaho, has complied with the terms and conditions of Permit
No 85-7037 issued pursuant to Application for Permit dated June 7, 1972,
and has submitted proof to the Department of Water Resources on July 10, 1974,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.05 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Industrial</u> from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.05</u> cfs and <u>2.2 acre feet</u>			
<u>Stockwater</u> from <u>Jan. 1</u> to <u>Dec. 31</u> at <u>0.05</u> cfs and <u>1.4 acre feet</u>			
_____ from _____ to _____ at _____ cfs and _____			

(both dates inclusive)

Subject, however, to the condition that no more than 0.05 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.6 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 18,
Twp. 30 N, Rge. 3 E, B. M. in the County of Idaho

Description and location of place of use:

Twp	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
30 N	3 E	18												X					

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

-Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3 day of
December, 19 74.

Director

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING DEVICE)
REQUIREMENT FOR PERMIT NO. 85-7037 in the name of)
FRANK HOWARD, JR.)

ORDER

WHEREAS, on June 7, 1972, Frank Howard, Jr. applied to the Department of Water Resources (formerly the Department of Water Administration) for a permit to appropriate 0.05 cubic feet per second of water from a groundwater source to be diverted within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 30N, Rge. 3E, B.M., Idaho County, to be used for industrial and stockwater purposes; and,

WHEREAS, on July 25, 1972, the Department approved said application and issued Permit No. 85-7037 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before July 1, 1977, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 10, 1974, the Department received the required proof of application of the water to beneficial use along with a request that the measuring device requirement be removed from said permit; and,

WHEREAS, it has been determined by the Department that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 85-7037.

Dated this 8th day of November, 1974.

BDF:JFR


A. KENNETH DUNN, Administrator
Operations Division

Identification No 85-7037

Application No _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

LICENSE ISSUED APR 22 SEC. 11.
LICENSE PA

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1 Name of applicant FRANK HOWARD, JR.
post office address 139 East Main Grangeville, Idaho

2 Source of water supply ground water which is a tributary of _____

3 a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 18 Township 30 N
Range 3 E B.M. Idaho County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4 Water will be used for the following purposes:

Amount 0.05 for industrial purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.05 for stock water purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated

a 0.05 cubic feet per second and/or

b _____ acre feet per annum

6 Proposed diverting works

a Description of ditches, flumes, pumps, headgates, etc _____
pump and pressure tank and pipes to various points of use

b Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam _____

Period of year during which storage will occur _____ to _____ inclusive
(Mo Day) (Mo Day)

c Proposed well diameter is 6 inches, proposed depth of well is 215 feet

7 a Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years

b Estimated construction cost is \$ _____

8 Description of proposed uses

a If water is **not** for irrigation

(1) Give the place of use of water SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 18 Township 30N
Range 3 E B.M.

(2) Amount of power to be generated _____ hp under _____ feet of head

(3) List number of each kind of livestock to be watered _____
75 beef - hog

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe _____
plant capacity 50 - beef hog processing plant for meat and adjoining stockyard
for


5700

Total number of acres to be irrigated_____

b Who owns the land to be irrigated or place of use applicant

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project. show clearly the proposed point of diversion, place of use, section number, township and range number



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Frank Howard Jr.
(Applicant)

Received by FE Date 6/7/72 Time 10:30

Preliminary check by FE Fee \$ 10.00

85 7037
lead #9389

Receipted by cr Date 6-9-72

Publication prepared by cr Date 6-9-72

Published in Idaho County Free Press

Publication dates 6-21 & 6-28-72

Publication approved FE Date 7/6/72

Priority reduced to 6/7/72 Reason _____

Protests filed by _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by D. B. F.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 85-7037, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions.

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1977.
- c. Other A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons _____

Witness my hand this 25 day of July, 19 72.

R. Keith Hiji
Director

AFFIDAVIT OF PUBLICATION

Gary D. Cash being first duly sworn, says he is the Office Manager of the IDAHO COUNTY FREE PRESS, a weekly newspaper which is published and issued weekly at Grangeville, Idaho County, State of Idaho, and which is of general circulation in said county and state, that the said notice, of which the one hereto attached is a true copy, was published in said paper for two weeks, being published two times, the first publication being on the 21st day of June, 1972, and the last publication on the 28th day of June, 1972, and that the said notice was published in the newspaper proper and not a supplement; that said newspaper has been continuously and uninterruptedly published in said county during a period of more than seventy-eight consecutive weeks prior to the first publication of said notice or advertisement.


Gary D. Cash

Subscribed and sworn to before me this 28th day of June, 1972

Bernard E. Hatt

Notary Public

for State of Idaho, residing at Grangeville, Idaho.



WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

JUL 20 1988

USE TYPEWRITER OR
BALLPOINT PEN

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

(Authorizing Construction of a Well)*

1. Applicant GRANGEVILLE MEATS (STEVE CLARK)
2. Address Rt. 1 Box 2-A
GRANGEVILLE ID. 83530 Telephone 983-0110
- (X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 18, Twp. 30N, Rge. 3E, County Idaho,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply) Fee is \$100 for commercial
() Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify COMMERCIAL
5. Well construction information:
() New well (X) Deepen () Replace
Proposed surface diameter _____ Maximum depth _____
Anticipated bottom hole temperature: _____
() 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date _____
7. Well Driller (if known) HALENKOTT WELL
Address FENN IDAHO
8. Applicant's signature Deborah J. Clark
Title owner (Grangeville Meats)
Date 9/20/88

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 7 day of October, 1988.

Signed

Joh E. Bal

Title

SECTION MANAGER
GROUNDWATER PROTECTION

Received by CP Fee \$100.00 Date 9/29/88

Receipt No. C002737 Construction start extension to _____

Extension approved by _____

WATER RIGHT NUMBER 85-7037

WATER RIGHTS EDIT REPORT

10/03/79

PAGE 204

ACT
IGN

N OWNER LAST NAME - HOWARD, JR.

FIRST NAME - FRANK

N CITY - GRANGEVILLE

STATE - ID

N SOURCE - GROUNDWATER

N STAGE - LICENSE

PRIORITY - 06-07-1972 COUNTY - IDAHO

TOTAL DIV. RATE - .0500CFS

N TOTAL DIV. VOLUME - 3.60 AFA

N DIVERSION POINT - SESW 18 30N 03E

N FROM - 01-01 TO - 12-31 USE - INDUSTRIAL

USE DIV. RATE - .0500CFS

USE DIV. VOLUME - 2.20 AFA

N FROM - 01-01 TO - 12-31 USE - STOCKWATER

USE DIV. RATE - .0500CFS

USE DIV. VOLUME - 1.40 AFA

N USE - INDUSTRIAL

PLACE OF USE - TWN 30N RNG 03E SEC 18 TRACT SESW

N NON IRRIG USE - I/MEAT PROCESSING S/75 RANGE-HOG.

IDENT. NO. 85-7037

IDAHO DEPARTMENT OF WATER RESOURCES

[illegible]

December 5, 1974

Re: Permit No. 85-7037

Mr. Frank Howard, Jr.
139 East Main Street
Grangeville, Idaho 83530

Dear Mr. Howard:

Enclosed is a copy of the water license issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MICROFILMED

November 14, 1974

Re: Permit No. 85-7037

Mr. Frank Howard, Jr.
139 East Main Street
Grangeville, Idaho 83530

Dear Mr. Howard:

A representative of this Department has made an examination of the works covered by your Permit No. 85-7037 and has found the following:

Quantity of water diverted: 0.05 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.05 cfs

The maximum quantity diverted shall not exceed 3.6 acre feet per year.

Beneficial use: For industrial and stockwater purposes within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 30N, Rge. 3E

Point of diversion: SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, Twp. 30N, Rge. 3E, B.M.

Priority date established: June 7, 1972

If you do not concur with these findings, please contact this office within 10 days; otherwise, a water license will be issued as set forth above.

Enclosed you will find an order which removes the measuring device requirement under this permit.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

NOT RECORDED

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

RECEIVED

JUL 1, 1974

1. Name of permit holder Frank Howard, Jr.

Post office address 139 E. Main, Grangeville, ID 83530

Phone

Person to contact

Phone

2. Source of water supply Groundwater ☒ Surface water ☐

(name spring, stream, etc.)

Tributary to

3. Water will be used for the following purposes

Amount 0.05 c.f.s. for industrial
AF/Annum (nature of use)

Period of Use from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount 0.05 c.f.s. for stockwater (75-beef - hog)
AF/Annum (nature of use)

Period of Use from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount c.f.s. for
AF/Annum (nature of use)

Period of Use: from to
(mo.-day) inclusive (mo.-day)

Other uses

Permit No 85-7037
Examination for b/u

4. Total amount to be appropriated

Max Rate of Diversion 0.05 cubic feet per second and annual volume AF/Annum.

5. Location of Point(s) of Diversion

Township 30N N/S, Range 3E E/W, B M., Section 18, Subdivision SE $\frac{1}{4}$ SW $\frac{1}{4}$, Idaho
County

Township N/S, Range E/W, B M., Section, Subdivision $\frac{1}{4}$ $\frac{1}{4}$,
County

Township N/S, Range E/W, B M., Section, Subdivision $\frac{1}{4}$ $\frac{1}{4}$,
County

Other Points of Diversions

Description of diverting works 215' well, 6" casing, 2 hp pump, system for water supply to meat processing plant including stockwatering troughs.

Measuring device required yes ☒ no ☐

6. Lands to be irrigated or place of use

TWP	RANGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
30N	3E	18											X						

TOTAL ACREAGE

RECEIVED




Diagram of System

DATE OF EXAM 8/29/74

ACREAGE

Found _____

Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q = 1.5 cfs. V = _____ AF/Ann. from _____ to _____
 Domestic Q = 1.5 cfs. V = _____ AF/Ann. from _____ to _____
 Livestock Q = 0.02 cfs. V = 0.71 AF/Ann. from JAN 1 to DEC 31
INDUSTRIAL Q = 0.05 CFS V = 10 AF/ANN. FROM JAN 1 DEC 31
2.2

Is water co-mingled? yes _____ no X

Name source _____
 twp _____ N/S, Rge _____ E/W, B.M., Sec _____, Sub _____ 1/4 _____ 1/4 _____
 County _____

Exchange? yes _____ no X

Name source exchanged with _____
 twp _____ N/S, Rge _____ E/W, B M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
 _____ County

Point of injection:

twp. _____ N/S, Rge _____ E/W, B M, Sec _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange:

twp. _____ N/S, Rge _____ E/W, B M., Sec. _____, Sub _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 0.05 Method of measurement ESTIMATED

Total Q recommended 0.05 Meter No _____ Type _____ Condition _____

Total V recommended 1.7 AF/ANN

Recommended Amendments

P D _____
 Place of Use _____
 Other _____
 None ☒

MEASUREMENT CALCULATION

5 BUFFALO (365 DAYS) - 0.02 CSE ~~2 AF/YR~~ } 0.7 AF/YR
 15 BEEF 15 HOGS ~~2 AF/YR~~ - ~~0.02 CSE~~ }
 INDUSTRIAL 2 HOURS PER DAY WEEK
 $0.03 \text{ THRG} \times 5 \text{ DAYS} \times 52 = 1.0 \text{ AF/ANN}$ $0.55 \times 21.66 \text{ days} \times 1 \text{ YR} = 2.194$

SYSTEM DESCRIPTION:

2HP PUMP 6" CASING 215' DEEP

REMARKS.

REMARKS.
✓* RECOMMEND THAT MEASURING DEVICE REQUIREMENT BE REMOVED

Examiner's Signature [Signature] Date 7/5/74

Checked by Frank R. Kuntz Date 9/5/74

Approved by _____ Date _____

July 16, 1974

Re: Permit No.'s 85-7036 & 85-7037

Frank Howard, Jr.
139 East Main
Grangeville, ID 83530

Dear Mr. Howard:

We acknowledge receipt of the affidavits submitted as proof of beneficial use for the above referenced permits.

Before licenses can be issued, field examinations must be made by a representative of this Department. We cannot tell just when these examinations will be made, but our examiner will try to contact you at the time he makes the examinations so that you may show him the systems.

If you have any questions concerning the field exams, please contact our Northern District Office at 401 Front Ave., Room 209, Coeur d'Alene, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

Identification No _____
Permit No. 85-7037

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

JUL 10 1974
Department of Water Resources

1. a) Name of Permit Holder Frank Howard, Jr. PH 983 1532
b) Post Office Address 139 East Main, Grangeville, Id.
2. Permit Number 85-7037
3. Date of Priority that you are prepared to establish 6/7/1972
4. a) Source from which water was appropriated groundwater
b) Location of the point of diversion: SE 1/4 SW 1/4, Section 18
Township 30N, Range 3E, Boise Meridian, Other points of diversion.
5. a) The amount of water and use to which the water has been applied
amount 105 cfs for Industrial purposes from 1/1 to 12/31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount 105 cfs for stock water purposes from 1/1 to 12/31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 105 cfs cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement _____
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder.
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 215' well w/ 6" casing w/ 2 HP pump w/ system for water supply to meat processing plant including stock watering troughs.
b) Describe the type and size of measuring device which you have installed at your point of diversion: ultrasonic flow meter
c) Give well drillers name and address and date the well was completed Al Uhlenkott

Exam typed 7/10/74 by ja

85-7037

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Industrial use within meat processing plant
stock water for up to 75 head or hogs.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP	RANGE	SEC	NE1/4				NW1/4				SW1/4				SE1/4				TOTALS
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	

Total number of acres irrigated

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-10-74 (Date) Frank Howard Jr (Signature)

State of Utah ss.
County of Ada

On this 10th day of July, 1974, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.



W. Gary Wicks
Notary Public residing at Moab

My commission expires 6-15-77

RECOMMENDEDCONDITIONS OF APPROVAL

☒ A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

☐ Measuring devices of a type approved by this Department shall be permanently installed and maintained at the point of diversion and the point of effluent discharge.

☐ Use of water under this permit is supplemental to all existing water rights with the same purpose and place of use.

☐ Maximum rate of diversion shall not exceed _____ c.f.s.

☐ Settling ponds shall be installed which are capable of reducing the silt load in the return water to such a level that the quality of the waters of _____ Creek will not be impaired for other beneficial uses.

☐ Return water shall be treated to insure that the effluent meets (interstate) (intrastate) stream water quality standards.

☐ Use of water under this permit is subject to control by the watermaster of State Water District No. _____, _____ River.

☐ The proposed well shall not be drilled within _____ feet of another well.

☐ The issuance of this permit in no way grants any right-of-way or easement across the land of another person.

☐ The permit shall not be assigned or sold without first securing the written approval of the Department of Water Administration.

☐ This permit cannot be assigned, mortgaged, or conveyed without complying with Section 42-208, Idaho Code.

☐ Other: No ~~Special~~

Fred E. Smith 7/10/72

July 27, 1972

Frank Howard, Jr.
139 East Main
Grangeville, Idaho

Dear Mr. Howard:

Enclosed is a copy of your approved Application for Permit No. 85-7037. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

85 7037

June 9, 1972

Re: Application No. 85-7036 - Frank Howard, Jr.
" " 85-7037 - " " "

Idaho County Free Press
Box 267
Grangeville, Idaho 83530

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Water Resource Examiner
Northern District

FE:CR

Enc: Legal Notices (2)

Bill Submitted
7/6/72 F.E.

85 7037

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Frank Howard, Jr. 139 East Main,
Grangeville, Idaho

has on June 7, 1972 submitted Application No. 85-7037
for a permit to appropriate 0.05 cubic feet per second ~~acre feet per annum~~
of water from a ground water source
by means of pump, tank, and pipes
within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 30N, R. 3E, B.M., Idaho County

to be used from Jan. 1 to Dec. 31
for industrial and stockwatering purposes

within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 30N, R. 3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 8, 1972.

R. KEITH HIGGINSON

Director

Published in the Idaho County Free Press, Grangeville, Idaho

on June 21 and June 28, 1972

85 7037

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Frank Howard, Jr., 139 East Main, Grangeville, Idaho has on June 7, 1972 submitted Application No. 85-7037 for a permit to appropriate 0.05 cubic feet per second of water from a ground water source by means of pump, tank, and pipes within the SE $\frac{1}{4}$ -SW $\frac{1}{4}$, Sec 18, T 30N, R 3E, B.M., Idaho County to be used from Jan. 1 to Dec. 31 for industrial and stockwatering purposes within the SE $\frac{1}{4}$ -SW $\frac{1}{4}$, Sec 18, T 30N, R 3E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, 83707, on or before July 8, 1972.

R. KEITH HIGGINSON
Director

Published in the Idaho County Free Press, Grangeville, Idaho on June 21 and June 28, 1972.

Jn21-28

85 7037

OK
6-19-72
cf