

OFFICE USE ONLY

Amt. of Fee \$ 150.00 150.00
Date Jan 17 1994
Receipt No. 6029396
Receipt by DW

RECEIVED

JAN 10 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 29-08018 Telephone No. 254-3186
2. Name(s) of Permit Holder(s): Ralph Wheatley Meadowbrook Ranch
3. Mailing Address: 10053 S Marsh Crk Rd. McCammon Idaho
4. Source of Water: ground

If GROUNDWATER, Well Driller's Name: Frandsen Date Drilled: 4-11-91

OPTIONAL:

Pump horsepower: 125 Pressure (psi): 60 Dynamic pumping level (ft.): 80 ft

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 120 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 240 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Ralph Wheatley Meadowbrook Ranch Telephone No. _____

Address 16053 S. Marsh Crk Rd McCammon

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 22 1994

Date 1/7/94 Signature (and title, if on behalf of a company or organization) Ralph Wheatley

State of Idaho
Department of Water Resources

NO. 29-08018

Proposed Priority: May 10, 1990 Maximum Diversion Rate: 2.40 CFS
This is to certify, that MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION
----------------	---------------	-------------------

IRRIGATION	03/15 to 11/15	2.40	CFS
------------	----------------	------	-----

LOCATION OF POINT(S) OF DIVERSION:

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
10S	36E	5	NESW	40	SESW	40	NWSE	40	120
Total number of acres irrigated:									120

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1995.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

MICROFILMED

DEC 17 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 29-08018

CONDITIONS/REMARKS:

8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

6th day of December, 1990.

for 
R. Keith Higginson, Director

MICROFILMED

DEC 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant MEADOWBROOK RANCH Phone (208) 254-3186
Post office address 10053 S. MARSH CREEK RD., MCCAMMON, ID 83250
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 5 Township 10S Range 36E B.M. BANNOCK County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 2.4 for IRRIGATION purposes from 03/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 2.4 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP AND PIPELINES
FOR IRRIGATION.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16 inches; proposed depth of well is 350 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

MICROFILMED

DEC 17 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	36E	5									40			40		40			120

Total number of acres to be irrigated 120

10. Describe any other water rights used for the same purposes as described above. SRBA CLAIMS
A29-00363, 00364, 00385, 00411, 00412, 11431


11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

DEC 17 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Meadowbrook Ranch
Ralph Whalley
(Applicant)

Received by OW Date 6-13-90 Time 12:00 Preliminary check by _____
Fee \$ #85 Receipted by HUT # 2014406 Date 5-10-90
Publication prepared by RB Date 9-6-90 Published in ID State Journal
Publication approved OW Date 9/19/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

DEC 17 1990

Officers of Meadowbrook Ranch:

- 1) Ralph Wheatley
- 2) Wayne Wheatley
- 3) Marshall Wheatley
- 4) Boyd Smith

MICROFILMED

DEC 17 1990

PROOF OF PUBLICATION RECEIVED

STATE OF IDAHO }
County of Bannock } ss.

SEP 14 1990

Department of Water Resources
Eastern District Office

Sandra K. Wann

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

29-08014
CHURCH OF JESUS CHRIST
LATTER DAY SAINTS
TYHEE STAKE
P.O. BOX 15309
BOISE, ID 83715
Source: GROUNDWATER
Diverison Pt:
SESE Sec 27 T 05S R 34E
Use: IRRIGATION (.100 CFS)
DOMESTIC (.080 CFS)
Total Diverison: (.180 CFS)
Date Filed: 6-28-1990
In: T05S R34E S27 SESE
5.0 ACRES TOTAL

29-08016
MUNN, DAVID C.
MUNN, SUZANNE
7953 W. PORTNEUF RD.
POCATELLO, ID 83204
Source: GROUNDWATER
Diverison Pt:
NWSW Sec 21 T 07S R 35E
Use: IRRIGATION (.100 CFS)
Total Diverison: (.100 CFS)
Date Filed: 6-19-1990
In: T07S R35E S21 NWSW
5.0 ACRES TOTAL

29-08017
MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250
Source: SPRING
Tributary: MARSH CREEK
Diverison Pt:
NWNENW Sec 14 T 09S R 36E
Use: IRRIGATION (1.000 CFS)
Total Diverison: (1.000 CFS)
Date Filed: 5-10-1990
In: T09S R36E S14 NENW SENW
50.0 ACRES TOTAL

29-08018
MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250
Source: GROUNDWATER
Diverison Pt:
SESW Sec 5 T 10S R 36E
Use: IRRIGATION (2.400 CFS)
Total Diverison: (2.400 CFS)
Date Filed: 5-10-1990
In: T10S R36E S05 NESW SESW
NWSE
120.0 ACRES TOTAL

29-08019
MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250
Source: GROUNDWATER
Diverison Pt:
SESE Sec 8 T 10S R 36E
Use: IRRIGATION (1.600 CFS)
Total Diverison: (1.600 CFS)
Date Filed: 6-13-1990
In: T10S R36E S08 SWSE SESE
80.0 ACRES TOTAL

29-08020
MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250
Source: GROUNDWATER
Diverison Pt:
SESW Sec 25 T 10S R 36E
Use: IRRIGATION (3.660 CFS)
Total Diverison: (3.660 CFS)
Date Filed: 6-13-1990
In: T10S R36E S25 NWSW SWSW
SESW
S36 SWNE NENW NWNW SWNW
SENW NESW
183.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 24, 1990.
R. Keith Higginson, Director
September 6, 13, 1990
No. 705

being first duly sworn on oath deposes and says: That she was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

6 September	19 ⁹⁰	19
15 September	19 ⁹⁰	19
	19	19
	19	19
	19	19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sandra K. Wann

STATE OF IDAHO

COUNTY OF Bannock

On this 15th day of September in the year of 1990, before me, a Notary Public, personally appeared Sandra K. Wann, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Residing at Pocatello


My commission expires July, 1991

MICROFILMED

DEC 17 1990

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	G.E	125	JJJ919108	UNKNOWN	10"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic	Flow	Fuji	FLC-S1011	7K0087TB		STID 240333

2. Measurements: 10" pipe, steel, .141

E. NARRATIVE/REMARK COMMENTS

Well runs pivot + handlines. Only the pivot was running the day of the exam. Mr. Wheatley was having hay cut and couldn't run a setting of handlines. He estimates they might raise the flow 100 gpm maximum if on.

Pump had no name on it for identification.
System guage showed 60 psi during measurement.

Fuji file name = 29-8018

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$Q_{max} = 2.37 cfs$$

$$Q_{@0.02 cfs/ac} = 110 ac (0.02 cfs/ac) = 2.20 cfs$$

$$Q_{LIMITED BY 0.02 cfs/ac} = 2.20 cfs$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 110 ac (3.5 afu) = 385 afu$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.2 (214) 1.9835 = 933.8$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D,R} = 385.0 cfs$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	2.20 cfs	385.0
Totals:			2.20 cfs	385.0

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Keith C Wilson Date 2/23/2004

Reviewer _____ Date _____

SEAL

LOG NAME: 29-8018
START: 07-27-2000 16:12
END: 07-27-2000 16:22
INTERVAL: 00:01:00

07-27 16:12:00
+4.413E+0 ft/s
+1.020E+3 gal/m
+2.273E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:13:00
+4.383E+0 ft/s
+1.013E+3 gal/m
+2.257E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:14:00
+4.344E+0 ft/s
+1.004E+3 gal/m
+2.237E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:15:00
+4.603E+0 ft/s
+1.064E+3 gal/m
+2.371E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:16:00
+4.310E+0 ft/s
+9.966E+2 gal/m
+2.220E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:17:00
+4.395E+0 ft/s
+1.016E+3 gal/m
+2.264E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:18:00
+4.474E+0 ft/s
+1.034E+3 gal/m
+2.304E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:19:00
+4.330E+0 ft/s
+1.001E+3 gal/m
+2.230E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL


07-27 16:20:00
+4.472E+0 ft/s
+1.033E+3 gal/m
+2.303E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:21:00
+4.452E+0 ft/s
+1.029E+3 gal/m
+2.293E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

07-27 16:22:00
+4.344E+0 ft/s
+1.004E+3 gal/m
+2.237E+0 ft3/s
+TOTAL 0000000 gal
-TOTAL 0000000 gal
NORMAL

Maximum Flow rate = 2.37 cfs

29-08018



Thompson DE 11
CH 127
HEL

R36E

65

Lot 4

Lot 3

T 10

12.1

See H158

1 HEL
52.4


POU in y
5

T 10
S

NA

29-08018

Nº 10 South, Range A





POD

29-8018

January 21, 1994

MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON ID 83250

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-08018

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED

FEB 22 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 22, 1993

Mr Ralph Wheatly
Meadowbrook Ranch
10053 S Marsh Creek Rd
McCammon, ID 83250

Re: Permit Nos. 29-08018 and 29-08020

Dear Mr Wheatly:

The Department is receipt of the correspondence sent in reference to the above referenced permits. From your correspondence, the Department determined that you are beneficially using the water and therefore need to submit Proof of Beneficial Use.

I have enclosed two forms and instructions sheet which you will need to complete. When completed, submit these forms along with any applicable fees to the Department. The Department will then analyze the forms and inform you of our findings.

If the forms are acceptable, the Department will then conduct a field examination of your water right permits. Once the field exam are complete, the Department will issue you a license to your water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,


Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 22 1994

RECEIVED

JAN 20 1993

Department of Water Resources

Jan 17, 1993

To whom it may concern, the permit no. 29-08015
to drill a well was drilled, and completed
June 1, 1991, and was used 1991 season & 1992
Season. Drilling permit was obtain
no. 29-91-E-014

Permit No. 29-08020 was drill June 1991
put to use and completed May 1992 and used 1992
Season

Drill ~~per~~ permit was obtain no. 29-91-E-029
~~29-91-E-014~~

Meadowbrook Ranch
Ralph Whitley

P.S. If you need more information let me
know.

RECEIVED

FEB 22 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 7, 1990

MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 29-08018

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

RECORDED

DEC 17 1990

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

A handwritten signature in black ink, appearing to be "J. Johnson", with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

DEC 17 1990

APPLICATION FOR PERMIT REVIEW

Application #: 29-8018
Date: 12-04-90

Reviewer: Pam Skaggs

Existing:

No - 26A-P17
Complete in 1 year - P16
Yes
Proof not submitted - P16
Proof submitted - N/A
Groundwater:
GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.7 cfs - N/A
Drilling Permit:
Approved w/permit - P99
Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. 29H
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Trust (see list) - 051-052-053-P74, 041(DCMI)
Non Trust (see list) - 048-049
Swan Falls Flag - / (1 or Blank)
River Basins:
(Surface Water) Watermaster Control Conditions &....
Boise (63) - 11D-P72
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02 & 03)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - (less than 25cfs P18), 01F-P19, 08A(Req.),
017K-017G-017M(Choose One), 025
Mining - 06A, 006, 09E-P10, 010, 54
Storage - 18A-P09(In W.D.), 18B-P09(Size)
Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date: - 12-01-1995

Other Conditions Recommended _____

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

29 8018

INITIAL REVIEW BY HWS DATE 8-8-90 APPLICATION NUMBER 29 8018
Meadowbrook Ranch

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
☐ Yes ☒ No Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

RECEIVED
SEP 27 1990
Department of Water Resources

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

PROCESSING ☒ Yes ☒ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 9-24-90
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 5-10-90
By ACW Date 9-26-90

STATE OFFICE REVIEW

See below for additional information
By JW Date 10-20-90

ADDITIONAL INFORMATION

026A P17

046 P23

005 P05

SF = 1

BU = 11-1-95

LOCAL PUBLIC INTEREST

Comments received from:

☐ City	☐ Idaho Fish & Game	☐ Irrigation District
☐ County	☐ Idaho Health & Welfare	☐ Canal Company
☐ Reservations	☐ Division of Environment	☐ Other _____

Project impacts/implications report

COMMENTS

14-Aug-1990

MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250

RE: Application for Permit No. 29-8017, 29-8018, 29-8019, &
29-8020

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Idaho State Journal on SEPTEMBER 6 & 13, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

MICROFILMED

DEC 17 1990

29-08018

MEADOWBROOK RANCH
10053 S. MARSH CREEK RD.
MC CAMMON, ID 83250

Source: GROUNDWATER

Diversion Pt: **SESW Sec 5 T 10S R 36E**

```

Use:  IRRIGATION      ( 2.400 CFS)
      Total Diversion: ( 2.400 CFS)

```

Date Filed: 5/10/ 1990

In: T10S R36E S05 NESW SESW NWSE

120.0 ACRES TOTAL

MICROFILMED

DEC 17 1990