

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07966

Priority: April 23, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

5.3 AF

This is to certify, that CARY R BAIRD
JORJA BAIRD

451 E ELAIN CIR
PO BOX 57

INKOM ID 83245-0057

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 23, 1990; and has submitted Proof of Beneficial Use on August 13, 1990. An examination indicates that the works have a diversion capacity of 0.090 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/15	0.04 CFS	5.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 23, Township 07S, Range 36E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	36E	23	NWSE	1.5		1.5

Total number of acres irrigated: 1.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

OCT 26 1995

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 29-07966

CONDITIONS OF APPROVAL AND REMARKS

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of OCTOBER, 1995.


Acting for KARL J. DREHER, Director

OCT 26 1995

RECEIVED
AUG 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 29-07966 Telephone No. 775-3422

Name(s) of Permit Holder(s): CARY OR JORJA BAIRD

Post Office Address: 451 E. ELAIN CIRCLE, P.O. Box 57, INKOW ID 83245

Source of Water: GROUNDWATER

If ground water, well driller's name: DORIS Date drilled: ~ Mar. 1977

Extent of Use:
Domestic _____ (No. of households) Irrigation 1.5 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: Aug. 1977

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ NA (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

CARY OR JORJA BAIRD 775-3422
Name Telephone No.
451 E. ELAIN CIRCLE, P.O. Box 57, INKOW, ID 83245
Address

The above information is my true statement of the extent to which the above number has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

JAN 03 1991

Aug 7 1990
Date

Cary R Baird
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 29-07966

Proposed Priority: April 23, 1990
This is to certify, that **CARY R. BAIRD**

Maximum Diversion Rate:

0.04 CFS

JORJA BAIRD
451 E. ELAIN CIRCLE
P.O. BOX 57
INKOM, ID 83245

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	0.04 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	NWNWSE	Sec. 23, Township 07S, Range 36E BANNOCK County
---	--------	--

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	36E	23	NWSE	1.5		1.5

Total number of acres irrigated: 1.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

MICROFILMED

JUL 27 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 29-07966

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of July, 1990.

for R. Keith Higginson, Director

MICROFILMED

JUL 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant CARY R. OR JORJA BAIRD Phone 775-3422
Post office address 451 E. ELAIN CIRCLE, P.O. Box 57, INKOM, ID. 83245
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 23 Township 7S Range 36E B.M. BANUICK County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
ALLOW 0.04*
Amount 0.036 for IRRIGATION purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) ALLOW 0.04*
5. Total quantity to be appropriated is (a) 0.036 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. EXISTING 450' (180' TO WATER).
6" WELL W/ A 3.5HP SUBMERSIBLE PUMP.
PIPED TO HOME & SPRINKLER SYSTEM
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. EXISTING Proposed well diameter is 6" inches; EXISTING proposed depth of well is 450' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to PROPOSED beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUL 27 1990

*kw 7/18/90

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	36E	23														1.5			1.5

Total number of acres to be irrigated 1.5

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: A29-11635 FILED FOR DOMESTIC? STOCK USES.
WELL HAS BEEN IN-PLACE SINCE 1979.

MICROFILMED

JUL 27 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gay R. Baird

(Applicant)

Received by SAV Date 4-23-90 Time 1430 Preliminary check by _____
Fee \$ 30⁰⁰ Receipted by SAV # 4-23-90 Date 4-23-90
E013504
Publication prepared by LB Date 6-7⁹14-90 Published in Idaho State Jnl
Publication approved LB Date 6-26-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

JUL 27 1990

NE SENE

29-07964

ROBERT H.

LA RITA S.

P.O. BOX 516

POCATELLO, ID 83204

Source: GROUNDWATER

Diversión Pt:

NESW Sec 8 T 07S R 35E

Use: COMMERCIAL

(.020 CFS)

Total Diversión:

(.020 CFS)

Date Filed: 4-19-1990

In: T07S R35E S08 NESW

29-07965

CARLSEN, GARY H.

CARLSEN, BARBARA

720 BUFFALO RD.

POCATELLO, ID 83202

Source: GROUNDWATER

Diversión Pt:

SWSW Sec 2 T 06S R 34E

Use: IRRIGATION

(.120 CFS)

STOCKWATER

(.020 CFS)

DOMESTIC

(.040 CFS)

Total Diversión:

(.180 CFS)

Date Filed: 4-23-1990

In: T06S R34E S02 SWSW

6.0 ACRES TOTAL

29-07966

BAIRD, CARY R.

BAIRD, JORJA

451 E. ELAIN CIRCLE

P.O. BOX 57

INKOM, ID 83245

Source: GROUNDWATER

Diversión Pt:

NWNWSE Sec 23 T 07S R 36E

Use: IRRIGATION

(.036 CFS)

Total Diversión:

(.036 CFS)

Date Filed: 4-23-1990

In: T07S R36E S23 NWSW

1.5 ACRES TOTAL

29-07967

AGUILAR, LOUIS R.

AGUILAR, CONNIE Y.

9382 AUTUMN LN.

POCATELLO, ID 83204

Source: GROUNDWATER

Diversión Pt:

NENENW Sec 30 T 07S R 35E

Use: IRRIGATION

(.120 CFS)

Total Diversión:

(.120 CFS)

Date Filed: 4-16-1990

In: T07S R35E S30 NWNENW

6.0 ACRES TOTAL

29-07968

AGUILAR, LOUIS R.

AGUILAR, CONNIE Y.

9382 AUTUMN LN.

POCATELLO, ID 83204

Source: GROUNDWATER

Diversión Pt:

NENENW Sec 30 T 07S R 35E

Use: IRRIGATION

(.080 CFS)

DOMESTIC

(.020 CFS)

Total Diversión:

(.080 CFS)

Date Filed: 4-16-1990

In: T07S R35E S30 NENW

4.0 ACRES TOTAL

29-07969

DE WALL, HARRY

DE WALL, HELEN

P.O. BOX 624

POCATELLO, ID 83204

Source: GROUNDWATER

Diversión Pt:

NWSW Sec 18 T 06S R 35E

Use: IRRIGATION

(.120 CFS)

Total Diversión:

(.120 CFS)

Date Filed: 4-6-1990

In: T06S R35E S18 NWSW

4.0 ACRES TOTAL

29-07970

LUNAR ST. WATER

USERS ASSN., INC.

12534 N. LUNAR ST.

CHUBBUCK, ID 83202

Source: GROUNDWATER

Diversión Pt:

SWNW Sec 32 T 05S R 34E

Use: IRRIGATION

(.150 CFS)

DOMESTIC

(.050 CFS)

Total Diversión:

(.200 CFS)

Date Filed: 5-1-1990

In: T05S R34E S32 SWNW

6.0 ACRES TOTAL

29-07971

CHRISTENSEN, MARION W.

12354 E. TYHEE RD.

POCATELLO, ID 83202

MICROFILMED

JUL 27 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 4, 1995


CARY R BAIRD
JORJA BAIRD
451 E ELAIN CIR
PO BOX 57
INKOM ID 832450057

RE: WATER RIGHT NO. 29-07966

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

OCT 26 1995

MEMORANDUM

DATE: October 4, 1995
TO: File No. 29-07966, Adjudication Bureau
FROM: Cindy Zimmerman 
SUBJECT: Telephone conversation

=====

During the review of this right for license approval, I noted that license 29-02034 and claim A29-02034 identify use of Jackson Creek for irrigation of the same 40 acre tract identified under the above groundwater permit.

Per telecon with Jorja Baird, they do not irrigate with water from Jackson Creek because it is not deliverable. Their only source of water for irrigation of their lawn and 1½ acre pasture is groundwater.

RECEIVED
OCT 26 1995

MEMORANDUM

DATE: October 4, 1995
TO: File No. 29-07966, Adjudication Bureau
FROM: Cindy Zimmerman *CJ*
SUBJECT: Telephone conversation

=====

During the review of this right for license approval, I noted that license 29-02034 and claim A29-02034 identify use of Jackson Creek for irrigation of the same 40 acre tract identified under the above groundwater permit.

Per telecon with Jorja Baird, they do not irrigate with water from Jackson Creek because it is not deliverable. Their only source of water for irrigation of their lawn and 1½ acre pasture is groundwater.

RECEIVED

OCT 26 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 29-7966 Name: Baird Date: 7/6/95
App Rcd 4/23/90 Priority 4/23/90 Examined 8/20/92 ✓ Lots ✓

10/4/95

NAME Chng OK Or Address Change?

SOURCE ✓ Clarify source
✓ Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? NW SE -P39, P38
Overlap(s) A29-11635-diff uses; same well

P/U ✓ Amendment Needed? ✓ -P41, P38
Overlap(s) 29-2034 & A29-02034 (surface water)
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE ✓ Permit/fee limits: 0.04 / 0.04
✓ Measured Q= cfs Theoretical Q= cfs
irr 1.5A x 0.03 cfs/A = 0.045 ≈ 0.05 cfs
(HP) 8.8 x 0.70 x 5 = 30.8
246.5 + (2.31 x 40) = 358.9 30.8 / 358.9 = 0.086 ≈ 0.09 cfs
Recommended rate 0.04 cfs

VOLUME ✓ Season of Use: (B) 4/15-10/15 = 184 days
Calculations: irr 1.5A x 3.5 AF/A = 5.25 ≈ 5.3 AFA
Flow limit: 0.04 x 184 x 1.9835 = 14.6 AF
Recommended volume 5.3 AF

USES ✓ Same Nature of Use? -P46
✓ Amendment Needed?

REMARKS ✓ Multiple p/d's in 1/4?
065 Irrigation water overlap (065) (If gw use sw)

CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices
✓ Watermaster Control (R04) - WD #
R50 Irrigation rate/volume overlap
✓ ~~Water Quality/Other~~ carry over 048 & 049

PRIORITY Due 8/1/91 Rc'd 8/7/90 Receipt# N/A Fee OK? (Yes)/No
Order to Reinstate Needed? Yes (No) Done?
If Yes, Advanced? Yes/No to:

COMMENTS: licensed as permitted; identify pld to 1/4 only

RECOMMENDED	CFS	DIV VOL	Adjustment Memo
<u>irr / 1.5A</u>	<u>0.04</u>	<u>5.3</u>	
<u> </u>	<u> </u>	<u> </u>	
<u> </u>	<u> </u>	<u> </u>	
<u>TOTAL</u>	<u>0.04</u>	<u>5.3</u>	

LICENSE: (P49)
#1 AMEND LTR: P46 or
P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

A. GENERAL INFORMATION

Permit No. 29-07966

1. Owner: CARY R. AND JORTA BAIRD Phone No. 775-3422

Current Address: 451 E. ELAIN CIRCLE, P.O. Box 47, INHAM, ID 83245

2. Accompanied by: Carey Bates EXAM DATE : 8-20-1992

Address: _____ **Phone No.** _____

Relationship to Permit Holder: Holder

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: A29-11635

2. Other water rights with the same point of diversion: A29-11635

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
7S	36E	23														1 1/2			1 1/2

OCT 26 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Grundfos	5	79.98.36	Grundfos	792(1)

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SOILTEST WELLPROBE					500'	

2. Measurements: STATIC H₂O AT 266.5 FT.

OCT 26 1995



3569 IV
(POCATELLO 1:62 500)
POCATELLO 1.3 MI.
PORTNEUF 6 MI.

POINT OF DIVERSION
AND PLACE OF USE

29-07966

OCT 26 1995

T7S
R36E

ROAD

E. NARRATIVE/REMARKS/COMMENTS

WELL WITH SUBMERSIBLE PUMP TO PIPE LINES TO SINGLE FAMILY HOME,
LAWN, STOCKWATER FACILITIES AND IRRIGATION OF PASTURE. THIS
PERMIT COVERS ONLY IRRIGATION OF PASTURE.

ASSOCIATED DOMESTIC AND STOCKWATER USES FILED UNDER SBRA
NOTICE OF CLAIM 429-11635.

* NO AMENDMENT. AS ONLY 40-ACRE TRACT REQUIRED FOR LEGAL
DESCRIPTION OF POINT OF DIVERSION, CHANGE OF D/D FROM UNKNOWN
TO ACTUAL LOCATION IN SUNNYSIDE SERVES ONLY AS A CLARIFICATION.

POINT OF USE & POINT OF DIVERSION LOCATED AT 451 E. BLIND CO.,
INKOM, ID. 83245

Have conditions of permit approval been met? ☐ yes ☐ no

MIDNIGHT

OCT 26 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q_{meas} = \frac{544 (8.814) 0.7 \text{ ERF}}{266.5' \text{ LIFT} + (2.308 \times 40 \text{ PSI})} = 0.09 \text{ cfs}$$

$$\text{IDWR STD } 0.03 \text{ cfs/AC} \times 1.5 \text{ AC} = 0.05 \text{ cfs}$$

* Assume 40 PSI

LIMITED BY PERMIT TO 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \text{ AC} \times 3.5 = 5.3 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.04 (183) 1.9835 = 14.52$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{5.3 \text{ AFA}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>4-15</u>	<u>10-15</u>	<u>0.04</u>	<u>5.3</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u>	<u>5.3</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None - SEE REMARKS
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name [Signature] Date 12-27-94

Reviewer KEITH C WILSON Date 12/30/94

MICROFILMED

OCT 26 1995

SEAL

December 17, 1990

CARY R. BAIRD
JORJA BAIRD
451 E. ELAIN CIRCLE
P.O. BOX 57
INKOM, ID 83245

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07966

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 03 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

CARY R. BAIRD
JORJA BAIRD
451 E. ELAIN CIRCLE
P.O. BOX 57
INKOM, ID 83245

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P29-07966

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Instructions for Proof of Beneficial Use".

RECORDED
JUL 27 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 27 1980

23-May-1990

Cary R. or Jorja Baird
451 E. Elain Circle
P.O. Box 57
Inkom, ID 83245

RE: Application for Permit No. 29-7966

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Idaho State Journal on June 7 & 14, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

RECEIVED

JUL 27 1990

29-07966

BAIRD, CARY R.
BAIRD, JORJA
451 E. ELAIN CIRCLE
P.O. BOX 57
INKOM, ID 83245

Source: GROUNDWATER

Diversion Pt: NWNWSE Sec 23 T 07S R 36E

Use: IRRIGATION (.036 CFS)
Total Diversion: (.036 CFS)

Date Filed: 4/23/ 1990

In: T07S R36E S23 NWSE

1.5 ACRES TOTAL

MINERAL

JUL 27 1990