

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by
Date 8-6-91
Receipt # C02M20

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 29-07960

Name(s) of Permit Holder: Thomas J and Janet M. Skoog

Post Office Address: 9589 POCA TELLO CREEK

POCA TELLO ID 83701 Telephone No. 202 5434(H) 234 6602(W)

Date Proof is Due:

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

7.5 HP Pump has been installed w/ 220 power, new main
line (4") has been installed, Motor on wheel line is in repair
and take out device has been installed, Only problem
is no water in the Creek Costing \$ 3000 +

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

No water in Creek. Anticipate water in spring.

Permit holder(s) request an extension to B-1, 19 92.
(1 yr. minimum)

Thomas J Skoog
(Signature)

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to August 1, 1992.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to March 24, 1990, pursuant to Sec. 42-218a, Idaho Code.

Signed this 13th day of August, 19 91.

J. Glen Saylor
Chief, Water Allocation Bureau

AUG 21 1991

RECEIVED

AUG 05 1991

State of IDAHO

Dept of Water Resources

1301 N. Orchard St.

Stolehouse Mail

Boise, Id 83270-9000

Fax 208 327-7866

MICROFILMED
AUG 21 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 29-07960

Proposed Priority: March 20, 1990 Maximum Diversion Rate: 0.06 CFS

This is to certify, that **JANET M. SKOOG**
THOMAS J. SKOOG
9589 N. POCA TELLO CREEK RD.
POCA TELLO, ID 83201

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.06 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.06 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSESW Sec. 18, Township 06S, Range 35E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	35E	18	SESW	2		2

Total number of acres irrigated: 2

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

MICROFILMED

JUL 27 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 29-07960

CONDITIONS/REMARKS:

7. Stockwater use is for 3 horses; domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of July, 1990.

for *R. Keith Higginson*
R. Keith Higginson, Director

MICROFILMED

JUL 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant THOMAS J. OR JAVET M. SKOOG Phone 232-6434
Post office address 9589 N. POCA TELLO CREEK RD., POCA TELLO, ID. 83201

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 18 Township 6S Range 35E B.M. BANDOCK County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)

Amount 0.02 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)

Amount 0.02 for STOCK purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.06 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 130' X 6" WELL WITH A 1.5HP
SUBMERSIBLE PUMP. PIPELINE TO HOME / HYDRANTS AND AN
UNDERGROUND SPRINKLER SYSTEM.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. ~~Proposed~~ EXISTING well diameter is 6" inches; ~~proposed~~ EXISTING depth of well is 130' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water for proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

JUL 27 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 3 HEAD HORSES
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 HOME
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	35E	18											2.0						2.0
													D/S						

Total number of acres to be irrigated 2.0

10. Describe any other water rights used for the same purposes as described above. NONE


11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL HAS BEEN IN PLACE w/ HOME SINCE 1988. ~~IRRIGATED~~

INDEXED
JUL 27 1990



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

JUL 27 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Monica J. Sherry
(Applicant) *Janet M. Sherry*

Received by EW Date 3-20-90 Time 1350 Preliminary check by _____
Fee \$ 30⁰⁰ Receipted by EW # E012450 Date 3-20-90
Publication prepared by RB Date 6-7-90 Published in ID State Jnl
Publication approved RB Date 6-26-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JUL 27 1990

SKOOG, JANET M.
SKOOG, THOMAS J.
9589 N. POCATELLO CREEK RD.
POCATELLO, ID 83201
Source: GROUNDWATER
Diversión Pt:
SWSESW Sec 18 T 06S R 35E
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversión: (.060 CFS)
Date Filed: 3-20-1990
In: T06S R35E S18 SESW
2.0 ACRES TOTAL

29-07961
MC CAMMON DITCH CO., LTD.
C/O LYNDON GREEN, PRES.
1791 E. 16TH ST.
MC CAMMON, ID 83251
Source: POND
Tributary: SINKS
Diversión Pt:
SWNENE Sec 24 T 09S R 36E
Use: IRRIGATION (10.000 CFS)
Total Diversión: (10.000 CFS)
Date Filed: 3-22-1990
In: T09S R36E S12 SWNW NESW
NWSW SWSW SESW NWSE SWSE
S13 NENE NWNE SWNE SENE
NENW NWNW SWNW SENW NESW

NWSW SWSW SESW NESE NWSW
SWSE SESE
S14 SENE SWSW NESE NWSE
SWSE SESE
S22 NENE SENE NESE SESE
S23 NENE NWNE SWNE SENE
NENW NWNW SWNW SENW
NWSW SESW NESE NWSE SWSE
SESE
S24 NENE NWNE SWNE SENE
NENW NWNW SWNW SENW NESW
NWSW SWSW SESW NESE NWSE
SWSE SESE
S25 NWNE NENW NWNW SWNW
SESW
S26 NENE NWNE SWNE SENE
NENW NWNW SWNW SENW NESW
NWSE SWSE SESE
S27 NENE NWNE SWNE SENE
NENW NWNW NESE
R37E S18 NWNW SWNW SENW
NESW NWSW SWSW SESW
S19 SENE NENW NWNW SWNW
SESW NESW NWSW SWSW SESW
NESE NWSE SWSE SESE
S30 NWNE NENW NWNW
2599.9 ACRES TOTAL

29-07962
HARRIS, JEFFREY F.
HARRIS, KATHLEEN M.
P.O. BOX 252
MC CAMMON, ID 83250
Source: SPRING
Tributary: SINKS
Diversión Pt:
SWSWNE Sec 10 T 09S R 36E
Use: STOCKWATER (.050 CFS)
Total Diversión: (.050 CFS)
Date Filed: 4-25-1990
In: T09S R36E S10 SWNE

29-07963
HARRIS, JEFFREY F.
HARRIS, KATHLEEN M.
P.O. BOX 252
MC CAMMON, ID 83250
Source: SPRING
Tributary: SINKS
Diversión Pt:
SESENE Sec 10 T 09S R 36E
Use: IRRIGATION (.200 CFS)
Total Diversión: (.200 CFS)
Date Filed: 3-23-1990
In: T09S R36E S10 NENE SENE
10.0 ACRES TOTAL

29-07964
ROST, ROBERT H.
ROST, LA RITA S.
P.O. BOX 516
POCATELLO, ID 83204
Source: GROUNDWATER
Diversión Pt:
NESW Sec 8 T 07S R 35E
Use: COMMERCIAL (.020 CFS)
Total Diversión: (.020 CFS)
Date Filed: 4-19-1990
In: T07S R35E S08 NESW
29-07965

RECORDED

JUL 27 1990

July 31, 1992

JANET M. SKOOG
THOMAS J. SKOOG
9589 N. POCA TELLO CREEK RD.
POCA TELLO ID 83201

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07960

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 12 1992

RECEIVED

JUL 29 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 29-07960 Telephone No. 208 232-5434
2. Name(s) of Permit Holder(s): Thomas J. Skoog
3. Mailing Address: 9589 POCA TELLO CRK POCA TELLO, ID 83201
4. Source of Water: POCA TELLO CREEK Groundwater

If GROUNDWATER, Well Driller's Name: JACK CASHMAN Date Drilled: June 1988

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

5 gal / 15.9 sec = 18.87 gal/min x .00223 = .0420755 Cfs
Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 7.10 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .04207 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes X No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes X No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 50 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Thomas J. Skoog Telephone No. 232 5434
Address 9589 POCA TELLO CRK POCA TELLO, ID 83201

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 7-28-92 Signature (and title, if on behalf of a company or organization) Thomas J. Skoog

RECEIVED
AUG 12 1992

Form 235-1
4/88

Drilling Permit No. 29-88-E-031
Water Permit No. _____
Injection Permit No. _____

RECEIVED
JUN 13 1988

State of Idaho
Department of Water Resources

Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

RECEIVED

JUN 9 1988

Department of Water Resources
Eastern District Office

1. Applicant Skoog, Tom
2. Address 2300 Buckskin Road, Pocatello, ID 83201
Telephone _____
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 18, Twp. 6S, Rge. 35E, County Bannock,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 6" Maximum depth 300'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date 6/7/88
7. Well Driller (if known) Jack Cushman Drilling 094
Address 1405 S. Broadway, Blackfoot, ID 83221
8. Applicant's signature Jack Cushman, President
Title WELL DRILLER
Date 6/8/88

MICROFILMED

* After other pre-requisite approvals have been obtained.

AUG 12 1992

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(XX) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 10th day of June, 1988.

Signed

Title Eastern Regional Manager

Received by dg Fee \$10⁰⁰ Date 6-10-88

Receipt.No. E000372 Construction start extension to _____

Extension approved by _____

MICROFILMED

AUG 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED
OCT 21 1988
92

1. WELL OWNER Name <u>Tom Skoog</u> Address <u>3300 Buckskin Rd. Pocatello, Idaho</u> Owner's Permit No. <u>29-88-E-031</u>	7. WATER LEVEL Department of Water Resources Static water level <u>45'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>52</u> °F. Quality <u>Good</u> Describe artesian or temperature zones below.																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																							
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>10"</td> <td>0</td> <td>3</td> <td>Clay & Boulders</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>3</td> <td>35</td> <td>Brown Clay</td> <td> </td> <td>X</td> </tr> <tr> <td>8"</td> <td>35</td> <td>60</td> <td>Clay & Boulders</td> <td> </td> <td>X</td> </tr> <tr> <td>6"</td> <td>60</td> <td>65</td> <td>Gravel</td> <td>X</td> <td> </td> </tr> <tr> <td> </td> <td>65</td> <td>80</td> <td>Brown Clay</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>80</td> <td>100</td> <td>Clay, Gravel & Boulders</td> <td>X</td> <td> </td> </tr> <tr> <td> </td> <td>100</td> <td>110</td> <td>Brown Clay</td> <td> </td> <td>X</td> </tr> <tr> <td> </td> <td>110</td> <td>180</td> <td>Clay & Gravel & Boulders</td> <td>X</td> <td> </td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10"	0	3	Clay & Boulders		X		3	35	Brown Clay		X	8"	35	60	Clay & Boulders		X	6"	60	65	Gravel	X			65	80	Brown Clay		X		80	100	Clay, Gravel & Boulders	X			100	110	Brown Clay		X		110	180	Clay & Gravel & Boulders	X	
Bore Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
10"	0	3	Clay & Boulders		X																																																						
	3	35	Brown Clay		X																																																						
8"	35	60	Clay & Boulders		X																																																						
6"	60	65	Gravel	X																																																							
	65	80	Brown Clay		X																																																						
	80	100	Clay, Gravel & Boulders	X																																																							
	100	110	Brown Clay		X																																																						
	110	180	Clay & Gravel & Boulders	X																																																							
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. WORK SCHEDULE Work started <u>6/8/88</u> finished <u>6/9/88</u>																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.250</u> inches</td> <td><u>6"</u> inches</td> <td><u>1</u> feet</td> <td><u>140</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation <u>1/4</u> inches by <u>2</u> inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>80</u> perforations</td> <td><u>60</u> feet</td> <td><u>140</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Well Cap</u>	Thickness	Diameter	From	To	<u>.250</u> inches	<u>6"</u> inches	<u>1</u> feet	<u>140</u> feet													Number	From	To	<u>80</u> perforations	<u>60</u> feet	<u>140</u> feet							11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Jack Cushman Drilling</u> Firm No. <u>#94</u> Address <u>1405 South Broadway</u> Date <u>10/5/88</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																										
Thickness	Diameter	From	To																																																								
<u>.250</u> inches	<u>6"</u> inches	<u>1</u> feet	<u>140</u> feet																																																								
Number	From	To																																																									
<u>80</u> perforations	<u>60</u> feet	<u>140</u> feet																																																									
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ County <u>Bannock</u> SW 1/4 Sec. <u>18</u> T. <u>6</u> N/S. R. <u>35</u> E/NK	7. DRILLER'S LOCATION Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ County <u>Bannock</u> SW 1/4 Sec. <u>18</u> T. <u>6</u> N/S. R. <u>35</u> E/NK																																																										

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

May 31, 1992

JANET M. SKOOG
THOMAS J. SKOOG
9589 N. POCATELLO CREEK RD.
POCATELLO ID 83201

PROOF DUE NOTICE

RE: PERMIT NO. 29-07960

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED
AUG 12 1992

August 14, 1991

THOMAS J AND JANET M SKOOG
9589 POCATELLO STREET
POCATELLO ID 83201

Dear Mr. and Mrs. Skoog:

Re: Permit No. 29-7960

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to August 1, 1992. Note that the permit has been reinstated with an advance in priority, since the extension was received after the proof of beneficial use date.

The department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

AUG 21 1991



American Microsystems, Inc.
2300 Buckskin Road, Pocatello, Idaho 83201
Telephone (208)233-4690
Fax (208)234-6795 or 234-6796

FACSIMILE MESSAGE COVER SHEET

DATE:

8-1-91

COMPANY:

State of ID

ATTN:

Dept of Water Resources

FAX NUMBER:

208-327-7866

FROM:

Tom SkoogTOTAL NUMBER OF PAGES: 2 (including this sheet)

REMARKS:

MICROFILMED

AUG 21 1991

ORIGINAL AUG 01 1991 10:37 GOULD RMI CORPORATE

SENT BY US MAIL

THIS DATE 8/1/91

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

P.2
For Office Use Only

\$15 FEE Received by _____

Date _____

Receipt # _____

FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 29-07960

Name(s) of Permit Holder: Thomas J and Janet M. Skoog

Post Office Address: 9589 POCA TELLO CREEK

POCA TELLO ID 83201 Telephone No. 232 5434(H) 234 6602(W)

Date Proof Is Due: _____

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

7.5 HP Pump has been installed w/ 220 power, New main
line (4") has been installed, Motor on wheel line is in repair
and take out device has been installed, Only problem
is no water in the creek Costing \$ 3000 +

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

No water in creek Anticipate water in spring.

Permit holder(s) request an extension to 8-1, 19 92.
(1 yr. minimum)

Thomas J Skoog
(Signature)

*IF OTHER THAN PERMIT HOLDER,
ATTORNEY MUST BE SUPPLIED.

THOMAS J. SKOOG
OR JANET M. SKOOG
478-44-4812 468-48-7728
9589 POCA TELLO CREEK (205) 232-5434
POCA TELLO, ID 83201

2236
92-8/1241

8-1 - 91

State of Idaho
PAY TO THE ORDER OF

fifteen and 00/100 \$ 15.00

First Security Bank
First Security Bank of Idaho
100 S. Arthur Street
Pocatello, Idaho 83204

Water Right app. ext.

124100064004 24220 55" 2236

Thomas J Skoog

MICROFILMED

AUG 21 1991

138629
May 31, 1991

JANET M. SKOOG
THOMAS J. SKOOG
9589 N. POCA TELLO CREEK RD.
POCA TELLO, ID 83201

PROOF DUE NOTICE

RE: PERMIT NO. 29-07960

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 21 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

JANET M. SKOOG
THOMAS J. SKOOG
9589 N. POCATELLO CREEK RD.
POCATELLO, ID 83201

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P29-07960

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUL 27 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 27 1990

23-May-1990

Thomas J. or Janet M. Skoog
9589 N. Pocatello Creek
Pocatello, ID 83201

RE: Application for Permit No. 29-7960

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Idaho State Journal on June 7 & 14, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

JUL 22 1990

29-07960

SKOOG, JANET M.
SKOOG, THOMAS J.
9589 N. POCA TELLO CREEK RD.
POCA TELLO, ID 83201

Source: GROUNDWATER

Diversion Pt: SWSESW Sec 18 T 06S R 35E

Use: IRRIGATION	(.060 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.020 CFS)
Total Diversion:	(.060 CFS)

Date Filed: 3/20/ 1990

In: T06S R35E S18 SESW

2.0 ACRES TOTAL

MICROFILMED

JUL 27 1990