

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07919

Priority: April 19, 1990

Maximum Diversion Rate: 0.20 CFS

Maximum Diversion Volume: 40.0 AF

This is to certify, that GEORGE SOUTHWORTH
LAURA SOUTHWORTH

5545 W SKIVIEW DR
POCATELLO ID 83204

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 19, 1990; and has submitted Proof of Beneficial Use on October 11, 1991. An examination indicates that the works have a diversion capacity of 0.200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.20 CFS	40.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 23, Township 07S, Range 35E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	35E	23	SWNE 6	SENE 4		10

Total number of acres irrigated: 10

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

RECORDED
FEB 25 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 29-07919

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 31st day of JANUARY, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED

FEB 25 1997

07/90

RECEIVED

AUG 02 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

For Office Use Only

Amt. of Fee \$ 50.00Date 10/11/91Receipt No. 2021993Received by J. Garbrough**RECEIVED**

AUG 21 1991

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 29-07919 Telephone No. (208) 775-3514
2. Name(s) of Permit Holder(s): George Southworth & Laura Southworth
3. Post Office Address: 5545 W. Skiview Dr., Pocatello, Idaho 83204
4. Source of Water: ground
 - a. If ground water, well driller's name: Dubbe Well Drilling Date drilled: Apr. 1983
 - b. Pump horsepower: 5 Pressure (psi): 50 Dynamic pumping level (ft.): 110 ft.
5. Extent of Use:

Domestic <u>(1)</u> (No. of households)	Irrigation <u>10 acres</u> (No. of acres)
Stockwater <u>8 horses</u> (No. and type of stock)	Other _____

6. Total rate and/or volume for which proof is submitted 0.13 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

George Southworth
Name

home 775-3514

work 234-0181

Telephone No.

5545 W. Skiview Dr. Pocatello, Idaho
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-8-91
Date

George A. Southworth
Signature (and title if on behalf of a company or organization)

NOV 20 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 29-07919)
IN THE NAME OF GEORGE & LAURA SOUTHWORTH)
_____)

ORDER OF
REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1991; and

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, the Department received an incomplete proof of beneficial use on August 02, 1991; and,

WHEREAS, the Department did not take action on the proof of beneficial use until September 26, 1991, more than one month after it was received; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on October 11, 1991;

IT IS, THEREFORE, HEREBY ORDERED that permit No. 29-07919 be
REINSTATED with no advance in priority.

Dated this 15th day of November, 1991.

NOV 20 1991


L. GLEN SAXTON
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 29-07919

Proposed Priority: April 19, 1990 Maximum Diversion Rate: 0.20 CFS
This is to certify, that **GEORGE SOUTHWORTH**

LAURA SOUTHWORTH
5545 W. SKIVIEW DR.
POCATELLO, ID 83204

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE Sec. 23, Township 07S, Range 35E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	35E	23	SWNE 4	SENE 6		10
Total number of acres irrigated:						10

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

22nd day of August, 1990.

MICROFILMED

SEP 04 1990

R. Keith Higginson
R. Keith Higginson, Director

Ident. No. 29-07919

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GEORGE SOUTHWORTH 208-775-3514
Address: 5545 WEST SKIVIEW DRIVE
POCATELLO, ID 83204
OR
Name: LAURA SOUTHWORTH 208-775-3514
Address: 5545 WEST SKIVIEW DRIVE
POCATELLO, ID 83204

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNE Sec. 23, Township 07S, Range 35E
BANNOCK County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.200		

5. Total quantity to be appropriated is:
0.200 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL PUMP MAINLINE TO LATERALS WITH SPRINKLERS & SINGLE DOMESTIC
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 6 inches; proposed depth of well is 110
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 year

8. Description of proposed uses:
IRRIGATION, DOMESTIC CLAIMED IN SRBA

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
07S	35E	23	SWNE 4	SENE 6		10
Total number of acres irrigated:						10

MICROFILMED
SEP 11 1990

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

THIS RIGHT IS FOR THE IRRIGATION FROM A SINGLE FAMILY DOMESTIC
HOME THAT HAS BEEN CLAIMED IN THE SRBA.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

George Southworth
Applicant

Received by KCW Date 4/19/90 Time 1500 Preliminary check by DmD


Fee \$ 30⁰⁰ Receipted by KCW # E013406 Date 4/19/1990

Publication prepared by LB Date 6-21-90 Published in ID State Tru/

Publication approved LB Date 7-16-90

MICROFILMED

SEP 04 1990



POINT OF DIVERSION

R35E

T
7
S

PLACE OF USE

MICROFILMED

SEP 04 1990

29-07919

PACIFIC

Well

Black Rock

Grave
Pi

BM

4501

4528

BM

4614

PORTNEU

14

4618

4758

5075

25

5762

PROOF OF PUBLICATION

RECEIVED

JUN 29 1990

STATE OF IDAHO
County of Bannock

ss.

Department of Water Resources
Eastern District Office

Sandra K. Wann

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

29-07915
PREBBANOW, JOHN
6770 S. OLD HIGHWAY 91
MCCAMMON, ID 83250
Source: GROUNDWATER
Diversiion Pt:
NWSE Sec 1 T 09S R 36E
Use: IRRIGATION (.160 CFS)
DOMESTIC (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversiion: (.160 CFS)
Date Filed: 4-12-1990
In: T09S R36E S01 NWSE
8.0 ACRES TOTAL

29-07919
SOUTHWORTH, GEORGE
SOUTHWORTH, LAURA
5545 W. SKIVIEW DR.
POCATELLO, ID 83204
Source: GROUNDWATER
Diversiion Pt:
SWNE Sec 23 T 07S R 35E
Use: IRRIGATION (.200 CFS)
Total Diversiion: (.200 CFS)
Date Filed: 4-19-1990
In: T07S R35E S23 SWNE SENW
10.0 ACRES TOTAL

29-07924
BYBEE, GARY L.
BYBEE, RITA
P.O. BOX 225
INKOM, ID 83245
Source: GROUNDWATER
Diversiion Pt:
NESE Sec 19 T 07S R 36E
Use: IRRIGATION (.090 CFS)
Total Diversiion: (.090 CFS)
Date Filed: 4-24-1990
In: T07S R36E S19 NESE
3.0 ACRES TOTAL

29-07925
MILLER, PAULA E.
MILLER, E. PAUL
1657 WEST BUCKSKIN RD.
INKOM, ID 83245
Source: GROUNDWATER
Diversiion Pt:
SENE Sec 28 T 06S R 36E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.150 CFS)
Total Diversiion: (.190 CFS)
Date Filed: 4-26-1990
In: T06S R36E S28 SENW
5.0 ACRES TOTAL

29-07926
MILLER, E. PAUL
MILLER, PAULA E.
1657 WEST BUCKSKIN RD.
INKOM, ID 83245
Source: MOONLIGHT CREEK
Tributary:
RAPID CREEK, NORTH FORK
Diversiion Pt:
NWNW Sec 28 T 06S R 36E
Use:
IRRIGATION STORAGE (5.00 AF)
IRRIGATION FROM STORAGE (5.00 AF)
IRRIGATION (1.500 CFS)
Total Diversiion: (1.500 CFS)
Date Filed: 4-26-1990
In: T06S R36E S28 SWNE SENE
SENW
75.0 ACRES TOTAL

29-07927
MILLER, E. PAUL
MILLER, PAULA E.
MILLER, MABLE
1657 W. BUCKSKIN RD.

being first duly sworn on oath deposes and says: That she was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

21 June	19 90	19
28 June	19 90	19
	19	19
	19	19
	19	19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sandra K. Wann

STATE OF IDAHO

COUNTY OF Bannock

On this 28th day of June in the year of 1990, before me, a Notary Public, personally appeared Sandra K. Wann, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

John L. Larson
Notary Public for Idaho
Residing at Pocatello
My commission expires: July, 1991

MICROFILMED

SEP 04 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 3, 1997

GEORGE SOUTHWORTH
LAURA SOUTHWORTH
5545 W SKIVIEW DR
POCATELLO ID 83204

RE: WATER RIGHT NO. 29-07919

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

FEB 25 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 29 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 29-7919

1. Owner: George Southworth & Laura Southworth Phone No. 775-3514

Current Address: 5545 W. Skyview DR. Pocatello, ID 83204

2. Accompanied by: Laura Southworth EXAM DATE: 11 JUN 96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	23	07S	35E	Bannock	on site / USGS Map
									Aerial Photograph

2. Place(s) of Use:


Indicate Method of Determination ON site

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07S	35E	23			6				4									10	

MICROFILMED

NOV 29 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	^{model} Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Electric	5	282 1139 203	Submersible 3HP	2" to 5" Domestic and Irrigation

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot Tube / Pressure Gage					0-60	
Theoretical						

2. Measurements: Operating PSI = 38 PSI


MICROFILMED

FEB 25 1997

E. NARRATIVE/REMARKS/COMMENTS

Note: Incidental uses - 1 domestic home; 8 horses.

Well, pump, mainline to laterals with sprinklers
(13 sprinklers (5/32" nozzles)) & single domestic; 8 horses.



Average 38 PSI

2" to single domestic home and irrigation system, consisting
of handlines and sprinklers.

3 Pressure Tanks.

for $Q_{Theoretical}$: $HP = 5$

$PSI = 38$

$Eff = 70\%$

Note: Camera malfunctioned and destroyed 24 photographs;
no photos available.

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED

FEB 25 1997

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$Q_{Theor} = \frac{5HP(8.814) \cdot 7 \text{ eff}}{70 \text{ Lift}(38PSI \times 2.308)} = 0.20 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10 \times 4.0 = 40.0 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.20 \times 214(1.9835) = 84.9 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 40.0 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4/1</u>	<u>10/31</u>	<u>0.20</u>	<u>40.0 AFA</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.20</u>	<u>40.0 AFA</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Steven Garrison Date 11 JUN 96Reviewer [Signature] Date 10-23-96

SEAL

MICROFILMED

FEB 25 1997

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{5} \\ Eff &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Draw down}) \\ &\text{Static Water Level} = \underline{50} \text{ ft.} \\ &\text{Assumed Draw down} = + \underline{20} \text{ ft.} \\ &\text{Lift} = \underline{70} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{38} \text{ psi}$$

$$Q_{cfs} = \left[\frac{\underline{5}}{Hp} \times 8.814 \times \frac{\underline{.7}}{eff} \right] \div \left[\frac{\underline{70}}{Lift} + \left(\frac{\underline{38}}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{30.849} \right] \div \left[\underline{157.704} \right]$$

$$Q_{cfs} = \underline{0.20} \text{ cfs}$$


MICROFILMED

FEB 25 1987

PERMIT NO.


29-7919

TR 35A
7
S



29-7919

T R35E
7
S



29-7919

November 15, 1991

GEORGE SOUTHWORTH
LAURA SOUTHWORTH
5545 W. SKIVIEW DR.
POCATELLO ID 83204

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07919

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

NOV 20 1991

September 26, 1991

George and Laura Southworth
5545 W. Ski View Drive
Pocatello, ID 83204

Dear Mr. and Mrs. Southworth:

Re: Permit No. 29-7919

On August 2, 1991, the Department received a proof of beneficial use form for the above referenced permit. On August 9, 1991, I returned it advising that a rate of diversion was required and based on that rate of diversion, a licensing exam fee would be necessary if the diversion rate was greater than 0.04 cfs.

On August 21, 1991, the department received the proof form with a diversion rate of 0.13 cfs. There was, however, no fee to accompany the filing. Did you wish to submit the fee or have the department reduce the rate to 0.04 cfs when the license is issued?

I will hold processing of the proof of beneficial use form for 10 days. Please advise the department of the action you wish us to take.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

RECEIVED
SEP 20 1991

August 9, 1991

GEORGE AND LAURA SOUTHWORTH
5545 W SKI VIEW DR
POCATELLO ID 83204

Dear Mr. and Mrs. Southworth:

Re: Permit No. 29-07919

Returned is the proof of beneficial use form. Before the department can accept it, more information is required.

Please complete item 6. This should be a estimate of the amount of water the well produces. For your information 0.02 cfs = approximately 9 gpm. For a rate greater than 0.04 cfs, a license examination fee of \$50 will be required. This fee must be submitted along with the proof form.

If you have question, please contact me at 327-7953. Note that this information is due by **September 1** to keep your permit in good standing.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED

NOV 20 1991

138767
June 30, 1991

GEORGE SOUTHWORTH
LAURA SOUTHWORTH
5545 W. SKIVIEW DR.
POCATELLO, ID 83204

PROOF DUE NOTICE

RE: PERMIT NO. 29-07919

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

NOV 1 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

- - - - -

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 22, 1990

GEORGE SOUTHWORTH
LAURA SOUTHWORTH
5545 W. SKIVIEW DR.
POCATELLO, ID 83204

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 29-07919

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

SEP 14 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

12-Jun-1990

GEORGE OR LAURA SOUTHWORTH

POCATELLO, ID 83204

RE: Application for Permit No. 29-07919

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the IDAHO STATE JOURNAL on June 21 & 28, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

SEP 14 1990

29-07919

SOUTHWORTH, GEORGE
SOUTHWORTH, LAURA
5545 W. SKIVIEW DR.
POCATELLO, ID 83204

Source: GROUNDWATER

Diversion Pt: SWNE Sec 23 T 07S R 35E

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 4/19/ 1990

In: T07S R35E S23 SWNE SENW

10.0 ACRES TOTAL

MicroFILMED

SEP 4 1990