

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 29-7911 IN THE
NAME OF BLAIR & BETTE J. WILCOX

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1991; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, on August 1, 1991 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on August 2, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 29-7911 be REINSTATED and the priority advanced to March 29, 1990.

Dated this 12 day of August, 1991.

MICROFILMED

AUG 21 1991

L. Glen Saxton
L. GLEN SAXTON, Chief
Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 29-07911

Proposed Priority: March 28, 1990 Maximum Diversion Rate: 0.12 CFS
This is to certify, that **BLAIR WILCOX**

BETTE J. WILCOX
1808 S. GOVERNMENT RD.
POCATELLO, ID 83202

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.12 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NWNW Sec. 2, Township 06S, Range 33E POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	33E	2	NWNW	4		4
Total number of acres irrigated:						4

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

MICROFILMED

AUG 14 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 29-07911

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31st day of July, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

AUG 14 1990

RECEIVED
MAR 28 1990
Department of Water Resources

RECEIVED

APR - 5 1990

Department of Water Resources
Eastern District Office

Ident. No. 29-07911

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: BLAIR WILCOX 208-237-3062
Address: 1808 S. GOVERNMENT RD.
POCATELLO, ID 83202
OR
Name: BETTE J. WILCOX 208-237-3062
Address: 1808 S. GOVERNMENT RD.
POCATELLO, ID 83202

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NWNW Sec. 2, Township 06S, Range 33E
POWER County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.120		

5. Total quantity to be appropriated is:
0.120 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP, SPRINKLERS, WELL DRILLED IN 1974
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 190
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION OF 4 ACRES FROM EXISTING WELL

MICROFILMED

9. Place of Use: IRRIGATION

AUG 14 1990

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
06S	33E	2	NWNW 4			4
Total number of acres irrigated:						4

10. Describe any other water rights used for the same purposes.
29-07716 (PART)

11. a. Who owns the property at the point of diversion?

KEN CORBRIDGE

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
APPLICANT OWNS 50% OF WELL

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Blair Wilcox
Applicant

Received by CA ^{0A} Date 3-28-90 ⁴⁻³⁻⁹⁰ Time 3:00 Preliminary check by SMS

Fee \$ 30.00 Receipted by CA # MOD 6406 Date 3-28-90

Publication prepared by RB Date 6-7-90 ⁶⁻¹⁴⁻⁹⁰ Published in Power Cnty Press

Publication approved RB Date 6-26-90

MICROFILMED

AUG 14 1990

BRADDOCK CO
POWER CO

Spring

Spring

Spring

33

35

Well
4637

P.U.

ROAD

T 6 S
R 33 E

4475

Well 4472

C H A U D F L A T S

BMX 4444

9

MUNICIPAL AIRPORT

Gravel
Pit

PROFFER

AUG 14 1990

BM 44

Affidavit of Publication

State of Idaho

County of Power

Erma Crompton being first duly sworn on oath, states:

That she is the publisher of The Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, or to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 6 day of June 1990 and the date of last publication being the 13 day of June 1990.

(Signed)

Erma Crompton

State of Idaho

County of Power

On this 15 day of June in the year of 1990, before me, a Notary Public, personally appeared Erma Crompton, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Brett Crompton

Notary Public for Idaho

Residing at American Falls, Idaho

My commission expires: June 8, 1993

RECEIVED

Department of Water Resources
Eastern District Office

MICROFILMED

AUG 14 1990

Public Notice

Application for water right

Filed in the Power County Press,
May 8, 1990.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

28-07911
WILCOX, BLAIR
WILCOX, BETTE J.
1800 S. GOVERNMENT RD.
POCATELLO, ID 83202

Source: GROUNDWATER

Division Pt: NW/4 Sec 2 T 06S R

User: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 3/28/1990

1st 200 E33E 22 NW/4
4.0 ACRES TOTAL

28-07913
KORSA, ROSA GAY
2100 MICHAUD CREEK
POCATELLO, ID 83204

Source: GROUNDWATER

Division Pt: SESE Sec 22 T 06S R

User: IRRIGATION (.200 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)

Date Filed: 3/27/1990

1st 200 E33E 22 SESE
16.8 ACRES TOTAL

28-07917
TERRILL WATER USERS INC.
1800 GOVERNMENT RD.
POCATELLO, ID 83202

Source: GROUNDWATER

Division Pt: NW/4 Sec 2 T 06S R

Public Notice

Application for water right

Published in The Power County Press,
June, 6, 13, 1990.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

29-07911

WILCOX, BLAIR
WILCOX, BETTE J.
1808 S. GOVERNMENT RD.
POCATELLO, ID 83202

Source: GROUNDWATER

Diversion Pt: NWNW Sec 2 T 06S R
33E

Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 3/28/1990

In: T06S R33E S02 NWNW
4.0 ACRES TOTAL

29-07913

JONES, ROSA GAY
2196 MICHAUD CREEK
POCATELLO, ID 83204

Source: GROUNDWATER

Diversion Pt: SESE Sec 22 T 06S R
33E

Use: IRRIGATION (.200 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.200 CFS)

Date Filed: 4/3/1990

In: T06S R33E S22 SESE
10.0 ACRES TOTAL

29-07917

TIRRELL WATER USERS INC.
1809 GOVERNMENT RD.
POCATELLO, ID 83202

Source: GROUNDWATER

Diversion Pt: NENW Sec 2 T 06S R
33E

Use: DOMESTIC (.110 CFS)
IRRIGATION (.170 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.300 CFS)

Date Filed: 4/6/1990

In: T06S R33E S02 NENW
8.5 ACRES TOTAL

29-07951

LE COMPTE, DAVID B.
3032 GARDEN RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SWNW Sec 1 T 08S R
31E

Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 4/3/1990

In: T08S R31E S01 SWNW
4.0 ACRES TOTAL

29-07953

THOMPSON, LYNN
THOMPSON, BETTY L.
1761 W. SYPHON RD.
POCATELLO, ID 83202

Source: GROUNDWATER

Diversion Pt: NWNENE Sec 2 T 06S
R 33E

Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)

D.

In

5.

T

1

F

highest quality solid vinyl
money and look beautiful.

only!

day

District Office

MAILED
AUG 11 1990

Source: GROUNDWATER

Diversion Pt: NWNENE Sec 2 T 06S
R 33E

Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)

Date Filed: 4/4/1990

In: T06S R33E S02 NENE
5.0 ACRES TOTAL

29-07954

THARP, MYRLE A.
1861 TAGHEE LN.
POCATELLO, ID 83202

Source: GROUNDWATER

Diversion Pt: NESE Sec 2 T 06S R 33E

Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 4/5/1990

In: T06S R33E S02 NESE
10.0 ACRES TOTAL

35-08894

ADKINS, DARLENE A.
ADKINS, WILLIAM WESLEY
3249 S. PLEASANT VALLEY RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt. SWSE Sec 22 T 07S R
30E

Use: IRRIGATION (.090 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.150 CFS)

Date Filed: 4/12/1990

In: T07S R30E S22 SWSE
3.0 ACRES TOTAL

35-08896

SIMMS, LARRY K.
3151 W. WHITNAH RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SESESW Sec 26 T 07S R
30E

Use: IRRIGATION (.090 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.150 CFS)

Date Filed: 3/21/1990

In: T07S R30E S26 SESW
3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JUNE 25, 1990.

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 18 2000

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Blair or Bette J. Wilcox Permit No. 29-07911
 Current Address: 1808 S Government Rd, Pocatello, ID 83204 Phone No. 208 237-3062
 2. Accompanied by: Blair Wilcox EXAM. DATE: 8-2-1998
 Address: _____ Phone No. _____
 Relationship to Permit Holder: _____


3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
 2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with domestic pump (3/4 hp) and irrigation pump (3 hp) to mainline with handline with sprinklers

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	Model 2823028310	—	—

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:


Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4	NE	NW	NW	2	6S	33E	Power	On Site / USGS QUAD / FSA Aerial

6. Place(s) of Use:

Indicate Method of Determination On Site FSA Aerial

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	33E	2						3 1/2											3 1/2 ac
								4											

Do not use this space





$$\sin \text{ OPP/HYP} \quad \cos = \text{ADJ./P}$$

$$\tan = \text{OPP/ADJ}$$

$$A = \pi r^2 = \pi d^2 + 4 = C^2 + 4\pi = \frac{1}{2} Cr$$

Sprinkler Discharge (d=inches)

$$Q_{\text{dis}} = 0.0665 d^2 \sqrt{\text{psi}}$$

NOZZLE DIAMETER IN INCHES													
PSI	1/16	5/64	3/32	7/64	1/8	9/64	5/32	11/64	3/16	13/64	7/32	1/4	9/32
20	0.52	0.81	1.17	1.59	2.09	2.65	3.26	3.92	4.69	5.51	6.37	8.35	10.50
25	0.58	0.90	1.31	1.78	2.34	2.96	3.64	4.38	5.25	6.16	7.13	9.34	11.80
30	0.64	1.00	1.44	1.96	2.56	3.26	4.01	4.83	5.75	6.80	7.85	10.20	13.00
31	0.65	1.02	1.46	1.99	2.60	3.31	4.07	4.90	5.84	6.90	7.97	10.38	13.18
32	0.66	1.03	1.48	2.02	2.64	3.36	4.13	4.97	5.93	7.00	8.08	10.56	13.36
33	0.67	1.05	1.51	2.05	2.69	3.40	4.19	5.04	6.03	7.10	8.20	10.74	13.54
34	0.68	1.06	1.53	2.08	2.73	3.45	4.25	5.11	6.12	7.20	8.31	10.92	13.72
35	0.69	1.08	1.55	2.11	2.77	3.50	4.31	5.18	6.21	7.30	8.43	11.10	13.90
36	0.70	1.09	1.57	2.14	2.81	3.55	4.37	5.25	6.30	7.40	8.55	11.24	14.10
37	0.71	1.11	1.59	2.17	2.85	3.60	4.43	5.32	6.38	7.50	8.67	11.38	14.30
38	0.72	1.12	1.62	2.19	2.88	3.64	4.49	5.40	6.47	7.60	8.78	11.52	14.50
39	0.73	1.14	1.64	2.22	2.92	3.69	4.55	5.47	6.55	7.70	8.90	11.66	14.70
40	0.74	1.15	1.66	2.25	2.96	3.74	4.61	5.54	6.64	7.80	9.02	11.80	14.90
41	0.75	1.16	1.68	2.28	2.99	3.79	4.67	5.61	6.72	7.90	9.14	11.94	15.10
42	0.76	1.18	1.70	2.31	3.03	3.84	4.73	5.69	6.80	8.00	9.25	12.08	15.30
43	0.76	1.19	1.72	2.34	3.06	3.89	4.79	5.76	6.87	8.10	9.37	12.22	15.50
44	0.77	1.21	1.74	2.37	3.10	3.94	4.85	5.84	6.95	8.20	9.48	12.36	15.70
45	0.78	1.22	1.76	2.40	3.13	3.99	4.91	5.91	7.03	8.30	9.60	12.50	15.90
46	0.79	1.23	1.78	2.42	3.16	4.03	4.96	5.97	7.11	8.38	9.70	12.64	16.04
47	0.80	1.25	1.80	2.45	3.20	4.07	5.01	6.02	7.18	8.46	9.80	12.78	16.18
48	0.81	1.26	1.81	2.47	3.23	4.10	5.05	6.08	7.26	8.55	9.90	12.92	16.32
49	0.82	1.28	1.83	2.50	3.27	4.14	5.10	6.13	7.33	8.63	10.00	13.06	16.46
50	0.83	1.29	1.85	2.52	3.30	4.18	5.15	6.19	7.41	8.71	10.10	13.20	16.60
51	0.84	1.30	1.87	2.54	3.33	4.22	5.20	6.25	7.48	8.79	10.18	13.32	16.76
52	0.85	1.32	1.89	2.56	3.36	4.26	5.25	6.31	7.55	8.87	10.26	13.44	16.92
53	0.85	1.33	1.90	2.59	3.40	4.29	5.29	6.36	7.63	8.96	10.34	13.56	17.08
54	0.86	1.35	1.92	2.61	3.43	4.33	5.34	6.42	7.70	9.04	10.42	13.68	17.24
55	0.87	1.36	1.94	2.63	3.46	4.37	5.39	6.48	7.77	9.12	10.50	13.80	17.40
56	0.88	1.37	1.96	2.66	3.49	4.40	5.44	6.54	7.84	9.21	10.61	13.94	17.58
57	0.88	1.38	1.98	2.68	3.52	4.42	5.49	6.61	7.91	9.30	10.72	14.08	17.76
58	0.89	1.38	1.99	2.71	3.56	4.45	5.55	6.67	7.98	9.38	10.83	14.22	17.94
59	0.89	1.39	2.01	2.73	3.59	4.47	5.60	6.74	8.05	9.47	10.94	14.36	18.12
60	0.90	1.40	2.03	2.76	3.62	4.50	5.65	6.80	8.12	9.56	11.05	14.50	18.30
65	0.94	1.47	2.11	2.86	3.77	4.78	5.87	7.00	8.45	9.92	11.45	15.10	19.00
70	0.98	1.53	2.19	2.98	3.91	4.96	6.10	7.34	8.78	10.32	11.95	15.70	19.80
75	1.01	1.58	2.27	3.08	4.05	5.12	6.30	7.58	9.08	10.66	12.32	16.20	20.40
80	1.05	1.64	2.35	3.18	4.18	5.29	6.52	7.84	9.39	11.02	12.74	16.70	21.10
85	1.08	1.68	2.42	3.28	4.31	5.45	6.71	8.07	9.67	11.35	13.11	17.30	21.70
90	1.11	1.73	2.49	3.38	4.43	5.61	6.91	8.31	9.95	11.69	13.51	17.70	22.30
95	1.14	1.78	2.56	3.46	4.56	5.76	7.09	8.53	10.20	11.99	13.86	18.20	22.90
100	1.17	1.83	2.63	3.56	4.67	5.91	7.29	8.76	10.50	12.32	14.23	18.70	23.50

29-07911



POINT OF DIVERSION

29-07911

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$\begin{aligned} \text{Line \# 1 @ } 65 \text{ psi (1) } \frac{5}{32}'' &= 5.87 \text{ gpm (4) } \frac{1}{8}'' = 3.77 \text{ gpm (1) } \frac{3}{16}'' = 8.45 \text{ gpm} \\ Q_{\text{LINE \# 1}} &= 5.87 \text{ gpm} + 4(3.77 \text{ gpm}) + 8.45 \text{ gpm} = 29.4 \text{ gpm} \\ \text{Line \# 2 @ } 65 \text{ psi (2) } \frac{1}{8}'' &= 3.77 \text{ gpm / nozzle (4) } \frac{5}{32}'' = 5.87 \text{ gpm / nozzle} \\ Q_{\text{LINE \# 2}} &= 2(3.77) + 4(5.87) = 31.02 \text{ gpm} \\ \text{Total } Q &= 29.4 + 31.02 = 60.42 \text{ gpm} \end{aligned}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $Q = 60.42 \text{ gpm} = 0.134 \text{ cfs} = 0.13 \text{ cfs}$

2. Alternate Method for Checking Purposes: $Q_{\text{LIMITED TO } 0.03 \text{ cfs/acre}} = 3.5(0.03) = 0.105 = 0.11 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (3.5) 4 = 14.0 \text{ acft}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.11 \text{ cfs} \times 24 \times 1.9835 = 46.72 \text{ acft}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14 \text{ acft}$$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.11 cfs	14.00 ac
Totals:			0.11 cfs	14.00 ac

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON
Signature Keith C. Wilson
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

August 15, 1991

BLAIR WILCOX
BETTE J. WILCOX
1808 S. GOVERNMENT RD.
POCATELLO, ID 83202

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07911

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MIDDFILMED

AUG 21 1991

RECEIVED

AUG 2 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50⁰⁰
Date 8-2-1991
Receipt No. E016406
Received by KCW

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 29-7911 Telephone No. 237-3062
2. Name(s) of Permit Holder(s): Blair or Bette J. Wilcox
3. Post Office Address: 1808 S. Government RD., Pocatello Id 83202
4. Source of Water: Groundwater
- a. If ground water, well driller's name: Cushman Date drilled: 1974
- b. Pump horsepower: 3 Pressure (psi): 45 Dynamic pumping level (ft.): 100
5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 4 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 0.12 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50⁰⁰ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name

Bette Wilcox

or

Telephone No.

232-7714 ext 299

Blair Wilcox

237-3062

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

2 Aug 1991
Date

Blair Wilcox
Signature (and title if on behalf of a company or organization)

AUG 21 1991

138614
May 31, 1991

BLAIR WILCOX
BETTE J. WILCOX
1808 S. GOVERNMENT RD.
POCATELLO, ID 83202

PROOF DUE NOTICE

RE: PERMIT NO. 29-07911

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
AUG 21 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 1, 1990

BLAIR WILCOX
BETTE J. WILCOX
1808 S. GOVERNMENT RD.
POCATELLO, ID 83202

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 29-07911

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

AUG 14 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 14 1980

23-May-1990

Blair or Bette J. Wilcox
1808 S. Government Rd.
Pocatello, ID 83202

RE: Application for Permit No. 29-7911

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Power County Press on June 7 & 14, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

AUG 14 1990

29-07911

WILCOX, BLAIR
WILCOX, BETTE J.
1808 S. GOVERNMENT RD.
POCATELLO, ID 83202

Source: GROUNDWATER

Diversion Pt: NWNW Sec 2 T 06S R 33E

Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 3/28/ 1990

In: T06S R33E S02 NWNW

4.0 ACRES TOTAL

MICROFILMED

AUG 14 1990