

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07909

Priority: March 26, 1990

Maximum Diversion Rate: 0.21 CFS
Maximum Diversion Volume: 53.7 AF

This is to certify, that BOB R TANNER
RAYLENE TANNER

PO BOX 360
INKOM ID 83245

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 26, 1990; and has submitted Proof of Beneficial Use on November 2, 1990. An examination indicates that the works have a diversion capacity of 0.210 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.21 CFS	52.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.21 CFS	53.7 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 15, Township 07S, Range 36E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	36E	15	SWSE 1	SESE 14		15

Total number of acres irrigated: 15

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
07S	36E	15

SESE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

APR 08 1997

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 29-07909

CONDITIONS OF APPROVAL AND REMARKS

5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
8. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of March, 1997.

Billy D. Fleener for
KARL J. DREHER, Director

MICROFILMED

APR 08 1997

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	29-07909	Johnson, Roy B. Johnson, Helen N.	0.40
Full Assignment	29-07909	Tanner, Bob Tanner, Raylene	0.40

MICROFILMED

JAN 03 1991



For Office Use Only
Amt. of Fee \$ 100.00
Date 11-2-90
Receipt No. E015405
Received by HWJ

NOV - 2 1990

STATE OF IDAHO

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 29-07909

Telephone No. 208 775 3103

Name(s) of Permit Holder(s): Bob R or Raylene Tanner

Bob R Tanner Raylene Tanner

Post Office Address: Box 360 INKOM Idaho

Po Box 217 Clyde PARK MT 59018

Source of Water: Well

If ground water, well driller's name: Unknown

Date drilled: 1980?

Extent of Use:

Domestic X (1) (No. of households)

Irrigation X (18) (No. of acres)

Stockwater X (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.40 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 3 26 - 90

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Bob R TANNER

208-775-3103

406/686/4622

Po Box 360

Bob TANNER

Telephone No.

INKOM IDAHO 83245

Po Box 217

Clyde PARK MT 59018

Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JAN 6 1991

Date

10/29/90

Signature (and title if on behalf of a company or organization)

Bob R Tanner

RECEIVED

NOV - 2 1990

Department of Water Resources
Eastern District Office

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

We, Roy and Helen Johnson, hereby assign to Bob and Raylene Tanner
of PO Box 360 3303 N. Rapid Creek Road, Inkom, Idaho 83245 Bob R. & Raylene Tanner
Address PO Box 217 Clyde Park Mt 584

All my right, title, and interest in and to Permit No. 29-07909
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. 29-07909 to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

ALL

Made this 19th day of September, 19 90.

x [Signature]
Permit Holder

x [Signature]
Spouse of Permit Holder

State of Idaho)
County of Bannock) SS

On this 19th day of September, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

seal

My commission expires:

6/15/91

Gloria J. [Signature]
Notary Public residing at

Boatella, IDAHO 1991

FILED

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 29-07909

Proposed Priority: March 26, 1990 Maximum Diversion Rate: 0.40 CFS
This is to certify, that ROY B. JOHNSON

HELEN N. JOHNSON
3303 N. RAPID CREEK RD.
INKOM, ID 83245

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.36 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.40 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE Sec. 15, Township 07S, Range 36E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	36E	15	SWSE 1	SESE 17		18
Total number of acres irrigated:						18

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>
07S	36E	15

SESE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1991.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JUL 27 1990

Permit To Appropriate Water

NO. 29-07909

CONDITIONS/REMARKS:

7. Domestic use is for one home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of July, 1990.

for R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

JUL 27 1990

RECEIVED

APR - 3 1990

Ident. No. 29-07909

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: ROY B. JOHNSON 208-775-3745
Address: 3303 N. RAPID CREEK RD.
INKOM, ID 83245
AND/OR
Name: HELEN N. JOHNSON 208-775-3745
Address: 3303 N. RAPID CREEK RD.
INKOM, ID 83245

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: SESE Sec. 15, Township 07S, Range 36E
BANNOCK County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	03/15	11/15	0.360		
DOMESTIC	01/01	12/31	0.040		

5. Total quantity appropriated is:
0.400 CFS (and/or) AF

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP AND SPRINKLERS, WELL DRILLED IN 1979
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 500
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION OF 18 ACRES AND DOMESTIC USE IN 1 HOME

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
07S	36E	15	SWSE 1	SESE 17		18

Place of Use: DOMESTIC

TWN	RGE	SEC	SESE
07S	36E	15	

Total number of acres irrigated: 18

10. Describe any other water rights used for the same purposes.
29-00285, 29-00302, 29-00306

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?


APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? [X]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by OW CA Date 4-3-90 Time 1:20 Preliminary check by DMD

Fee \$ 45.00 Receipted by CA # 14006349 Date 3-26-90

Publication prepared by RB Date 6-7-90 Published in 10 state Tru

Publication approved RB Date 6-26-90



T 75
R 36E

LOCATED 15 MI
PORTNEUF R. MI

47' 30"

38

28

35

PROOF OF PUBLICATION **RECEIVED**

JUN 17 1990

STATE OF IDAHO
County of Bannock

SS.

Department of Water Resources
Eastern District Office

Sandra K. Wann

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

7 June	19 90	19
14 June	19 90	19
	19	19
	19	19
	19	19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sandra K. Wann

STATE OF IDAHO

COUNTY OF Bannock

On this 14th day of June in the year of 1990, before me, a Notary Public, personally appeared Sandra K. Wann, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]
Notary Public for Idaho

Residing at Pocatello

My commission expires July, 1991

MICROFILMED

JUL 27 1990

WATER RIGHT NO. 10810
BENSON, JAMES
P.O. BOX 10810
LAVAN, IDAHO 83405
Source: RIVER WATER
Diversion Pt. 1076 (1)
Sec 20 T 36 N 30 E
Use: IRRIGATION (1.000 CFS)
COMMERCIAL (1.000 CFS)
Total Diversion: (2.000 CFS)
Date Filed: 3-4-1990
In: T 36 N 30 E S 20
3.0 ACRES
1076
JOHN CHARLES WILSON
1400 PROMISE LANE
POCATELLO, IDAHO 83401
Source: SPRINGS
Tributary: SINKS
Diversion Pt.:
N 30 E 34 T 36 N 30 E
Use: IRRIGATION (1.000 CFS)
IRRIGATION STORAGE (1.0 AF)
TRIBUTARY FROM STORAGE (1.0 AF)
Total Diversion: (2.000 CFS)
Date Filed: 3-4-1990
WILSON, JOHN CHARLES
1400 PROMISE LANE
POCATELLO, IDAHO 83401
Source: SPRINGS
Tributary: SINKS
Diversion Pt.:
N 30 E 34 T 36 N 30 E
Use: IRRIGATION (1.000 CFS)
IRRIGATION STORAGE (1.0 AF)
TRIBUTARY FROM STORAGE (1.0 AF)
Total Diversion: (2.000 CFS)
Date Filed: 3-4-1990
WILSON, JOHN CHARLES
1400 PROMISE LANE
POCATELLO, IDAHO 83401
Source: SPRINGS
Tributary: SINKS
Diversion Pt.:
N 30 E 34 T 36 N 30 E
Use: IRRIGATION (1.000 CFS)
IRRIGATION STORAGE (1.0 AF)
TRIBUTARY FROM STORAGE (1.0 AF)
Total Diversion: (2.000 CFS)
Date Filed: 3-4-1990

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

SS.

Department of Water Resources
Eastern District Office

Sandra K. Wann

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

29-07907

BERGER, BRIAN
P.O. BOX 545
LAVA HOT SPRINGS, ID 832460545
Source: GROUNDWATER
Diversion Pt: Lot 6 ()
Sec 20 T 09S R 38E
Use: IRRIGATION (.060 CFS)
COMMERICAL (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 2-6-1990
In: T09S R38E S20 Lot 6 () SWNE
3.0 ACRES TOTAL

29-07909

JOHNSON, ROY B.
JOHNSON, HELEN N.
3303 N. RAPID CREEK RD.
INKOM, ID 83245
Source: GROUNDWATER
Diversion Pt:
SESE Sec 15 T 07S R 36E
Use: IRRIGATION (.360 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.400 CFS)
Date Filed: 3-26-1990
In: T07S R36E S15 SWSE SESE
18.0 ACRES TOTAL

29-07910

KISSEL, MICHAEL E.
KISSEL, CHAROLETTE
1496 S. OLD HWY. 91
INKOM, ID 83245
Source: SPRINGS
Tributary: SINKS
Diversion Pt:
NWSE Sec 11 T 08S R 36E
Use: IRRIGATION (.040 CFS)
IRRIGATION STORAGE

(.10 AF)

IRRIGATION FROM STORAGE
(.10 AF)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
(.10 AF)

Date Filed: 3-27-1990
In: T08S R36E S11 NWSE
2.0 ACRES TOTAL

29-07916

WILSON, JOHN CHARLES
14334 PROMISE LANE
POCATELLO, ID 83202
Source: GROUNDWATER
Diversion Pt:
SEWNW Sec 5 T 06S R 34E
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 3-20-1990
In: T06S R34E S05 NWNE
5.0 ACRES TOTAL

29-07918

PICOLO-STINSON, LORI K.
STINSON, C. MICHAEL
8858 W. BARTON RD.
POCATELLO, ID 83204
Source: SPRING
Tributary: SINKS
Diversion Pt:
NWSNW Sec 32 T 06S R 35E
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
Total Diversion: (.040 CFS)
Date Filed: 4-16-1990
In: T06S R35E S32 SWNW
2.0 ACRES TOTAL

29-07950

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

7 June , 19 90 , 19

14 June , 19 90 , 19

, 19 , 19

, 19 , 19

, 19 , 19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sandra K. Wann

STATE OF IDAHO

COUNTY OF Bannock

On this 14th day of June in the year of 1990, before me,
a Notary Public, personally appeared Sandra K. Wann,
known or identified to me to be the person whose name subscribed to the within instrument,
and being by me first duly sworn, declared that the statements therein are true, and
acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at

My commission expires:

MICROFILMED

JUL 2 1990

REECE, ILLIA J.
REECE, GERTRUDE M.
8105 S. MARSH CREEK RD.
MC CAMMON, ID 83250
Source: GROUNDWATER
Diversión Pt:
NWNWNE Sec 15 T 09S R 36E
Use: IRRIGATION (.180 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversión: (.180 CFS)
Date Filed: 4-2-1990
In: T09S R36E S15 NWNE
9.0 ACRES TOTAL

29-07952

WALLACE, JOHANNA M.
247 S. INDIAN CREEK
INKOM, ID 83245
Source: SPRING
Tributary: SINKS

Diversión Pt:
SENWNW Sec 5 T 08S R 36E
Use: DOMESTIC (.020 CFS)
Total Diversión: (.020 CFS)
Date Filed: 3-28-1990
In: T08S R36E S05 NENW

29-07955

PARTNER, ILA
PARTNER, PAUL
805 PARK LN.
POCATELLO, ID 83201
Source: GROUNDWATER

Diversión Pt:
SWSWNE Sec 21 T 05S R 34E
Use: IRRIGATION (.160 CFS)
STOCKWATER (.020 CFS)
Total Diversión: (.180 CFS)
Date Filed: 4-3-1990
In: T05S R34E S21 SWNE
8.0 ACRES TOTAL

29-07956

MADSEN, EVERT R.
2802 W. OLD HWY 91
INKOM, ID 83245
Source: SPRING
Tributary: SINKS

Diversión Pt:
SWNE Sec 20 T 07S R 36E
Use: IRRIGATION (.400 CFS)
Total Diversión: (.400 CFS)
Date Filed: 3-26-1990
In: T07S R36E S20 SENE
20.0 ACRES TOTAL

29-07957

MADSEN, SADIE LEONE
MADSEN, EVERT R.
2802 W. OLD HWY 91 & 30
INKOM, ID 83245
Source: GROUNDWATER

Diversión Pt:
NWSWNW Sec 20 T 07S R 36E
Use: IRRIGATION (.090 CFS)
STOCKWATER (.030 CFS)
DOMESTIC (.110 CFS)
Total Diversión: (.200 CFS)
Date Filed: 3-26-1990
In: T07S R36E S20 SWNW
3.0 ACRES TOTAL

29-07958

ARD, WILLIE J.
ARD, GWENDOLYN J.
P.O. BOX 4308
POCATELLO, ID 83205
Source: GROUNDWATER

Diversión Pt:
SWSWNW Sec 32 T 06S R 35E
Use: IRRIGATION (.090 CFS)
Total Diversión: (.090 CFS)
Date Filed: 4-11-1990
In: T06S R35E S32 SWNW
3.0 ACRES TOTAL

29-07959

JOHNSON, BRENT RAY
393 CORWIN LN.
INKOM, ID 83245
Source: GROUNDWATER

Diversión Pt:
NESW Sec 23 T 07S R 36E
Use: IRRIGATION (.090 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversión: (.150 CFS)
Date Filed: 4-12-1990
In: T07S R36E S23 NESW
3.0 ACRES TOTAL

29-07960

SKOOG, JANET M.
SKOOG, THOMAS J.
9589 N. POCATELLO CREEK RD.
POCATELLO, ID 83201
Source: GROUNDWATER

Diversión Pt:
SWSESW Sec 18 T 06S R 35E
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Total Diversión: (.060 CFS)
Date Filed: 3-20-1990
In: T06S R35E S18 SESW
2.0 ACRES TOTAL

29-07961

MC CAMMON DITCH CO., LTD.
C/O LYNDON GREEN, PRES.
1791 E. 16TH ST.
MC CAMMON, ID 83251
Source: POND

Tributary: SINKS
Diversión Pt:
SWNE Sec 24 T 09S R 36E
Use: IRRIGATION (10.000 CFS)
Total Diversión: (10.000 CFS)
Date Filed: 3-22-1990
In: T09S R36E S12 SWNW NESW
NWSW SWSW SESW NWSE SWSE
S13 NENE NWNE SWNE SENE
NENW NWNW SWNW SENW NESW

P.O. BOX 21
MC CAMMON, ID 83250
Source: SPRING
Tributary: SINKS
Diversion Pt:
SWSW Sec 10 T 09S R 36E
Use: STOCKWATER (.050 CFS)
Total Diversion: (.050 CFS)
Date Filed: 4-25-1990
In: T09S R36E S10 SWNE
29-07963
HARRIS, JEFFREY F.
HARRIS, KATHLEEN M.
P.O. BOX 252
MC CAMMON, ID 83250
Source: SPRING
Tributary: SINKS
Diversion Pt:
SESENE Sec 10 T 09S R 36E
Use: IRRIGATION (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 3-23-1990
In: T09S R36E S10 NENE SENE
10.0 ACRES TOTAL
29-07964

ROST, ROBERT H.
ROST, LA RITA S.
P.O. BOX 516
POCATELLO, ID 83204
Source: GROUNDWATER
Diversion Pt:
NESW Sec 8 T 07S R 35E
Use: COMMERCIAL (.020 CFS)
Total Diversion: (.020 CFS)
Date Filed: 4-19-1990
In: T07S R35E S08 NESW
29-07965

CARLSEN, GARY H.
CARLSEN, BARBARA
720 BUFFALO RD.
POCATELLO, ID 83202
Source: GROUNDWATER
Diversion Pt:
SWSW Sec 2 T 06S R 34E
Use: IRRIGATION (.120 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.180 CFS)
Date Filed: 4-23-1990
In: T06S R34E S02 SWSW
6.0 ACRES TOTAL
29-07966

BAIRD, CARY R.
BAIRD, JORJA
451 E. ELAIN CIRCLE
P.O. BOX 57
INKOM, ID 83245
Source: GROUNDWATER
Diversion Pt:
NWNW Sec 23 T 07S R 36E
Use: IRRIGATION (.036 CFS)
Total Diversion: (.036 CFS)
Date Filed: 4-23-1990
In: T07S R36E S23 NWSE
1.5 ACRES TOTAL
29-07967

AGUILAR, LOUIS R.
AGUILAR, CONNIE Y.
9382 AUTUMN LN.
POCATELLO, ID 83204
Source: GROUNDWATER
Diversion Pt:
NENENW Sec 30 T 07S R 35E
Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 4-16-1990
In: T07S R35E S30 NWNE NENW
6.0 ACRES TOTAL
29-07968

AGUILAR, LOUIS R.
AGUILAR, CONNIE Y.
9382 AUTUMN LN.
POCATELLO, ID 83204
Source: GROUNDWATER
Diversion Pt:
NENENW Sec 30 T 07S R 35E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.020 CFS)
Total Diversion: (.080 CFS)
Date Filed: 4-16-1990
In: T07S R35E S30 NENW
4.0 ACRES TOTAL
29-07969

DE WALL, HARRY
P.O. BOX 624
POCATELLO, ID 83204
Source: GROUNDWATER
Diversion Pt:
NWSW Sec 18 T 06S R 35E
Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 4-6-1990
In: T06S R35E S18 NWSW
4.0 ACRES TOTAL
29-07970

LUNAR ST. WATER
USERS ASSN., INC.
12534 N. LUNAR ST.
CHUBBUCK, ID 83202
Source: GROUNDWATER
Diversion Pt:
SWNW Sec 32 T 05S R 34E
Use: IRRIGATION (.150 CFS)
DOMESTIC (.050 CFS)
Total Diversion: (.200 CFS)
Date Filed: 5-1-1990
In: T05S R34E S32 SWNW
6.0 ACRES TOTAL
29-07971

CHRISTENSEN, MARION W.
12354 E. TYHEE RD.
POCATELLO, ID 83202
Source: GROUNDWATER
Diversion Pt:
SWSE Sec 27 T 05S R 34E
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 27, 1997

PHILIP E. BAFF
GOVERNOR

KARL J. DREHER
DIRECTOR

BOB R TANNER
RAYLENE TANNER
PO BOX 360
INKOM ID 83245

RE: WATER RIGHT NO. 29-07909

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of **March, 1997**, I mailed
a true and correct copy, postage prepaid, of the foregoing
PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 29-07909

BOB R TANNER
RAYLENE TANNER
PO BOX 360
INKOM ID 83245



Vanessa Roby
Secretary

MEMORANDUM

TO: File 29-07909

FROM: Sharla

DATE: March 13, 1997

RE: License Review


The examination report was returned to Eastern Region in February for clarification of the irrigation system used under this right for 15 acres. Specifically, the examiner made a comment in the narrative portion that no more than four nozzles are operating at one time.

After speaking with the examiner, Skip Jones has added a comment explaining that there are 20 or more sprinklers used to irrigate the entire 15 acres. The permit holder only had four sprinklers set up and operating for demonstration of his water delivery system at the time the examiner was there to conduct his inspection.

The file has been re-reviewed and prepared for licensing.

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>ROY B. JOHNSON</u> Address <u>RT 1 BOX 81, INCOM, ID</u> Owner's Permit No. <u>85245</u>	7. WATER LEVEL Static water level <u>45</u> feet below land surface. Flowing? ☒ Yes ☐ No G.P.M. flow <u>45</u> Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☒ Cap ☐ Plug Temperature _____ OF. Quality _____																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>45</u></td><td><u>520</u></td><td><u>6</u></td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>45</u>	<u>520</u>	<u>6</u>																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
<u>45</u>	<u>520</u>	<u>6</u>																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10"</td><td>0</td><td>12</td><td>BLACK DIRT</td><td></td><td>☒</td></tr><tr><td></td><td>12</td><td>12</td><td>BROWN CLAY & ROCK</td><td></td><td>☒</td></tr><tr><td></td><td>62</td><td>230</td><td>BROWN CLAY</td><td></td><td>☒</td></tr><tr><td></td><td>230</td><td>285</td><td>BROWN CLAY & ROCK</td><td></td><td>☒</td></tr><tr><td></td><td>285</td><td>465</td><td>HARD ROCK DOLOMITE</td><td></td><td>☒</td></tr><tr><td></td><td></td><td></td><td>I BELIEVE VERY LITTLE WATER</td><td></td><td></td></tr><tr><td></td><td>465</td><td>495</td><td>REAL DARK SHALE SEAMED FAULTED WITH WATER</td><td></td><td>☒</td></tr><tr><td></td><td>495</td><td>520</td><td>HARD BLACK SHALE WITH SOME WATER</td><td></td><td>☒</td></tr></tbody></table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	10"	0	12	BLACK DIRT		☒		12	12	BROWN CLAY & ROCK		☒		62	230	BROWN CLAY		☒		230	285	BROWN CLAY & ROCK		☒		285	465	HARD ROCK DOLOMITE		☒				I BELIEVE VERY LITTLE WATER				465	495	REAL DARK SHALE SEAMED FAULTED WITH WATER		☒		495	520	HARD BLACK SHALE WITH SOME WATER		☒
Hole Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
10"	0	12	BLACK DIRT		☒																																																						
	12	12	BROWN CLAY & ROCK		☒																																																						
	62	230	BROWN CLAY		☒																																																						
	230	285	BROWN CLAY & ROCK		☒																																																						
	285	465	HARD ROCK DOLOMITE		☒																																																						
			I BELIEVE VERY LITTLE WATER																																																								
	465	495	REAL DARK SHALE SEAMED FAULTED WITH WATER		☒																																																						
	495	520	HARD BLACK SHALE WITH SOME WATER		☒																																																						
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. RECEIVED JAN 11 1980 Department of Water Resources Eastern District Office SEP 4 1980 Department of Water Resources																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>8</u> inches</td><td><u>24</u> feet</td><td><u>285</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/8</u> inches by <u>2</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>30</u> perforations</td><td><u>265</u> feet</td><td><u>285</u> feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>25</u> Material used in seal: ☒ Cement grout ☐ Puddling clay ☒ Well cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>24</u> feet	<u>285</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>30</u> perforations	<u>265</u> feet	<u>285</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																											
Thickness	Diameter	From	To																																																								
<u>250</u> inches	<u>8</u> inches	<u>24</u> feet	<u>285</u> feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
Number	From	To																																																									
<u>30</u> perforations	<u>265</u> feet	<u>285</u> feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>BRAUN</u> <u>SE 1/4 Sec. 15, T. 7, N. 36 E. W.</u>	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Dubler Drilling Firm No. 148</u> Address <u>P.O. Box 4465</u> Date <u>10/2/79</u> Signed by (Firm Official) <u>W. H. Dubler</u> and <u>W. H. Dubler</u> (Operator)																																																										

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHOLE COPY TO THE DEPARTMENT

MICROFILMED

APR 08 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 11 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 29-7909

1. Owner: Bob & Raylene Tanner

Phone No. 775-3103

^{Mailing}
Current Address: P.O. Box 360 Intun ID 83245

2. Accompanied by: Raylene Tanner

EXAM DATE: 12 JUN 96

^{Home}
Address: 3303 N. Rapid Creek Rd.

Phone No.

Relationship to Permit Holder:

3. Source: Groundwater

tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

NONE - OTHER RTH. THAT COME UP ON AT QUERY ARE ON THE OTHER SIDE OF CREEK

2. Other water rights with the same point of diversion:

NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	15	07S	36E	Bannock	ON site

2. Place(s) of Use:


Indicate Method of Determination ON site

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07S	36E	15															1	14	15
07S	36E	15																D	

MICROFILMED

APR 08 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor ^{Model} Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Electric	5	282 1139 202	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure Gauge (0-60) (0-160)					0-60 0-160	

2. Measurements: Low pressure 43 PSI ; high pressure 80 PSI
MEASURED

APR 08 1997

E. NARRATIVE/REMARKS/COMMENTS

Well pump to mainline to single domestic home water troughs and irrigation or laterals. — $1\frac{1}{2}$ " lateral lines, with $\frac{1}{4}$ " nozzles, no more than four nozzles operating at one time. Pressure runs between 43 PSI low and 80 PSI high.

* There was 20+ sprinklers on property that are used. Applicant just had 4 set up when examiners arrived. Applicant can easily do the entire 15 acres with existing sprinkler pipe.

Steve Ganson

+Hefner

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 08 1997

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{15 \text{ Ac}} (3.5) = \underline{52.5}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.21 \text{ cfs} (184) (1.9835)} = \underline{7.7}$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{52.5}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>4-15</u>	<u>10-15</u>	<u>.21</u>	<u>52.5</u>
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>.04</u>	<u>1.20</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>.21</u>	<u>53.7</u>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Steven Garrison Date 12 JUN 96Reviewer Shay Taylor Date 12/6/96

SEAL

MICROFILMED

APR 08 1997

T R 36 E

7
S

5410

Place of Use
Point of
Division


PLU

Swamp
Cedar

Green
Creek

x4855

APR 08 1967



29-7909

100 1000 1000
100 1000 1000

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp) (8.814) (Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{5}$$

$$Eff = \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%)$$

Lift: (Static Level + Assumed Draw down)

$$\text{Static Water Level} = \underline{45} \text{ ft.}$$

$$\text{Assumed Draw down} = + \underline{0} \text{ ft.}$$

$$\text{Lift} = \underline{45}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{43} \text{ psi}$$

$$Q_{cfs} = \left[\frac{5}{Hp} \times 8.814 \times \frac{.7}{eff} \right] \div \left[\frac{65}{Lift} + \left(\frac{43}{psi} \times 2.308 \right) \right]$$


$$Q_{cfs} = \left[\underline{30.849} \right] \div \left[\underline{144.244} \right]$$

$$Q_{cfs} = \underline{0.21} \text{ cfs}$$

MICROFILMED

APR 08 1987

PERMIT NO. 29-7909



T
7
3

R36E

29-07909

HEL
HEL
3
8.1
25
3

T
7
S

R
36
E

December 19, 1990

RAYLENE TANNER
RAYLENE TANNER
BOB R. TANNER
BOB R. TANNER
P.O. BOX 360
INKOM, ID 83245

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07909

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 03 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

ROY B. JOHNSON
HELEN N. JOHNSON
3303 N. RAPID CREEK RD.
INKOM, ID 83245

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P29-07909

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

JUL 27 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 27 1990

23-May-1990

Roy B. or Helen N. Johnson
3303 N. Rapid Creek Rd.
Inkom, ID 83245

RE: Application for Permit No. 29-7909

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Idaho State Journal on June 7 & 14, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

JUL 27 1990

29-07909

JOHNSON, ROY B.
JOHNSON, HELEN N.
3303 N. RAPID CREEK RD.
INKOM, ID 83245

Source: GROUNDWATER

Diversion Pt: SESE Sec 15 T 07S R 36E

Use: IRRIGATION (.360 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.400 CFS)

Date Filed: 3/26/ 1990

In: T07S R36E S15 SWSE SESE

18.0 ACRES TOTAL

INDEXED

JUL 27 1990