

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 29-07906

Proposed Priority: December 27, 1989 Maximum Diversion Rate: 0.12 CFS
This is to certify, that **THOMAS C. SCHIERS**
9416 W. AUTUMN LANE
POCATELLO, ID 83204
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.12 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		
	SWSW	Sec. 19, Township 07S, Range 35E
	NWNW	Sec. 30, Township 07S, Range 35E
		BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	35E	19	SWSW	3		3
		30	NWNW	3		3

Total number of acres irrigated: 6

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **July 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Well is located on line between SWSW, S19 & NWNW, S30, T7S, R35E.

MICROFILMED

DEC 07 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 29-07906

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of June, 1990.

for *R. Keith Higginson*
R. Keith Higginson, Director

MICROFILMED

DEC 17 1990

RECEIVED
MAR 27 1990

Ident. No. 29-07906

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: THOMAS C. SCHIERS 208-232-8551
Address: 9416 W. AUTUMN LN.
POCATELLO, ID 83204

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: SWSW Sec. 19, Township 07S, Range 35E
NWNW Sec. 30, Township 07S, Range 35E
BANNOCK County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	0.120		

5. Total quantity to be appropriated is:
0.120 CFS (and/or) AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP AND PIPELINES FOR IRRIGATION.
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 6 inches; proposed depth of well is 275
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:
IRRIGATION OF 5.35 ACRES

9. Place of Use: IRRIGATION

MICROFILMED

DEC 67 1990

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
07S	35E	19	SWSW 3			
		30	NWNW 3			

Total number of acres irrigated: 6

10. Describe any other water rights used for the same purposes.
N/A

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

WELL IS LOCATED ON LINE BETWEEN SW $\frac{1}{4}$ SW $\frac{1}{4}$, SEC. 19 AND NW $\frac{1}{4}$ NW $\frac{1}{4}$,
SEC. 30, BOTH T7S, R35E. LOT SIZE IS 5.35 ACRES.

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Thomas C Schiers 3/24/90
Applicant

Received by DN Date 12/27/89 Time _____ Preliminary check by DN

Fee \$ 30⁰⁰ Receipted by E011411 # DN Date 12-27-89

Publication prepared by RB Date 5-31-90 Published in 70 State Trn 1

Publication approved RB Date 6-5-90

MICROFILMED

DEC 07 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. _____

To appropriate the public waters of the State of Idaho

1. Name of applicant THOMAS C. SCHIERS Phone 208 232 8551
Post office address 9416 W. AUTUMN LN., POCA TELLO ID. 83204
2. Source of water supply GROUND WATER which is a tributary of N/A
3. Location of point of diversion is 19 SW 30 NW ¼ of SW NW ¼ of SW NW ¼, Govt. Lot BORDERS
Sec. 19 & 30 Township 7 S Range 35 E B.M. BANDOCK County; additional
points of diversion if any: NA

4. Water will be used for the following purposes:

Amount .12 for IRRIGATION purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .12 and/or (b) 12.5
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 6 IN. WELL CASING, 275 FEET DEEP, Cased TO 275 FEET, 5 H.P. SUBMERSIBLE PUMP.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 6 IN inches; proposed depth of well is 275 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is _____ years (minimum 1 year). (CURRENT WELL)

MICROFILMED

DEC 07 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	35E	19											3						3
		30						2											2
								~~I~~					~~I~~						

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. NONE


- Who owns the property at the point of diversion? THOMAS C. SCHIERS
- Who owns the land to be irrigated or place of use? THOMAS C. SCHIERS
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

DEC 07 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



MICROFILMED

DEC 07 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

NOTE: SEE ATTACHMENT A
PAGES 1-5 OF 5.

Thomas C. Schieff
(Applicant)

12/18/89

Received by LB Date 12-27-89 Time 12:05 Preliminary check by _____
Fee \$ 30.42 Received by 4WJ # E011411 Date 12-27-89
Publication prepared by _____ Date _____ Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

DEC 07 1990

ALPINE ENGINEERING

403 North Main Suite 12 P.O. Box 1106 Pocatello Idaho 83204 (208) 232-3211



TOM SCHIERS^{ER} - LEGAL DESCRIPTION
83009R

JULY 8, 1983

A PARCEL OF LAND LOCATED IN THE NORTH WEST QUARTER OF SECTION 30, TOWNSHIP 7 SOUTH, RANGE 35 EAST, BOISE MERIDIAN, BANNOCK COUNTY, IDAHO AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH 1/16th CORNER ON THE WEST LINE OF SECTION 19, TOWNSHIP 7 SOUTH, RANGE 35 EAST, BOISE MERIDIAN, BANNOCK COUNTY, IDAHO; THENCE EAST ALONG THE SOUTH 1/16th LINE OF SAID SECTION 19, 1056.0 FEET; THENCE SOUTH, 1005.0 FEET; THENCE SOUTH 4°46'53" WEST, 600.00 FEET TO THE POINT OF BEGINNING; THENCE EAST, 390.00 FEET; THENCE SOUTH 4°46'53" WEST, 46.00 FEET; THENCE NORTH 83°13'49" WEST, 388.88 FEET TO THE POINT OF BEGINNING. SAID PARCEL CONTAINING 0.2 ACRES MORE OR LESS.

SAID PARCEL SUBJECT TO A 30.00 FOOT WIDE ACCESS EASEMENT ALONG THE EASTERLY BOUNDARY OF THE PARCEL.

MICROFILMED

DEC 07 1990

ATTACHMENT A

JAME SCHIERS

IDENT. No.

**ALPINE ENGINEERING**

403 North Main Suite 12 • P.O. Box 1106 • Pocatello Idaho 83204 • (208) 232-3211

TOM SCHIERS - LEGAL DESCRIPTION
83009

MAR. 8, 1983

A PARCEL OF LAND LOCATED IN THE SOUTH WEST QUARTER OF SECTION 19, AND THE NORTH WEST QUARTER OF SECTION 30, TOWNSHIP 7 SOUTH, RANGE 35 EAST, BOISE MERIDIAN, BANNOCK COUNTY, IDAHO, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTH 1/16th CORNER ON THE WEST LINE OF SAID SECTION 19; THENCE EAST ALONG THE SOUTH 1/16th LINE OF SAID SECTION 19, 1056.0 FEET; THENCE SOUTH, 1005.0 FEET TO THE POINT OF BEGINNING; THENCE SOUTH 4°46'53" WEST, 600.00 FEET; THENCE EAST, 390.00 FEET; THENCE NORTH 4°46'53" EAST, 600.00 FEET; THENCE WEST, 390.00 FEET TO THE POINT OF BEGINNING. SAID PARCEL IS SUBJECT TO A 30.00 FOOT WIDE ACCESS EASEMENT ALONG THE EASTERLY BOUNDARY OF THE PARCEL.

SAID PARCEL CONTAINING 5.35 ACRES MORE OR LESS.


MICROFILMED

DEC 07 1990

ATTACHMENT A
NAME SCHIERS


IDENT. NO. _____

Section 14-1-55
Section 30-1-55



ATTACHMENT A
NAME SCHIERS

IDENT. NO. _____



MICROFILMED

THIS PIECE
555 ACRES DEC 07 1990

ATTACHMENT A
NW 1/4 OF NW 1/4
NAME SCHLORF

IDENT. NO.
NE 1/4 OF NW 1/4

NW 1/4 OF NE 1/4

NE 1/4

TL
4/7/70

SW 1/4 OF SW 1/4

(PAGE 50P)
SE 1/4 OF SW 1/4

SECTION 19-7-35

SECTION 30-7-35

W 600 ft

390 ft

NORTH

POWER
WELL

HOME

STICK
TANK

STICK
TANK

SOFT
COUNT
EQUIPMENT

646 ft

300.0 ft

MICROFILMED

DEC 07 1990

NE 1/4 OF SW 1/4

ATTACHMENT A

NAME

SCHUERS

IDENT. NO.

PROOF OF PUBLICATION

MAY 11 1990

STATE OF IDAHO
County of Bannock

ss.

Department of Water Resources
Eastern District Office

Sandra K. Wann

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

29-07895
TOVEY, DE VERE
TOVEY, LORA
80 N. 4TH W.
PRESTON, ID 83263
Source: SPRING
Tributary: SINKS
Diversion Pt:
SWNWSE Sec 33 T 08S R 37E
NESWSE Sec 33 T 08S R 37E
NWSWSE Sec 33 T 08S R 37E
SESWSW Sec 33 T 08S R 37E
Use: STOCKWATER (.100 CFS)
DOMESTIC (.150 CFS)
Total Diversion: (.200 CFS)
Date Filed: 2-23-1990
In: T08S R37E S33 NWSE SWSE
T09S R37E S05 NENE SWNE SENE
SWNW

SENW
29-07896

WHITWORTH, WILLIAM P.
RT. 2 BOX 85C
POCATELLO, ID 83202
Source: RAPID CREEK
Tributary: PORTNEUF RIVER
Diversion Pt:
SWSE Sec 34 T 06S R 36E
Use: RECREATION STORAGE
(9.00 AF)
DIVERSION TO STORAGE
(.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 2-23-1990
In: T06S R36E S34 SWSE

29-07897
WILLIAMS, KENNETH M.
WILLIAMS, DONNA B.
26132 S. DOWNATA RD.
DOWNEY, ID 83234
Source: POND
Tributary: SINKS
Diversion Pt:
NWNENW Sec 12 T 12S R 36E
Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)
Date Filed: 2-26-1990
In: T12S R36E S12 NENW NWNW
40.0 ACRES TOTAL

29-07906
SCHIERS, THOMAS C.
9416 W. AUTUMN LN.
POCATELLO, ID 83204
Source: GROUNDWATER
Diversion Pt:
SWSW Sec 19 T 07S R 35E
NWNW Sec 30 T 07S R 35E
Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)
Date Filed: 12-27-1989
In: T07S R35E S19 SWSW
S30 NWNW
6.0 ACRES TOTAL

29-07920
RUPP, HAROLD L.
RUPP, VEDA J.
12789 HILINE RD.
POCATELLO, ID 83202
Source: GROUNDWATER
Diversion Pt:
SENENW Sec 35 T 05S R 34E
SENESE Sec 35 T 05S R 34E
Use: IRRIGATION (2.140 CFS)
Total Diversion: (2.140 CFS)
Date Filed: 1-25-1990
In: T05S R34E S36 SENW NESW
T06S R34E S01 NENW SENW
107.0 ACRES TOTAL

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

3 May	1990	19
10 May	1990	19
	19	19
	19	19
	19	19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

STATE OF IDAHO

COUNTY OF Bannock

On this 10th day of May in the year of 1990, before me,
a Notary Public, personally appeared Sandra K. Wann,
known or identified to me to be the person whose name subscribed to the within instrument,
and being by me first duly sworn, declared that the statements therein are true, and
acknowledged to me that he executed the same.

Notary Public for Idaho

Residing at


My commission expires: July 1991

MICROFILMED


DEC 07 1990

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____



____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	?	5	Submersible		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flowmeter		Fuji	FLC-S1011	7K0089TB		STATE ID 240333

2. Measurements:

Dia 3.02" .052" Thickness
54.2 gpm obs Totalizer 542 gallons in 10 minutes

E. NARRATIVE/REMARKS, COMMENTS

Well to 2 1/2 inch main to 3" aluminum handlines.
10 birds and 2 open hoses were on during the exam.

The domestic home is on this same well. Lawns around home are also watered from well. Pasture in front of well is watered in one setting. This was being watered at time of exam. North pasture requires two settings.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = 54.2 \text{ gpm} = 0.12 \text{ cfs}$$

$$Q @ 0.02 \text{ cfs} = 5.4 \text{ ac} (0.02) = 0.11 \text{ cfs}$$

 $Q_{\text{LIMITED BY } 0.02 \text{ cfs/ac}}$ **G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5.4 \text{ ac} (4) = 21.6 \text{ afa}$$

$$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.11 \text{ cfs} (214) 1.9835 = 46.7 \text{ afa}$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = 21.6 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.11 cfs	21.6 afa
Totals:			0.11 cfs	21.6 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

KEITH C WILSON 2/22/2001
Steve Mueller

Date 6/28/2001

Reviewer

Date


SEAL



POD

29-07906

POU Lawns and pasture around home.



R34E R35E

T37S

29-07906

Point of Diversion
Place of Use

Mud Spring

Gibson

Campbell

Bannock

Kinney


Footbridge

Highway


Pipeline

Golf Course

Mile 24




Place of Use
Approximate Irrigated Acres




29-07906

R34E




Place of Use
Approximate Irrigated Acres



29-07906

SECTION 30-7-35 | SECTION 19-7-35

600 ft




NORTH

SOFT
COUNTY
EASEMENT

29-07906

Section 19-7-35

Section 30-7-35



ATTACHMENT A

NAME SCHLERS

IDENT. NO. _____

29-07906

November 15, 1990

THOMAS C. SCHIERS
9416 W. AUTUMN LANE
POCATELLO, ID 83204

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07906

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 17 1990

RECEIVED
JUL 19 1990

For Office Use Only
Amt. of Fee \$ 50.00
Date 7/19/90
Receipt No. 6017723
Received by J. Williams

STATE OF IDAHO
Department of Water Resources
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P29-07904 Telephone No. 208 232 8551
Name(s) of Permit Holder(s): THOMAS C. SCHIERS
Post Office Address: 9416 W. AUTUMN LN. POCAHELLO, ID 83204
Source of Water: GROUND WATER
If ground water, well driller's name: WM H. DUBBE Date drilled: MARCH 4, 1985
Extent of Use:
Domestic 1 (No. of households) Irrigation 6 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .12 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: NOV. 20, 1987

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

THOMAS C. SCHIERS 208 233 4690 - DAYS
Name Telephone No. 208 232 8551 - EVENINGS
9416 W. AUTUMN LN POCAHELLO IDAHO 83204
Address

MICROFILMED

DEC 07 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JULY 15, 1990 Thomas C Schiers
Date Signature (and title if on behalf of a company or organization)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name TOM SCHIERS

Address P.O. Box 445 Rte 110

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☒ Stocks ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other

Thickness	Diameter	From	To
250 inches	6 inches	14 feet	275 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/8 inches by 2 inches

Number	From	To
65 perforations	225 feet	275 feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 25 Material used in seal: ☒ Cement grout
☐ Bentonite ☐ Puddling clay ☒ CUTTINGS
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____
Lot No. _____ Block No. _____
County RAN VACK

7. WATER LEVEL

Static water level 30 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ OF. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

Discharge G.P.M.	Pumping Level	Hours Pumped
50		2

9. LITHOLOGIC LOG

Bore Diam.	Depth From To	Material	Water Yes No
9	0 250	BLACK DIRTY ROCKS	
	22 90	BROWN CLAY & ROCK	
	90 110	BLUE CLAY	
	140 145	LOOSE ROCK 2 GPM	
	145 235	GREY SHALE TYPE ROCK	
	235 250	PINK CLAY SHALE	
	250 260	SAND	
	260 280	GRAVEL	

10.

Work started 2/23/85 finished 3/4/85

11. DRILLERS CERTIFICATION

I/we certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name DUBBE DRILLING Firm No. 147
Address P.O. Box 445 Rte 110 Date 3/4/85
Signed by (Firm Official) M H Dubbe
and
(Operator) M H Dubbe

MICROFILMED

DEC 07 1990

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

Sept. 19, 1990

Department of Water Resources
1301 N. Orchard Street
Statehouse Mail
Boise, Idaho 83720

Dear Sirs:

Per request by Carter Fritschle I am
sending a copy of my well log to
place in my file. My permit is
number ~~29-007906~~ 29-007906. If further information
is required for my request for licence
to appropriate water please contact me.

Thanks for your help.

THOMAS C. SCHIERS
9416 W. Autumn Ln.
POCATELLO, IDAHO
83204

208-232-8551 EVENING
-234-6682 DAYS

RECEIVED
SEP 20 1990

Department of Water Resources

MICROFILMED

DEC 07 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 29, 1990

THOMAS C. SCHIERS
9416 W. AUTUMN LANE
POCATELLO, ID 83204

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P29-07906

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

DEC 07 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 07 1990

01-May-1990

THOMAS C. SCHIERS
9416 W. AUTUMN LN.
POCATELLO, ID 83204

RE: Application for Permit No. 29-7906

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the IDAHO STATE JOURNAL on MAY 3 & 10, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

DEC 07 1990

29-07906

SCHIERS, THOMAS C.
9416 W. AUTUMN LN.
POCATELLO, ID 83204

Source: GROUNDWATER

Diversion Pt:	SWSW	Sec 19 T 07S R 35E
	NWNW	Sec 30 T 07S R 35E

Use: IRRIGATION (.120 CFS)
Total Diversion: (.120 CFS)

Date Filed: 12/27/ 1989

In: T07S R35E S19	SWSW
S30	NWNW

6.0 ACRES TOTAL

MICROFILMED

DEC 07 1990

Dept. of Water Resources
150 Shoup Ave. Suite 15
Idaho Falls, Id. 83402

Dec 23, 1989

Re: Application for permit and Water right

Dear Sir:

I submitted a Water right application in Oct. 89 not knowing the application for permit had not been submitted. My intent now is to submit the application for permit and if /when approved follow it up with the Water right claim.

Please find enclosed a check for \$30.00 and the application for permit. Thank you for your assistance.

Regards.

Thomas C Schiers

THOMAS C. SCHIERS
9416 W. AUTUMN LN.
POCATELLO, Id. 83204

208-232-8551

MICROFILMED

DEC 07 1990