

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 29-07782

Priority: January 18, 1985

Maximum Diversion Rate:

7.00 CFS

This is to certify, that CITY OF POCATELLO

PO BOX 4169

POCATELLO ID 83201

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 18, 1985; and has submitted Proof of Beneficial Use on April 10, 1990. An examination indicates that the works have a diversion capacity of 7.280 cfs of water from a GROUNDWATER source, and a water right has been established as follows:


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	7.00 CFS	
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NESE , Sec. 15, Township 06S, Range 34E BANNOCK County	

PLACE OF USE: See Remarks

CONDITIONS OF APPROVAL AND REMARKS


1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Place of use is within the city limits of Pocatello.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of April, 1992.


Acting for KARL J. DREHER, Director

MICROFILMED

MAY 07 1998



For Office Use Only
Amt. of Fee \$ 225.00
Date 4/10/90
Receipt No. 2016193
Received by C. Wong

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 29-07782 Telephone No. 234-6174

Name(s) of Permit Holder(s): CITY OF POCA TELLO

Post Office Address: P.O. Box 4169

Source of Water: GROUND WATER

If ground water, well driller's name: DAN'S PUMP & SERVICE Date drilled: 7-17-85 to 9-20-85

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other MUNICIPAL

Total rate and/or volume for which proof is submitted 5.6 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: AUGUST 1987

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

Fee Enclosed: \$ 225.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

GARY E. THORNDEN 234-6174
Name Telephone No.

902 E. SHERMAN POCA TELLO ID
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAY 10 1990

3-6-90 Gary E. Thornden WATER SUPT.
Date Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 29-07782

Proposed Priority: January 18, 1985

Maximum Diversion Rate:

7.00 CFS

This is to certify, that CITY OF POCATELLO

P.O. BOX 4169

POCATELLO, ID 83201

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

MUNICIPAL

01/01 to 12/31

7.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

NESE

Sec. 15, Township 06S, Range 34E
BANNOCK County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1993.
2. Subject to all prior water rights.
3. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Place of use is within the city limits of Pocatello.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

2nd day of January, 1990.

for R. Keith Higginson

R. Keith Higginson
MICROFILMED

FEB 13 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 29-7782
IN THE NAME OF THE CITY OF POCA TELLO

ORDER

WHEREAS, on January 18, 1985, the City of Pocatello submitted Application for Permit No. 29-7782 to appropriate 7.0 cfs from a groundwater source to be used for municipal purposes; and,

WHEREAS, on May 16, 1985, the Department issued Permit No. 29-7782 with a condition of approval that consumptive use of water under the permit not exceed 2.0 acre-feet per day in order that permit approval would be considered within the terms of the Senate Bill 1180 contract which has the effect of withdrawing Idaho Power Company's protest against approval of certain categories of uses; and,

WHEREAS, on July 17, 1985, the permit holder advised the Department that the condition requiring consumptive use under the permit to not exceed 2.0 acre-feet per day was too restrictive and was not acceptable to the permit holder;


IT IS, THEREFORE, HEREBY ORDERED that approval of Permit No. 29-7782 be and is RESCINDED; and,

IT IS FURTHER ORDERED that Application for Permit No. 29-7782 be evaluated using the requirements and criteria of amended Section 42-203, Idaho Code, (effective July 1, 1985) together with related rules and regulations.

Dated this 30th day of JULY, 1985.

RECORDED

FEB 13 1990


NORMAN C. YOUNG, Administrator

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

**RESCINUED
APPROVED**

1. Name of applicant CITY OF POCA TELLO Phone (208) 232-4311

Post office address P.O. Box 4169, Pocatello, ID 83201

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is N.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$ of Section 15 Township 6 S

Range 34 E B.M. Bannock County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 7CFS for Municipal purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 7 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Well, Pump, Motor and Pipe

b. Height of storage dam - feet, active reservoir capacity - acre-feet; total reservoir capacity - acre-feet, materials used in storage dam: -

Period of year when water will be diverted to storage - to - inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20" inches; proposed depth of well is 300 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: City of Pocatello & vicinity

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served City of Pocatello, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. 20611, G-24451, G-27631, G-32175, and 29-7311 For Municipal use.

9. a. Who owns the property at the point of diversion CITY OF POCA TELLO

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing PROPERTY IS WITHIN CITY LIMITS OF POCA TELLO


10. Remarks Population of City of Pocatello using municipal water is 46,736

Location of point of diversion

City of Pocatello Well N.E. 1/4 of S.E. 1/4

N.O.P. Park (#34) S 15 T6SR34E.,BM

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


X CHARLES W MOSS
(Applicant)

City of Pocatello
Charles W. Moss
City Manager

MICROFILMED

Proposed Priority 1/18/85
Received by CN Date 1-18-85 Time 2:10 pm
Preliminary check by Gr Fee \$ #165.00 #34387
Received by CN Date 1-22-85
Publication prepared by CN Date 1-23-85
Published in Idaho State Journal
Publication dates 1-31 & 2-7-1985
Publication approved _____ Date _____
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by EMC KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7782, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
Consumptive use of water under this permit shall not exceed 2.0 acre feet per day.

Witness my hand this 16th day of May, 1985.

A. Glen Saxton
Chief, Operations Bureau

MICROFILMED

PROOF OF PUBLICATION RECEIVED

STATE OF IDAHO
County of Bannock

ss.

FEB 19 1

Department of Water Resources
Eastern District Office

Sandra K. Herald

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

January 31, 1985, 19

February 7, 19 85, 19

, 19, 19

, 19, 19

, 19, 19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sandra K. Herald

Subscribed and sworn to before me this 14th

day of February, 19 85

[Signature]

Notary Public, State of Idaho

Residence: Pocatello, Idaho

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

Sandra K. Herald

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

29-7782

CITY OF POCATELLO
Box 4169, POCATELLO, ID 83201

Source: GROUNDWATER

Date Filed: 01/18/1985

Diversion Pt: NESE Sec 15 T 065 R 34E

Use: MUNICIPAL (7.00 CFS)

In: Within the city limits of Pocatello

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 on or before FEBRUARY 18,
1985.

S/KEN DUNN, Dir.

Published Jan. 31, Feb. 7, 1985

No. 643

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of Ameri-
ca, more than 21 years of age, and the Principal Clerk of THE IDAHO
STATE JOURNAL, a daily newspaper, printed and published at Pocatello,
Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

January 31, 1985, 19

February 7, 1985, 19

, 19, 19

, 19, 19

, 19, 19

That said paper has been continuously and uninterruptedly published
in said County for a period of seventy-eight weeks prior to the publication
of said notice or advertisement and is a newspaper within the meaning
of the laws of Idaho.

Subscribed and sworn to before me this 14th

day of February, 1985

Notary Public, State of Idaho

Residence: Pocatello, Idaho

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 27, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF POCATELLO
PO BOX 4169
POCATELLO ID 83201

RE: WATER RIGHT NO. 29-07782

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

MAY 07 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

MAY 07 1998

MICROFILMED

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MAY 07 1998

MICROFILMED

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 29-07782

CITY OF POCATELLO
PO BOX 4169
POCATELLO ID 83201


Kari Lynn Townsend
Secretary

MIC

MAY 07 1998

MEMORANDUM

TO: File 29-07782

FROM: Sharla

DATE: April 21, 1998

RE: Additional Exam Fees

On this date the department received a check for the additional examination fee (\$25 for 7.0 cfs) and late fee (\$25) for a total of \$50 under Receipt No. C042117. The license can be printed for signature with a diversion rate of 7.0 cfs.

MICROFILMED

MAY 07 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 24, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF POCATELLO
PO BOX 4169
POCATELLO ID 83205

RE: Permit 29-07782

Dear Permit Holder:

Permit 29-07782 is currently being reviewed for licensing. The Department's field examiner reported that your well developed under this permit actually diverts up to 7.0 cfs. However, because the examination fee submitted with your Proof of Beneficial Use was for diversion of 5.0 to 6.0 cfs, your license will be limited to a diversion rate of 6.0 cfs. I have enclosed a copy of your Proof of Beneficial Use for your reference.

If you want your water right license to reflect the 7.0 cfs found by the examiner, you must submit the additional examination fee of \$25.00 required for a diversion of 7.0 cfs, plus a late payment penalty of \$25.00, within 30 days. If we receive the examination fees after 30 days from the date of this letter, the priority date of your right will be advanced in accordance with Section 42-217, Idaho Code.

If you have any questions, please contact me as soon as possible at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure

MICROFILMED

MAY 07 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 29-07782

DATE 7/23/96

REVIEWER: S H A R L A

NAME Change OK

Address Change NO

SOURCE Change OK

Is change clarification of originally intended source? Yes
If not, prepare Notice of Intent to Void

POINT OF DIV Change OK

Amendment required

PLACE OF USE Change OK

Amendment required

Does map agree with written description? Yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate 7.0 cfs

Fee limit 6.0 cfs

Measured cfs

Theoretical 7.28 cfs

log states 8'3" drawdown at 3880 gpm = 8.65 cfs
80 psi + 54' + 8.5' dtw
1540 / 247.3 = 6.23

Recommended Total Div Rate 7.0 cfs

ANNUAL VOLUME/ NATURE OF USES

Yes

Use Municipal

Volume Calculation NO VOLUME af

 af

LISTED af

 af

 af

 af

 af

SUBTOTAL af

Flow rate cfs X days X 1.9835 = af

Total volume recommended af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

M/ city limits of Pease Lake.

CONDITIONS Watermaster Control WD#

 GW Measurement/Measuring Device

 Overlap

 Use-specific conditions 048,049 - north trust

Advancement of Priority Date Required yes no

SRBA Claim Filed NA

Adjustment Memo

1st Amend Letter NA

2nd Amend Letter NA

request add fee

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAR 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 29-7782

1. Owner: CITY OF POCA TELLO

Phone No. (208) 234-6174

Current Address: P.O. BOX 4169, POCA TELLO, IDAHO 83205

2. Accompanied by: TOM DELSKAR (WATER SUPER.) EXAM DATE: 2/14/95

Address: SAME Phone No. (208) 234-6174

Relationship to Permit Holder: CITY EMPLOYEE (WATER SUPER.)

3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: SEE ATTACHMENTS

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SE	15	6S	34E	BANNOCK	U.S.G.S. ORTHO PHOTO


2. Place(s) of Use: CITY OF POCA TELLO

Indicate Method of Determination ORTHO PHOTO

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
			CITY OF PORTER																

MICROFILMED
MAY 07 1998

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable. SEE PHOTOGRAPH



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#34	G.E. MOTOR	250	5K6286 XH 748		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: UNABLE TO SET SONIC METER FOR TEST DUE TO PIPING.

MICROFILMED

MAY 07 1998

E. NARRATIVE/REMARKS/COMMENTS

PUMP #34 IS ONE OF MANY CITY OF POCATELLO PUMPS THAT
MAINTAIN WATER PRESSURE TO THE MUNICIPAL SYSTEM.

WELL #34

DEPTH OF WELL = 300'

DEPTH OF PUMP COLUMN = 100'

SIZE OF COLUMN = 12"

DEPTH TO WATER (STATIC) = 54'

MAX. DRAWDOWN = 8'3" AT 3,880 G.P.H. = 8.65 CFS

HORSE POWER OF PUMP = 250HP

DISCHARGE = 12"

SYSTEM PRESSURE (AVERAGE) = 80 PSI

85-120 PSI SUMMER

75-105 PSI WINTER

* UNABLE TO TAKE SONIC READING AT THIS PUMP STATION.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAY 07 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{250 \text{ HP} (8.814) (.75)}{54' \text{ static} + (2.308)(75 \text{ PSI})} = \frac{1652.6}{227.1} = 7.277 \text{ cfs} = 3265.96 \text{ PH}$$

PERMIT LIMITS TO 7.0 CFS**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I,R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D,R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I,R} \text{ and } V_{D,R} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>MUNICIPAL</u>	<u>1/1</u>	<u>12/31</u>	<u>7.0</u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Totals:			<u>7.0</u>	<u> </u>


2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name SIMPKINS Date 3/14/95Reviewer R. C. Jones Date 2-27-96

SEAL

MICROFILMED
MAY 07 1998



R34E T6S

29-7782

MAY 07 1998

SD-0601-2 Last Name: CITY OF POCATELLO

STATE

S E L	First Name	O W N	Water Right No.	Priority Date	Source	Total Diversion	Use Code	Desc
CITY OF POCATELLO								
		C	29-04226	10/01/1955	GROUNDWATER	1.220	40	MUNI
		C	29-07106	11/06/1972	GROUNDWATER	11.100	40	MUNI
		C	29-07118	04/11/1973	GROUNDWATER	4.010	01	IRR
		C	29-07119	04/11/1973	GROUNDWATER	6.000	01	IRR
		C	29-07322	04/25/1976	GROUNDWATER	17.070	40	MUNI
		C	29-07375	02/24/1977	GROUNDWATER	3.340	40	MUNI
		C	29-07431	12/29/1977	WASTE WATER	9.280	01	IRR
		C	29-07450	06/13/1978	GROUNDWATER	3.340	40	MUNI
		O	29-07700	04/27/1983	GROUNDWATER	0.690	01	IRR
		C	29-07770	05/21/1984	GROUNDWATER	5.720	01	IRR
		C	29-07782	01/18/1985	GROUNDWATER	7.000	40	MUNI
		C	29-08086	03/26/1992	GROUNDWATER	7.000	40	MUNI
		C	29-08115	12/03/1992	GROUNDWATER	5.570	40	MUNI
		C	29-08116	12/03/1992	GROUNDWATER	5.570	40	MUNI

(Enter=Continue)

(GOLD 7=This Query)

(Menu)

Other Rights for City of Pocatello

MICROFILMED
MAY 07 1998

29-7782

SD-0601-2 Last Name: CITY OF POCATELLO

STATE

S E L	First Name	O W N	Water Right No.	Priority Date	Source	Total Diversion	Use Code Desc
CITY OF POCATELLO							
		C	29-00262	06/03/1907	SOUTH SPRIN	0.00	01 IRR 43 DOMEST
		C	29-00271	02/26/1869	MINK CREEK	3.220	40 MUNI
		C	29-00272	10/01/1901	MINK CREEK	0.560	40 MUNI
		C	29-00273	10/01/1917	MINK CREEK	1.218	40 MUNI
		C	29-02274	06/15/1948	GROUNDWATER	21.000	40 MUNI
		C	29-02338	09/01/1953	GROUNDWATER	14.760	40 MUNI
		C	29-02401	10/16/1958	GROUNDWATER	15.630	40 MUNI
		C	29-02499	12/10/1964	GROUNDWATER	4.100	40 MUNI
		C	29-04221	06/01/1943	GROUNDWATER	2.670	40 MUNI
		C	29-04222	06/16/1898	GIBSON JACK GIBSON JACK	7.000	40 MUNI
		C	29-04223	10/01/1962	GROUNDWATER	2.670	40 MUNI
		C	29-04224	09/15/1955	GROUNDWATER	3.890	40 MUNI
		C	29-04225	08/15/1956	GROUNDWATER	4.440	40 MUNI

(Enter=Continue)

(GOLD 7=This Query)


(Menu)

MICROFILMED


MAY 07 1998

29- 7782

CITY OF POCATELLO
MUNICIPAL WELL #34




12" DIA.
→
OUT TO
SYSTEM



→
250 HP
PUMP

29-7782



Date Filed For Water Rights: 1-85
 Volume of Water Claimed:
 Permit Number: 29-7782 Date:
 License Number: Date:
 Date Drilled: From 7-17-85 to 9-20-85
 Contractor: Dan's Pump & Service, American Falls, ID
 Depth of Well: 300'
 Static Water Level: 54'
 Size and Depth of Casing: 20" Casing - 0' to 300'
 Size and Depth of Perforations:
 10 Perforations / Ft., 5/16" Wide x 6" Vertically,
 from 235' to 295'
 Additional Perforations:
 10 Perforations / Ft., 5/16" Wide x 6" Vertically,
 from 74' to 93' and 128' to 156'
 Size of Column: 12"
 Depth of Column: 90' (80' Orig. - 10' Added 7-26-88)
 Motor Horsepower: 250
 Size of Discharge: 12"
 Pump Rating: 2,400 G.P.M.
 Date Test Pumped: From 9-24-85 to 9-25-85
 After Additional Perforations: 10-16-85
 Contractor: Layne Pumps, Inc., Twin Falls, ID
 Maximum Drawdown: 192' at 700-800 G.P.M.
 After Additional Perforations: 87' at 1,364 G.P.M.
 Date Air Jetted: From 4-30-86 to 5-5-86
 Contractor: Vollmer Well Drilling
 Date Test Pumped After Air Jetted: 5-14-86
 Contractor: Funk Irrigation
 Maximum Drawdown: 8'3" at 3,880 G.P.M.

29-7782
 10-16-85
 10-17-85

MICROFILMED
 MAY 07 1998

29-7782

October 31, 1992

CITY OF POCA TELLO
P.O. BOX 4169
POCA TELLO ID 83201

PROOF DUE NOTICE

RE: PERMIT NO. 29-07782

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



10/3/92 sent in error - proof made 4/10/90

MICROFILMED

MAY 07 1998

May 2, 1990

CITY OF POCATELLO
P.O. BOX 4169
POCATELLO, ID 83201

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07782

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAY 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 29-7782

Date: 4-19-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
Y Has one been installed?
NA Waiver or modification of measuring device requested

Remarks: Proof acceptable

N/A Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

City of Pocatello • Water Department

P.O. Box 4169 • 902 E. Sherman • Pocatello, Idaho 83201
Supt. Office (208) 234-6174 • Repairs (208) 234-6179



March 1, 1990

Gary Spackman, Supervisor
Water Right Permit Section
Department of Water Resources
Statehouse
Boise, ID 83720


RECEIVED
MAR 05 1990
Department of Water Resources

Re: Permit No. 29-07782

Dear Mr. Spackman:

Development of the above referenced permit was started on July 17, 1985 and has been completed. Send me the proof of beneficial use form so I can fulfill the conditions of the permit and obtain a water right license.

Sincerely,


Gary E. Thornton
Water Superintendent

GET/jl

MICROFILMED
MAY 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 29-07782

Name(s) of Permit Holder(s): CITY OF POCA TELLO

Post Office Address: P.O. Box 4169 POCA TELLO ID
83201

Tel. No. 804-6174

☐ I hereby certify that construction of diversion works on the above referenced permit began on 7-17-85 (date) **MANUAL FILED** I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control":

*Note: A financing difficulty is not an acceptable reason.

3-1-90
Date

Ray E. Jones
Signature of Permit Holder
WATER SUPT.

138204
February 28, 1990

CITY OF POCATELLO
P.O. BOX 4169
POCATELLO, ID 83201

PROOF DUE NOTICE

RE: PERMIT NO. 29-07782

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 18 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 3, 1990

CITY OF POCATELLO
P.O. BOX 4169
POCATELLO, ID 83201

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P29-07782

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

In November, 1981, a representative of this Department met with the waterusers in the Trail Creek Drainage Basin regarding concerns that domestic wells are adversely affected by pumping for irrigation purposes. Therefore, please be advised that groundwater supplies in the area of your proposed well may be limited.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed

RECEIVED

FEB 13 1990

diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 13 1990

MEMORANDUM

TO: GARY *Gary*
FROM: JIM JOHNSON
RE: APPLICATION FOR PERMIT 29-7782
DATE: October 13, 1989

Gary, I need to respond to the letter dated September 27, 1989 asking for status of the above referenced right.

This right is located in the Non Trust Water Area and can be processed normally again, note it was once approved but the approval was recinded when the City said they could not live with the 2 acre feet/day limitation.

My question, assuming that the permit will be re-approved, is what action is necessary to re-approve it. Do we need to prepare another order or can we just approve without an order? I would like to use the easiest which would be to simply re-approve the permit without an order. What rules govern a situation like this?

Jim,

I think we can just approve the application. To avoid confusion, why don't we produce a permit from the computer? Perhaps it would also be nice for future reference if the approval endorsement on the original application is marked "rescinded", although I'm not certain about the best method of marking. I'll leave that up to you.

RECEIVED
Gary FEB 13 1990


City of Pocatello • Water Department

P.O. Box 4169 • 902 E. Sherman • Pocatello, Idaho 83201
Supt. Office (208) 234-6174 • Repairs (208) 234-6179



December 19, 1989

Jim Johnson
Department of Water Resources
Statehouse
Boise, ID 83720



Re: Permit No. 29-7782

Department of Water Resources

Dear Mr. Johnson:

A letter dated September 27, 1989, along with several attachments, was sent to your attention to determine the status of City of Pocatello's permit #29-7782 for 7 CFS. As of this date, we have not received a response from your office.

If you need any additional information, please contact this office at 234-6174.

Sincerely,


Gary E. Thornton
Water Superintendent

GET/jl

RECEIVED

FEB 13 1990


City of Pocatello • Water Department

RECEIVED

SFP 28 1989

P.O. Box 4169 • 902 E. Sherman • Pocatello, Idaho 83201
Supt. Office (208) 234-6174 • Repairs (208) 234-6179

Department of Water Resources



September 27, 1989

Jim Johnson
Department of Water Resources
Statehouse
Boise, ID 83720


Re: Permit No. 29-7782

Dear Mr. Johnson:

What is the status of City of Pocatello's permit #29-7782 for
7 CFS?

Attached are copies of correspondence to date on this permit.

Sincerely,


Gary E. Thornton
Water Superintendent

GET/jl

RECEIVED

FEB 13 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

RECEIVED

FEB 13 1990

SENDER: Complete items 1, 2, 3 and 4. your address in the "RETURN TO" space on the reverse side. Failure to do this will prevent this card from being returned to you. <u>The return receipt fee will provide you the name of the person delivered to and the date of delivery.</u> For additional fees the following services are available. Consult postmaster for fees and check box(es) for service(s) requested. 1. ☒ Show to whom, date and address of delivery. 2. ☐ Restricted Delivery.	
3. Article Addressed to: City of Pocatello Box 4169 Pocatello, ID 83201	
4. Type of Service: ☐ Registered ☐ Insured ☒ Certified ☐ COD ☐ Express Mail	Article Number 33163
Always obtain signature of addressee or agent and <u>DATE DELIVERED.</u>	
5. Signature - Addressee X	
6. Signature - Agent X <i>[Signature]</i>	
7. Date of Delivery 8-12-85	
8. Addressee's Address (ONLY if requested and fee paid) Box 4169 29-7782 POC ID	

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.

RECEIVED

AUG 14 1985



Department of Water Resources
REGISTERED MAIL
USE, \$300

DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

(Name of Sender)

(No. and Street, Apt., Suite, P.O. Box or R.D. No.)

(City, State, and ZIP Code)

RETURN
TO

EB 13 1990

RECEIVED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 8, 1985

CERTIFIED MAIL 333163

RE: Permit No. 29-7782.

City of Pocatello
Box 4169
Pocatello, ID 83201

Gentlemen:

Enclosed is an Order which rescinds the approval of the above referenced permit.

Please be advised that any person who does not agree with the decision of the Department may within fifteen (15) days request a hearing with the Director or may appeal within thirty (30) days to the District Court, pursuant to Section 42-1701A, Idaho Code.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 13 1990

FROM Glen

RECEIVED

DATE

7-26-85

TO File 29-7782

FEB 13 1990

SUBJECT — I called Gary Thornton today seeking clarification of his 7-17-85 letter.

— He, in fact, will need more vol than 2 AF/day since the pumps may often run 24 hr/day.

— I advised that Dept would rescind approval

SIGNATURE

2/2

INTER-DEPARTMENT MEMO — 1

DATE 7-26-85

FROM

TO

SUBJECT

and reprocess the app under
the public interest criteria
yet to be developed by rule
and reg.

~~CONFIDENTIAL~~

FEB 13 1990



SIGNATURE

City of Pocatello • Water Department

P.O. Box 4169 • 902 E. Sherman • Pocatello, Idaho 83201 • (208) 232-4311



July 17, 1985

RECEIVED

JUL 22 1985

Jim Johnson
Department Of Water Resources
Statehouse
Boise, Idaho 83720

Department of Water Resources

Dear Mr. Johnson:

As per our conversation this date, the City of Pocatello cannot accept the limitation of 2.0 acre feet per day as specified in Permit No. 29-7782. Our requirements still remain 7 CFS.

Sincerely,

Gary E. Thornton
Water Superintendent

GET/clis

RECEIVED

FEB 13 1990

July 12, 1985

RE: Permit No. 29-7782

City of Pocatello
Box 4169
Pocatello, ID 83201

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

In November, 1981, a representative of this Department met with the waterusers in the Trail Creek Drainage Basin regarding concerns that domestic wells are adversely affected by pumping for irrigation purposes. Therefore, please be advised that groundwater supplies in the area of your proposed well may be limited.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

City of Pocatello
July 12, 1985
Page 2

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: G. F. RAMSEY

APPLICATION NUMBER: 29-7782

CHECK:

JAN 18 1985

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt. NEEDS RECEIVED BY DONE

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: OW

Date: 1-29-85

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. 29-2274, 29-2338, 29-2401, 29-2449, 29-4221, 29-4222, 29-4223, 29-4224, 29-4225, 29-4226, 29-7106, 29-7118, 29-7119, 29-7322, 29-7375, 29-7431, 29-7450, 29-7700
☒ Yes ☐ No* In form for advertising. 2-18-85
☐ Yes ☒ No Final date for protests: _____
Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2-19-85
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 29
☒ 1-18-85 Date of priority recommended.

Special conditions of approval or cover letter. _____

#26

app. not identified in S.F. suit

By: Ernest Carlson

Date: March 14, 1985

STATE OFFICE REVIEW:

105, 113, 103, 117

26 OIC 048

- ☐ See attached sheet for more information.

By: KW

Date: 5/13/85

Department of Water Resources

January 29, 1985

RE: Application for Permit No. 29-7782 CITY OF POCATELLO

Department of Health & Welfare
150 North Third
Pocatello, Idaho 83201

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is February 18, 1985, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

JANUARY 23, 1985

Idaho State Journal
P. O. Box 431
Pocatello, Idaho 83201

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 18, 1985.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before FEBRUARY 18, 1985.

KEN DUNN, Dir.

Published 1/31 & 2/7/85.

MICROFILMED

29-7782

CITY OF POCA TELLO

P.O. BOX 4169, POCA TELLO, ID 83201

Source: GROUNDWATER

Date Filed: 01/18/1985

Diversion Pt: NESE Sec 15 T 06S R 34E

Use: MUNICIPAL (7.00 CFS)

In: Within the city limits of Pocatello

I 2th

MICROFILMED