

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07751

Priority: September 26, 1983

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

4.8 AF

This is to certify, that ROBERT R PRICE
S E PRICE

RT 1 BOX 4165

INKOM ID 83245

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 26, 1983; and has submitted Proof of Beneficial Use on December 20, 1989. An examination indicates that the works have a diversion capacity of 0.080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.07 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 25, Township 07S, Range 35E
BANNOCK County

PLACE OF USE: IRRIGATION

TWN RGE SEC

07S 35E 25

ACRES

NWNE

1

ACRES

ACRES

TOTAL

1

Total number of acres irrigated:

1

PLACE OF USE:

STOCKWATER, same as IRRIGATION use

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

JAN 23 1987

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 29-07751

CONDITIONS OF APPROVAL AND REMARKS

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of January, 1997.


Acting for KARL J. DREHER, Director

MICROFILMED
JAN 23 1997

Form 217
03/86

RECEIVED
DEC 20 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 100.00
Date 12/20/89
Receipt # 2013612
Receipt by C. Wong
Reviewed by MS-0/12/90
Sent to region

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 29-07751

Name(s) of Permit Holder: Robert R. Price S.E. Price

Post Office Address: 4431 W Portneuf Rd Inkom Idaho
83245 Telephone No. 775-4471

Source of Water: Groundwater - Well

Extent of Use:

Domestic 1 (number of households) Stockwater 12 Beef (number and type of stock)
Irrigation 15 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.36 cfs 21-100 acre-feet

Show the date water was first diverted and beneficially used under this permit: 9-15-83

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Robert R Price 775-4471
(Name) (Telephone Number)

4431 W Portneuf Rd Inkom Idaho 83245
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

11-15-89
Date

Robert R Price FEB 13 1990
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 29-07751

Proposed Priority: September 26, 1983 Maximum Diversion Rate: 0.36 CFS

This is to certify, that **ROBERT R. PRICE**
S. E. PRICE
RT. 1 BOX 4165
INKOM, ID 83245

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.30 CFS
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
Totals		0.36 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE Sec. 25, Township 07S, Range 35E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S 35E 25	NWNE 15			15

Total number of acres irrigated: 15

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

DEC 13 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 29-07751

CONDITIONS/REMARKS:

7. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of October, 1989.

for J. Glen Saxton
R. Keith Higginson, Director

MICROFILMED

DEC 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant (REUSE) ROBERT R. PRICE (OR) S. E. PRICE Phone (208) 459-0302 ①
(208) 775-4471 ②
Post office address ROUTE 1 - BOX 4165 INKOM, IDAHO 83245

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 7S
Range 35E B.M. BANNOCK County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs) _____

Amount 0.30 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs) _____

Amount 0.02 for STOCK WATER purposes from 1-1 to 12-31 (both dates inclusive)
(cfs) _____

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.36 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP,
MAINLINE TO SINGLE DOMESTIC HOUSE,
SPRINKLER IRRIGATION SYSTEM

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 220 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 7S
Range 35E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered UP TO TEN HORSES

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

DEC 13 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	35E	25		15															15

Total number of acres to be irrigated 15

c. Describe any other water rights used for the same purposes as described above. NONE

9. a. Who owns the property at the point of diversion APPLICANTS

b. Who owns the land to be irrigated or place of use APPLICANTS

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks _____

MICROFILMED

DEC 13 1989

10 1121

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

* AS PER TELECOM WITH APPLICANT 9-29-83 KCU

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

DEC 15 1989

S E Price
(Applicant)

Reese Price

Received by OW Date 9-26-82 Time 3:30p
Preliminary check by KCW Fee \$ 45.00
Receipted by BP Date 9/26/83 # 29690
Publication prepared by RB Date _____
Published in Idaho State Journal
Publication dates 9-7-89
Publication approved OW Date 9-22-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

DEC 12 1983

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

29-07742
BULLOCK, EDWIN K.
BULLOCK, MELBA
RT. 3, BOX 208A
Pocatello, ID 83201
Source: GROUNDWATER
Diversion Pt:
SENE Sec 20 T 07S R 35E
Use: IRRIGATION (.080 CFS)
STOCKWATER (.030 CFS)
DOMESTIC (.040 CFS)
Date Filed: 6/22/1983
In: T07S R35E S20
NWNE SENE
4.0 ACRES TOTAL

29-07743
BUNKER, RICHARD A.
2140 N. HILLSIDE LN.
POCATELLO, ID 83201
Source: GROUNDWATER
Diversion Pt.
SESW Sec 21 T 07S R 35E
Use: IRRIGATION (.440 CFS)
STOCKWATER (.040 CFS)
DOMESTIC (.040 CFS)
Date Filed: 7/26/1983
In: T07S R35E S21 SESW
22.0 ACRES TOTAL

29-07751
PRICE, ROBERT R.
PRICE, S. E.
RT. 1 BOX 4165
INKOM, ID 83245
Source: GROUNDWATER
Diversion Pt.
NWNE Sec 25 T 07S R 35E
Use: IRRIGATION (.300 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/26/1983
In: T07S R35E S25 NWNE
15.0 ACRES TOTAL

29-07753
CARLSON, RODNEY E.
P.O. BOX 1235
POCATELLO, ID 83201
Source: GROUNDWATER
Diversion Pt.
NENE Sec 11 T 06S R 34E
SENE Sec 11 T 06S R 34E
Use: IRRIGATION (.940 CFS)
STOCKWATER (.020 CFS)
Date Filed: 9/16/1983
In: T06S R34E S11 NENE SENE
48.0 ACRES TOTAL

29-07755
MAYR, LAMONT A.
MAYR, BETTY
BOX 211
INKOM, ID 83245
Source: GROUNDWATER
Diversion Pt.
SWNE Sec 27 T 07S R 36E
Use: IRRIGATION (.110 CFS)
Date Filed: 6/15/1983
In: T07S R36E S27 SWNE
10.0 ACRES TOTAL

29-07760
DUTTON, BILLY J.
STAR ROUTE BOX 160
POCATELLO, ID 83201
Source: GROUNDWATER
Diversion Pt:
NENE Sec 18 T 06S R 33E
Use: IRRIGATION (.160 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 6/24/1983
In: T06S R33E S18 NENE
8.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 25, 1989.
S/R. Keith Higginson, Director
September 7, 14, 1989
No. 494

NOTICE OF PUBLICATION

RECEIVED

SEP 15 1989

Department of Water Resources
Eastern District Office

Sandra K. Wann

being first duly sworn on oath deposes and says: That she was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

<u>7 September</u>	<u>1989</u>	<u>19</u>
<u>14 September</u>	<u>1989</u>	<u>19</u>
<u>19</u>	<u>19</u>	<u>19</u>
<u>19</u>	<u>19</u>	<u>19</u>
<u>19</u>	<u>19</u>	<u>19</u>

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sandra K. Wann

STATE OF IDAHO

COUNTY OF Bannock

On this 14th day of September in the year of 1989, before me, a Notary Public, personally appeared Sandra K. Wann, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

John L. Hansen
Notary Public for Idaho
Residing at Pocatello
My commission expires July, 1991

NOT RECORDED

DEC 13 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 10, 1997

ROBERT R PRICE
S E PRICE
RT 1 BOX 4165
INKOM ID 83245

RE: WATER RIGHT NO. 29-07751

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
JAN 23 1997

MEMORANDUM

TO: File 29-07751

FROM: Sharla

DATE: January 8, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Right 29-07751 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.03 cfs	4.0 afa
Stockwater	1/1 - 12/31	0.02 cfs	02 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
	TOTALS	0.07 cfs	4.8 afa

The domestic component is for in-house use only; the rate of diversion has been adjusted accordingly. Stockwater volume is based on 12 cattle. Since the irrigation is less than 5 acres, a rate of diversion of 0.03 cfs/acre can be allowed.

Examiner: Steve Garrison
Exam Date: June 11, 1996

MICROFILMED
JAN 22 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 29-07751

DATE 1/7/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>✓ mailing address</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.36</u> cfs
Fee limit	<u>1.0</u> cfs \$ <u>10000</u>
Measured	<u>.08</u> cfs
Theoretical	<u>.12</u> cfs $5 \times 8.8 \times 7 / 125 + (2.31 \times 60) =$
Recommended Total Div Rate <u>.00</u> cfs	

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

<u>Ir</u> <u>.03</u>	Volume Calculation
<u>Stock</u> <u>.02</u>	$1 \times 4.0 = 4.0$ af
<u>Dom</u> <u>.02</u>	<u>.2</u> af
	<u>.6</u> af
	<u>—</u> af
SUBTOTAL	<u>4.8</u> af

Flow rate .02 cfs $\times 214$ $\times 1.98 = 8.5$
 $\times 365$ days $\times 1.98 = 29.0$ af
 Total volume recommended 4.8 af 37.5
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/I home; irrig not incl.

CONDITIONS — Watermaster Control WD# —

GW Measurement/Measuring Device

R51 Overlap

— Use-specific conditions

048,049

Advancement of Priority Date Required — yes — no

SRBA Claim Filed N/A

Adjustment Memo

1st Amend Letter N/A

2nd Amend Letter N/A

*total rate w/ dec. rate
stock vol.
.03 cfs/acre*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 06 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 29-7751

1. Owner: Robert R. Price or S.E. Price Phone No. 775-4471

^{Residence}
Current Address: 4431 W. Portneuf Rd. Inland, ID 83245

2. Accompanied by: Robert R. Price EXAM DATE: 11 JUN 96

^{Mailing}
Address: Rt. 1 Box 4165 Inland, ID 83245 Phone No. —

Relationship to Permit Holder: —

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NE	25	07S	35E	BANNOCK	ON SITE

2. Place(s) of Use:

Indicate Method of Determination


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07S	35E	25		1															1

MICROFILMED

JAN 23 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

N ↑



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Electric	5	2821139003		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						
Pitot Gauge					0-60	

2. Measurements: Polysonic V-method ; W-method

MICROFILMED

JAN 23 1957

E. NARRATIVE/REMARKS/COMMENTS

*Submersible pump to single family domestic, stock trough,
and irrigation*

1 ACRE IRRIGATED - NOT 15 ACRES

1 HOME; 12 HEAD OF CATTLE

3.5" od

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
JAN 23 1967

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

Polysonic $34.96 \text{ gpm} \div 448.8 \text{ gpm} = 0.08 \text{ cfs}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{1.0 \text{ AC} (4.0)} = \underline{4.0}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{.02 (214) (1.9835)} = \underline{8.5}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{4.0}$

2. Volume Calculations for Other Uses:

DOMESTIC 0.6 AFA
STOCKWATER - ?

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>IRRIGATION</i>	<i>4-1</i>	<i>10-31</i>	<i>.02</i>	<i>4.0</i>
<i>DOMESTIC</i>	<i>1-1</i>	<i>12-31</i>	<i>.04</i>	<i>0.6</i>
<i>STOCKWATER</i>	<i>1-1</i>	<i>12-31</i>	<i>.02</i>	<i>?</i>
Totals:			<i>.08</i>	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name *Steven Garrison* Date *1 JAN 96*

Reviewer *A Taylor* Date *12-4-96*

SEAL

MICROFILMED
 JAN 23 1997

29-7751

SETUP NO. 1
PIPE O.D 3.500 IN
PIPE WALL THICKNESS 0.189 IN
PIPE I.D 3.140 IN
PIPE MATERIAL PUC
PIPE SOUND VELOCITY 7388.451 F/S
LINER MATERIAL NONE
LINER SOUND VELOCITY 0.000 F/S
LINER THICKNESS 0.000 IN
INSIDE ABS ROUGHNESS 0.00000700
FLUID MATERIAL WATER
FLUID SOUND VELOCITY 4863.330 F/S
FLUID VISCOSITY 1.132 Cst
TRANSDUCER TYPE STANDARD
TRANSDUCER MOUNTING U
TRANSDUCER SPACING 1.890 IN

16:29:40 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.30 GPM
Avg. Rate 27.47 GPM
FLOW RATE 31.23 GPM
NET TOT(X1) 41582 GAL
POS TOT(X1) 7744 GAL
NEG TOT(X1) 216 GAL

16:30:14 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.31 GPM
Avg. Rate 31.21 GPM
FLOW RATE 31.01 GPM
NET TOT(X1) 41599 GAL
POS TOT(X1) 7761 GAL
NEG TOT(X1) 216 GAL

16:31:01 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.31 GPM
Avg. Rate 31.04 GPM
FLOW RATE 31.07 GPM
NET TOT(X1) 41624 GAL
POS TOT(X1) 7786 GAL
NEG TOT(X1) 216 GAL

16:33:31 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.91 GPM
FLOW RATE 30.84 GPM
NET TOT(X1) 41701 GAL
POS TOT(X1) 7863 GAL
NEG TOT(X1) 216 GAL

16:35:00 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.75 GPM
FLOW RATE 30.75 GPM

Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.91 GPM
FLOW RATE 30.84 GPM
NET TOT(X1) 41701 GAL
POS TOT(X1) 7863 GAL
NEG TOT(X1) 216 GAL

16:35:00 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.75 GPM
FLOW RATE 29.86 GPM
NET TOT(X1) 41747 GAL
POS TOT(X1) 7909 GAL
NEG TOT(X1) 216 GAL

16:40:29 06-11-96
Min. Rate -255.12 GPM
Max. Rate 34.96 GPM
Avg. Rate 25.38 GPM
FLOW RATE 30.92 GPM
NET TOT(X1) 41611 GAL
POS TOT(X1) 8015 GAL
NEG TOT(X1) 459 GAL

16:41:01 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.09 GPM
Avg. Rate 29.54 GPM
FLOW RATE 30.79 GPM
NET TOT(X1) 41770 GAL
POS TOT(X1) 8174 GAL
NEG TOT(X1) 459 GAL

16:45:59 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.09 GPM
Avg. Rate 29.54 GPM
FLOW RATE 30.79 GPM
NET TOT(X1) 41770 GAL
POS TOT(X1) 8174 GAL
NEG TOT(X1) 459 GAL

16:46:41 06-11-96
SCALE FACTOR = 0.990
OFFSET (GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT DET DLY = 19.51
AERATION FAC = 1.00
XDUCE: STANDARD/W

WIN_DLY = 239.88 239.88
SE>R = 1.61 1.63
BIAS = 1.24 1.27
AGC = 1.02 1.04
SIG STG = 8.00 7.92
MISSED = 0 0
TIME(us) = 239.2 239.1
DEL TIME(ns) = 56.1
DIFF COUNT = 13906
PZX = 305
SPS = 6.51
AERATION = 0.000

FLUID (F/S) = 4863.33
REYNOLDS NO. = 27306
PROFILE FACTOR = 0.9045
FLOW: = 30.786 GPM
1.276 F/S

16:47:53 06-11-96
Min. Rate 0.00 GPM
Max. Rate 0.00 GPM
Avg. Rate <NaN> GPM
FLOW RATE 0.00 GPM
NET TOT(X1) 41820 GAL
POS TOT(X1) 8225 GAL
NEG TOT(X1) 459 GAL

FLOW 30.912 GPM
1.281 F/S

16:47:53 06-11-96
Min. Rate 0.00 GPM
Max. Rate 0.00 GPM
Avg. Rate <NaN> GPM
FLOW RATE 0.00 GPM
NET TOT(X1) 41820 GAL
POS TOT(X1) 8225 GAL
NEG TOT(X1) 459 GAL

FLOW 30.912 GPM
1.281 F/S

16:48:37 06-11-96
SCALE FACTOR = 0.990
OFFSET (GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT DET DLY = 19.51
AERATION FAC = 1.00
XDUCE: STANDARD/W

WIN_DLY = 239.88 239.88
SE>R = 1.61 1.63
BIAS = 1.24 1.27
AGC = 1.02 1.04
SIG STG = 8.00 7.92
MISSED = 0 0
TIME(us) = 239.2 239.1
DEL TIME(ns) = 56.1
DIFF COUNT = 13906
PZX = 305
SPS = 6.51
AERATION = 0.000

FLUID (F/S) = 4863.33
REYNOLDS NO. = 27306
PROFILE FACTOR = 0.9045
FLOW: = 30.733 GPM
1.273 F/S

16:49:35 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.04 GPM
Avg. Rate 27.07 GPM
FLOW RATE 31.04 GPM
NET TOT(X1) 41866 GAL
POS TOT(X1) 8270 GAL
NEG TOT(X1) 459 GAL

29-7751

SETUP NO. 1
PIPE O.D 3.500 IN
PIPE WALL THICKNESS 0.189 IN
PIPE I.D 3.140 IN
PIPE MATERIAL PUC
PIPE SOUND VELOCITY 7388.451 F/S
LINER MATERIAL NONE
LINER SOUND VELOCITY 0.000 F/S
LINER THICKNESS 0.000 IN
INSIDE ABS ROUGHNESS 0.00000700
FLUID MATERIAL WATER
FLUID SOUND VELOCITY 4863.330 F/S
FLUID VISCOSITY 1.132 Cst
TRANSDUCER TYPE STANDARD
TRANSDUCER MOUNTING U
TRANSDUCER SPACING 1.890 IN

16:29:40 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.30 GPM
Avg. Rate 27.47 GPM
FLOW RATE 31.23 GPM
NET TOT(X1) 41582 GAL
POS TOT(X1) 7744 GAL
NEG TOT(X1) 216 GAL

16:30:14 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.31 GPM
Avg. Rate 31.21 GPM
FLOW RATE 31.01 GPM
NET TOT(X1) 41599 GAL
POS TOT(X1) 7761 GAL
NEG TOT(X1) 216 GAL

16:31:01 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.31 GPM
Avg. Rate 31.04 GPM
FLOW RATE 31.07 GPM
NET TOT(X1) 41624 GAL
POS TOT(X1) 7786 GAL
NEG TOT(X1) 216 GAL

16:33:31 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.91 GPM
FLOW RATE 30.84 GPM
NET TOT(X1) 41701 GAL
POS TOT(X1) 7863 GAL
NEG TOT(X1) 216 GAL

16:35:00 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.75 GPM
FLOW RATE 30.75 GPM
NET TOT(X1) 41747 GAL
POS TOT(X1) 7909 GAL
NEG TOT(X1) 216 GAL

16:40:29 06-11-96
Min. Rate -255.12 GPM
Max. Rate 34.96 GPM
Avg. Rate 25.38 GPM
FLOW RATE 30.92 GPM
NET TOT(X1) 41611 GAL
POS TOT(X1) 8015 GAL
NEG TOT(X1) 459 GAL

16:41:01 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.09 GPM
Avg. Rate 29.54 GPM
FLOW RATE 30.79 GPM
NET TOT(X1) 41770 GAL
POS TOT(X1) 8174 GAL
NEG TOT(X1) 459 GAL

16:45:59 06-11-96
Min. Rate 0.00 GPM
Max. Rate 31.09 GPM
Avg. Rate 29.54 GPM
FLOW RATE 30.79 GPM
NET TOT(X1) 41770 GAL
POS TOT(X1) 8174 GAL
NEG TOT(X1) 459 GAL

16:46:41 06-11-96
SCALE FACTOR = 0.990
OFFSET (GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT DET DLY = 19.51
AERATION FAC = 1.00
XDUCE: STANDARD/W

WIN_DLY = 239.88 239.88
SE>R = 1.65 1.63
BIAS = 1.29 1.27
AGC = 1.06 1.04
STG STG = 8 8

29-7751

SETUP NO. 1

PIPE O.D 3.500 IN

PIPE WALL THICKNESS 0.193 IN

PIPE I.D 3.143 IN

PIPE MATERIAL PVC

PIPE SOUND VELOCITY 7388.451 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 8.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00000700

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 CSt

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING U

TRANSDUCER SPACING 1.890 IN

16:29:40 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.30 GPM
Avg. Rate 27.47 GPM
FLOW RATE 31.23 GPM
NET TOT(X1) 41582 GAL
POS TOT(X1) 7744 GAL
NEG TOT(X1) 216 GAL

16:30:14 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.31 GPM
Avg. Rate 31.21 GPM
FLOW RATE 31.01 GPM
NET TOT(X1) 41599 GAL
POS TOT(X1) 7761 GAL
NEG TOT(X1) 216 GAL

16:31:01 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.31 GPM
Avg. Rate 31.04 GPM
FLOW RATE 31.07 GPM
NET TOT(X1) 41624 GAL
POS TOT(X1) 7796 GAL
NEG TOT(X1) 216 GAL

16:33:31 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.91 GPM
FLOW RATE 30.84 GPM
NET TOT(X1) 41701 GAL
POS TOT(X1) 7863 GAL
NEG TOT(X1) 216 GAL

16:35:00 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.75 GPM

Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.91 GPM
FLOW RATE 30.84 GPM
NET TOT(X1) 41701 GAL
POS TOT(X1) 7863 GAL
NEG TOT(X1) 216 GAL

16:35:00 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.32 GPM
Avg. Rate 30.75 GPM
FLOW RATE 29.86 GPM
NET TOT(X1) 41747 GAL
POS TOT(X1) 7909 GAL
NEG TOT(X1) 216 GAL

16:40:29 06-11-96

Min. Rate -255.12 GPM
Max. Rate 34.96 GPM
Avg. Rate 25.38 GPM
FLOW RATE 30.92 GPM
NET TOT(X1) 41611 GAL
POS TOT(X1) 8015 GAL
NEG TOT(X1) 459 GAL

16:41:01 06-11-96

Min. Rate 0.00 GPM
Max. Rate 0.00 GPM
Avg. Rate <NaN> GPM
FLOW RATE 0.00 GPM
NET TOT(X1) 41624 GAL
POS TOT(X1) 8028 GAL
NEG TOT(X1) 459 GAL

16:45:59 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.09 GPM
Avg. Rate 29.54 GPM
FLOW RATE 30.79 GPM
NET TOT(X1) 41770 GAL
POS TOT(X1) 8174 GAL
NEG TOT(X1) 459 GAL

16:46:41 06-11-96

SCALE FACTOR = 0.990
OFFSET(GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY = 19.51
AERATION FAC. = 1.00
XDCER: STANDARD/W

WIN_DLY = 239.88 239.88

SEXR = 1.61 1.63
BIAS = 1.24 1.27
AGC = 1.06 1.04
SIG_STG = 8.00 8.00
MISSED = 0 0
TIME(us) = 239.2 239.1
DEL TIME(ns) = 56.1
DIFF COUNT = 13906

P2X = 301

SPS = 6.60

AERATION = 0.000

FLUID (F/S) = 4863.33

REYNOLDS NO. = 27359

PROFILE FACTOR = 0.9045

FLOW: = 30.786 GPM

1.276 F/S

16:47:53 06-11-96

Min. Rate 0.00 GPM
Max. Rate 0.00 GPM
Avg. Rate <NaN> GPM
FLOW RATE 0.00 GPM
NET TOT(X1) 41820 GAL
POS TOT(X1) 8225 GAL
NEG TOT(X1) 459 GAL

FLOW 30.912 GPM

1.281 F/S

16:47:53 06-11-96

Min. Rate 0.00 GPM
Max. Rate 0.00 GPM
Avg. Rate <NaN> GPM
FLOW RATE 0.00 GPM
NET TOT(X1) 41820 GAL
POS TOT(X1) 8225 GAL
NEG TOT(X1) 459 GAL

FLOW 30.912 GPM

1.281 F/S

16:48:37 06-11-96

SCALE FACTOR = 0.990
OFFSET(GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY = 19.51
AERATION FAC. = 1.00
XDCER: STANDARD/W

WIN_DLY = 239.88 239.88

SEXR = 1.61 1.63
BIAS = 1.24 1.27
AGC = 1.06 1.04
SIG_STG = 8.00 8.00
MISSED = 0 0
TIME(us) = 239.2 239.1
DEL TIME(ns) = 56.1
DIFF COUNT = 13906

P2X = 301

SPS = 6.51

AERATION = 0.000

FLUID (F/S) = 4863.33

REYNOLDS NO. = 27306

PROFILE FACTOR = 0.9045

FLOW: = 30.733 GPM

1.273 F/S

16:49:35 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.04 GPM
Avg. Rate 27.07 GPM
FLOW RATE 31.04 GPM
NET TOT(X1) 41866 GAL
POS TOT(X1) 8270 GAL
NEG TOT(X1) 459 GAL

16:41:01 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.09 GPM
Avg. Rate 29.54 GPM
FLOW RATE 30.79 GPM
NET TOT(X1) 41770 GAL
POS TOT(X1) 8174 GAL
NEG TOT(X1) 459 GAL

16:45:59 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.09 GPM
Avg. Rate 29.54 GPM
FLOW RATE 30.79 GPM
NET TOT(X1) 41770 GAL
POS TOT(X1) 8174 GAL
NEG TOT(X1) 459 GAL

16:46:41 06-11-96

SCALE FACTOR = 0.990
OFFSET(GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY = 19.51
AERATION FAC. = 1.00
XDCER: STANDARD/W

WIN_DLY = 239.88 239.88

SEXR = 1.65 1.63
BIAS = 1.29 1.27
AGC = 1.06 1.04
SIG_STG = 8.00 8.00
MISSED = 0 0
TIME(us) = 239.2 239.1
DEL TIME(ns) = 56.1
DIFF COUNT = 26820

P2X = 301

SPS = 6.60

AERATION = 0.000

FLUID (F/S) = 4863.33

REYNOLDS NO. = 27359

PROFILE FACTOR = 0.9045

FLOW: = 30.786 GPM

1.276 F/S

16:47:53 06-11-96

Min. Rate 0.00 GPM
Max. Rate 0.00 GPM
Avg. Rate <NaN> GPM
FLOW RATE 0.00 GPM
NET TOT(X1) 41820 GAL
POS TOT(X1) 8225 GAL
NEG TOT(X1) 459 GAL

FLOW 30.912 GPM

1.281 F/S

16:48:37 06-11-96

SCALE FACTOR = 0.990
OFFSET(GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY = 19.51
AERATION FAC. = 1.00
XDCER: STANDARD/W

WIN_DLY = 239.88 239.88

SEXR = 1.61 1.63
BIAS = 1.24 1.27
AGC = 1.06 1.04
SIG_STG = 8.00 8.00
MISSED = 0 0
TIME(us) = 239.2 239.1
DEL TIME(ns) = 56.1
DIFF COUNT = 13906

P2X = 301

SPS = 6.51

AERATION = 0.000

FLUID (F/S) = 4863.33

REYNOLDS NO. = 27306

PROFILE FACTOR = 0.9045

FLOW: = 30.733 GPM


1.273 F/S

16:49:35 06-11-96

Min. Rate 0.00 GPM
Max. Rate 31.04 GPM
Avg. Rate 27.07 GPM
FLOW RATE 31.04 GPM
NET TOT(X1) 41866 GAL
POS TOT(X1) 8270 GAL
NEG TOT(X1) 459 GAL

MICROFILMED

JAN 23 1997



23 24

20 21

21 22
25 30

PLACE OF USE
1 ACRE, HOME & STOCK

POINT OF
DIVERSION

NHE
4
21.8

NHE
4
1.3

NHE
3
12.1

5 NHE
9.4

8 NHE
10.4

T
7
S
R 35 E

24 25
26 30

January 24, 1990

ROBERT R. PRICE
S. E. PRICE
RT. 1 BOX 4165
INKOM, ID 83245

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 29-07751

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
FEB 15 1990

PRICE

1/80

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 29-7751

Date: 1-8-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
 Reinstated

Source of Water:

- Surface water
☒ Groundwater
 1. well log in file 9-13-1985
 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
 Has one been installed?
 Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<u>NA</u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>
<u> </u>	<u> </u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 31, 1989

ROBERT R. PRICE
S. E. PRICE
RT. 1 BOX 4165
INKOM, ID 83245

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P29-07751

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

FILED
DEC 13 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Microfilm

DEC 13 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KCW APPLICATION NUMBER: 29 7751

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9-25-89
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-15-89
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 29H-POS
9-26-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

Allow 1 yr. for B/U development -
App. in NON-TRUST area -


By: ALW Date: 9-22-89

STATE OFFICE REVIEW:

P05, P23, P16 48 49 46

- ☐ See attached sheet for more information.
By: KW

Date: 10-24-89



Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

30-Aug-1989

Robert R. Price
Rt. 1, Box 4165
Inkom, , ID 83245

RE: Application for Permit No. 29-7751

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Idaho State Journal. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

DEC 13 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 29, 1989

IDAHO STATE JOURNAL
P.O. BOX 431
POCATELLO, ID 83204

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 25, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

DEC 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following : 1' tion(s) have been fil t ppropriate the public
waters of the State of Idaho:

MICROFILMED

DEC 13 1989

29-07751

PRICE, ROBERT R.
PRICE, S. E.
RT.1 BOX 4165
INKOM,, ID 83245

Source: GROUNDWATER

Diversion Pt: NWNW Sec 25 T 07S R 35E

Use: IRRIGATION	(.300 CFS)
STOCKWATER	(.020 CFS)
DOMESTIC	(.040 CFS)

Date Filed: 9/26/1983

In: T07S R35E S25 NWNW

15.0 ACRES TOTAL

MICROFILMED

DEC 13 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 25, 1989.

R. Keith Higginson, Director

Published 9/07/1989 & 9/14/1989

DEC 13 1989

DEC 13 1989

08/85

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE SURVEY

RECEIVED

AUG 22 1985

Department of Water Resources
Eastern District Office

29-2251-

PRICE, ROBERT R. &/or S.E.

RT.1, BOX 4165, INKOM., ID 83245

Source: GROUNDWATER

Date Filed: 09/26/1983

Diversion Pt: NNNE Sec 25 T 07S R 35E

Use: IRRIGATION	(0.30 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: NNNE Sec 25 T 07S R 35E FOR 15 ACRES

Check the box to the left of the paragraph which accurately describes the status of the project described by the application and then sign on the line at the bottom of the page.

A. ☐ Prior to October 1, 1984, the source of water listed on application for permit No. _____ was not being diverted and put to beneficial use as represented by the application.

B. ☒ Prior to October 1, 1984, the source of water listed on application for permit No. 29- was being diverted and put to beneficial use as represented by the application.

MICROFILMED

DEC 13 1989

If paragraph "B" was selected return the form with documentation confirming beneficial use occurred prior to October 1, 1984. This documentation should include a sworn statement from you as applicant, plus other evidence that will substantiate beneficial use.

Additional information is not required for paragraph "A".

Robert R. Price
(Signature)

Here is a copy of delivery memo
for three-inch sprinkler pipe that
I started using the spring of '84
on my 15 acres.

This is my sworn statement that
this was being beneficially used in
the spring and summer of '84.

Reese Price
+
Haron Price

MICROFILMED

DEC 13 1989

RECEIVED

AUG 22 1989

Department of Water Resources
Eastern District Office

RAIN FOR RENT, INC.

WORK ORDER - DELIVER TO SET

COMPANY LOCATION

Name

NO

96

263443

THIS IS NOT AN INVOICE

CUSTOMER NAME

Reel	Price
1	1.00
2	1.00
3	1.00
4	1.00
5	1.00
6	1.00
7	1.00
8	1.00
9	1.00
10	1.00
11	1.00
12	1.00
13	1.00
14	1.00
15	1.00
16	1.00
17	1.00
18	1.00
19	1.00
20	1.00
21	1.00
22	1.00
23	1.00
24	1.00
25	1.00
26	1.00
27	1.00
28	1.00
29	1.00
30	1.00
31	1.00
32	1.00
33	1.00
34	1.00
35	1.00
36	1.00
37	1.00
38	1.00
39	1.00
40	1.00
41	1.00
42	1.00
43	1.00
44	1.00
45	1.00
46	1.00
47	1.00
48	1.00
49	1.00
50	1.00
51	1.00
52	1.00
53	1.00
54	1.00
55	1.00
56	1.00
57	1.00
58	1.00
59	1.00
60	1.00
61	1.00
62	1.00
63	1.00
64	1.00
65	1.00
66	1.00
67	1.00
68	1.00
69	1.00
70	1.00
71	1.00
72	1.00
73	1.00
74	1.00
75	1.00
76	1.00
77	1.00
78	1.00
79	1.00
80	1.00
81	1.00
82	1.00
83	1.00
84	1.00
85	1.00
86	1.00
87	1.00
88	1.00
89	1.00
90	1.00
91	1.00
92	1.00
93	1.00
94	1.00
95	1.00
96	1.00
97	1.00
98	1.00
99	1.00
100	1.00

DATE _____

3-7-84

LOCATION

**CUSTOMER
ORDER NO.**

BILLED ON
INVOICE NO.DELIVERY ☒ DATE

DATE 3-7-84

RETURN ☐ DATE[illegible][illegible]

CREW TIME		
NAME	REG	O.T.
1		
2		
3		
4		
5		
6		

DEC 13 1989

FITTINGS	NO.	SIZE	NO.	SIZE
SPRINKLERS				
RISERS				
VALVE ELLS				
VALVE TEES				
ROAD GUARDS				
END PLUGS				
LATCH ADAPT.				
ELLS				
TEES				
CHANGEOVERS				
END CAPS				
HYDRANTS				
SPACERS				
VALVES		AUG		
GATE VALVES				
CHECK VALVES				

HIRED EQUIPMENT

CONTRACT LABOR

ABOVE LISTED MATERIAL SUBJECT TO THE TERMS AND CONDITIONS LISTED ON THE REVERSE SIDE OF THIS FORM.

I CERTIFY THAT ALL THE ITEMS LISTED ABOVE HAVE BEEN DELIVERED AS STATED AND THAT THESE ITEMS WERE IN A SERVICEABLE CONDITION WHEN DELIVERED.

ATTACH PICTURE

DATE _____

SIGNED - DRIVER

QUOTATION SHEET FOR SALE OR RENTAL

COMPANY LOCATION *None*

NO. *96* DATE *7-13-83*

☒ SALE ☐ RENTAL FROM *51934*

CUSTOMER *Reese Price*

CUST. NO.

CUST. P.O.N.

ADDRESS *rt 1 Box 4165*

COUNTY

SALESMAN

DAVE STUBBS

CITY *Idaho* STATE *Idaho* ZIP *83402*

TERMS IF OTHER THAN ON REVERSE

Cash Sale in the

DELIVERY DIRECTIONS

459-0302

THIS IS NOT AN INVOICE

QUANTITY	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1800'	3X40 24" RISERS, SHINK		
1	3" Encl. Tee		
1	3" COF. WHIRL PIPE THREADS		
2	3" Encl. Plugs		
CUSTOMER WILL PICK UP AT THE FALLS			
RFR			
PAID IN FULL BY CHECK # 1190			
QUOTATION			
INSTALLATION AND REMOVAL			
DELIVERY CHARGE			

ABOVE LISTED MATERIAL SUBJECT TO THE TERMS AND CONDITIONS OF THIS FORM. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

SUB TOTAL

SALES OR USE TAX

TOTAL

THIS IS NOT A RECEIPT

THE UNDERSIGNED CUSTOMER AGREES THAT HE HAS READ THE TERMS AND CONDITIONS ON BOTH SIDES OF THIS FORM AND THAT THEY CONSTITUTE THE ENTIRE AGREEMENT BETWEEN THE PARTIES HERETO.

ACCEPTED FOR RAIN FOR RENT, INC. BY

X Reese Price
CUSTOMER SIGNATURE DATE

AUTHORIZED SIGNATURE

FIRST YEAR RENTAL ALLOWANCE IS OF RENTAL PAID



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

August 13, 1985

RE: Application for Permit No. 29-7751

Robert R. Price
Rt. 1, Box 4165
Inkom, Idaho 83245

Dear Mr. Price:

In October of 1984, Idaho Power Company and the State of Idaho signed an agreement stating the Company's water rights would be subordinated to those persons who beneficially used water prior to October 1, 1984, and who filed an application or claim for said use by June 30, 1985.

To insure proper consideration of your application pursuant to the above agreement, follow the directions on the enclosed form and return it to this office when completed. For your benefit in identifying the point of diversion and place of use, included on the form is a description of the major items contained on the application.

Your cooperation in returning the completed form and supplemental documentation will expedite future administrative action on your application when processing of applications above Swan Falls resumes.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

DEC 13 1989

29-2251-

PRICE, ROBERT R. &/or S.E.

RT.1, BOX 4165, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 09/26/1983

Diversion Pt: NWNE Sec 25 T 07S R 35E

Use: IRRIGATION	(0.30 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: NWNE Sec 25 T 07S R 35E FOR 15 ACRES

MICROFILMED

DEC 13 1989