

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07659

Priority: August 25, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.4 AF

This is to certify, that VIRGIL GERMER
LAURA GERMER

5268 W. PORTNEUF RD.
INKOM, ID 832450000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 25, 1982; and has submitted Proof of Beneficial Use on September 14, 1987. An examination indicates that the works have a diversion capacity of .050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 23, Township 07S, Range 35E
BANNOCK County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07S 35E 23 NESE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED

FEB 13 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07659

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of JANUARY, 1990.

Acting for R. Keith Higginson, Director

MICHAEL

FEB 13 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 29-07659

RECEIVED
OCT 25 1989

Date of Priority: August 25, 1982

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:¹

1.4 AF

Comes now

VIRGIL GERMER
LAURA GERMER

5268 W. PORTNEUF RD.
INKOM, ID 832450000

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 29-07659, and requests that the permit be changed as follows:

Source: **GROUNDWATER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 23, Township 07S, Range 35E
BANNOCK County

PLACE OF USE: STOCKWATER

TWN RGE SEC

07S 35E 23 NESE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

MICROFILMED

FEB 13 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 5268 W. Portneuf Rd. Inkoma, Idaho this 18 day of October, 1989.

Virgil L. Germer
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 29-07659

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by D.K. Date 10-26-89 **#C012538**

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 29-07659 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

Witness my hand this 15TH day of JANUARY, 1990.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Virgil or Laura Germer Phone 775-3782

Post office address Rt. 2, Inkom, Idaho 83245

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 7S

Range 35E B.M. Bannock County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, mainline to single
domestic home

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 60 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 7S
Range 35E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.

(5) If water is to be used for other purposes describe: _____

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2-inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Virgil F. Gerner
(Applicant)

Proposed Priority 8/25/1982
Assisted by Kew
Received by _____ Date 8-25-82 Time 1615hrs
Preliminary check by HWS Fee \$ 30.00
Received by BP Date 8-25-82 #22471
Publication prepared by BP Date 9/2/82
Published in Idaho St. Journal
Publication dates 9/9 - 9/16/82
Publication approved CW Date 9-28-82
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by EMC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7659, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 7th day of October, 1982.

L. Glen Saylor
Chief, Operations Bureau

RECEIVED
OCT 1 1982

PROOF OF PUBLICATION

RECEIVED

STATE OF IDAHO
County of Bannock

ss.

SEP 27 1982

Department of Resources
Eastern District Office

Sheryl Gardiol

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

<u>September 9</u> , 19 <u>82</u>	_____	19 _____
<u>September 16</u> , 19 <u>82</u>	_____	19 _____
_____, 19 _____	_____	19 _____
_____, 19 _____	_____	19 _____
_____, 19 _____	_____	19 _____

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sheryl Gardiol

Subscribed and sworn to before me this 24th

day of September, 1982

[Signature] [Signature]

Notary Public, State of Idaho
Residence: Pocatello, Idaho

11/21/82

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

SS.

Sheryl Gardiol

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of

the State of Idaho.

29-7658

GERMER, VIRGIL &/or LAURA

RT. 2, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 08-25-1982

Amount: 0.28 CFS

Diversion Point: NESE Sec 23 T 07S R 35E, BANNOCK Co.

Use: IRRIGATION (0.28 CFS) from 03-15 to 11-15

FIRE PROTECTION (0.28 CFS) from 01-01 to 12-31

Place of Use: NESE Sec 23 T 07S R 35E FOR 14 ACRES

Diversion Means: WELL, PUMP & MAINLINE TO HANDLINES

29-7659

GERMER, VIRGIL &/or LAURA

RT. 2, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 08-25-1982

Amount: 0.04 CFS

Diversion Point: NESE Sec 23 T 07S R 35E, BANNOCK Co.

Use: DOMESTIC (0.04 CFS) from 01-01 to 12-31

Place of Use: NESE Sec 23 T 07S R 35E

Diversion Means: WELL, PUMP & MAINLINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave.,

Idaho Falls, Idaho 83402 on or before SEPTEMBER 27, 1982.

S/A. KENNETH DUNN

Director

September 9, 16, 1982

No. 221

being first duly sworn on oath deposes and says: That she was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

September 9, 19 82, 19

September 16, 19 82, 19

, 19, 19

, 19, 19

, 19, 19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Subscribed and sworn to before me this

24th

day of September, 1982

Notary Public, State of Idaho

Residence: Pocatello, Idaho

29-7659

GERMER, VIRGIL &/or LAURA

RT. 2, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 08-25-1982

Amount: 0.04 CFS

Diversion Point: NESE Sec 23 T 07S R
35E, BANNOCK Co.

Use: DOMESTIC (0.04 CFS) from 01-01 to
12-31

Place of Use: NESE Sec 23 T 07S R 35E

Diversion Means: WELL, PUMP &
MAINLINE

If issued, the permit(s) will be subject to
all prior water rights. Protests against
the granting of any permit must be filed
with the Director of the Idaho Depart-
ment of Water Resources, 150 Shoup Ave.,
Idaho Falls, Idaho 83402 on or before
SEPTEMBER 27, 1982.

S/A. KENNETH DUNN

Director

September 9, 16, 1982

January 16, 1990

VIRGIL GERMER
LAURA GERMER
5268 W. PORTNEUF RD.
INKOM, ID 832450000

RE: PERMIT NO. 29-07659

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

FEB 13 1990

September 27, 1989

VIRGIL GERMER
LAURA GERMER
5268 W. PORTNEUF RD.
INKOM, ID 832450000

RE: PERMIT NO. 29-07659

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

29-7659
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

Doc 29-7658

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ ~~Computer Data Proof Report~~
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index KCW 9-17-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: 29-7658

Check of P/U index KCW 9-17-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: 29-7658

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ ~~Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.~~

C. Review and Processing:

Exam Completed Kelvin Keron 8-15-88 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent KCW 8-6-88 (Initial and date)

Exam Reviewed by Manager of Regional Office SM 10 Jan 1989 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
2907659	07S	35E	23		NE	SE		GROUNDWATER	GERMER, VIRGIL
2904065								PORTNEUF RIVER	PALMER, HYRUM
2904156								PORTNEUF RIVER	SMITH, THERON
2907658								GROUNDWATER	GERMER, VIRGIL

(IRRIGATION USE)

Microfilm

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 20 1989

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: VIRGIL OR LAURA GERMER
Current Address: 5268 W. PORNUF, INKOM IDAHO
2. Accompanied by: OWNER
Address: _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

Permit No. 29-7659

Phone No. 775-3782

EXAM. DATE: 5-23-88


Phone No. _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NO
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NO
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = 100' No Scale

FEB 13 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible pump/motor to 2-10 gallon pressure tanks AND 1-80 gallon pressure tank, then to home and 1- stock trough.

14 cows, 3 horses.

Well depth = 56' pump set at 50'

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	JACUZZI	3/4	NONE	JACUZZI	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	23	7S	35E	BANNOCK	MAP

6. **Place(s) of Use:**


Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	35E	23													D ₁ SF				

MICROFILMED

FEB 13 1990

Do not use this space



29-7659

R35E

R35E
T7S

T
7
S

FEB 13 1990

RECEIVED

29-7659

PORTNEUF RIVER

RIVER

Mile 30

Black Rock

Gravel Pit

Borrow Pit

Portneuf River Slough

Morris Canyon Spring

Smith

Panouse Spring

Canyon

JEER

TRAIL

GUTCH

31

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

☒ Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$\text{Theoretical } Q = \frac{(3/4)(8.914)(6.85)}{(50') + (2.31)(30)} = 0.05 \text{ c.f.s.}$$

2. Alternate Method for Checking Purposes:

☒ PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

☒ VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$(17 \text{ head}) \left(\frac{12 \text{ gph}}{\text{day}} \right) \left(\frac{245 \text{ day}}{\text{day}} \right) \left(\frac{\text{ac. Ft}}{325,850 \text{ gph}} \right) = 0.15 \text{ ac. Ft.}$$

MICROFILMED

FEB 13 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

ADD Stock water to nature of use.

Reason: Proof was submitted under permit # 29-7658 for Stockwater. He is using domestic well for stockwater which is under permit number 29-7659, is I recommend adding stockwater to this permit for 17 head of livestock, and ignoring stock water proof on proof sheet # 29-7658.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	0.04	1.2
Stock water	1/1	12/31	0.02	0.15
Totals:			0.04	1.35

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other see section H

J. AUTHENTICATION

Field Examiner's Name Richard Lewon
Signature Richard Lewon
Certification Date 8-15-88
Field Report Preparation Date _____

Steve McLaurin
10-Jan-1989
CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JDM 2/13/89

MICROFILMED

FEB 13 1990

27-1659



Microfilm

FEB 13 1990

FROM KEITH C. WILSON

DATE 8-12-1988

TO FILE 29-7659


SUBJECT Adding Use.

PERMIT - DOMESTIC
ADD USE STOCK WATER

For 17 range cattle daily use is: $17 \times 12 \text{ gal/d/h} = 204 \text{ gal per day}$
WILL NOT EXCEED 13000 gal/day and should come
under domestic use. I Recommend adding use to
License.

MICROFILMED

FEB 13 1990


SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 10, 1987

VIRGIL BERMER
5268 W. FURINEUF ROAD
INKUM ID 83245

RE: Permit No. 29-7659

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

FEB 13 1990

RECEIVED

SEP 14 1987

Department of Water Resources
Eastern District Office

RECEIVED

SEP 21 1987

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received N/A
Date _____
Receipt # _____
Receipt by _____
Reviewed by EMC
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 29-7659

Name(s) of Permit Holder: Virgil or Laura Gerner

Post Office Address: 5268 W. Portneuf Rd.

Inkom, ID. 83245 Telephone No. 725-3782

Source of Water: Groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Oct. 1982

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ NA
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Same as above.
(Name) (Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

9/14/87
Date

Virgil F. Gerner
Signature of Permit Holder (and title, if appropriate)

OCT 09 1987

138803
CERTIFIED MAIL
July 31, 1987

GERMER, VIRGIL & LAURA
RT. 2
INKOM, ID 83245

PROOF DUE NOTICE

RE: Permit No. 29-7659

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 09 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

FILED

OCT 09 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GERMER, VIRGIL & LAURA
RT. 2
INKOM, ID 83245

OCTOBER 13, 1982

RE: PERMIT NO. 29-7659

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

IN NOVEMBER, 1981, A REPRESENTATIVE OF THIS DEPARTMENT MET WITH THE WATER-
USERS IN THE TRAIL CREEK DRAINAGE BASIN REGARDING CONCERNS THAT DOMESTIC
WELLS ARE ADVERSELY AFFECTED BY PUMPING FOR IRRIGATION PURPOSES.
THEREFORE, PLEASE BE ADVISED THAT GROUNDWATER WATER SUPPLIES IN THE AREA OF
YOUR PROPOSED WELL MAY BE LIMITED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
OCT 15 1982

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

29 7659

INITIAL REVIEW BY: HLJS

APPLICATION NUMBER: _____

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: Sept. 27, 1982 ✓

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-27-82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8-25-82 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: Ernest Carlson

Date: Sept. 28, 1982

STATE OFFICE REVIEW:

524/43, 117

26

- ☐ See attached sheet for more information.

By: Ernest Carlson

Date: 10/6/82

RECEIVED
SEP 29 1982

29-2659

GERMER, VIRGIL &/or LAURA

RT. 2, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 08/25/1982

Amount: 0.04 CFS

Diversion Point: NESE Sec 23 T 07S R 35E. BANNOCK Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESE Sec 23 T 07S R 35E

Diversion Means: WELL, PUMP & MAINLINE

07-20