

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07658

Priority: August 25, 1982

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:¹

45.5 AF

This is to certify, that VIRGIL GERMER
LAURA GERMER

5268 W. PORTNEUF RD.

INKOM, ID 832450000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 25, 1982; and has submitted Proof of Beneficial Use on October 1, 1987. An examination indicates that the works have a diversion capacity of .150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.15 CFS	45.5 AF
FIRE PROTECTION	01/01 to 12/31	0.15 CFS	
	Totals	0.15 CFS	45.5 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 23, Township 07S, Range 35E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	35E	23	NESE	13		13

Total number of acres irrigated: 13

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre of lands above.

MICROFILMED

MAR 20 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-07658

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of MARCH, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

MAR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Virgil or Laura Germer Phone 775-3782

Post office address Rt. 2, Inkom, Idaho 83245

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 7S

Range 35E B.M. Bannock County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.28 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.28 for Fire Protect purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.28 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, mainline to hand
lines

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 100 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 7S
Range 35E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

Fire Protection for single domestic home

RECEIVED
JAN 11 1978
IDAHO DEPT. OF WATER RESOURCES

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 14

c. Describe any other water rights used for the same purposes as described above. 29-4067


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Virgil L. Lerner
(Applicant)

3-10-19

Proposed Priority 8/25/1982

Assisted by Kew

Received by _____ Date 8-25-82 Time 4:00

Preliminary check by HWT Fee \$ 45.00

Received by BP Date 8-25-82 # 22471

Publication prepared by BP Date 9/2/82

Published in Idaho St. Journal

Publication dates 9/9 - 9/16/82

Publication approved OW Date 9-28-82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7658, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 7th day of October, 1982.

A. Glen Saylor
Chief, Operations Bureau

29-7658-0001

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

Sheryl Gardiol

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

September 9, 19 82

, 19

September 16, 19 82

, 19

, 19

, 19

, 19

, 19

, 19

, 19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sheryl Gardiol

Subscribed and sworn to before me this 24th

day of September, 19 82

[Signature]

Notary Public, State of Idaho
Residence: Pocatello, Idaho

RECORDED

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of

the State of Idaho.

29-7658

GERMER, VIRGIL &/or LAURA
RT. 2, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 08-25-1982

Amount: 0.28 CFS

Diversion Point: NESE Sec 23 T 07S R 35E, BANNOCK Co.

Use: IRRIGATION (0.28 CFS) from 03-15 to 11-15

FIRE PROTECTION (0.28 CFS) from 01-01 to 12-31

Place of Use: NESE Sec 23 T 07S R 35E FOR 14 ACRES

Diversion Means: WELL, PUMP & MAINLINE TO HANDLINES

29-7659

GERMER, VIRGIL &/or LAURA
RT. 2, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 08-25-1982

Amount: 0.04 CFS

Diversion Point: NESE Sec 23 T 07S R 35E, BANNOCK Co.

Use: DOMESTIC (0.04 CFS) from 01-01 to 12-31

Place of Use: NESE Sec 23 T 07S R 35E

Diversion Means: WELL, PUMP & MAINLINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave.,

Idaho Falls, Idaho 83402 on or before
SEPTEMBER 27, 1982.

S/A. KENNETH DUNN

Director

September 9, 16, 1982

No. 221

Sheryl Gardiol

being first duly sworn on oath deposes and says: That she was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

September 9, 19 82, 19

September 16, 19 82, 19

, 19, 19

, 19, 19

, 19, 19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Sheryl Gardiol

Subscribed and sworn to before me this 24th

day of September, 19 82

Notary Public, State of Idaho

Residence: Pocatello, Idaho

1 <o<o<o<o

2 NOTICE OF APPLICATION
3 FOR WATER RIGHT

4
5 Notice is hereby given that the following
6 application(s) have been submitted for
7 permit to appropriate the public waters of
8 the State of Idaho.

9 29-7658

10 GERMER, VIRGIL &/or LAURA
11 RT. 2, INKOM, ID 83245

12 Source: GROUNDWATER

13 Date Filed: 08-25-1982

14 Amount: 0.28 CFS

15 Diversion Point: NESE Sec 23 T 07S R
16 35E, BANNOCK Co.

17 Use: IRRIGATION (0.28 CFS) from 03-15
18 to 11-15

19 FIRE PROTECTION (0.28 CFS) from 01-
20 01 to 12-31

21 Place of Use: NESE Sec 23 T 07S R 35E
22 FOR 14 ACRES

23 Diversion Means: WELL, PUMP &
24 MAINLINE TO HANDLINES

March 15, 1990

VIRGIL GERMER
LAURA GERMER
5268 W. PORTNEUF RD.
INKOM, ID 832450000

RE: PERMIT NO. 29-07658

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1990

February 8, 1990

VIRGIL GERMER
LAURA GERMER
5268 W. PORTNEUF RD.
INKOM, ID 832450000

RE: PERMIT NO. 29-07658

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

29-7658
Permit No.

Germer

D.W. (29-7659)

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☐ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SA/ 11-12-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: 7659

Check of P/U index _____ (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: 29-4067/7659

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? ☒ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 5-23-1988 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent Kaw 8/19/88 (Initial and date)
Exam Reviewed by Manager of Regional Office SM - 8-24-1989 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 20 1989

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: VIRGIL OR LAURA GERMER Permit No. 29-7658
Current Address: 5268 W. PORTNEUF Rd. INCOM Idaho Phone No. 775-3782
2. Accompanied by: OWNER EXAM. DATE: 5-23-88
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: 29-4067, claim to A WATER
Right FOR PARROUSE CREEK ☐ Copies Attached
2. Other water rights with same point of diversion: NO.
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

MAR 20 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Submersible pump/motor to 29 Rainbirds (hand line sections) with various size nozzles for irrigation of pasture. For fire protection he will just hook onto mainline at junction.

* note: He uses well water with papoose creek water and they both flow into the same main line so he can irrigate with more birds if needed. At the time of exam I had him shut-off creek flow, & birds measured was well water only. Also, he said there was hardly any creek flow anyway.

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	FRANKLIN	3	282-3028-202	FRANKLIN	—

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	23	7S	35E	BANNOCK	map

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
7S	35E	23													13				13
																			13

MICROFILMED

MAR 20 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot gauge		Ashcroft			0-160 psi	

2. Measurements:

8 psi 8 psi 8 psi 10 psi 10 psi 7 psi 6 psi 6 psi 6 psi 6 psi 6 psi 6 psi 7 psi
 4 psi 4 psi
 2 birds by house

Average Pressure = 6.9 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $d = 5/32"$ nozzle is average size of the 3 sizes observed.
 Bird g.p.m. from bird chart on model 20 L for $1/64"$ s and then interpolated for 7 psi.
 $Q_{birds} = (2.25 \text{ g.p.m.})(29 \text{ birds})/448.8 = 0.15 \text{ C.F.S.}$

2. Alternate Method for Checking Purposes:

Theoretical $\Rightarrow Q = \frac{(3 \text{ hp})(8.814)(0.8)}{(90') + (2.31)(6.9)} = 0.2 \text{ C.F.S.}$

PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (13 \text{ ac.})(3.5) = 45.5$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.15)(245)(1.9835) = 72.89$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 45.5$

☒ Volume Calculations for Other Uses:

MICROFILMED

MAR 20 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Well depth = 100' pump sets at 90'
Nozzles Ranging From 5/32" 9/16", 3/16"
HIGH P.D. 110

* This well is not being used for stock water,
instead he was using domestic P.D.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	3/15	11/15	0.15	45.5
FIRE PROTECTION	1/1	12/31	0.15	
Totals:			0.15	45.5

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Richard Leman

Signature

Richard Leman

Certification Date

8-4-88

Field Report Preparation Date

CONSULTANT SEAL

Steve McLennan
10 JAN 1989

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Reviewed: Rayanne McElrath 2/16/89

MICROFILMED

MAR 20 1990

15 16
22 23

R35E
T7
S

14 15
23 24

PETE MILLER
#130
T195
95

R35E
T7
S

3 52

3 372


22 23
27 28

23 24
26 25

PETE MILLER
MAR 24 1991

29-7658

PADDOLE CREEK



29-7658

REORDER: Indicate quantity above each negative



MICROFILMED

MAR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 10, 1987

VIRGIL GERMER
5268 W. PURINEUF ROAD
INKUM ID 83245

RE: Permit No. 29-7658

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
S/HRULD W. JONES
Sr. Resource Agent

MicroFILMED

MAR 08 1988

Form 217
03/86

OCT 1 1987

Department of Water Resources
Eastern District Office

RECEIVED

OCT 05 1987

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

OCT 21 1987

For Office Use Only

Fee Received \$50

Date 10-19-87

Receipt # 42069

Receipt by ds

Reviewed by ds

Sent to region 10-26-87

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 29-7658

Name(s) of Permit Holder:

Virgil or Laura Germer

Post Office Address:

5268 W. Portneuf Rd.

Inkom, ID.

83245

Telephone No.

725-3782

Source of Water:

Ground water

Extent of Use:

Domestic

(number of households)

Stockwater

(number and type of stock)

Irrigation

(acres)

Other/Remark

Fire protection.

Total rate and/or volume for which proof is submitted

0.28 0.20

cfs

acre-feet

Show the date water was first diverted and beneficially used under this permit:

Aug. 1983

Measuring Device: Required?

Yes

No

Installed?

Yes

No

Fee enclosed \$50

(See License Examination Fee Schedule)

Flow Measurement Port: Required?

Yes

No

Installed?

Yes

No

Person to contact to accompany the Department representative during the field examination:

Same as above.

(Name)

(Telephone Number)

Laura Germer

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 08 1988

9-29-87

Date

Virgil J Germer

Signature of Permit Holder (and title, if appropriate)

October 15, 1987

Virgil or Laura B. Germer
5268 W. Portneuf Rd.
Inkom, ID 83245

Dear Mr. and Mrs. Germer:

Re: Permit No. 29-7658

Returned is your check No. 1700 in the amount of \$50 submitted with the enclosed proof of beneficial use form on October 5, 1987.

I realize that the fee schedule may be unclear for rates of diversion of water over 0.20 cfs, but the intend is that any amount greater than 0.20 cfs is subject to the next highest fee level. Consequently, for 0.28 cfs, the filing fee is \$100.

If it is possible to closely determine the amount of water being diverted, the proof form should show that amount and fee should be based on that amount accordingly.

Please return the proof and proper fee by November 5, 1987 to keep the permit in good standing.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

cc: Accounting Sec.

MAIL ROOM

MAR 08 1988

138802
CERTIFIED MAIL
July 31, 1987

GERMER, VIRGIL & LAURA
RT. 2
INKOM, ID 83245

PROOF DUE NOTICE

RE: Permit No. 29-7658

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED
MAR 08 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.
(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

RECEIVED

MAR 08 1988

S E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GERMER, VIRGIL & LAURA
RT. 2
INKOM, ID 83245

OCTOBER 13, 1982

RE: PERMIT NO. 29-7658

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

IN NOVEMBER, 1981, A REPRESENTATIVE OF THIS DEPARTMENT MET WITH THE WATER-
USERS IN THE TRAIL CREEK DRAINAGE BASIN REGARDING CONCERNS THAT DOMESTIC
WELLS ARE ADVERSELY AFFECTED BY PUMPING FOR IRRIGATION PURPOSES.
THEREFORE, PLEASE BE ADVISED THAT GROUNDWATER WATER SUPPLIES IN THE AREA OF
YOUR PROPOSED WELL MAY BE LIMITED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
OCT 14 1982

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AWJ

APPLICATION NUMBER: 29 7658

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: Sept 27, 1982
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-27-82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 8-25-82 Date of priority recommended.
Special conditions of approval or cover letter. _____

Code 26

By: Ernest Carlson

Date: 9-28-82

STATE OFFICE REVIEW:

SW/L13, L17

26

- ☐ See attached sheet for more information.

By: [Signature]

Date: 10/6/82

RECEIVED
SEP 29 1982

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave.
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 1, 1982

Idaho State Journal
P. O. Box 431
Pocatello, Idaho 83201

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before SEPTEMBER 27, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

RECEIVED
SEP 1 1982



NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before SEPTEMBER 27, 1982.

A. KENNETH DUNN

Director

FILED
Published 9/9 & 9/16/82.

29-2658

GERMER, VIRGIL &/or LAURA

RT. 2, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 08/25/1982

Amount: 0.28 CFS

Diversion Point: NESE Sec 23 T 07S R 35E, BANNOCK Co.

Use: IRRIGATION	(0.28 CFS)	from 03/15 to 11/15
FIRE PROTECTION	(0.28 CFS)	from 01/01 to 12/31

Place of Use: NESE Sec 23 T 07S R 35E FOR 14 ACRES

Diversion Means: WELL, PUMP & MAILINE TO HANDLINES

RECORDED
INDEXED
JUL 26 1982
IDAHO DEPT. OF AGRICULTURE