

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7602 Priority June 15, 1981 Amount 0.06 cfs

THIS IS TO CERTIFY, that Inkom Cemetery District
of Inkom, Idaho, has complied with the terms and conditions of Permit
No. 29-7602 issued pursuant to Application for Permit dated June 15, 1981,
and has submitted proof to the Department of Water Resources on November 16, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.16 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>March 15</u> to <u>November 15</u>	at <u>0.06</u> cfs and	<u>3</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.06 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned is limited to the amount which can actually be beneficially used and shall not exceed
10.5 acre feet per year, said waters to be diverted within the NW 1/4 Section 22,
Twp 7S, Rge 36E in the County of Blaine

Description and location of place of use:

Twp.	Range	Sec.	RESOL																Totals
			NE 1/4				SE 1/4				SW 1/4				NW 1/4				
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	36E	15															.75	.75	1.5
		22	.75	.75															1.5

Total number of acres irrigated 3

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 18th day of September, 19 86.

Acting for the Director Betty D. Thomas

MICROFILMED

514
265

Ident. No.

STATE OF IDAHO

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

RECEIVED

AUG 21 1986

APPROVED

Department of Water Resources

Comes now Inkom Cemetery District Phone _____
 of (address) Rt. 1, Box 86 Inkom, ID 83245, and represents to the
 Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
 State of Idaho No. 29-7602, and requests that the permit be changed as follows:

1a. Point of diversion: NW 1/4 NE 1/4, Section 22, Township 7S, Range 36E,
 B.M., County of Bannock. Other points of diversion: _____

1b. Source: groundwater tributary to -----

2a. Period and nature of use:

Amount 0.06 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
 (cfs or ~~acre feet per annum~~)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

2b. The maximum quantity diverted shall not exceed 0.06 cfs or 10.5 acre feet
 per year.

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	36E	15															.75	.75	1.5
		22	.75	.75															1.5

Total number of acres to be irrigated = 3

4. Date of priority: June 15, 1981

MICROFILMED

5. Conditions (if any):

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Inkom, this 20 day of Aug., 1986

Jois Bernier
(Signature)

Inkom Cemetery

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by sg Date 8-21-86 #38938

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby Approve the above Application for Amendment for Permit No. 29-7602.

Witness my hand this 18 day of September, 1986.

Bobby D. Flannery
Acting for the Director

MICROFILMED

OK
Jim

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Inkom Cemetery District Phone 775-3679
Post office address Rt. #1, Box 86, Inkom, Idaho

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 22 Township 7S
Range 36E B.M. Bannock County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and submersed 5 Hp pump to
one handline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 500 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	36E	15																1.5	1.5
		22	1.5																1.5

Total number of acres to be irrigated 3

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.
4 inches = 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Samuel D. Chandler
(Applicant)

RECEIVED

Proposed Priority 6/15/1981

Received by HWT Date 6-15-81 Time 2:14 pm

Preliminary check by Kw Fee \$ 30.00

Received by HWT Date 6-15-81 # 17719

Publication prepared by kw Date 6/25/81

Published in Idaho State Journal

Publication dates 7/2 & 7/9/81

Publication approved Kw Date 7/20/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC R

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7602, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 1982.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 26th day of August, 1981.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 29-7602

Name(s) of Permit Holder: Inbom Cemetery District

Post Office Address: Box #1 Box 86

Inbom, Idaho Tel. No. 775-3679

Source of Water: Groundwater

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 3 acres (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Nov 10, 1981
Date

Samuel O. Chandler
Signature of Permit Holder

RECEIVED

PLACE
TEN CENT
STAMP
HERE

RECEIVED

NOV 16 1981



IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

Jeri Larsen

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO
newspaper, printed and published at Pocatello,
and having a general circulation therein.

notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

July 2, 19 81, 19

July 9, 19 81, 19

, 19, 19

, 19, 19

, 19, 19

That said paper has been continuously and uninterruptedly published
in said County for a period of seventy-eight weeks prior to the publication
of said notice or advertisement and is a newspaper within the meaning
of the laws of Idaho.

Jeri Larsen

Subscribed and sworn to before me this 15th

day of July, 19 81

[Signature]

Notary Public, State of Idaho
Residence: Pocatello, Idaho

RECEIVED

JUL 17 1981

Department of Water Resources
Eastern District Office

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Bannock } ss.

Jeri Larsen

being first duly sworn on oath deposes and says: That she was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO

newspaper, printed and published at Pocatello, Idaho, having a general circulation therein.

Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83401 on July 2, 9, 1981
S/A. KENNETH DUNN
Director
July 2, 9, 1981
No. 870

notice, a true copy of which is attached, was

published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

July 2, 19 81, 19
July 9, 19 81, 19
19, 19
19, 19
19, 19

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

29-7602
INKOMCEMETERY DISTRICT
RT. 1 BOX 86, INKOM, ID. 83245
Source: GROUNDWATER
Date Filed: 06-15-1981
Amount: 0.06 CFS
Diversion Point: NENE Sec 22 T 07S R 36E, BANNOCK Co.
Use: IRRIGATION (0.06 CFS)

from 03/15 to 11/15
Place of Use: SESE Sec 15 T 07S R 36E NENE Sec 22 T 07S R 36E
OR 4 ACRES
Diversion Means: WELL, PUMP & PIPELINE.
29-7603
LACEY, ROY J. &/or ESPER-ENZAE.
RT. 1 COREY LANE, POCATELLO, ID. 83202
Source: GROUNDWATER
Date Filed: 06-23-1981
Amount: 0.96 CFS
Diversion Point: SESW Sec. 32 T 05S R 34E SWSE Sec 31 T 05S R 34E, BANNOCK Co.
Use: IRRIGATION (0.60 CFS) from 04/01 to 11/01
DOMESTIC (0.36 CFS) from 01/01 to 12-31
Place of Use: SWSE SESE Sec. 31 T 05S R 34E SWSW SESW Sec. 32 T 05S R 34E FOR 32 ACRES
Diversion Means: WELLS & PIPELINE.
If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Subscribed and sworn to before me this 15th

day of July, 19 81

RECEIVED

JUL 17 1981

Department of Water Resources
Eastern District Office


Notary Public, State of Idaho
Residence: Pocatello, Idaho

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUse Typewriter
or
Ball Point Pen1. DRILLING PERMIT NO. 29-95-E-065-200
Other IDWR No. 29 7602

2. OWNER:

Name INKOM CEMETERY Board
Address 480 E JACKSON Creek Rd
City INKOM State Id Zip 83245

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.Twp. 7 North ☐ or South ☒
Rge. 36 East ☒ or West ☐
Sec. 22 1/4 SW 1/4 NE 1/4
Gov't Lot _____ County BANNOCKAddress of Well Site Rapid Creek Rd.
City INKOM

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK

☒ New Well ☐ Modify or Repair ☒ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT		METHOD
Material	From	To	Sacks or Pounds		
BENTONITE CHIPS	0	19	350 lbs		OVERBORE

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____
Was drive shoe seal tested? Y ☐ N ☐ How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
8	+1	19	.250	Steel	☒	☐	☐	☐
6	+2	315	"	"	☒	☐	☒	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☒ Perforations Method Torch
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
295	315	1/4" x 12"	40			☒	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

100 ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

Yield gal./min.	Drawdown	Pumping Level	Time
35		315	3 1/2

Water Temp. 62° Bottom hole temp. 67°Water Quality test or comments: Good

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
12 1/4	0	3	OVERBURDEN		X
"	3	19	Brown clay		
7 7/8	19	34	" "		
	34	59	Gravel		
	59	150	Sand + clay		
	150	159	yellow shale		
	159	174	Green "		
	174	290	Broken Black shale	X	
	290	315	Black shale		X
6"	315	323	" "		X

RECEIVED

SEP 01 1995

Department of Water Resources
Eastern District Office

RECEIVED

SEP 11 1995

Department of Water Resources

Completed Depth 323 (Measurable)
Date: Started 8-21-95 Completed 8-25-95

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Nelson Drilling Firm No. 215Firm Official Ray Nelson Date 8-26-95and Supervisor or Operator Allen Wynn Date 8-26-95

(Sign once if Firm Official & Operator)

September 25, 1986

RE: Permit No. 29-7602

Inkom Cemetery District
Rt. 1, Box 86
Inkom, ID 83245

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 38938 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 22, 1986

RE: Permit No. 29-7602

Inkom Cemetery District
Rt. 1, Box 86
Inkom, ID 83245

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains all of the information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED
NOV 16 1984

Department of Water Resources

29-7602
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6-9-1982 Accompanied by Sam Chandler Total Q measured 0.10 cfs ✓
If source is surface water, estimate total flow of source _____
Methods of measurement Pitot tube Meets Permit requirements? _____

Measurement calculations: $V = 3 \text{ acres} \times 3.5 \text{ cfs} = 10.5 \text{ cfs}$ ✓ $V = 0.06 \text{ cfs} \times 1.9835 \times 245 \text{ days} = 29.1$ ✓	<u>Line #1 - 40psi, 5/32N, 10 birds = 4.61 gpm x 106 = 46.1 gpm or 0.10 cfs</u> ✓ <u>3 acres x 0.02 cfs = 0.06 cfs</u>
---	---

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	5	NA	NA	NA				

System Description well/pump (submerged) to sprinkler line

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

USE	Irrigation requirement = <u>3.5</u> ✓		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Irrigation</u> ✓	<u>0.06</u> ✓	<u>10.5</u> ✓	<u>3-15</u> ✓	<u>11-15</u> ✓
Total	<u>0.06</u>	<u>10.5 AF</u>		

Remarks _____


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW 1/4 NE 1/4 Sect. 22 T 7S R 36E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	36E	22	.75	.75													.75	.75	1.5
		15																	1.5

Total = 3.0

Recommended Amendments:

- ☒ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

MICROFILMED



MICROFILMED

Not to Scale

Permit # 29-7602

Motor hp - 5?

SN

Pump type - NA

SN

Mainline ID -


Water Measurement - Pitot gauge (see back)

accum
bx (Sam Chandler)

Name - Inkom Cemetery

Date - 6-9-82

Sketch -



OVER


WICROFILMED

10
birds

42 psi

38 psi

5/32 N





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

March 30, 1982

RE: Permit No. **29-7602**

Inkom Cemetary District
Rt#1, Box 86
Inkom, Idaho 83245

Gentlemen?

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

INKOM CEMETERY DISTRICT
RT. 1 BOX 86
INKOM, ID 83245

SEPTEMBER 01, 1981

RE: PERMIT NO. 29-7602

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

29 7602

INITIAL REVIEW BY: KCW

APPLICATION NUMBER

In Kom Cemetery
29-7602

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: July 20

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6-17-81
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ 6-15-81

Date of priority recommended.

Special conditions of approval or cover letter. _____

By: Ernst Carlson

Date: July 21, 1981

STATE OFFICE REVIEW:

- ☐ See attached sheet for more information.

By: Reyn

Date: 7/29/81

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83401 on or before JULY 20, 1981.

A. KENNETH DUNN

Director

Published 7/02 & 7/09/81.

RECEIVED

29-2602

INKOM CEMETERY DISTRICT

RT. 1 BOX 86, INKOM, ID 83245

Source: GROUNDWATER

Date Filed: 06/15/1981

Amount: 0.06 CFS

Diversion Point: NENE Sec 22 T 07S R 36E, BANNOCK Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

Place of Use: SESE Sec 15 T 07S R 36E NENE Sec 22 T 07S R 36E
FOR 4 ACRES

Diversion Means: WELL, PUMP & PIPELINE.

MICROFILMED