

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7482 Priority April 20, 1979 Amount 0.19 cfs

THIS IS TO CERTIFY, that Sunbeam Water Co.
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7482 issued pursuant to Application for Permit dated April 20, 1979,
and has submitted proof to the Department of Water Resources on July 7, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.60 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (17 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.19</u> cfs and	<u>20.4</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.19 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
20.4 acre feet per year, said waters to be diverted within the (2 points) SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section
1, Twp. 8S, Rge. 31E in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	Section												Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
8S	31E	1						X				X			


Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28th day of

July, 19 83.


Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Sunbeam Water Company Phone 237-1110

Post office address P. O. Box 5361, Pocatello, Idaho 83201

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 8S

Range 31E B.M. _____ Power _____ County, additional points of diversion if any: _____

NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 1, T. 8S, R. 31E, B.M.

4. Water will be used for the following purposes:

Amount 1.60 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.60 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Three wells (8") with 7 $\frac{1}{2}$ Hp.
single-phase pumps

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) 155, (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 175 & 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is two years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 8S
(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 8S
Range 31E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 36 to 40.

(5) If water is to be used for other purposes describe: Domestic uses for approximately 36 to 40 single-family residences, some livestock watering possible.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks The 80-acre subdivision is to be divided into individual lots for resale. A water system including 4 and 6 inch pipes is to be completed, with a storage tank to be added in the future. All lots will have water meters and the water quality is to be monitored regularly by the District Health Department. The system is being designed for expansion to incorporate a larger system as the neighboring land is subdivided into housing tracts.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X Sunbeam Water Co.
(Applicant)
Rodney S. Parrish

Proposed Priority 4/20/79

Received by PW dh Date 5-18-79 Time 11:45 A.
4-20-79 11:00 a.m.
Preliminary check by EMC Fee \$ 45.00
Receipted by dh Date 4-20-79 #11828
Publication prepared by dh Date 4-27-79
Published in Power County Press
Publication dates May 3 & 10, 1979
Publication approved JF Date 5-16-79
Protests filed by: Raymond Scherer protest with drawn 7/17/79

Copies of protests forwarded by dh 5-24-79
Hearing held by Rob Fleener Date 7/17/79
Recommended for approval denial by EMC J.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7482, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) The issuance of this permit in no way grants any right-of-way
or easement across the land of another. (2) An access port or other de-
vice as specified by the Department shall be installed by the permit holder
to provide for the installation of measuring equipment and the determination
of the rate of diversion by the Department.

Witness my hand this 3rd day of August, 1979.

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

Wm. J. Hall, Cda.
May 16 - 1979

Director of Alaska Water Resources.

Dear Sir,

I would like to file a protest against the Sundean water company's application to drill wells in the Sundean area.

I ~~feel~~ feel the drilling of these wells would affect the flow of the Sundean creek on which I have stock water rights.

I feel a company like this should not be allowed to drill wells for subdivisions and then sell the water to the persons who live in the subdivisions.

Yours Truly

Raymond Scherer

RECEIVED

MAY 17 1979

Department of Water Resources
Eastern District Office

MICROFILMED

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER

} s.s.

.....~~Phyllis Ringe~~..... being first duly sworn
on oath, states:

That ..~~she~~..... is the principal clerk of the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for2.....
successive weekly issues thereof, the date of the first publica-

tion being the .3rd..... day ofMay....., 19..79

the date of last publication being the

..10th..... day ofMay....., 19..79..

(Signed) ..~~Phyllis Ringe~~.....

Subscribed and sworn to before me this

.....4th..... day ofMay....., 19..79..

.....Rose Ann Link.....
Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SAL) day of, 19

RECEIVED

MAY 16 1979

Department of Water Resources
Eastern District Office

MICROFILMED

Affidavit of Publication

STATE OF IDAHO }
COUNTY OF POWER } S.S.

Legal Notice

Published in The Power County Press
May 3 and 10, 1979.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

29-7482

SUNBEAM WATER COMPANY
P.O. BOX 5361, POCATELLO, ID 83201

Source: GROUNDWATER

Date Filed: 04/20/1979

Amount: 1.60 CFS

Diversion Point: SWNW NWSW Sec 01 T
08S R 31E, POWER Co.

Use: DOMESTIC (1.60 CFS) from 01/01 to
12/32

Place of Use: SWNW NWSW Sec 01 T
08S R 31E

Diversion Means: WELLS, PUMPS AND
DELIVERY SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Rd., Idaho Falls, Idaho 83401 on or before MAY 21, 1979.

C. STEPHEN ALLRED
Director

..... being first duly sworn
on oath, states:

That ..she..... is the principal clerk of the printer of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for2..... successive weekly issues thereof, the date of the first publica-

tion being the .3rd..... day of 19..79

the date of last publication being the

..10th..... day of May....., 19..79..

(Signed)

Subscribed and sworn to before me this

..... day of May....., 19..79..

Notary Public, residing at American Falls, Idaho.

My Commission expires the

..... day of 19

RECEIVED

MAY 10 1979

.....

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

29 7482
RECEIVED
APR 20 1978
Department of Water Resources
Eastern District Office

To appropriate the public waters of the State of Idaho

1. Name of applicant Sunbeam Water Corp Phone 237-1110
Post office address P.O. Box 5361 Pocatello, Idaho 83201
2. Source of water supply 3 - 8 in wells which is a tributary of -
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 1 Township 8S
31 Range 31 Power county Power county County, additional points of diversion if any: -

4. Water will be used for the following purposes:

Amount 1.6 for domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)
Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)
Amount - for - purposes from - to - (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.6 cubic feet per second and/or b. - acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3 - 8 in wells
with 2 1/2 h.p. single phase pumps

b. Height of storage dam - feet, active reservoir capacity - acre-feet; total reservoir capacity - acre-feet, materials used in storage dam: -

Period of year when water will be diverted to storage - to - inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 155 feet 250 ft
175 feet

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SW NW
(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 8S
Range 31 B.M.

(2) Amount of power to be generated: - horsepower under - feet of head.

(3) List number of each kind of livestock to be watered -

(4) Name of municipality to be served -, or number of families to be supplied with domestic water 36-40.

(5) If water is to be used for other purposes describe: The people will be
watering lawns, gardens, trees, shrubs, and possible
small amount of livestock.

MICROFILMED

- U O I D -

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SE¼	SW¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Sunbeam Water Co

b. Who owns the land to be irrigated or place of use Various Purchasers of 1 to 4 acre lots

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing This is an eighty acre subdivision


located in Power County as shown on the attached plat. There is a complete water system

10. Remarks setup within the subdivision including 6 and 4 in water lines and there will be a storage tank created at a later date. All lots will be placed on water meters. The water quality is monitored regularly by the District health dept.

This system is designed to be incorporated into a larger system as the neighboring ground is subdivided.

This Co. was formed to supply this subdivision with water and possibly to be expanded to neighboring ground.

Raymond Scheer.
Ana Falls, Idaho.




MICROFILMED

Director of Idaho Department of Water Resources
1515 Lincoln Road.
Idaho Falls, Idaho.

83401

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Sunbeam Water Co.
(Applicant)
Rodney J. Parrish

Received by rik Date 4-20-79 Time 11:00 AM

Preliminary check by _____ Fee \$ 45.00

Receipted by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved Q.7 Date 5/16/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this _____ day of _____, 19____.

Director

July 27, 1983

Sunbeam Water Co.
P.O. Box 5361
Pocatello, Id 83201

Gentlemen

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,

A handwritten signature in cursive script that reads "Jim Johnson".

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



ate of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 6, 1983

RE: Permit No. 29-7482

Sunbeam Water Co.
P.O. Box 5361
Pocatello, ID 83201

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 29-7482, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0119 cfs Source: groundwater

The maximum quantity diverted shall not exceed 20.4 acre feet
per year.

Point(s) of diversion: (2 points) SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 1, Twp. 8S, Rge. 31E,
Power County

Beneficial use: Domestic use for 17 units within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec.
1, Twp. 8S, Rge. 31E

Priority date established: April 20, 1979

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,


JIM JOHNSON
Water Distribution Supervisor

JJ:kw

Remarks _____

Hand-drawn diagram on graph paper showing a rectangular area labeled "R31E" and "T8S". An arrow points from "Point of Diversion" to a small square labeled "P". Another arrow points from "Place of use" to a small square labeled "1".

(Include distance from pump to measuring device, if applicable.)



(2 pts)

Point(s) of diversion: SW'14 NW'14 Sect. 1 T8S R31E

Place(s) of Use

[illegible]☐ Other

Approved by _____

Date 4-6-83



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

August 10, 1981

RE: Permit No. 29-7482

Sunbeam Water Company
P.O. Box 5361
Pocatello, Idaho 83201

Gentlemen:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 29-7482

Name(s) of Permit Holder: Sunbeam Water Company

Post Office Address: P.O. Box 5361

Pocatello Idaho 83201 Tel. No. 237 1110

Source of Water: 3 8" wells

Extent of Use: ☒ Domestic 37 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other


Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-3-81
Date

Sunbeam Water Company
RS [Signature] Signature of Permit Holder

Sunbeam Water Company
P.O. Box 536
Pocatello, Idaho 83201



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

SUNBEAM WATER COMPANY
P. O. BOX 5361
POCATELLO, ID 83201

138300

JUNE 30, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 29-7482 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

9/78

IDENT. NO. 29-7482

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

August 8, 1979

Sunbeam Water Company
P.O. Box 5361
Pocatello, Idaho 83201

Dear Sirs,

RE: Permit No. 29-7482

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. The Department will provide specifications for the installation to you.

The 1.6 cubic feet per second diversion rate identified on your application is much greater than what is normally required to supply water for 40 single family residences. Therefore we assume you plan to supply water to additional residences as they are developed, as you identified on your application under item 10.

Historically, many subdivisions take several years before all of the lots are completed. Because of this fact and of the relatively short time you requested for completion of this water permit, this permit would not cover any new hookups after September 1, 1981 unless an extension of time was requested, or after you submit a statement of completion of development of this permit. The amount of your right will be determined by measurement of the rate of diversion needed to supply users existing at the time the measurement is made.

I only mention this so that you will not be mislead into thinking that this right will cover development beyond the time identified in condition No. 1b.

If you have any questions, please feel free to contact me.

Sincerely,

David R. Tuthill, Jr.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

Cover letter
to be sent w/ Approver's
App. This will be added to short letter with access
part.

The 1.6 cubic feet per second diversion rate identified on your application is much greater than what is normally required to supply water for 40 single family residences. Therefore we assume you plan to supply water to additional residences as they are developed, as you identified on your application under item 10.

Historically, many subdivisions take several years before all of the lots are completed. Because of this fact and of the relatively short time you requested for completion of this water permit, this permit would not cover any new hookups after September 1, 1981 unless an extension of time was requested, or after you submit a statement of completion of development of this permit. The amount of your right will be determined by measurement of the rate of diversion needed to supply users existing at the time the measurement is made.

I only mention this so that you will not be misled into thinking that this right will cover development beyond the time identified in condition No. 1b.

If you have any questions, please feel free to contact me.

Sincerely,

JIM JOHNSON

MICROFILMED

In the matter of }
Application for Permit }
29-7482 in the }
Name of Sunbeam Water }
Company. }

Withdrawal of
Protest.

Based on information presented at the informal conference held on July 17, 1979 in Pocatello, and the knowledge the above application is limited 1.60 cfs for domestic purposes, I hereby withdraw my protest against approval of application for permit 29-7482

Raymond Scherer
Raymond Scherer.

MICROFILMED

29-7482

Applicant -

Sunbeam Water Co - Rodney J. Parrish

Protestant

Raymond Scherer - Merritt

Applicant

Subdivision - Garden Grove - has been approved by County Zoning
Zoning requires central system
System designed by Northwest Engr Inc.

System - designed for ~~max~~ peak hourly flow of 320 gpm

Wells are drilled

All the water

Rates controlled by PUC

→

Nearest well 1 mile $\frac{1}{4}$

Protestant -

- Mr. Neibaur - 1 1/2 miles north of Sunbeam

Recognize the superiority of domestic use

Neibaur Farms now experience interference among 5 existing well

INTERFERED

Q from 2 to 3.5 cfs

- Mr. Scherer - concerned about loss of stockwater

City of American Falls

Has a water right from Sunbeam Ck.

~~March~~

City diversion from Sunbeam Ck about 3 miles upstream from wells

The Neber wells have not been declining each year —
Water levels are presently between 100 feet and 140 feet

MICROFILMED

Application 29-7482

Sunbeam WATER COMPANY.

Applicant - B J Parrish
Kent Parrish
Max Parrish.

Protestant Raymond Scherer.

Max Parrish -

Subdivision has been approved by the county.
Water system designed by Northwestern Engineers Inc.
is approved by Dept. of Health.
System presently in use.
IPUC determines cost to customers.
Wells are 150 to 200 ft. deep.
Design - peak flow of 320 g.p.m.

Grant Weibaur - Farmer - 5 wells - "just adequate". (water is at ^{100' to 143'} ~~250'~~ level one well 900'.
1/2 mile north to 3 miles north.
① Concerned with interference and possibly depleting supply.

Scherer - Not in favor of appropriating water from Sunbeam Creek.

Rattha - City of American Falls has a right from Sunbeam Creek.
asking if some consideration be given to possible
interference of their right.

MICROFILMED

R O S T E R O F A T T E N D A N C E

July 17, 1979 - 11:00 a.m.

Conference Room, Pocatello Municipal Airport, Pocatello, Idaho

29-7482 - Sunbeam Water Co.

<u>Name</u>	<u>Address</u>	<u>Representing</u>
Philip Rathke	Am. Falls.	City of Am. Falls.
Raymond Scherer	Am. Falls.	Raymond Scherer
Grant E. Neibaur	P.O. Box 4 Am. Falls, Id.	Neibaur & West Farms
B. J. Parrish	229 PARRISH DR. Pocatello	Sunbeam WATER Co
KENT PARRISH	250 E. CENTER	SUNBEAM WATER CO.
Wm. S. Parrish	230 EAST CENTER, POCATELLO	SUNBEAM WATER CO.

MICROFILMED

Returned Receipts

29-7482

PS Form 3811, Apr. 1977 RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER: Complete items 1, 2, and 3. Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one). 45
☐ Show to whom and date delivered. _____
☐ Show to whom, date, and address of delivery. _____
☐ RESTRICTED DELIVERY Show to whom and date delivered. _____
☐ RESTRICTED DELIVERY Show to whom, date, and address of delivery. _____
(CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO: 29-7482
Rodney J. Parrish
Sunbeam Water Company
Box 5361, Pocatello, ID 83201

3. ARTICLE DESCRIPTION:
REGISTERED NO. CERTIFIED NO. INSURED NO.
1292

(Always obtain signature of addressee or agent)

I have received the article described above.
SIGNATURE ☐ Addressee ☐ Authorized agent

4. *Rodney J. Parrish*
DATE OF DELIVERY POSTMARK
JUL 9 1979

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE: CLERK'S INITIALS
Am

☆GPO: 1977-0-249-595

MICROFILMED

PS Form 3811, Apr. 1977 RETURN RECEIPT, REGISTERED, INSURED AND CERTIFIED MAIL

● SENDER: Complete items 1, 2, and 3. Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one). 45
☐ Show to whom and date delivered. _____
☐ Show to whom, date, and address of delivery. _____
☐ RESTRICTED DELIVERY Show to whom and date delivered. _____
☐ RESTRICTED DELIVERY Show to whom, date, and address of delivery. _____
(CONSULT POSTMASTER FOR FEES)

2. ARTICLE ADDRESSED TO: 29-7482
Raymond Scherer
American Falls
Idaho 83211

3. ARTICLE DESCRIPTION:
REGISTERED NO. CERTIFIED NO. INSURED NO.
1293

(Always obtain signature of addressee or agent)

I have received the article described above.
SIGNATURE ☐ Addressee ☐ Authorized agent

4. *Raymond Scherer*
DATE OF DELIVERY POSTMARK
JUL 9 1979

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE: CLERK'S INITIALS
Am

☆GPO: 1977-0-249-595

Returned Receipts

29-7482

MICROFILMED

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS
Print your name, address, and ZIP CODE in the space below.
• Complete items 1, 2, and 3 on the reverse.
• Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
• Endorse article "Return Receipt Requested" adjacent to number.



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300

**RETURN
TO**

DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT OFFICE
1515 LINCOLN ROAD
IDAHO FALLS, IDAHO 83401

(Name of Sender)

(Street or P.O. Box)

(City, State, and ZIP Code)

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS
Print your name, address, and ZIP CODE in the space below.
• Complete items 1, 2, and 3 on the reverse.
• Moisten gummed ends and attach to front of article if space permits. Otherwise affix to back of article.
• Endorse article "Return Receipt Requested" adjacent to number.



**RETURN
TO**

DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT OFFICE
1515 LINCOLN ROAD
IDAHO FALLS, IDAHO 83401

(Name of Sender)

(Street or P.O. Box)

(City, State, and ZIP Code)

Name and
Address
of Sender

DEPARTMENT OF WATER RESOURCES

EASTERN DISTRICT OFFICE
1515 LINCOLN ROAD
IDAHO FALLS, IDAHO 83401

Indicate type of mail:
☐ REGISTERED ☐ REGISTERED
☐ C.O.D. ☐ C.O.D.
☐ CERTIFIED

Affix stamp here if issued as certificate of mailing or for additional
copies of this bill.
POSTMARK AND DATE OF RECEIPT

NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET AND POST OFFICE ADDRESS	POSTAGE	FEE	R.R. FEE	REST. DEL. FEE	ACTUAL VALUE	HANDLING CHARGE	REMARKS*
1	1282 John L. Andrews Jr. Zora Hot Springs Id 83246	15	80	45				29-7476
2	1283 Douglas Freestone " " " "	"	"	"				" "
3	1284 Alvin Crawley, Chesterfield, Id	"	"	"				" "
4	1285 Calvin A. Rowell, Zora Hot Springs Id 83246	"	"	"				" "
5	1286 Wayne Hall, McCombs Id 83250	"	"	"				" "
6	1287 Lyndon Green " " " "	"	"	"				" "
7	1288 Thomas Blocher, Darius Id 83234	"	"	"				" "
8	1289 Rex Baker, Zora Hot Springs Id 83246	"	"	"				" "
9	1290 Dean Day " " " "	"	"	"				" "
10	1291 Grant Egley " " " "	"	"	"				" "
11	1292 Rodney J. Parish, Snake River Co. Box 5361, Pky	"	"	"				29-7482
12	1293 Raymond Scherer, Am. Falls Id 83211	"	"	"				" "
13	1294 Alfred Herman/Jones Suggard, 6100 S. St, Pky	"	"	"				29-7487
14	1295 Alvin J. Ames, St Rt. Portillo Id 83201	"	"	"				" "
15	1296 Mr. & Mrs. Robert Feld, St Rt, " " "	"	"	"				" "
16	1297 Frank Lewis, St. Rt. Box 291, McCombs Id 83250	"	"	"				29-7490
17	1298 Grant N. Olson, Id 83214	"	"	"				" "
18	1299 Larry Christensen, St. Rt. McCombs Id 83250	"	"	"				" "
19								
20								

TOTAL NO. OF PIECES
LISTED BY SENDER

TOTAL NO. OF
PIECES REC'D AT P.O.

POSTMASTER, PER (Name of receiving employee)

*Show under "Remarks" class postage paid if other than first or
if international

PS Form 3877, Dec. 1973

APPLICATION FOR REGISTERED, REGISTERED C.O.D. AND CERTIFIED MAIL

(Declaration of value is required on international registered mail)

U. S. GOVERNMENT PRINTING OFFICE: 1974-0-329-786

FORM MUST BE MADE OUT IN INK OR BALL POINT PEN

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

In the Matter of Protests Against Approval)
of Application for Permit No. 29-7482 in)
the name of SUNBEAM WATER COMPANY)
_____)

NOTICE OF CONFERENCE

AND/OR HEARING

On April 20, 1979, Sunbeam Water Company filed with the Department of Water Resources an application to appropriate the public waters of the State of Idaho. On May 17, 1979, the Department received a protest against approval of said application from Raymond Scherer.

The Department has set the matter of protest for conference and/or hearing for Tuesday, July 17, 1979 at 11:00 a.m. in the Conference Room of the Pocatello Municipal Airport, Pocatello, Idaho. Any hearing will be held in accordance with the Rules and Regulations of the Idaho Code and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

Any party may request in writing five (5) days before any hearing that the proceedings thereof be taken in the form of stenographic notes. Any party may have such stenographic notes of the oral proceedings, or part thereof, transcribed at his own expense. A taped record of the proceedings will be maintained for the appeal period.

Failure to appear at the time and place set for hearing by the applicant or protestant may allow the Department without prejudice to dismiss the protests or the application. Any and all cost incurred by reason of such non-appearance may be assessed against such non-appearing parties.

Dated this 5th day of July, 1979.


RONALD D. CARLSON
Supervisor, Eastern Region

NOT RECORDED

July 5, 1979

Merle Wilhelm
Pocatello Municipal Airport
P. O. Box 1021
Pocatello, Idaho 83201

Dear Mr. Wilhelm:

This is to confirm the use of the Conference Room of the Pocatello Municipal Airport for a conference and/or hearing to be held by this office all day Tuesday, July 17, 1979 and the morning of Wednesday, July 18, 1979.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

DONNA HENRIQUES
Secretary

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

June 21, 1979

Raymond Scherer
American Falls,
Idaho 83211

RE: App. for Permit 29-7482

Dear Sir:

Your protest against the approval of the above-referenced application has been received and a copy has been sent to the applicant. The Department suggests that you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearings. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, IDAHO CODE):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

RONALD D. CARLSON
Regional Supervisor

RDC/dh

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

June 21, 1979

Rodney J. Parrish
Sunbeam Water Company
P. O. Box 5361
Pocatello, Idaho 83201

RE: App. for Permit 29-7482

Dear Mr. Parrish:

Enclosed is a copy of a protest filed against the approval of a permit pursuant to the above-referenced application. The Department suggests you contact the protestants directly in an effort to determine the nature of the protest and attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearings. At such a conference and/or hearings, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, IDAHO CODE):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearings. If we can be of any assistance, please contact us.

Sincerely,

RONALD D. CARLSON
Regional Supervisor

RDC: dh

Enclosure

MICROFILMED



SUNBEAM WATER CO.

P.O. BOX 5361 POCA TELLO, IDAHO 83201



- State of Idaho
Department of Water Resources
Eastern District office
- 1515 Lincoln Rd
Idaho Falls, Idaho 83401

RECEIVED


MAY 16 1979

Department of Water Resources
Eastern District Office

Dear Mr. Carlsen,

Thank you for your help on this matter. Please find enclosed
the application for permit per your request.

Sincerely,



Rodney J. Parrish
Sunbeam Water Company

am

MICROFILMED

May 15, 1979

Mr. Rodney J. Parrish
Sunbeam Water Company
P. O. Box 5361
Pocatello, Idaho 83201

Dear Mr. Parrish:

Re: Application for Permit No. 29-7482

The Department has initiated the processing of your application for permit with the last date of protest presently scheduled to be May 21, 1979. In order to provide a neater copy for our records, we have taken the liberty of retyping your application. This enclosed copy requires your signature and needs to be returned to this office before the above mentioned date.

Respectfully submitted,

ERNEST M. CARLSEN
Water Resource Analyst

EMC:dh

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, ID 83401
(208) 523-7186

APRIL 27, 1979

Power County Press
174 Idaho Street
American Falls, Idaho 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before MAY 21, 1979.

Yours truly,

RONALD D. CARLSON
Supervisor

Encl.

MICROFILMED

29-2482-

SUNBEAM WATER COMPANY

P. O. BOX 5361, POCA TELLO, ID 83201

Source: GROUNDWATER

Date Filed: 04/20/1979

Amount: 1.60 CFS

Diversion Point: SNNW NWSW Sec 01 T 08S R 31E, POWER Co.

Use: DOMESTIC (1.60 CFS) from 01/01 to 12/31

Place of Use: SNNW NWSW Sec 01 T 08S R 31E

Diversion Means: WELLS, PUMPS & DELIVERY SYSTEM

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

20-2482

SUNSHINE WATER COMPANY

P. O. BOX 5361, POCAHELLO, ID 83201

Source: GROUNDWATER

Date Filed: 04/20/1979

Amount: 1.60 CFS

Diversion Point: SUNSHINE Sec 01 T 08S R 31E POWER Co.

Use: DOMESTIC (1.60 CFS) from 01/01 to 12/31

Place of Use: SUNSHINE Sec 01 T 08S R 31E

Diversion Means: WELLS, PUMPS & DELIVERY SYSTEM

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Rd., Idaho Falls, Idaho 83401 on or before MAY 21, 1979.

C. STEPHEN ALLRED

Director

Published 5/3 & 5/10/79.

MICROFILMED

April 20, 1979

Rodney J. Parrish
Sunbeam Water Company
P. O. Box 5361
Pocatello, Idaho 83201

Dear Sir:

Re: Application for Permit

Attached herewith is Departmental receipt No. 11828 in the amount of \$45.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:dh

Attachment

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: John C

APPLICATION NUMBER: Sunbeam Water Co.

CHECK:

- 5.3
- ☒ Source.
 - ☒ Point of diversion.
 - ☒ County.
 - ☒ Description of diverting works.
 - ☒ Time required for beneficial use of water.
 - ☒ Place of use or acres irrigated.
 - ☒ Map.
 - ☒ Signature.
 - ☒ Fee.
 - ☐ Yes ☒ No
 - ☐ Yes ☒ No
 - ☐ Yes ☒ No
 - ☐ Yes ☐ No*

Field check by: _____

Date: _____

Comments: _____

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
- ☒ Idaho Fish and Game Department.
- ☐ Idaho Department of Lands.
- ☐ U.S. Bureau of Land Management.
- ☐ U.S. Forest Service.
- ☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☒ Yes ☐ No
- ☐ Yes ☒ No

Platted by: John C Map No. Basin 29-8S 31E

Other rights on same place of use. N/A

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: MAY 21, 1979

- ☒ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5-16-79
- ☒ Application published correctly. If not, record action taken: _____
- ☒ Fee amount, receipt date & number, recorded on application.
- ☒ Publication dates and paper, recorded on application.
- ☒ Protests, dates, withdrawal, etc., recorded on application.
- ☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No Measuring device required.

- ☒ Yes ☐ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

4/20/79 Date of priority recommended.

Special conditions of approval or cover letter.

permit does not grant easement across property own by individuals other than applicant.

By: Ernest Carlson

Date: 7/17/79

STATE OFFICE REVIEW:

04, OIC,

modified short letter w/access port.

RECEIVED

JUL 26 1979

- ☐ See attached sheet for more information.

By: Jani

Date: 8/2/79

Department of Water Resources

MICROFILMED