

WATER RIGHT LICENSE

Acting for the ~~Director~~

Identification No. _____
Application No. 29 7461

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant George D. Egley & Carolyn Egley Phone: 776-5215
post office address P. O. Box 25, Lava Hot Springs, Idaho 83246 776-5456
2. Source of water supply unnamed spring which is a tributary of subs back into ground
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 9 South
Range 38 E B.M. Bannock County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount total for domestic/culinary purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.14 for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated: 0.14 for irrig. as per telecon 10-5-78 w/ Carolyn Egley
0.16
a. _____ cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Piped from spring to home and
pressurized for home uses and for irrigation of yard, garden and pasture.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is Completed Aug. 1977 years.
b. Estimated construction cost is \$ 1,500.00.
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 23 Township 9 South
Range 38 E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered possible - head of cattle and horses.
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.
(5) If water is to be used for other purposes describe: will be used for domestic and culinary
purposes, will irrigate yard and garden

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	38E	23																7	7

Total number of acres to be irrigated 7

c. Describe any other water rights used for the same purposes as described above.


9. a. Who owns the property at the point of diversion applicants
 b. Who owns the land to be irrigated or place of use applicants
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Spring has been flowing many years upon the land where the applicant is presently building a home. This land has belonged to the applicants' parents for a great many years. This Spring flow subs back into the ground.

RECEIVED BY MAIL HEREIN
 DIVISION OF LAND

W. KOOP

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George D. Egley
(Applicant)
Carolyn Egley

Proposed Priority 9/8/78

Received by dh Date 9.18.78 Time 12 Noon
Preliminary check by _____ Fee \$ 20.00
Received by dh Date 9.18.78 11539
Publication prepared by dh Date 10.6.78
Published in IDAHO STATE JOURNAL
Publication dates 10-12-21-78
Publication approved 94 Date 11-13-78
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7461, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 84.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 11 th day of September, 19 79.

J. Glen Saxton
Chief, Operations Bureau

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

Patricia Tech

being first duly sworn on oath deposes and says: That *She* was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

October 12, 1978 19.....
October 19, 1978 19.....
....., 19..... 19.....
....., 19..... 19.....
....., 19..... 19.....

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Patricia Tech
Subscribed and sworn to before me this *6* 7th day of *November*, 1978

[Signature]

Notary Public, State of Idaho
Residence: Pocatello, Idaho

[Signature]

MICROFILMED 0

RECEIVED

NOV 9 1978

Department of Water Resources
Eastern District Office

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that George D. Egley and Carolyn Egley, Lava Hot Springs, Idaho have on 9-18-78 submitted Application No. 29-7461 for a permit to appropriate 0.16 cubic feet per second of water from an unnamed spring tributary to sinks by means of pipe within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 9S, R. 38E, B.M., Bannock County to be used from Jan. 1 to Dec. 31 for domestic purposes for single-family residence and from Apr. 1 to Nov. 1 for the irrigation of 7 acres within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 9S, R. 38E, B.M. If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before October 30, 1978.
C. STEPHEN ALLRED
Director
October 12, 19, 1978
No. 804

Patricia Tech

being first duly sworn on oath deposes and says: That She was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

October 12	1978	19
October 19	1978	19
	19	19
	19	19
	19	19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Patricia Tech

Subscribed and sworn to before me this 6th day of November, 1978

[Signature]

Notary Public, State of Idaho
Residence: Pocatello, Idaho

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

Patricia Dech
being first duly sworn on oath deposes and says: That She
was at all times herein mentioned a citizen of the United States of
America, more than 21 years of age, and the Principal Clerk of THE
IDAHO STATE JOURNAL, a daily newspaper, printed and published at
Pocatello, Bannock County, Idaho, and having a general circulation
therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

October 12, 1978, 19____
October 19, 1978, 19____
_____, 19____, 19____
_____, 19____, 19____
_____, 19____, 19____

That said paper has been continuously and uninterruptedly pub-
lished in said County for a period of seventy-eight weeks prior to the
publication of said notice or advertisement and is a newspaper within
the meaning of the laws of Idaho.

RECEIVED

NOV 9 1978

Department of Water Resources
Eastern District Office

Patricia Dech
Subscribed and sworn to before me this... 7th

day of November, 1978

[Signature]

Notary Public, State of Idaho
Residence: Pocatello, Idaho

MICROFILMED

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

NOTICE OF APPLICATION FOR
WATER PERMIT
Notice is hereby given that
George D. Egley and Carolyn
Egley, Lava Hot Springs, Idaho
have on 9-18-78 submitted Appli-
cation No. 29-7461 for a permit to
appropriate 0.16 cubic feet per
second of water from an un-
named spring tributary to sinks
by means of pipe within the
SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 9S, R. 38E,
B.M., Bannock County to be used
from Jan. 1 to Dec. 31 for do-
mestic purposes for single-family
residence and from Apr. 1 to
Nov. 1 for the irrigation of 7
acres within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec.
23, T. 9S, R. 38E, B.M.
If issued, this permit will be sub-
ject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water Re-
sources, 1515 Lincoln Road, Idaho
Falls, Idaho 83401 on or before
October 30, 1978.
C. STEPHEN ALLRED
Director
October 12, 19, 1978
No. 804

being first duly sworn on oath deposes and says: That She
was at all times herein mentioned a citizen of the United States of
America, more than 21 years of age, and the Principal Clerk of THE
IDAHO STATE JOURNAL, a daily newspaper, printed and published at
Pocatello, Bannock County, Idaho, and having a general circulation
therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

October 12, 1978, 19.....
October 19, 1978, 19.....
....., 19....., 19.....
....., 19....., 19.....
....., 19....., 19.....

That said paper has been continuously and uninterruptedly pub-
lished in said County for a period of seventy-eight weeks prior to the
publication of said notice or advertisement and is a newspaper within
the meaning of the laws of Idaho.

Subscribed and sworn to before me this

day of November, 1978

Notary Public, State of Idaho
Residence: Pocatello, Idaho

March 23, 1984

RE: Permit No. 29-7461

George D. & Carolyn Egley
Box 25
Lave Hot Springs, ID 83246

Dear Mr. and Mrs. Egley:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MACROFILMED

10 DAY LICENSE REVIEW

License vs. Permit

- No. correct A & B
- Priority date correct
- Amount equal to or less than
- Name same
- Permit date correct
- Proof due date correct
- Source correct
- Use correct
- Period of use/use correct
- Rate of diversion/use equal to or less than
- Point of diversion description same or different
- County same
- Place of use description same or different
- Other water used on p/u? N/A

License vs. Field Exam ok to process

- Amount for rate of diversion correct
- Capacity correct
- Amount for each use correct
- Total amount correct
- Volume for each use correct
- Total volume correct
- Field exam showing p/d correct
- Field exam showing p/u correct
- Does field exam show more land irrigated than permit allows? N/A
- Overlap review complete
- Conditions of approval correct
- Initial field exam

Cover Letter vs. License

- Name correct
- Number correct
- Amount correct
- P/D description correct
- P/U description correct
- Priority correct
- Conditions correct
- Initial license
- Sign letter

Name

Jimi

Date

5-13-84

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 13, 1984

RE: Permit No. 29-7461

George D. & Carolyn Egley
Box 25
Lava Hot Springs, ID 83246

Dear Mr. and Mrs. Egley:

A representative of this Department has made an examination of the works covered by your Permit No. 29-7461, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.02 cfs Source: spring trib to sinks

The maximum quantity diverted shall not exceed 1.2 acre feet
per year.

Point(s) of diversion: SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 23, Twp 9S, Rge 38E

Beneficial use: Domestic use for 1 unit within SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, Twp 9S,
Rge 38E

Priority date established: September 18, 1978

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

RECEIVED
FEB 15 1984
WATER RESOURCES

THE

JAN 16 1984

29-7461
Permit No.

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

REMARKS

- ☐ Appointment letter mailed:
- ☐ Telephone call made:
(List Telephone No. used)
- ☐ Appointment scheduled for
(Date, time, location)

EXAMINATION

Date 7-12-1982 Accompanied by George Ealey Total Q measured

If source is surface water, estimate total flow of source

Methods of measurement Bucket & stopwatch Meets Permit requirements?

Measurement calculations: $4 \text{ gallons} / 14 \text{ secs} = 0.285 \text{ gps} \times 60 = 17.14 \text{ spm}$ or 0.04 cfs. $\checkmark OK$
 $\checkmark =$ allow 1.2 cfs $\checkmark OK$

[illegible]

System Description Spring + underground storage tank with 1/4 hp pump + line to home for domestic use

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE
Domestic
(one Unit)

Irrigation requirement =

AFA/Acre

Q (cfs)

0.02 cf

V (afa)

1.2

FROM

1-1 ✓

TO

12-314

Total

0.02

1.2

Remarks

PERMIT NO. 29-7461

George D Esley
(Name) Mr

Accompanied by: Esley

EXAMINATION: DATE: 7-12-82

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
Meyers	~~1/2~~ 1/4		Meyers	

Measuring Device Type: bucket stopwatch

Meter # _____ Annubar # _____ Size # _____

Remarks: _____

Measurement calculations:

32' lift with 1/4 hp pump


4 gallons / 14 secs

APPROXIMATE

SCHEMATIC DIAGRAM OF SYSTEM


Mainline Diameter _____ Length _____

A
N



T9S



29-7461



Designed, edited, and published by the Geological Survey
Control by USGS and USC&GS

Topography from aerial photographs by Manan Plotter, 1947-1948
and by plane table surveys, 1946-1947
Aerial photographs taken 1945

Polyconic projection, 1927 North American datum
10,000-foot grid based on Idaho coordinate system,
East zone





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

March 30, 1982

RE: Permit No. 29-7461

George D. and Carolyn Egley
Box 25
Lava Hot Springs, Id. 83246

Dear Mr. and Mrs. Egley:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE RS STEPHENS
Principal Clerk

cc IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 29 7461.

Name(s) of Permit Holder: George D. + Carolyn Egley

Post Office Address: Box 25 ; Lava Hot Springs,

Idaho ; 83246 Tel. No. 776-5456

Source of Water: Spring

Extensive Use: ☒ Domestic 1 house - 4 people (number of households)
☒ Stockwater Approx - 10 Horses (number and type of stock)
☐ Irrigation _____ (acres)
☒ Other Water for lawn + garden -
not enough water to irrigate acreage.

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No



The above information is a true statement of the extent to which the above numbered permit has been developed.

3-1-82

Date

Carolyn Egley
Signature of Permit Holder

Wendy D. E.
Box 25
Tava
Boise 83246



RECEIVED

MAR 3 1982



MICROFILMED

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

February 25, 1982

RE: Permit No. 29-7461

Carolyn Egley
P.O. Box 25
Lava Hot Springs, ID 83246

Dear Mrs. Egley:

As per our telephone conversation this morning, enclosed is a proof to beneficial use card for making proof of the above referenced permit. Also enclosed is a form entitled "making proof of beneficial use". This form will give you an idea of how the proof card will complete your portion of the water right processing.

If I can be of further assistance, please feel free to contact this office.

Sincerely,

KAY WALKER
Sr. Clerk

KW:k
Enclosures

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

September 17, 1979

George & Carolyn Egley
P.O. Box 25
Lava Hot Springs, Idaho 83246

Dear Mr. & Mrs. Egley,

RE: Permit No. 20-7461

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

29-7461

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. ✓ Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. ✓ Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>✓</u> Idaho Health Department	<u>✓</u> U.S.F.S.
<u>✓</u> Idaho Fish & Game Dept.	<u>✓</u> Dept. of Lands
<u>✓</u> Bureau of Land Management	<u>✓</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land none plotted

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO

ID Power Co. Letter - G.W. & Tribs.

Snake River Condition

Payette River Letter

Priority Date 9/18/78

Water Quality #16 NO

Water Quality #10

intrastate interstate

Meas. Dev. or Sc. Meas. NO

Totalizing meter

Supplemental

Right-of-Way Cond.

Watermaster Cond.

Wtr. Dist No.

Meas. Dev. Cond. for apps within a Water Dist.

Maureen - Type information penciled in on item 8.b.
Short letter w/o conditions

Juni
9/10/79

Date

M E M O R A N D U M

TO: The File
FROM: John Carlson
RE: Pre-Permit No. 29-7461, George and Carolyn Egley
DATE: August 23, 1979

The unnamed spring is situated in the SW corner of the Egley's property. The spring has been developed with a perforated culvert for a headbox and two dome shaped holding tanks with a $\frac{1}{2}$ H.P. submersible pump. When the tanks are full an overflow pipe, $1\frac{1}{2}$ dia. and 12' long extends onto the neighbors property emitting 1.73 GPM, which remains on the surface for less than 60' before subbing.

It appears that the only time the spring would be a tributary to Fish Creek is during a heavy rainstorm or before the ground thawed as there has been no stream erosion. To Mrs. Egley's knowledge the spring has never reached Fish Creek.

The permit is for domestic use only.

MICROFILMED

October 30, 1978

The Idaho State Journal
Box 431
Pocatello, Idaho 83201

Gentlemen;

Re: Permit No. 29-7461 - Lolev

Would you please send an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published on October 12 and 19, 1978.

Your cooperation in this matter is greatly appreciated.

Very truly,

DONNA HENRIQUES
Secretary

phoned for affidavit 11/6/78

MICROFILMED

October 6, 1978

Idaho State Journal
Box 431
Pocatello, Idaho 83201

RE: Application for Permit No. 29-7461 - EGLEY

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

Bill submitted 11/9/78 by dk

RDC:dh
Enclosure: 1 legal notice

NOTED

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that George D. Egley and Carolyn Egley, Lava
Hot Springs, Idaho

have ^{xx}has on 9-18-78 submitted Application No. 29-7461
for a permit to appropriate 0.16 cubic feet per second xxxxxxxxxxxxxxxxxxxxxx
of water from an unnamed spring tributary to sinks
by means of pipe
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 9S, R. 38E, B.M., Bannock County

to be used from Jan 1 to Dec 31 for domestic purposes for single-family residence
^{xxx}for and from Apr 1 to Nov 1 for the irrigation of 7 acres

within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 23, T. 9S, R. 38E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
Oct. 30, 1978

C. STEPHEN ALLRED

Director

Idaho State Journal, Pocatello, Idaho

Published in the _____
Oct. 12 _____
on _____ and _____ 19, 1978

RECORDED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

29-7461

Item Initial Date

Application No. EGLEY

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) S.M. 9/18/78

In form to receipt yes

(2) S.M. 9/18/78

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) S.M. 9/18/78

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) S.M. 9/18/78

In form for advertising

(5) S.M. 9/18/78

Platted on Map No. 98 38E

(6) S.M. 9/18/78

Located within Water District No. 27

(7) S.M. 9/18/78

Critical groundwater area: yes no

(8) S.M. 9/18/78

Groundwater levels:

Declining, Stable, Increase:

(comment)

(9) S.M. 9/18/78

Other rights on the same place of use

(10) S.M. 9/18/78

Comments:

(11) dh 11/13

Affidavit of Publication received(date) 11/9/78

(12) dh 16/13

Final date for protests 10.30.78

Protests received: yes no X

(13) EMC 8/27/79

All requested information received from agencies or applicant: yes no

(14) EMC 8/27/79

Action recommended:

☒ Approve Deny

9/18/78 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Eastern

By Ernest Carlson

Date 8/27/79

RECEIVED
SEP 04 1979

Department of Water Resources

MICROFILM

September 11, 1978

Mr. Howard L. Armstrong, Jr.
515 East Benton
Room 205
Pocatello, Idaho 83201

Dear Mr. Armstrong:

RE: Application for Water Permit - Egley

We are returning to you Mr. Egley's Application for Permit, his check No. 92-246 in the amount of \$10.00, and a copy of the Department's new statutory filing fee schedule.

As of July 1, 1978, the new fee for .20 cfs is \$20.00. Please return this application with the correct fee and we will then begin to process it.

Please feel free to contact me if you have any questions.

Sincerely,

STEVE McCORMICK
Water Resource Analyst

SM:dh

Enclosures

MICROFILMED

Hold File

C
O
P
Y

September 19, 1978

Mr. George D. Egley
P.O. Box 25
Lava Hot Springs, Idaho 83246

Dear Sir:

RE: Application for Permit

Attached herewith is Departmental receipt No. 11539 in the amount of \$20.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:dh

Attachment

MICROFILMED