

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7274 Priority July 9, 1975 Amount 0.04 cfs

THIS IS TO CERTIFY, that LYLE D. SUMSTINE
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7274 issued pursuant to Application for Permit dated July 9, 1975,
and has submitted proof to the Department of Water Resources on July 6, 1976,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20, Twp. 6S,
Rge. 35E, B. M. in the County of Barnock

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	35E	20						X											

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 16 day of
February, 19 78.


Director

Identification No. 29 7274
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES **APPROVED**
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Lyle D. Sumstine Phone: Bus. 232-7883 Home 233-6431
post office address 1238 North Main, Pocatello, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 6S
Range 35E B.M. Bannock County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.04 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 3/4 HP submersible pump and
two pressure tanks

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 106 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 1,500.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 6S
Range 35E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe: Lawn Watering

MICROFILMED

[illegible]

c. Describe any other water rights used for the same purposes as described above. No other well
but we have water rights from creek water
of Pacatello Creek, for irrigation, stated on Land deed.

10. Remarks _____

[illegible]

x Paul Lumsden
(Applicant)

Proposed Priority 7-09-1975

Received by MB Date 7-09-75 Time 10:35 AM

Preliminary check by JW Fee \$ 10.00

Receipted by MB Date 7-09-75 # 4326

Publication prepared by CW Date 7-11-75

Published in Idaho State Journal

Publication dates 7/17 + 7/24/75

Publication approved CW Date 7-28-75

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BC JWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7274, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 76.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 6 day of August, 19 75.


Director

PROOF OF PUBLICATION

RECEIVED

JUL 28 1975

STATE OF IDAHO
County of Bannock

ss.

Katherine Wanner

Department of V...
Eastern Dist...

being first duly sworn on oath deposes and says: That.....she.....
was at all times herein mentioned a citizen of the United States of
America, more than 21 years of age, and the Principal Clerk of THE
IDAHO STATE JOURNAL, a daily newspaper, printed and published at
Pocatello, Bannock County, Idaho, and having a general circulation
therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

July 17, 1975, 19.....
July 24, 1975, 19.....
....., 19....., 19.....
....., 19....., 19.....
....., 19....., 19.....

That said paper has been continuously and uninterruptedly pub-
lished in said County for a period of seventy-eight weeks prior to the
publication of said notice or advertisement and is a newspaper within
the meaning of the laws of Idaho.

Katherine Wanner


Subscribed and sworn to before me this.....25th.....

day of.....July....., 1975.

Dean L. Linsford

Notary Public, State of Idaho

Residence: Pocatello, Idaho



NOTARY PUBLIC

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lyle D. Sumstine, Pocatello, Idaho has on 7-09-75 submitted Application No. 29-7274 for a permit to appropriate 0.04 cubic feet per second of water from a ground-water source by means of a well and pump within the SW¹/₄NW¹/₄, Sec. 20, T. 6S, R. 35E, B.M., Bannock County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family within the SW¹/₄NW¹/₄, Sec. 20, T. 6S, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 4, 1975.

R. KEITH HIGGINSON
Director
July 17, 24, 1975
No. 400

being first duly sworn on oath deposes and says: That _____
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

_____, 1975 _____, 19____
_____, 1975 _____, 19____
_____, 19____ _____, 19____
_____, 19____ _____, 19____
_____, 19____ _____, 19____

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Katherine Warner

Subscribed and sworn to before me this _____
day of _____, 1975

Lila L. Seaford

Notary Public, State of Idaho
Residence: Pocatello, Idaho

PROOF OF PUBLICATION

REC

JUL 20 1975

STATE OF IDAHO
County of Bannock

ss.

Department
Eastern

rces

Katherine Warner

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of
America, more than 21 years of age, and the Principal Clerk of THE
IDAHO STATE JOURNAL, a daily newspaper, printed and published at
Pocatello, Bannock County, Idaho, and having a general circulation
therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

July 17	, 1975	, 19
July 24	, 1975	, 19
	, 19	, 19
	, 19	, 19
	, 19	, 19


That said paper has been continuously and uninterruptedly pub-
lished in said County for a period of seventy-eight weeks prior to the
publication of said notice or advertisement and is a newspaper within
the meaning of the laws of Idaho.

Katherine Warner

Subscribed and sworn to before me this 25th
day of July, 1975.

Leslie L. Leasure

Notary Public, State of Idaho
Residence: Pocatello, Idaho



PROOF OF PUBLICATION

REC

J

STATE OF IDAHO
County of Bannock

ss.

Department
E&S

ces

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lyle D. Sumsfine, Pocatello, Idaho has on 7-09-75 submitted Application No. 29-7274 for a permit to appropriate 0.04 cubic feet per second of water from a ground-water source by means of a well and pump within the SW¹/₄NW¹/₄, Sec. 20, T. 6S, R. 35E, B.M., Bannock County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family within the SW¹/₄NW¹/₄, Sec. 20, T. 6S, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 4, 1975.

R. KEITH HIGGINSON
Director
July 17, 24, 1975
No. 400

being first duly sworn on oath deposes and says: That _____
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

July 27	, 1975	_____	, 1975
_____	, 1975	_____	, 1975
_____	, 1975	_____	, 1975
_____	, 1975	_____	, 1975
_____	, 1975	_____	, 1975

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

_____ *Ruth Ann Hunsaker*

Subscribed and sworn to before me this _____ day of _____, 1975.

_____ *Paula L. Gadsford*

Notary Public, State of Idaho
Residence: Pocatello, Idaho

February 21, 1978

Re: Permit No. 29-7274

Lyle D. Sumstine
1238 North Main
Pocatello, ID 83201

Dear Mr. Sumstine:

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw
Enclosure

11-2-78

February 1, 1978

Re: Permit No. 29-7274

Mr. Lyle D. Sumtine
1238 North Main
Pocatello, ID 83201

Dear Mr. Sumtine:

A representative of this Department made an examination of the works covered by your Permit No. 29-7274 on August 23, 1976, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.04 cfs Source: groundwater

The maximum quantity diverted shall not exceed 1.2 acre feet per year.

Point of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20, Twp. 6S, Rge. 35E, B.11.

Beneficial use: Domestic

Priority date established: July 9, 1975

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

PDF/cah

FIELD REPORT

Name of permit holder

233-6431 home

Post office address

Phone

Person to contact

(Lyles TV Service & Repair)

Phone

232-7883 bus.

2. Source of water supply: Groundwater ☒ Surface water ☐

(name spring, stream, etc.)

Tributary to

3. Water will be used for the following purposes:

Amount 0.04 c.f.s. for Domestic (1)
 AF/Annum (nature of use)

Department of Water Resources
Eastern District Office

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses:

Permit No. 29-7274
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 0.04 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 6S N/S, Range 35E E/W, B.M., Section 20, Subdivision SW $\frac{1}{4}$ NW $\frac{1}{4}$, Bannock
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions:

Description of diverting works: 1. hppump, bladder pressure tanks (2), buried system to house and hydrant

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

live in Green "A" Frame v. 1 mi. east of PARKS, & POCA TELLO CREEK Rd. intersection.
(on north side - road).

DEPARTMENT OF WATER ADMINISTRATION

FIELD REPORT

Lyle D. Sumstine

Name of permit holder

1238 N. Main, Pocatello, ID 83201

Phone 233-6431 home

Person to contact (Lyles T.V. Service & Repair.)

Phone 232-7883 bus.

2. Source of water supply: Groundwater ☒ Surface water ☐

(name spring, stream, etc.)

Tributary to

3. Water will be used for the following purposes:

Amount 0.04 c.f.s. for Domestic (1)
AF/Annum (nature of use)

Department of Water Resources
Eastern District Office

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses:

4. Total amount to be appropriated:

Max Rate of Diversion 0.04 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 6S N/S, Range 35E E/W, B.M., Section 20, Subdivision SW $\frac{1}{4}$ NW $\frac{1}{4}$, Bannock

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____ County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County _____

Other Points of Diversions:

Description of diverting works: 1. hppump, bladder pressure tanks (2), buried system to house and hydrant

Measuring device required: yes ☐ no ☒

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**

MICROFILM


Rge 35E.

Twp. 6 S.

21 * 20 19

Diagram of System

NOTE: DISTANCE FROM HYDRANT TO P.D. IS 32 FEET, AND HYDRANT IS 8 FEET FROM HOUSE. ENTIRE SYSTEM IS BURIED WITH EXCEPTION OF HYDRANT.



EMC
8/25/76



DRIVE WAY.

POCATELLO CREEK RD.

DATE OF EXAM 23 Aug. 76

ACREAGE

Found N.A.
Recommended N.A.

Irrigation Requirement N.A. Ac Ft/Ac

USE

Irrigation Q= c.f.s. V= AF/Ann. from to
Domestic Q= .04 c.f.s. V= 1.2 AF/Ann. from Jan 1 to Dec 31
Livestock Q= c.f.s. V= AF/Ann. from to

Is water co-mingled? yes no ✓

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Exchange? yes no ✓

Name source exchanged with:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of injection: N.A.
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Point of exchange: N.A.
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4
County

Total Q measured None Method of measurement n/a

Total Q recommended .04 cfs. Meter No. n/a Type n/a Condition n/a

Total V recommended 1.2 AF/ANN.

Recommended Amendments:

P.D.
Place of Use
Other
None X

MEASUREMENT CALCULATION:

None.

SYSTEM DESCRIPTION:

Fairbanks Morse 1 Hp. submersible (no serial # available) w/ two 30 gal bladder tanks
4 ft to south west of hydrant 32 ft to north east of P.D. Hydrant is located
8 ft from north west corner of house. Well driller estimated 15 to 20 gpm
capacity, with the pump being 90 ft below ground. The well is 105 ft deep.

REMARKS:

System shown is described by Lyle Sametne.



Examiner's Signature Ernest M Carlson Date 25 Aug 76.

Checked by Anthony R. Kozlowski Date 2/16/77

Approved by Date

03 354 50020

RD.



ENC 8/25/16

July 14, 1976

Re: Permit No. 29-7274

Lyle D. Sunstine
1238 North Main
Pocatello, Idaho 83201

Dear Mr. Sunstine:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our District Office in **Idaho Falls.**

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JG

MICROFILMED

Identification No. _____

Permit No. _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

JUL 6 1976

Department of Water Resources




PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder LYLE SUMSTINE
b) Post Office Address 1238 N. MAIN POCAHONTO IDAHO
2. Permit Number Permit (29-7274) 83201
3. Date of Priority that you are prepared to establish 6-24-75 as well finished
4. a) Source from which water was appropriated Dept of water res. 1515 Line Rd. Id. Falls
b) Location of the point of diversion: NW 1/4 NW 1/4, Section 4
Township 6, Range 35 Boise Meridian, Other points of diversion: none
5. a) The amount of water and use to which the water has been applied:
Amount 15 GPM for Domestic purposes from House to yard incl. (any day)
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount none for other purposes from _____ to _____ incl. _____
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount none for other purposes from _____ to _____ incl. _____
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated not measured cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: DOUG CUSHMAN DRILLING BLACKFOOT IDAHO
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: none
b) Describe the agreement or understanding by which you take water from the works: 1 H.P. Submersible pump, Bladder pressure tanks (2) Buried system to house & hydrant
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) none
b) Describe the type and size of measuring device which you have installed at your point of diversion: none
c) Give well driller's name and address and the date the well was completed: DOUG CUSHMAN DRILLING CO. Ph. 785-6928 745-S. Broadway Blackfoot Idaho 83221 06-24-75 Firm no 72
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: none yard & trees only

Exam typed 7-14-76 by jr

63 35R 300.20

P.D.



11/56/8
MFA


RECEIVED

JUL 6 1976

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources

1. WELL OWNER Name <u>Lyle Sumstine</u> Address <u>1238 NORTH MAIN POCATELLO, IDAHO</u> Owner's Permit No. _____ 2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) 3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection 4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other 5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>106</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.250 inches</td> <td>6 inches</td> <td>+ 1 foot</td> <td>104 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18'</u> Material used in seal ☐ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☐ Overhole to seal depth 6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>BANNOCK</u> T₄ S₄ E₄ Sec. <u>4</u> T. <u>6</u> N/S, R. <u>35</u> E/W	Thickness	Diameter	From	To	.250 inches	6 inches	+ 1 foot	104 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	7. WATER LEVEL Static water level <u>52</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug 8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Other IAIR TEST <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td>15 to 20</td> <td></td> <td></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> 9. LITHOLOGIC LOG <table border="1" style="width: 100%; font-size: x-small;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td rowspan="12">6"</td> <td>0</td> <td>18</td> <td>CLAY & GRAVEL</td> <td>X</td> <td></td> </tr> <tr> <td>18</td> <td>43</td> <td>CLAY & BOULDERS</td> <td>X</td> <td></td> </tr> <tr> <td>43</td> <td>46</td> <td>CLAY & GRAVEL</td> <td>X</td> <td></td> </tr> <tr> <td>46</td> <td>60</td> <td>CLAY & BOULDERS</td> <td>X</td> <td></td> </tr> <tr> <td>60</td> <td>68</td> <td>CLAY & SMALL GRAVEL</td> <td>X</td> <td></td> </tr> <tr> <td>68</td> <td>74</td> <td>CLAY & BOULDERS</td> <td>X</td> <td></td> </tr> <tr> <td>74</td> <td>76</td> <td>CLAY & SMALL GRAVEL</td> <td>X</td> <td></td> </tr> <tr> <td>76</td> <td>79</td> <td>CLAY BOULDERS SHALE GRAVEL</td> <td>X</td> <td></td> </tr> <tr> <td>79</td> <td>82</td> <td>BOULDERS CLAY SHALE GRAVEL</td> <td>X</td> <td></td> </tr> <tr> <td>82</td> <td>106</td> <td>CLAY & SHALE GRAVEL</td> <td>X</td> <td></td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> 10. Work started <u>06/23/75</u> finished <u>06/24/75</u> 11. DRILLER'S CERTIFICATION Firm Name <u>DOUG CUSHMAN DRILLING CO.</u> Firm No. <u>22</u> Address <u>945 S. BROADWAY BLACKFOOT</u> Date <u>06/25/75</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>	Discharge G.P.M.	Draw Down	Hours Pumped	15 to 20									Hole Diam.	Depth		Material	Water		From	To	Yes	No	6"	0	18	CLAY & GRAVEL	X		18	43	CLAY & BOULDERS	X		43	46	CLAY & GRAVEL	X		46	60	CLAY & BOULDERS	X		60	68	CLAY & SMALL GRAVEL	X		68	74	CLAY & BOULDERS	X		74	76	CLAY & SMALL GRAVEL	X		76	79	CLAY BOULDERS SHALE GRAVEL	X		79	82	BOULDERS CLAY SHALE GRAVEL	X		82	106	CLAY & SHALE GRAVEL	X											
Thickness	Diameter	From	To																																																																																																																					
.250 inches	6 inches	+ 1 foot	104 feet																																																																																																																					
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																					
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																					
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																					
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																					
Number	From	To																																																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																																																						
_____ perforations	_____ feet	_____ feet																																																																																																																						
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																						
15 to 20																																																																																																																								
Hole Diam.	Depth		Material	Water																																																																																																																				
	From	To		Yes	No																																																																																																																			
6"	0	18	CLAY & GRAVEL	X																																																																																																																				
	18	43	CLAY & BOULDERS	X																																																																																																																				
	43	46	CLAY & GRAVEL	X																																																																																																																				
	46	60	CLAY & BOULDERS	X																																																																																																																				
	60	68	CLAY & SMALL GRAVEL	X																																																																																																																				
	68	74	CLAY & BOULDERS	X																																																																																																																				
	74	76	CLAY & SMALL GRAVEL	X																																																																																																																				
	76	79	CLAY BOULDERS SHALE GRAVEL	X																																																																																																																				
	79	82	BOULDERS CLAY SHALE GRAVEL	X																																																																																																																				
	82	106	CLAY & SHALE GRAVEL	X																																																																																																																				

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

June 30, 1976

CERTIFIED MAIL

138725

Re: Permit No. 29-7274


Lyle D. Sumstine
1238 North Main
Pocatello, Idaho 83201

Dear Mr. Sumstine:

One of the conditions of approval of your water Permit No. 29-7274 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before September 1, 1976. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

August 11, 1975

Re: Permit No. 29-7274

Lyle D. Sumstine
1238 North Main
Pocatello, ID 83201

Dear Mr. Sumstine:

Enclosed is a copy of your approved Application for Permit No. 29-7274. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

RECEIVED
AUG 12 1975
FLEENOR

July 11, 1975

RE: Application for Permit No. 29-7274 SUMSTINE
Claim to a Water Right No. 29-4052 MYERS
" " " No. 29-4053 MYERS

Idaho State Journal
Box 431
Pocatello, Idaho 83201

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Bill submitted 7-21-75 by MB

Enc: Legal Notices (3)

MB
NOTICE OF APPLICATION FOR
WATER PERMIT

Notice is hereby given that Lyle D. Sumstine, Pocatello, Idaho has on 7-09-75 submitted Application No. 29-7274 for a permit to appropriate 0.04 cubic feet per second of water from a ground-water source by means of a well and pump within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20, T. 6S, R. 35E, B.M., Bannock County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20, T. 6S, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 4, 1975.

R. KEITH HIGGINSON

Director

July 17, 24, 1975

No. 400

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Lyle D. Sumstine,
Pocatello, Idaho
has on 7-09-75 submitted Application No. 29-7274
for a permit to appropriate 0.04 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20, T. 6S, R. 35E, B.M., Bannock County;

to be used from Jan. 1 to Dec. 31
for domestic purposes for one family
within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 20, T. 6S, R. 35E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 4, 1975.

R. KEITH HIGGINSON

Director

Published in the Idaho State Journal, Pocatello, Idaho
on July 17 and July 24, 1975.

*July 17
CW-A
CW-A*

Identification No. 29 7274

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriates the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

232-7883-BUS.

1. Name of applicant LYLE D. SUMSTINE Phone: 233-6431-home
post office address 1238 N. MAIN,

2. Source of water supply Ground Water which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 6S
Range 35E B.M. Bannock County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.04 ~~15~~ ^{lit} for Home purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3/4 HP Submersible Pump &
Two pressure tanks. L.H.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 106 feet. - LH

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years. - LH

b. Estimated construction cost is \$ 1500.00 LH

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 6S
Range 35E B.M.

(2) Amount of power to be generated: 3/4 hp under 80 feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water One

(5) If water is to be used for other purposes describe: one house for
culinary + yard watering -

Received by MB Date 7-09-75 Time 10:35 A.M.
Preliminary check by MB Fee \$ 10.00
Receipted by MB Date 7-09-75 # 4326
Publication prepared by CW Date 7-11-75
Published in Idaho State Journal
Publication dates 7/17 + 7/24/75
Publication approved _____ Date _____
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this _____ day of _____, 19____.

Director

Identification No. 29 7274

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

232-7883-BUS.

1. Name of applicant LYLE D. SUMSTINE Phone: 233-6431-home
post office address 1238 N. MAIN,

2. Source of water supply Ground Water which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 6S
Range 35E B.M. Bannock County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 0.04 ~~1.5~~ ^{cf} for Home purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. _____ cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 3/4 HP Submersible Pump &
Two pressure tanks. LA

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 106 feet. LA

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years. LA

b. Estimated construction cost is \$ 1500.00 LA.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 20 Township 6S
Range 35E B.M.

(2) Amount of power to be generated: 3/4 hp under 80 feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water One

(5) If water is to be used for other purposes describe: one house for
culinary + yard watering-

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion LYLE + Ruth DUMSTINE

b. Who owns the land to be irrigated or place of use _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 29-7274

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SAJ 7/10/75

In form to receipt yes

(2) " "

Send Copies to:

NA Idaho State Health Department
NA Idaho Fish and Game Department
NA Bureau of Land Management

(3) " "

NA Request Special Use Permit from U.S.F.S.
NA Request Easement from B.L.M.
NA Request Information from Applicant

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. 65,35E

(6) " "

Located within Water District No. No Water Dist.

(7) " "

Critical groundwater area: yes no ☒

(8) " "

Groundwater levels:

Declining, ? Stable, Increasing

(comment) No near by obs wells. Bulletin #27

(9) " "

Other rights on the same place of use None

(10) " "

Comments: This is a home site. There are several others in this same location

(11) MB 7-28-75

Affidavit of Publication received(date) July 28

(12) MB 8-04-75

Final date for protests August 4, 1975

Protests received: yes no ☒

(13) BC 8/4/75

All requested information received from agencies or applicant: yes OK no no

(14) " "

Action recommended:

☒ Approve Deny

7/9/75 Proposed Priority

Reason for Reduction

NO Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District E

By BC

Date 8/4/75

Copied

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Bannock } ss.

NOTICE OF CORRECTION

Notice is hereby given that Application No. 29-7275 in the name of Spencer J. Olson was advertised incorrectly on July 31 and August 7, 1975. The place of use was advertised as being within the NW¹/₄NE¹/₄, N¹/₂NW¹/₄, Sec. 29, SE¹/₄NW¹/₄, NE¹/₄SW¹/₄, S¹/₂SW¹/₄, Sec. 20, SE¹/₄SE¹/₄, Sec. 19, NE¹/₄, NE¹/₄NW¹/₄, Sec. 30, T. 10S, R. 36E, B.M.

WHEREAS, the actual place of use is within the NW¹/₄NE¹/₄, N¹/₂NW¹/₄, Sec. 29, SE¹/₄NW¹/₄, NE¹/₄SW¹/₄, S¹/₂SW¹/₄, N¹/₂SE¹/₄, SW¹/₄SE¹/₄, Sec. 20, SE¹/₄SE¹/₄, Sec. 19, NE¹/₄, NE¹/₄NW¹/₄, Sec. 30, T. 10S, R. 36E, B.M.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before September 8, 1975.

R. KEITH HIGGINSON

Director

Aug. 21, 28, 1975
No. 476

Katherine Wanner

being first duly sworn on oath deposes and says: That She.....
was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

..... August 21 , 1975 , 19.....
..... August 28 , 1975 , 19.....
..... , 19..... , 19.....
..... , 19..... , 19.....
..... , 19..... , 19.....

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

..... Katherine Wanner

Subscribed and sworn to before me this 28th
day of August , 1975

..... Rick L. Bradford

Notary Public, State of Idaho

Residence: Pocatello, Idaho

July 9, 1975

C
RE: Application for Permit No. 29-7274

O
Mr. Lyle D. Sumstine
1238 North Main
Pocatello, Idaho 83201

Dear Mr. Sumstine:

P
Attached herewith is departmental receipt No. 4326 in the amount of \$10.00 for the above referenced application.

We have taken the liberty to retype the application changing the rate of diversion and completing the other items which we discussed during our telephone conversation. Please review the application and if it meets with your approval, complete Item 8c and return it to this office for further processing.

Y
If you have any questions, please contact us.

Very truly yours,

LOREN O. HOLMES
Assistant to the
District Engineer

LOH:MB

Attachment
Enclosure