

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Russell J. Hayden
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7272 issued pursuant to Application for Permit dated July 2, 1975,
and has submitted proof to the Department of Water Resources on February 15, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.66 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Subject, however, to the condition that no more than 0.62 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 301.3 acre feet per year, said waters to be diverted within the S1/4 Sec 3,
Twp 9S, Rge 3E in the County of Polk

[illegible]

MICROFILMED

DEC 15 1986

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

The maximum combined rate of diversion under this right and Right 29-7110 shall not exceed 0.62 cfs.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Water is injected into Clifton Creek at SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3. The water is rediverted from Clifton Creek in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, and is also rediverted from Rattlesnake Creek in the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 8, Twp 9S, Rge 34E.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of NOVEMBER, 19 86.

MICROFILMED

DEC 15 1986

Acting for the Director

Norman C. Young

B.S.
Sim

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 120

c. Describe any other water rights used for the same purposes as described above. 29-2509
for 2.4 cfs but well doesn't produce more than 0.40 cfs and therefore, this
application is to bring the total to about 1 miners inch per acre

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

RECEIVED

JUN 18 1980

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources

Russell J. Hayden of Mink Creek Rd., Box 456, Pocatello, Id
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 29-7272.

That under the terms and conditions of said permit, work thereunder was required to be completed on or
before July 1, 1980.

That he has heretofore performed the following work described under said permit: The well was
drilled in 1976 and a concrete redirection structure was constructed to divert
comingled water from Rattlesnake Creek. In 1979, I did irrigate the place of use
with the system proposed by this permit.

Costing \$ 4,000.00

That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: Flooding during the spring runoff of 1980 destroyed the concrete
diversion on Rattlesnake Creek and filled in all the ditches used in irrigation.

I will need additional time to reconstruct that portion of the system which has
been destroyed.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to July 1, 1985, 19 85

Russell J. Hayden
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit the statement of beneficial use is extended to July 1, 1985.

MICROFILMED

Signed this 23rd day of June, 19 80.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. **29-7272**

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;


NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Russell J. Hayden
(Applicant)

02
6/25/80
Proposed Priority 7-83-1975

Received by MB Date 7-2-75 Time 11:45 A
Preliminary check by Jay Fee \$ 35.00
Receipted by MB Date 7-3-75 # 4320
Publication prepared by MB Date 7-3-75
Published in Blaine County Press
Publication dates July 10 & 17, 1975
Publication approved MB Date 7-21-75
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DC JH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7272, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1980.
- c. Other: (1) The amount of water diverted shall not exceed one miner's inch per acre when combined with Permit No. 29-2509.
(2) Measuring device at point of diversion and at point of rediversion from Rattlesnake Creek.

2. Denial of said application is for the following reasons: _____

Witness my hand this 30 day of July 19 75.


Director

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER }

S.S.

RECEIVED

JUL 21 1975

Department of Water Resources
Eastern District Office

.....~~Phyllis Ringe~~..... being first duly sworn
on oath, states:

That~~she~~..... is the ...~~principal clerk of the printer~~...
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for~~2~~.....
successive weekly issues thereof, the date of the first publica-

tion being the ~~10th~~..... day of~~July~~....., 19..75

the date of last publication being the

.....~~17th~~.... day of~~July~~....., 19.....75

(Signed) *Phyllis Ringe*

Subscribed and sworn to before me this

.....~~18~~..... day of~~July~~....., 19..75

Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) Notary Public day of 19
residing at Am. Falls, Idaho
My Commission Expires
July 18, 1977

MICROFILMED

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER }

S.S.

.....~~Phyllis Ringe~~..... being first duly sworn
on oath, states:

That she..... is the principal clerk.....of the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County, that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said
newspaper and not in any supplement thereof for 2.....
successive weekly issues thereof, the date of the first publica-
tion being the 7th..... day of July....., 19..75
the date of last publication being the

.....17th..... day of July....., 19.....75

(Signed)

Subscribed and sworn to before me this

.....8..... day of July....., 19.....75

Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) Notary Public day of 19.....

My Commission Expires
July 15, 1977

Legal Notice

Published in the Power
County Press July 10 and July
17, 1975.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Russell J. Hayden, Pocatello,
Idaho has on 7-2-75 submitted
Application No. 29-7272 for a
permit to appropriate 2.00
cubic feet per second of water
from a ground-water source by
means of well and pump
within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3,
T. 9S, R. 34E, B.M., Power
County. The water will then be
injected into Clifton Creek at
the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3 and
rediverted in the SE $\frac{1}{4}$ SW $\frac{1}{4}$,
Sec. 8, T. 9S, R. 34E, from
Rattlesnake Creek, by means
of diversion dam and gravity
system; to be used from March
15 to Nov. 15 for the irrigation
of 120 acres within the
N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 8,
T. 9S, R. 34E, B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must be
filed with the Idaho Depart-
ment of Water Resources,
1515 Lincoln Road, Idaho
Falls, Idaho, 83401 on or
before July 28, 1975.

R. KEITH HIGGINSON
Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 29-7272

Name(s) of Permit Holder(s): RUSSELL J. HAYDEN

Post Office Address: MINK CREEK ROAD BOX 456
POCATELLO, ID. 83204 Tel. No. 233-2526


☒ I hereby certify that construction of diversion works for the above referenced permit began on JUNE 22, 1982 understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

July 9, 1982 Russell J. Hayden
Date Signature of Permit Holder
COMPLETED AS OF THIS DATE, EXCEPT FOR
INSTALLATION OF WEIRS.

RUSSELL HAYDEN
MINK CREEK RD BOX 456
Pocatello, IDAHO
83204



MICROFILMED



JUN 16 1988

Department of Water Resources

JUL 6 1982

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 8, 1986

RE: Permit No. 29-7272

Russell J. Hayden
Mink Creek Rd., Box 456
Pocatello, ID 83204

Dear Mr. Hayden:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 15 1986

September 25, 1986

RE: Permit No. 29-7272

Russell J. Hayden
Mink Creek Rd., Box 456
Pocatello, ID 83204

Dear Permit Holder(s):

Enclosed is a new draft copy of the license proposed to be issued on the above referenced water right. Please note that the license has been modified from the previous draft copy sent at an earlier date. The changes on the new copy have been highlighted for your convenience.

If you do not concur with the information shown on the new draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the new draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 15 1986



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 15, 1986

RE: Permit No. 29-7272

Russell J. Hayden
Mink Creek Rd., Box 456
Pocatello, ID 83204

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 15 1986

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7272 Priority July 2, 1975 Amount 0.62 cfs

THIS IS TO CERTIFY, that Russell J. Hayden
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7272 issued pursuant to Application for Permit dated July 2, 1975,
and has submitted proof to the Department of Water Resources on February 15, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.62 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u> from <u>March 15</u> to <u>November 15</u> at <u>0.62</u> cfs and <u>301.3</u> acre feet			
_____ from _____ to _____ at _____ cfs and _____			
_____ from _____ to _____ at _____ cfs and _____			

(both dates inclusive)

Subject, however, to the condition that no more than 0.62 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
301.3 acre feet per year, said waters to be diverted within the SW 1/4 Section 3,
Twp 9S, Rge 34E in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
9S	34E	8									23	33	36						92

Total number of acres irrigated 92

MICROFILMED

DEC 15 1983

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Water is injected into Clifton Creek at SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, and rediverted in SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 8, Twp 9S, Rge 34E from Rattlesnake Creek.

The maximum combined rate of diversion under this right and Right 29-7110 shall not exceed 0.62 cfs.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

*Changed to reflect rediversion from
Clifton Creek on new license*

Witness the seal and signature of the Director, affixed at Boise, Idaho, this _____ day of _____, 19 86 .

MICROFILMED

DEC 15 1986

Director

PK
11/11
-65

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 15 1984

Department of Water Resources

Permit No.

CONTACT WITH PERMIT HOLDER

☐ Appointment letter mailed:

☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

DATE

INITIALS

REMARKS

EXAMINATION

Date 7-20-83 Accompanied by Russell Hayden Total Q measured 0.62 cfs ✓

Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____

If source is surface water, estimate total flow of source _____

Methods of measurement Manometer Meets permit requirements? _____

Measurement calculations: From pump to 5" line with 3" restrictor plate on end of line (open discharge) with manometer.

Applicant had a Chart from Water Well Handbook by Keith Anderson

$V = 0.62 \text{ cfs} \times 1.9855 \times 245 \text{ days} = 301.3 \text{ afa}$

$V = 92 \text{ cfs} \times 3.5 \text{ afa} = 322 \text{ afa}$

$92 \text{ afa} \times 0.0282 = 2.58 \text{ afa} - \text{Anteq. by capacity}$

Shows manometer reading of 61" = 290 gpm

Enclosed charts & calculations by * or 0.65 cfs ✓

Formula give 0.62 cfs

WELL/DIV. NO.*	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	7 1/2	NA	NA					

System Description Well/pump (Submerged) open discharge into pond on Clifton creek. Water is redirected at point downstream on Clifton Creek and also one point on Rattlesnake creek which Clifton Creek is trib. to. Redirection by ditches which come together and flow thru a V-notch weir then to place of use.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE
Irrigation ✓

Irrigation requirement = 3.5 ✓ 245 days AFA/Acre

Q (cfs)

0.62 ✓

V (afa)

301.3 ✓

FROM

3-15 ✓

TO

11-15 ✓

Total

0.62 ✓

301.3 ✓

Remarks R16 (25) # 29-2509
R17 (29-7110) (0.62 cfs) ✓ OK

MICROFILMED

Right 29-7110 + 29-7272 show same pd.

P/D overlap per VAX: 29-2564


29-7110

29-2498

see attached review


DEC 15 1986

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Place(s) of Use ☒

TWP.	RGE.	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
9S	34E	8									23	33		36					92 ☒

Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☒ None
- ☐ Change P.U. as reflected above
 ☐ Add P.U. as reflected above
 ☐ Other

Examiner's Signature

Checked by

Approved by

Date 4-9-84

Date 11-8-84

Date 6-25-86

MICROFILMED

DEC 15 1986

29-7272

34E

5 4
8 9

See map
V-12B

9 0

A
119

B
2160

69

Weir

Redw

9 9
1275
16

T-75

Redw

MICROFILMED

DEC 15 1986

V
13

NOT TO SCALE

29-1272

34E

Sea Map
V-12B

A
119
B
216D

Weir

Rediv

Rediv

T95

MICROFILMED

DEC 15 1986

V
13

NOT TO SCALE

#29-7772

$$Q = KA \sqrt{2GH}$$

$$A = \text{area of orifice} - s_g'' = \left(3'' \overset{\text{using}}{\text{Diam orifice}} \right) \pi R^2 A$$
$$3.14 (1.5)^2 A$$

$$A = \underline{7.068 s_g''}$$

$$H = \text{Height of water in glass tube} = \underline{61''}$$

above center of pipe

$$R = \frac{\text{Dia. of orifice}}{\text{Dia. of pipe}} = \frac{3''}{\left(5''_{\text{pipe}} - \frac{3}{8}'' \text{ for pipe wall} \right)}$$
$$= \underline{0.648}$$

$4 \frac{5}{8}''$ or $4.625''$

$$G = 32.2$$

$$K = (\text{See Chart}) \ 0.63$$

$$Q = 0.63 \times 7.068 s_g'' \sqrt{2 (32.2 \times 61'')}$$


$$= 4.4528 \times 62.676$$

$$= 279.08 \text{ gpm} = 0.62 \text{ cfs}$$

MICROFILMED


DEC 15 1986

Values of
Constant "K"



Layne Orifice


Size: 4" x 2 1/2"
Range: 56 to 210 G.P.M.



RECEIVED

DEC 15 1936

Measuring the Discharge of Pumps with Circular Orifice Weir



This sketch shows how to construct a Circular Orifice Weir

TABULATION OF YIELDS FROM CIRCULAR ORIFICE WEIRS
 (Range from 55 G. P. M. to 1,980 G. P. M.)

APPROXIMATE DISCHARGE IN GALLONS PER MINUTE

Head of Water in Tube Above Center of Orifice	4-inch Pipe 2 1/2-inch Opening	4-inch Pipe 3-inch Opening	6-inch Pipe 3-inch Opening	6-inch Pipe 4-inch Opening	8-inch Pipe 4-inch Opening	8-inch Pipe 5-inch Opening	8-inch Pipe 6-inch Opening	10-inch Pipe 6-inch Opening	10-inch Pipe 7-inch Opening	10-inch Pipe 8-inch Opening
5 inches	55 gpm	89 gpm								
6 "	60 "	97 "	82 gpm	158 gpm	144 gpm	240 gpm	390 gpm			
7 "	65 "	105 "	88 "	171 "	156 "	260 "	420 "	370 gpm	540 gpm	830 gpm
8 "	69 "	112 "	94 "	182 "	166 "	275 "	450 "	395 "	580 "	880 "
9 "	73 "	119 "	100 "	193 "	176 "	295 "	475 "	420 "	610 "	940 "
10 "	77 "	126 "	106 "	204 "	186 "	310 "	500 "	440 "	640 "	990 "
12 "	85 "	138 "	115 "	223 "	205 "	340 "	550 "	480 "	700 "	1080 "
14 "	92 "	149 "	125 "	241 "	220 "	365 "	595 "	520 "	760 "	1170 "
16 "	98 "	159 "	132 "	258 "	235 "	390 "	635 "	555 "	810 "	1250 "
18 "	104 "	168 "	140 "	273 "	250 "	415 "	675 "	590 "	860 "	1330 "
20 "	110 "	178 "	150 "	288 "	265 "	440 "	710 "	620 "	910 "	1400 "
22 "	115 "	186 "	158 "	302 "	275 "	460 "	745 "	650 "	950 "	1470 "
25 "	122 "	198 "	168 "	322 "	295 "	490 "	795 "	690 "	1020 "	1560 "
30 "	134 "	217 "	182 "	353 "	325 "	540 "	870 "	760 "	1120 "	1710 "
35 "	145 "	235 "	198 "	380 "	355 "	580 "	940 "	820 "	1210 "	1850 "
40 "	155 "	251 "	210 "	405 "	370 "	620 "	1000 "	880 "	1290 "	1980 "
45 "	164 "	267 "	223 "	430 "	395 "	660 "	1060 "	930 "	1370 "	
50 "	173 "	280 "	235 "	455 "	415 "	690 "	1120 "	980 "	1440 "	
60 "	190 "	310 "	260 "	500 "	455 "	760 "	1230 "	1080 "	1580 "	

5" pipe with 3" opening

Head in Inches	3" Orifice		4" Orifice		5" Orifice		6" Orifice		7" Orifice	8" Orifice	9" Orifice	10" Orifice	Head in Inches
	4 in. Pipe	6 in. Pipe	6 in. Pipe	8 in. Pipe	6 in. Pipe	8 in. Pipe	8 in. Pipe	10 in. Pipe	10 in. Pipe	10 in. Pipe	12 in. Pipe	12 in. Pipe	
36.5	256	201	383	356	743	588	937	852	1259	1879	2124	2980	36.5
37	257	203	385	358	748	592	943	857	1266	1893	2136	3002	37
37.5	259	204	388	360	754	596	949	862	1274		2148	3024	37.5
38	260	205	390	363	759	600	955	867	1281		2160	3046	38
38.5	262	206	393	365	765	604	961	872	1289		2173	3068	38.5
39	263	208	396	367	770	608	967	877	1295		2185	3088	39
39.5	265	209	398	369	776	612	974	882	1304		2197	3110	39.5
40	266	210	401	371	781	616	979	887	1311	1980	2210	3130	40
40.5	267	211	403	373	786	620	985	891	1319		2225	3146	40.5
41	269	212	406	375	790	624	990	896	1326		2233	3160	41
41.5	271	213	408	378	795	628	996	901	1334		2245	3179	41.5
42	272	214	411	380	800	631	1001	906	1341		2257	3199	42
42.5	274	216	413	382	805	635	1007	910	1349		2273	3219	42.5
43	275	217	415	384	810	638	1012	915	1356		2285	3230	43
43.5	277	218	418	386	815	642	1018	920	1364		2307	3250	43.5
44	278	219	420	388	820	645	1023	925	1371		2309	3263	44
44.5	280	220	422	390	824	649	1029	929	1379		2326	3280	44.5
45	281	222	425	392	828	652	1034	934	1387		2338	3296	45
45.5	283	223	427	394	832	656	1040	939	1394		2350	3316	45.5
46	284	224	429	396	837	659	1045	944	1401		2363	3334	46
46.5	285	225	432	399	842	663	1051	948	1409		2375	3351	46.5
47	287	227	434	401	847	666	1056	953	1416		2387	3368	47
47.5	289	228	437	403	851	669	1062	958	1424		2399	3389	47.5
48	290	229	440	405	855	672	1067	963	1431		2411	3405	48
48.5	292	230	442	407	859	676	1073	967	1439		2423	3426	48.5
49	293	231	444	409	863	679	1078	972	1446		2434	3443	49
49.5	294	232	446	411	868	683	1084	977	1454		2444	3460	49.5
50	296	234	448	413	872	686	1089	982	1461		2454	3477	50
50.5	298	235	450	415	876	690	1095	986	1469		2464	3494	50.5
51	300	236	453	417	880	693	1100	991	1476		2474	3511	51
51.5	301	237	455	419	884	697	1105	996	1484		2486	3527	51.5
52	302	238	457	421	888	700	1110	1000	1491		2498	3544	52
52.5	303	239	459	423	892	704	1115	1005	1499		2510	3560	52.5

53	304	240	461	425	896	707	1120	1009	1506		2522	3575	53
53.5	305	241	463	427	900	711	1125	1014	1513		2534	3591	53.5
54	307	243	465	429	904	714	1130	1018	1520		2545	3602	54
54.5	309	244	467	431	908	718	1135	1023	1527		2555	3618	54.5
55	310	246	469	433	912	721	1140	1027	1534		2565	3634	55
55.5	311	247	471	435	915	725	1145	1032	1541		2575	3650	55.5
56	313	248	472	437	919	727	1150	1036	1548		2586	3667	56
56.5	314	249	474	439	923	730	1155	1040	1554		2597	3684	56.5
57	315	250	476	441	927	733	1160	1044	1560		2608	3702	57
57.5	316	251	478	443	930	736	1165	1046	1567		2619	3719	57.5
58	317	252	480	445	934	739	1170	1052	1574		2630	3736	58
58.5	319	253	482	447	938	742	1175	1056	1580		2641	3752	58.5
59	320	254	485	449	942	745	1180	1060	1586		2653	3768	59
59.5	321	256	487	451	945	748	1185	1064	1592		2665	3784	59.5
60	323	257	489	453	948	751	1190	1068	1598		2676	3800	60
60.5	324	258	491	455	951	754	1195	1072					60.5
61	325	259	492	457	955	757	1200	1076					61
61.5	326	261	494	459	958	760	1205	1080					61.5
62	328	262	496	461	961	763	1209	1084					62
62.5	329	263	498	463	964	766	1214	1088					62.5
63	330	264	500	465	968	769	1218	1092					63
63.5	331	265	502	467	971	772	1223	1096					63.5
64	333	266	504	469	974	775	1227	1099					64
64.5	334	267	507	471	977	778	1232	1103					64.5
65	335	268	509	472	981	781	1236	1106					65
65.5	336	269	511	474	984	784	1241	1110					65.5
66	338	271	513	475	988	787	1245	1113					66
66.5	339	272	515	477	991	790	1250	1117					66.5
67	340	273	517	479	995	793	1254	1120					67
67.5	341	274	518	481	998	796	1259	1124					67.5
68	343	275	520	483	1002	799	1263	1127					68
68.5	344	276	521	485	1005	802	1268	1131					68.5
69	346	277	523	487	1009	805	1272	1134					69
69.5	347	278	524	489	1012	808	1276	1137					69.5
70	349	280	525	491	1016	811	1280	1140					70

61" radius
made on 5" ppr

Note: Capacities are given in nearest whole numbers.

PERMIT NO 9-7272 R. Hayden
(Name)
EXAMINATION: DATE: 7-20-83 Accompanied by: R. Hayden

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
	7 1/2			

Measuring Device Type: orifice plate & Manometer
Meter # _____ Annubar # _____ Size # _____

Remarks: _____

Measurement calculations:



Submersible pump to 5" line - open discharge
to Clifton creek
measurement by 3" orifice
restrictor plate
on line & manometer

Chart From Water Well Handbook
By Keith Anderson

Manometer Reading 61" = 290 gpm

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____ Length _____

Reduc #1

Concrete headgate on Rattlesnake

to V-notch weir in ditch approx


1/4 mile down ditch.

MICROFILMED

#2

Reduc. From Clifton creek - ditch from creek

to ditch out of Rattle snake above weir.



MICROFILMED

DEC 15 1986

Overlap Review - Rt. 29-7272

P/D overlap:

- 29-7110 - ← ground water source
same pld, no plu
overlap - see copy of Lic.
attached - 0.10 cfs - Recommend
R17 (0.62 cfs)
- 29-2564 - Clifton Ck., storage
right - P/u overlap - Recommend
R30 - see copy attached
- 29-2498 - springs, same pld,
no plu overlap - see copy
attached

per examiner: 29-2509 - gw,
different pld, plu overlap,
Recommend R30 - see copy
attached

kw
6/25/86

MICROFILMED

DEC 15 1986

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7110 Priority February 1, 1973 Amount 0.10 cfs

THIS IS TO CERTIFY, that Russell J. Hayden
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7110 issued pursuant to Application for Permit dated February 1, 1973,
and has submitted proof to the Department of Water Resources on February 10, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.56 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>0.10</u> cfs and	<u>17.5</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____
(both dates inclusive)			

Subject, however, to the condition that no more than 0.10 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confined for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
17.5 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 3, Twp.
9S, Rge. 34E in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	34E	3													5

Total number of acres irrigated 5

Water under this right is exchanged for Clifton Creek water.
The point of injection and point of exchange are both within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section
3, Twp. 9S, Rge. 34E.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 25th day of
April, 19 83.

MICROFILMED

DEC 15 1986

Acting for the Director

Norman C. Young

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-2564 Priority January 21, 1964 Amount 2.2 Acre Feet

THIS IS TO CERTIFY, that Russell J. Hayden
of Arbon, Idaho, has complied with the terms and conditions of Permit
No. 29-2564 issued pursuant to Application for Permit dated January 21, 1964,
and has submitted proof to the Department of Water Resources on November 15, 1974,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.2 Acre Feet of water from Clifton Creek,
tributary to Rattlesnake Creek, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Storage for	from <u>January 1</u> to <u>December 31</u> at	<u>N/A</u> cfs and	<u>2.2 Acre Feet</u>
irrigation	from <u>March 15</u> to <u>November 15</u> at	<u>N/A</u> cfs and	<u>2.2 Acre Feet</u>
from storage	from <u>January 1</u> to <u>December 31</u> at	<u>N/A</u> cfs and	<u>2.2 Acre Feet</u>
Storage for	from <u>January 1</u> to <u>December 31</u> at	<u>N/A</u> cfs and	<u>2.2 Acre Feet</u>
Fish Propagation & Stockwater	(both dates inclusive)		

Subject, however, to the condition that no more than 2.2 Acre Feet of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
2.2 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 3,
Twp. 9S, Rge. 34E in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	34E	3																	5
		8								17	24		16						57

Total number of acres irrigated 62

Point of rediversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 8, Twp. 9S, Rge. 34E

P/U
overlap
different
source

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 6 day of

Sept., 19 83.

DEC 15 1986

Director

State of Idaho
Department of Water Administration
LICENSE OF WATER RIGHT

License of Water Right No. 32321/29-2498 Priority April 15, 1965 Amount 0.05 cfs

THIS IS TO CERTIFY, that Russell J. Hayden
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 32321/29-2498 issued pursuant to Application for Permit dated April 15, 1965
and has submitted proof to the Department of Water Administration on February 27, 1969
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.05 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from unnamed springs
tributary of Cliffton Creek, is hereby confirmed in the following amounts:

Amount 0.05 cfs for irrigation from Mar. 15 to Nov. 15 (both dates inclusive)

Amount 0.03 cfs for domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount 0.02 cfs for stockwater from Jan. 1 to Dec. 31 (both dates inclusive)

Subject, however, to the condition that no more than 0.05 cfs of water be diverted at
any one time, said waters to be diverted within the

SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 3, Twp. 9 S, Rge. 34 E, B.M.

in the county of Power; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 17.5 acre feet per year or


3.5 acre feet per acre, for irrigation use, 0.6 acre feet per year for
domestic use and 14.5 acre feet per year for stockwater use with the total amount not
Description and location of place of use: to exceed 32.6 acre feet per year.

TWP.	RANGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	34E	3															5		5
																	X		

Total number of acres irrigated 5

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 20 day of
January, 19 72.

P/D overlap - different source

Director

MICROFILMED

DEC 15 1986

29 2498

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-2509 Priority August 2, 1965 Amount 0.93 cfs

THIS IS TO CERTIFY, that Russell J. Hayden
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-2509 issued pursuant to Application for Permit dated August 2, 1965,
and has submitted proof to the Department of Water Resources on August 6, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.93 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from March 15 to November 15</u>	<u>at 0.93 cfs</u>	<u>and 235 acre feet</u>
	<u>from _____</u>	<u>at _____ cfs</u>	<u>and _____</u>
	<u>from _____</u>	<u>at _____ cfs</u>	<u>and _____</u>

(both dates inclusive)
Subject, however, to the condition that no more than 0.93 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
235 acre feet per year, said waters to be diverted within the SE 1/4 SW 1/4 Sec. 8,
Twp. 9 S., Rge. 34 E., B.M. in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW 1/4				SW 1/4				SE 1/4				Totals
			NEW	NW 1/4	SW 1/4	SE 1/4	NEW	NW 1/4	SW 1/4	SE 1/4	NEW	NW 1/4	SW 1/4	SE 1/4	NEW	NW 1/4	SW 1/4	SE 1/4	
9 S	34 E	8									12	25	30						67

Total number of acres irrigated 67

plu overlap

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 16 day of

October, 19 78.

MICROFILMED

[Signature]
Director

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 11, 1985

Russell J. Hayden
Mink Creek Rd., Box 456
Pocatello, ID 83204

Re: Water Right Identification No. 29-7272

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the department is being returned to you for the following reason:

- ☒ Proof of beneficial use has already been submitted for the water right.
- ☐ Proof of beneficial use is not applicable for existing licensed rights.
- ☐ Proof of beneficial use is not applicable for existing decreed rights.
- ☐ Proof of beneficial use is not applicable for a right represented by a claim to a water right.
- ☐ Other:

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Region

MICROFILMED

DEC 15 1986



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

April 1, 1986

Joseph L. Brown
High Creek and Fox L.
Locust Hill, Idaho 83401

RE: Permit No. 5-2277

Dear Mr. Brown:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

_____ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

Joseph L. Brown
High Creek and Fox L.
Locust Hill, Idaho 83401

MAILED

MICROFILMED

DEC 15 1986



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

March 10, 1963

Russell J. Hayden
Mink Creek Road, Box 456
Pocatello, Idaho 83204

RE: Permit No. 29-7272

Dear Mr. Hayden:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HUJ:CN

MICROFILMED

DEC 15 1986

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 29-7272.

Name(s) of Permit Holder: Russell J. Hayden

Post Office Address: Mink Creek Road, Box 456

Idaho 83204 Tel. No. 233-2526
234-2151

Source of Water: Groundwater
Extent of Use: ☐ Domestic (number of households)
☒ Stockwater (number and type of stock)
☒ Irrigation 120 (acres)
☐ Other

Department of Water Resources

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

15 Feb 1983 Date
Russell J. Hayden Signature of Permit Holder

July 14, 1980

Russell J. Hayden
Mink Creek Road
Box 456
Pocatello, ID 83201

Dear Mr. Hayden:

Re: Permit No. 29-7272

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to July 1, 1985.

Sincerely,

RITA FLECK
Sr. Secretary

Enclosure

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

HAYDEN, RUSSELL J.
P.O. BOX 456 MINK CREEK RD.
POCATELLO, ID 83201

198622

APRIL 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 29-7272 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

September 28, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM

Jan

TO

Permit # 29-7272

DATE

9/18/78

SUBJECT

*When licensing this permit see
License No. 29-2509 first.*

Jan **MICROFILMED**
SIGNATURE

July 31, 1975

Re: Permit No. 29-7272

Russell J. Hayden
Mink Creek Road, Box 456
Pocatello, ID 83201

Dear Mr. Hayden:

Enclosed is a copy of your approved Application for Permit No. 29-7272 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

RECEIVED
JUL 31 1975
FLEENOR

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Hayden

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) JAG 7/3/75

In form to receipt yes

(2) " "

Send Copies to:

NA Idaho State Health Department
NA Idaho Fish and Game Department
NA Bureau of Land Management

(3) " "

NA Request Special Use Permit from U.S.F.S.
NA Request Easement from B.L.M.
NA Request Information from Applicant

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. 95-34E

(6) " "

Located within Water District No. No Water Dist

(7) " "

Critical groundwater area: yes no ☒

(8) " "

Groundwater levels:

? Declining, Stable, Increasing

(comment) No obs wells in area

(9) " "

Other rights on the same place of use 29-2509

(10) " "

Comments: Lic. right from Clifton Co

(11) MB 7-21-75

Affidavit of Publication received(date) 7-21

(12) MB 7-28-75

Final date for protests July 28, 1975

Protests received: yes no x

(13) RDC 7/28/75

All requested information received from agencies or applicant: yes no

(14) " "

Action recommended:

☒ Approve

Deny

7/2/75 Proposed Priority

Reason for Reduction

☒ Measuring device required @ P1 & pt of rediv. LYJ

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC

Date 7/28/75

Copy

1
July 3, 1975

RE: Application for Permit No. 29-7272 Hayden

Power County Press
174 Idaho Street
American Falls, ID 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

Bill submitted 7-21-75 by MB

RDC:MB

Enc: Legal Notice (1)

MB
Published in the Power
County Press July 10 and July
17, 1975.

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that
Russell J. Hayden, Pocatello, ←
Idaho has on 7-2-75 submitted
Application No. 29-7272 for a
permit to appropriate 2.00
cubic feet per second of water
from a ground-water source by
means of well and pump
within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3,
T. 9S, R. 34E, B.M., Power
County. The water will then be
injected into Clifton Creek at
the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3 and
rediverted in the SE $\frac{1}{4}$ SW $\frac{1}{4}$,
Sec. 8, T. 9S, R. 34E, from
Rattlesnake Creek, by means
of diversion dam and gravity
system; to be used from March
15 to Nov. 15 for the irrigation
of 120 acres within the
N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 8,
T. 9S, R. 34E, B.M. C

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must be
filed with the Idaho Depart-
ment of Water Resources,
1515 Lincoln Road, Idaho
Falls, Idaho, 83401 on or
before July 28, 1975.

R. KEITH HIGGINSON
Director

Called
7-8-75

RECEIVED
JUL 23 1975
IDAHO DEPARTMENT OF WATER RESOURCES

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Russell J. Hayden,

Pocatello, Idaho

has on 7-2-75 submitted Application No. 29-7272

for a permit to appropriate 2.00 cubic feet per second ~~XXXXXXXXXXXXXXXXXXXX~~
of water from a ground-water source

by means of well and pump

within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3, T. 9S, R. 34E, B.M., Power County. The water will
then be injected into Clifton Creek at the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 3 and rediverted in
the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 8, T. 9S, R. 34E, from Rattlesnake Creek, by means of diversion dam and
~~XXXXXXXXXXXXXXXXXXXX~~ gravity system; to be used from March 15 to
~~XXXXXXXXXXXXXXXXXXXX~~ Nov. 15 for the irrigation of 120 acres within the
N $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 8, T. 9S, R. 34E, B.M.

~~XXXXXXXXXX~~

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
July 28, 1975.

R. KEITH HIGGINSON

Director

Published in the Power County Press, American Falls, Idaho

on July 10 and July 17, 1975

RECEIVED
JUL 10 1975
IDAHO DEPT. OF
WATER RESOURCES

OW-S.
OW-H.
NB-A

July 3, 1975

C
RE: Application for Permit No. 29-7272

O
Mr. Russell J. Hayden
Mink Creek Road, Box 456
Pocatello, Idaho 83201

P
Dear Mr. Hayden:

Attached herewith is departmental receipt No. 4320 in the amount of \$35.00 for the above referenced application.

Very truly yours,

Y
RONALD D. CARLSON
District Engineer

RDC:MB

Attachment

RECEIVED
JUL 10 1975
PACATULLO, IDAHO

RECEIVED

JUL 2 1975

July 1, 1975

Dear Sir

Department of Water Resources
Eastern District Office

I Mr. Bobby Hleenor
of the Boise office of
the Idaho Dept of Water
Resources was kind
enough to assist me
in filling out the
inclosed application.

Regards,
Russell Hayden

MAILED