

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7238 Priority October 31, 1974 Amount 0.11 cfs

THIS IS TO CERTIFY, that Fernando B. &/or Irene H. Gonzales
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7238 issued pursuant to Application for Permit dated October 31, 1974,
and has submitted proof to the Department of Water Resources on September 10, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.11 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>0.11</u> cfs and	<u>28.0</u> acre feet
<u>Domestic</u> <u>(1 Unit)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.11 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed

29.2 acre feet per year, said waters to be diverted within the NW1/4 Section 17,
Twp 6S, Rge 33E in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
6S	33E	17		8															8

Total number of acres irrigated 8

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7TH day of AUGUST, 19 86.

Acting for the Director

Norman C. Gung

5/11/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
REQUEST FOR EXTENSION OF TIME

RECEIVED

NOV 2 1979

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources

Fernando B Gonzales of Star Rt Box 67A (Power County)
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public
Waters of the State of Idaho No. 29- 7238.

That under the terms and conditions of said permit, work thereunder was required to be completed on or
before DEC. 1, 1979.

That he has heretofore performed the following work described under said permit: put in
a bigger pump, has the pipes for the field.

Costing \$ 3,31.00

That he is unable to complete the remainder of the work within the required time for the following
reasons, to-wit: Because he been ill and got behind with
all of our monthly bills and work

Wherefore, he asks that the Department of Water Resources extend the time for the completion of
obligations under said permit to Dec. 1, 1982.

Fernando B Gonzales
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time
within which to submit proof of beneficial use of water is extended to December 1,
1982.

Signed this 7th day of November, 19 79.

L. Glen Saxton
L. Glen Saxton
Chief, Operations Bureau

MICROFILMED

Fernando B. Gonzales
Star Route Box 67A
Pocatello, Idaho

83201



State of Idaho
Department of Water Resources
State house
Boise, Idaho

83720

MICROFILMED

Identification No. 29 7238

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Fernando B. &/or Irene H. Gonzales Phone: 232-1916
post office address 408 North Seventh Street, Pocatello, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 6S
Range 33E B.M. Power County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.16 for Irrig. purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 8,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 6S
Range 33E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
6S	33E	17		8															8

Total number of acres to be irrigated 8

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Fernando B. Gonzalez
(Applicant)
Inene H. Gonzalez

Proposed Priority 10-31-1974

Received by MB Date 10-31-74 Time 2:30 p.m.
Preliminary check by RDC Fee \$ 10.⁰⁰
Received by MB Date 10-31-74 # 13125
Publication prepared by BW Date 11/01/74
Published in Lawer County Press
Publication dates 11/01 + 11/14/74
Publication approved BW Date 11-18-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BW SDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7238, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 79.
- c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 3 day of December 19 74.


Director

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER }

s.s.

RECEIVED

NOV 11 1974

Department of Water Resources
Eastern District Office

.....Phyllis Rings..... being first duly sworn
on oath, states:

That ~~she~~..... is the ~~principal clerk of~~ the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2.....
successive weekly issues thereof, the date of the first publica-
tion being the 7th..... day of November....., 1974
the date of last publication being the

11th..... day of November....., 1974

(Signed)

Subscribed and sworn to before me this

..... day of November....., 1974

Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) day of 19

Notary Public
Residing at Am. Falls Idaho
My Commission Expires
July

Notary Public
Residing at Am. Falls, Idaho
My Commission Expires
July 18, 1977

RECEIVED

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER

} S.S.

Phyllis Ringe being first duly sworn
on oath, states:

That she is the principal clerk of the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said
newspaper and not in any supplement thereof for 2
successive weekly issues thereof, the date of the first publica-
tion being the 7th day of November, 1974
the date of last publication being the
11th day of November, 1974

(Signed)

Subscribed and sworn to before me this
15 day of November, 1974

Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) day of 19

Notary Public
Residing at Am. Falls, Idaho
My Commission Expires

Notary Public
Residing at Am. Falls, Idaho
My Commission Expires
July 18, 1977

Legal Notice

MB
Published in The Power County
Press Nov. 7 and 14, 1974
NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that
Ferando B. &/or Irene H.
Gonzales, 408 N. 7th Street,
Pocatello, Idaho have on
10-31-74 submitted Applica-
tion No. 29-7238 for a permit to
appropriate 0.20 cubic feet per
second of water from a
ground-water source by means
of well and pump within the
NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 6S, R.
33E, B.M., Power County; to
be used from Jan. 1 to Dec. 31
for domestic purposes for one
family, and from Apr. 1 to
Nov. 1 for the irrigation of 8
acres; all uses within the
NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 6S, R.
33E, B.M.

If issued, this permit will be
subject to all prior water
rights. Protests against the
granting of the permit must be
filed with the Idaho Depart-
ment of Water Resources,
1515 Lincoln Road, Idaho
Falls, Idaho, 83401 on or be-
fore November 25, 1974. *MB*

R. Keith Higginson
Director

MEMORANDUM

TO: FILE **29-07984**

January 26, 2001


FROM: Keith C. Wilson

RE: Field Examination

Original exam was completed on August 8, 1995. Review of the exam could not be determine if this permit was for additional acres, amount, or both.

Re-Exam on June 6, 1998, revealed no additional acres. A re-measurement of the diversion rate recorded $Q = 45.46 \text{ gpm} = 0.10 \text{ cfs}$ using a sonic meter.

Recommend using original measurement of $Q = 64.2 \text{ gpm} = 0.14 \text{ cfs}$, and a total irrigated acres = 8.0 acres.



Keith C. Wilson
Senior Resource Agent

29-07984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

FEB 1 2001
DEPARTMENT OF WATER RESOURCES

A. GENERAL INFORMATION

Permit No. 29-7984

1. Owner: Fernando B. / Irene H. Gonzales Phone No. (208) 234-2329

Current Address: Star RT. Box 67A, Pocatello, ID 83202

2. Accompanied by: Fernando B. Gonzalez EXAM DATE: 8-10-95

Address: Same Phone No. (208) 234-2329

Relationship to Permit Holder: Same

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 29-07238

2. Other water rights with the same point of diversion: 29-07238

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:


[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Franklin Elec	5hp	2821132201		


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot Tube						
PSI Gauge		Ashcroft			0-60	

2. Measurements: _____



- 29-07984pod.shp
- ▨ 29-07984poumap.shp
- S06s33e.shp
- T06s33e.shp



29-07984


Point of Diversion

**T
6
S**


**Place of Use
8.0 acres**

R33E


- 29-07984poda.shp
- ▨ 28-07984poua.shp
- S06s33e.shp
- T06s33e.shp



29-07984



-  29-07984poda.shp
-  28-07984poua.shp
-  S06s33e.shp
-  T06s33e.shp



29-07984

T 65
R 33E

8 9
17 16

17

POD

POU

NE

T 6
S

17

R 33E

9-255.4

Big Sky Rd.

5-55

7-58

8-56

11-3.2

29-07984

17

18-39.0

12-232

1-0.0

20-21

7 8
18 17

17


18 17
19 20

17

7 8
18 17
17

T 6 S
R 33 E

8 9
17 16
17



POI
POI

NE

5-55

7-58

T 6 S
17
R 33 E

9-255.4

Big Sky Rd.

8-56

11-3.2

29-07984

17
18 17
19 20

17
18-39.0
19-10.0
20-2.1



12-232
10.0

20 070011

Point of diversion



29-7984

Photo Taken 8/10/1995

29-07984

Pipe
 Material = ALUMINU
 OD = 3.000 inches
 WT = 0.050 inches
 ID = 2.900 inches
 Sound Vel. = 10171 FPS
 Roughness = 0 Ft
 Liner
 Material = NONE
 Thickness = 0.000 inches
 Sound Vel. = 0 FPS
 Roughness = 0 Ft
 Fluid
 Type = WATER
 Sound Vel. = 4863 FPS
 Viscosity = 1.13
 Transducer
 Type = S
 Mounting = W
 Flow
 Scale Fact = 0.9700
 Offset = 0.00 GPM
 Damping = 30 secs
 Max Range = 658.80 GPM
 Min Range = -658.80 GPM
 Cutoff
 Low Flow = 0.00
 Low Signal = 0.00 %

Flow = 45.36 GPM
 Vel = 2.20 FPS
 Net 1902 x1Ft3
 Pos 1902 x1Ft3
 Neg 0 x1Ft3
 SigStr = 100.0%
 Cutoff = 0.0%
 Reynolds = 42716
 Factor = 0.912085
 SigStr = 100.0%
 Margin = 119%
 Delta = 87.81 ns
 SSpeed = 4735.97 FPS
 4-20mA = 4.73 mA

Flow = 45.34 GPM
 Flow = 45.27 GPM
 Flow = 45.15 GPM
 Flow = 45.28 GPM
 Flow = 45.35 GPM
 Flow = 45.46 GPM
 Flow = 45.31 GPM

Flow = 45.36 GPM
 Neg 0 x16Gal
 Flow = 45.29 GPM
 SigStr = 100.0%
 Margin = 99%
 Flow = 45.25 GPM
 Flow = 45.42 GPM

SigStr = 100.0%
 Margin = 99%
 Flow = 45.29 GPM

Flow = 45.32 GPM
 Flow = 45.36 GPM
 Flow = 45.24 GPM
 Flow = 45.35 GPM
 Flow = 45.27 GPM

MEASUREMENT TAKEN 6/12/1998

For licensing purposes use
 Flow measurement of 8/10/1995
 exam.

Kent C. Wilson
 KENT C. Wilson

29-07984




Photo Taken 6/12/1998

29-07984

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Red Jacket #	5hp	-	Red Jacket	2" -

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		ASHCROFT	# 9810		0-60	
Polysonic	Sonic Mtr.		DCT 7088			

2. Measurements: 32 psi - 32 psi (12) sprinklers all 5/32"
5/32" 5/32"

E. NARRATIVE/REMARKS/COMMENTS

Well pump to Single Domestic home and to 3" hand lines

No addition acres USE 8/10/1995 EXAM

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method:

$$Q_{\text{SONIC METER}} = 45.4 \text{ gpm} = 0.10 \text{ cfs}$$

$$Q_{\text{Pressure gage}} = (4.13 \text{ gal/sprinkler})(12 \text{ sprinklers}) = 49.6 \text{ gpm} = 0.11 \text{ cfs}$$

RECOMMEND using Flow MEASUREMENT From 1995 Exam $Q = 64.2 \text{ gpm} = 0.14 \text{ cfs}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{\text{D.R.}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

SEE 8/10/1995 Exam

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

___ Change P.D. as reflected above

___ Add P.D. as reflected above

✓ None

___ Change P.U. as reflected above

___ Add P.U. as reflected above

___ Other

SEE 8/10/1995 EXAM

I. AUTHENTICATION

Field Examiner's Name

KEITH C WILSON

Date

6-12-1998

Reviewer

Date

SEAL

E. NARRATIVE/REMARKS/COMMENTS

Well, to portable main line, to hand lines

14 birds were on at the time of the flow measurement. See diagram

Model 30 LA Rainbird @ 20 Psi = 4.63 GPM $5 \sqrt{.098}$ @ 21 psi = 4.72
@ 25 Psi = 5.12 GPM

12 birds $\frac{5}{32}$ @ 21 psi = $(4.72 \times 12) = 56.74$ GPM
2 birds $\frac{9}{64}$ @ 21 psi = $(3.73 \times 2) = 7.46$ GPM
64.2 GPM $.076$

Model 30 LA Rainbird @ 20 Psi = 3.65 GPM $5 \sqrt{.38}$
@ 25 Psi = 4.03 GPM @ 21 psi = 3.726
.38 difference

RECOMMEND that 29-07984 in combination with license 29-07238
shall not exceed 0.14 cfs

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$12 \text{ birds @ } 21 \text{ psi} = (12 \times 4.72 \text{ GPM}) = 56.74 \text{ GPM}$$

$$2 \text{ birds @ } 21 \text{ psi} = (2 \times 3.73 \text{ GPM}) = 7.46 \text{ GPM}$$

$$\underline{64.20 \text{ GPM}}$$

$$8 \text{ ac @ } 0.02 \text{ cfs/ac} = 0.16 \text{ cfs} \text{ LIMITED By Capacity}$$

$$448.8 \sqrt{64.2 \text{ GPM}} = 143 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 8(4) = 32 \text{ A}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03(1.9835)(214) = 12.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12.7$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS IN COMBINATION WITH LICENSE 29-07238 shall not exceed 0.14 cfs

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	0.03	12.7
Totals:			0.03 cfs	12.7

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Steve Mueller Date 8-10-95

Reviewer _____ Date _____

SEAL



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 8, 1986

RE: Permit No. 29-7238

Fernando B. &/or Irene H. Gonzales
Star Rt., Box 67A
Pocatello, ID 83201

Dear Mr. and Mrs. Gonzales:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 15, 1986

RE: Permit No. 29-7238

Fernando B. &/or Irene H. Gonzales
Star Rt., Box 67A
Pocatello, ID 83201

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

RECEIVED

State of Idaho
DEPARTMENT OF WATER RESOURCES
SEP 21 1984 WATER RIGHT BENEFICIAL USE FIELD REPORT

29-7238

Permit No.

Department of Water Resources

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 7-22-83 Accompanied by Mrs. Gonzales Total Q measured 0.11 cfs ^{irrig. only} ✓Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____

If source is surface water, estimate total flow of source _____

Methods of measurement Potot Gauge Meets permit requirements? _____Measurement calculations: 21psi, 5/32N, 15birds = 3.34 gpm x 15b = 50.1 gpm or 0.11 cfs ✓Domestic - allow 0.04 cfs ± 1.2 afa ✓

$$V = 0.11 \times 1.9835 \times 214 = 46.7 \text{ AF}$$

Irrig - 8 acres x 0.02 cfs = 0.16 cfs

$$V = 8 \text{ acres} \times 3.5 \text{ afa} = 28 \text{ cfs}$$
 ✓

Amt limited by capacity ✓

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	5	NA	NA	NA				

System Description well/pump (submerged) with line to house and sprinkler line.

Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS


Irrigation requirement = 3.5 ✓ ^{214 days} AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Domestic ✓ (one unit)	0.04 ✓	1.2 ✓	1-1 ✓	12-31 ✓
Irrigation ✓	0.11 ✓	28.0 ✓	4-1 ✓	11-1 ✓
Total	0.11 ✓	29.2 ✓		

Remarks No overlapping licenses ✓P/D overlap per VAX: none.

MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Road

House

Submersed pump

Point(s) of diversion: ☒ NW 1/4 NE 1/4 Sect. 17 T6S R33E

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	33E	17		8															8 ✓

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other

Examiner's Signature John Jones

Checked by Keith Wilson

Approved by H. Walker Jim




Date April 30 1984

Date 19 Sept 1984

Date 6-25-86

MICROFILMED

29-7238



NOT TO SCALE

Shp pump

PERMIT NC

29-7238

(Name)

F. Gonzales

EXAMINATION:

DATE: 7-22-85

Accompanied by:

Mrs. Gonzales

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
	5HP			

Measuring Device Type:

Meter #


Annubar #

Size #

Remarks:

Domestic - one hour (OK)


Measurement calculations:



SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter

Length



MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

RE: [illegible]

Dear Sir:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

_____ X _____ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

[illegible]
[illegible]

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 29-7238.

Name(s) of Permit Holder: Fernando B. Inune, H. Gonzalez

Post Office Address: Star Route Box 67A
Pocatello, Idaho 83201 Tel. No. 234-2329

Source of Water:

Extent of Use: ☒ Domestic 2 (number of households)
☒ Stockwater 20 (number and type of stock) Cattle + horses
☒ Irrigation 8 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Sept 8, 1982
Date

Fernando B. Gonzalez
Signature of Permit Holder

MICROFILMED

Fernando B. Gonzalez
Star Route Box 67A
Pocatello Idaho



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
TEN CENT
STAMP
HERE

MICROFILMED

August 27, 1982

Fernando B. Gonzales
Star Route, Box 67A
Pocatello, ID 83201

Dear Mr. Gonzales:

Re: Permit No. 99-7238

Pursuant to your telephone conversation with Glen Saxton yesterday, enclosed is a statement of beneficial use postcard.

Please fill it out and return it to this office to complete the requirement of beneficial use.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary


Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

PRESORTED
FIRST-CLASS

Mr. and Mrs. Gonzales
408 N. 7th St.
Pocatello, ID 83201



Department of Water Resources
JUN 30 1982

FORWARDING ORDER REQUIRED

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 28, 1982

Mr. and Mrs. Gonzales
~~408 N. 7th St.~~
~~Pocatello, ID 83201~~

Dear Mr. and Mrs. Gonzales:

Re: Permit No. 29-7238

Pursuant to your telephone conversation with me last week, enclosed is the Statement of Beneficial Use postcard.

Please fill it out and return it to complete the requirement of beneficial use.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

MICROFILMED

June 28, 1982

Mr. and Mrs. Gonzales
408 N. 7th St.
Pocatello, ID 83201

Dear Mr. and Mrs. Gonzales:

Re: Permit No. 29-7238

Pursuant to your telephone conversation with me last week, enclosed is the Statement of Beneficial Use postcard.

Please fill it out and return it to complete the requirement of beneficial use.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enclosure

MICROFILMED



STATE OF IDAHO, DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 9, 1979

Seamando B. Gonzales
Star Route, Box 67A
Pocatello, ID 83201

Dear Mr. Gonzales:

Enclosed is a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to December 1, 1979.

Sincerely,

Jan Grover
Water Rights Supervisor

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 384-2215

101356

GONZALES, FERNANDO B. & IRENE H.
408 N. 7TH ST.
POCATELLO, ID

SEPTEMBER 30, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 29-7238 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1979. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

December 6, 1974

Re: Permit No. 29-7238

Fernando &/or Irene Gonzales
408 North Seventh Street
Pocatello, Idaho 83201

Dear Mr. & Mrs. Gonzales:

Enclosed is a copy of your approved Application for Permit No. 29-7238. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item	Initial	Date	
			Application No. <u>29-7238 Gonzales</u>
			☒ Source
			☒ Point of Diversion
			☒ County
			☒ Quantity of Water and Period of Use
			☒ Description of Diverting Works
			☒ Time required for B/U of water
			☒ Place of Use or Acres Irrigated
			☒ Map
			☒ Signature
			☒ Fee
(1)	<u>LH</u>	<u>10-31-74</u>	In form to receipt <u>yes</u>
(2)	<u>"</u>	<u>"</u>	Send Copies to: <u>NA</u> ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(3)	<u>"</u>	<u>"</u>	<u>NA</u> ☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☐ Request Information from Applicant
(4)	<u>"</u>	<u>"</u>	In form for advertising <u>yes</u>
(5)	<u>"</u>	<u>"</u>	Platted on Map No. <u>"</u>
(6)	<u>"</u>	<u>"</u>	Located within Water District No. <u>"</u>
(7)	<u>"</u>	<u>"</u>	Critical groundwater area: yes <u>"</u> no <u>✓</u>
(8)	<u>"</u>	<u>"</u>	Groundwater levels: <u>"</u> Declining, <u>✓</u> Stable, <u>"</u> Increasing (comment) <u>No nearby obs wells</u>
(9)	<u>"</u>	<u>"</u>	Other rights on the same place of use <u>no</u>
(10)	<u>"</u>	<u>"</u>	Comments: <u>no other G.W. rights</u>
(11)	<u>MB</u>	<u>11/18/74</u>	Affidavit of Publication received(date) <u>Nov. 18, 1974</u>
(12)	<u>MB</u>	<u>11/25/74</u>	Final date for protests <u>November 25, 1974</u> Protests received: yes <u>"</u> no <u>X</u>
(13)	<u>LH</u>	<u>11-25-74</u>	All requested information received from agencies or applicant: yes <u>✓</u> no <u>"</u>
(14)	<u>"</u>	<u>"</u>	Action recommended: <u>✓</u> Approve <u>"</u> Deny <u>10-31-74</u> Proposed Priority <u>"</u> Reason for Reduction <u>"</u> <u>No</u> Measuring device required <u>"</u> See attached sheet for other conditions of approval <u>"</u> No special conditions for approval
(15)	District <u>Eastern</u>	By <u>Loren O. Thibault</u> Date <u>11-25-74</u>	

RECEIVED

[Signature]

XXXXXXXXXXXXXXXXXXXXX RESOURCES

November 1, 1974

RE: Application for Permit No. 29-7238 - GONZALES

Power County Press
174 Idaho Street
American Falls, Idaho 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Acting District Engineer

Bill submitted 11-18-74 by MB

RDC:CW

Enc: Legal Notice (1)

RECEIVED

Published in The Power County Press Nov. 7 and 14, 1974
NOTICE OF APPLICATION
FOR WATER PERMIT

MB Notice is hereby given that Ferando B. &/or Irene H. Gonzales, 408 N. 7th Street, Pocatello, Idaho have on 10-31-74 submitted Application No. 29-7238 for a permit to appropriate 0.20 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 6S, R. 33E, B.M., Power County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family, and from Apr. 1 to Nov. 1 for the irrigation of 8 acres; all within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 6S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before November 25, 1974.

R. Keith Higginson
Director

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ferando B. &/or Irene H. Gonzales.

408 N. 7th Street, Pocatello, Idaho

have ~~XXX~~ on 10-31-74 submitted Application No. 29-7238

for a permit to appropriate 0.20 cubic feet per second ~~XXXXXXXXXXXXXXXXXXXX~~

of water from a ground-water source

by means of well and pump

within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 6S, R. 33E, B.M., Power County;

to be used from Jan. 1 to Dec. 31 for domestic purposes for one family,

~~for~~ and from Apr. 1 to Nov. 1 for the irrigation of 8 acres; all uses

within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 6S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before November 25, 1974.

R. KEITH HIGGINSON

Director

Published in the Power County Press, American Falls, Idaho

on November 7 and November 14, 1974.

RECEIVED

C.W. L.
MB-D
C.W.A.