

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER OF WATER RIGHT

TRANSFER NO. 5209
WATER RIGHT NO. 29-07196

This is to certify that: **RICHARD LAMAR WALKER**
EVELYN L WALKER
PO BOX 9
ARIMO ID 83214

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	* 0.90 CFS	* 326.7 AF

SOURCE

GROUNDWATER

Priority: 05/21/1974

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 27, Township 10S, Range 36E
NENE , Sec. 28, Township 10S, Range 36E
BANNOCK County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	36E	27	NWNW 35			35
		28	NENE 31	NWNE 36		67
Total number of acres irrigated:						102

CONDITIONS OF APPROVAL AND REMARKS

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.
2. The right holder shall accomplish the change authorized by this transfer within one (1) year of the date of this approval.
3. Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

MICROFILMED

MAY 07 1998

TRANSFER NO. 5209
WATER RIGHT NO. 29-07196

CONDITIONS OF APPROVAL AND REMARKS

4. Approval of this transfer does not preclude the opportunity for review of the validity of the water right(s) in the ongoing Snake River Basin Adjudication.
5. Prior to diversion of water under this approval, the right holder shall provide a means of measurement acceptable to the Department from all authorized points of diversion which will allow determination of the total rate of diversion.
- * 6. The total instantaneous diversion of water from all points of diversion under Transfer 5209 shall not exceed 0.90 cfs, nor a total combined annual volume of 326.7 af.
7. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.

Dated this 20th day of April, 1998.


Chief, Water Allocation Bureau

MICROFILMED
MAY 07 1998

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

Transfer No. 9209
RECEIVED

APPLICATION FOR TRANSFER OF WATER RIGHT **APR 16 1998**

PART 1

Department of Water Resources

Name of applicant Richard La Mar Walker and/or Evelyn L Walker Phone (801) 254-5145
Post Office address PO Box 9 Arimo ID 83214

A. PURPOSE OF TRANSFER

1. ☐ Change point of diversion ☒ Add diversion point(s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other _____
2. Describe the reason for the proposed changes New well will be used to irrigate small orchard & area surrounding home site.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

1. Right Number Priority Amount (cfs/ac-ft) Nature of Use Period of Use
29-07196 5-21-1974 0.90 Irrig. 4-1 to 10-15

_____ to _____
_____ to _____
_____ to _____
2. Total amount of water being transferred 0.90 cubic feet per second and 352.0 acre-feet per annum.
3. Source of water groundwater. tributary to _____
4. Point(s) of Diversion: _____

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion
		NE	NE	28	10S	36E	Bannock	
		NW	NW	27	10S	36E	Bannock.	New well

5. Lands irrigated or place of use: No Change.

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
10S	36E	27						35											35.0
		28	31	36															67.0

MICROFILMED
MAY 07 1998

Total acres 102

PART 1

6. General Information:

a. Description of diversion system Two wells, pumps & main line.

b. Are the lands from which you propose to transfer the water right subject to any liens, deeds of trust, mortgages, or contracts? _____ Yes X No. If yes, provide a notarized statement from the holder of the lien, deed of trust, mortgage or contract agreeing to the proposed changes.

c. Describe the affect on the land now irrigated if the place of use is changed pursuant to this transfer:

No change is proposed.

d. Remarks:

New well was drilled by Nelson Drilling in January 1998
and is identified by Tag # 4340.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. _____

And said application is hereby _____, subject to the following limitations and conditions:

Witness my hand this _____ day of _____, 19 _____.

MICROFILMED
MAY 07 1998

A. DESCRIPTION OF RIGHT AS RECORDED:

Water Right No. 29-07196

STAGE: LICENSE

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/15	0.90 CFS	352.0 AF

SOURCE

GROUNDWATER

Priority: 05/21/1974


LOCATION OF POINT(S) OF DIVERSION:NENE , Sec. 28, Township 10S, Range 36E
BANNOCK CountyPLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
10S	36E	27	NWNW 35			35
		28	NENE 31	NWNE 36		67
Total number of acres irrigated:						102

CONDITIONS/REMARKS:

MICROFILMED

MAY 07 1998



PART 3**B. CHANGES IN NATURE OF USE**

1	<u>New Nature of Use</u>	<u>Amount</u> (cfs/ac-ft)	<u>Hours/days/year</u>	<u>Period of Use</u>
				to _____
				to _____

2. Quantity and quality of return flows and location of discharge:

3. Describe effects on other water uses resulting from the proposed change:

I hereby assert that no one will be injured by such change and that the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

I understand that any willful misrepresentations made in this application may result in voiding its approval.

Richard S. Walker
 Evelyn L. Walker, Pres
 (Signature of Applicant)

Subscribed and sworn to before me this 23 day of Feb, 1998.

Ernest Carlson

(Notary Public)

My commission expires 6-14-2000.

FOR DEPARTMENT USE ONLY

Transfer contains _____ pages and _____ attachments

Received by EMC Date 2-23-1998 Protest filed by _____

Prelim. check by _____ Fee _____

Receipted by EMC #E023909 Date 2-23-1998Published in The Idaho State Journal Copies of protest forwarded by _____Pub. dates 3-5 & 3-12-1998 Hearing held by _____ Date _____Watermaster recommendation requested on _____ Recommended for ☒ approval ☐ denial_____ rec'd. _____ by LDC

Copy of transfer sent to lien holder _____

MICROFILMED
 MAY 07 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR TRANSFER OF WATER RIGHT
PART 3

- A. Draw a map or attach a USGS map indicating the new point(s) of diversion and/or the new place of use for rights described in part 1. Clearly depict the land by section, township and range number.**

00737

474040-gp
25282 #15291Mail Tax and Deed to
Richard LaMar Walker and Evelyn L. Walker
137551 South 6400 West
Herriman, UT 84065

FHA NO. 18013630419

P. 03

No. 9702231
Recorded at request of.DEC 30 PM 2 18
FIRST AMERICAN TITLEOfficial Record Book 202Bogert County Recorder
Fees 3.00 Name OW

97022385

WARRANTY DEED

For no consideration HOWARD L. ARMSTRONG, JR., and MARILYN H. ARMSTRONG, husband and wife, joint tenant hereinafter called the Grantor, hereby grants, bargains, sells and conveys unto RICHARD LAMAR WALKER and EVELYN L. WALKER, husband and wife, joint tenant, hereinafter called the Grantee, the following described premises situated in Bannock County, Idaho, to wit:

Bannock County, Idaho: Township 10 South, Range 36, E.B.M. Section 27: NW 1/4 NW 1/4, Section 28: NE 1/4 NE 1/4, NW 1/4 NE 1/4

TO HAVE AND TO HOLD, the said premises, with their appurtenances unto the said Grantee and to the successors heirs and assigns of the Grantee forever. The Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said premises; that they are free from all incumbrances except as above described and that Grantor will warrant and defend the same from all lawful claims whatsoever.

Dated: 12-29-87

[Handwritten signatures of Howard L. Armstrong, Jr. and Marilyn H. Armstrong]

STATE OF Utah COUNTY OF WashingtonOn this 29th day of December, 19871996, before me, J. Wes Jensen, Notary Public


said State, personally appeared Howard L. Armstrong, Jr.
Marilyn H. Armstrong
known to be the persons whose names subscribed to

the within instrument, and acknowledged to me

that executed the same.

[Handwritten signature of J. Wes Jensen]

Notary Public

Residing at:
Commission Expires:

MICROFILMED

MAY 07 1998

AJ5809NP
No. A29-07196

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 02/23/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	RICHARD LA MAR WALKER	05/21/1974	IRRIGATION	04-01 10-15	0.90 CFS	352.00 AFA
C	EVELYN L WALKER					
	PO BOX 9			TOTAL DIVERSION:	0.90 CFS	352.00 AFA
	ARIMO ID 83214			CONSUMPTIVE USE:		255.00 AFA
	(801) 254-5145					

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:

T10S R36E S28

NENE

BANNOCK County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
10S	36E	27	:																	:	35.0
10S	36E	28	:	31		36														:	67.0
																				TOTAL ACRES	102.0

POU County: BANNOCK

Non-Irrigation Uses: NONE

Other Rights: 29-2512.

Remarks: GEN CHANGED OWNERSHIP PER REQUEST/JH/2-20-98

Dates: Exam Made Date:

Verified Date:

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:

Presumption Flag:

MICROFILMED
MAY 07 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7196 Priority May 21, 1974 Amount 0.90 cfs

THIS IS TO CERTIFY, that Howard L. Armstrong Jr.
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7196 issued pursuant to Application for Permit dated May 21, 1974,
and has submitted proof to the Department of Water Resources on September 21, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.90 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from April 1 to October 15</u>	<u>at 0.90 cfs</u>	<u>and 352.0 acre feet</u>
_____	_____	_____	_____
_____	_____	_____	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.90 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
352.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 28, Twp.
10S, Rge. 36E in the County of Bannock

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
10S	36E	27					35								35
		28	31	36											67

Total number of acres irrigated 102

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28th day of

July, 19 83.

MICROFILMED
MAY 07 1998

Director

Identification No. 29 7196

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant HOWARD L. ARMSTRONG, JR.
post office address TRAIL CREEK ROAD, Pocatello, Idaho
2. Source of water supply underground which is a tributary of _____
3. a. Location of point of diversion is ~~NW~~ NE ~~1/4~~ 1/4 of NE $\frac{1}{4}$ of Section 28 Township 10 So.
Range 36 E. B.M. Bannock County; additional points of diversion if any: _____
NW NE 1/4, Sec. 28, T. 10S, R. 36E, B.M. NCY
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.00 for irrigation purpose from 4-1- to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pumped well with main line
pipe and laterals for sprinkler irrigation
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 380 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 30,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

29 7196

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below: Changes per telecon
HLA - RDC 6/5/74

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
10S	36E	27						40											40
10S	36E	28	40	40															80
10S	36E	21															40	40	80

200
Total number of acres to be irrigated ~~1200~~

c. Describe any other water rights used for the same purposes as described above.

S½ SE¼ Sec 21 is also covered by license no. 29-2512 DF 7/3/74

9. a. Who owns the property at the point of diversion HOWARD L. ARMSTRONG, JR.

b. Who owns the land to be irrigated or place of use HOWARD L. ARMSTRONG, JR.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

Stone church
Robin



N 1/2 NE 1/4
 Sec 28
 T 10 S
 R 36 E BM
 Road to Newkirk
 Cabin

application for permit to appropriate the public

Howard L. Marking
(Applicant)

29 7196

Received by MB Date 5-21-74 Time 11:15 A
Preliminary check by PC Fee \$ 45.00
Receipted by MB Date 5-21-74 # 12889
Publication prepared by MB Date 6-7-74
Published in Idaho State Journal
Publication dates July 13 + 20, 1974
Publication approved CB Date 6/21/74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by NCU W DDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 29-7196, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of _____ July 19 74.

R. Karl Hjort
Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE
DATE IN CONNECTION WITH PERMIT NO. 29-7196
IN THE NAME OF HOWARD L. ARMSTRONG, JR.

ORDER

WHEREAS, on May 21, 1974, Howard L. Armstrong, Jr. applied to the Department of Water Resources for a permit to appropriate 3.00 cubic feet per second of water from a groundwater source to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, Twp. 10S, Rge. 36E B.M., Bannock County to be used for irrigation purposes; and,

WHEREAS, on July 15, 1974, the Department approved said application and issued Permit No. 29-7196 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before July 1, 1979; and,

WHEREAS, on June 13, 1979, the permit holder submitted a request for an extension of time; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 29-7196 be extended to July 1, 1984.

Dated this 19th day of June, 1979.


L. GLEN SAXTON

Chief, Operations Bureau

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 29-7196

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	RC	5/2/74	Application No. <u>AB-STKONG</u>
(2)	<i>Changed QOK RC DECTCON</i>		☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)			<u>11</u> <u>11</u> <u>11</u> <u>11</u> In form to receipt <u>YES</u> Send Copies to: ☐ Idaho State Health Department ☒ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			<u>11</u> <u>11</u> ☐ Request Special Use Permit from U.S.F.S. ☒ Request Easement from B.L.M. ☒ Request Information from Applicant
(5)			<u>11</u> <u>11</u> In form for advertising <u>YES</u>
(6)			<u> </u> <u> </u> Located within Water District No. <u> </u>
(7)			<u>11</u> <u>11</u> Critical groundwater area: yes <u> </u> no ☒
(8)			<u>11</u> <u>11</u> Groundwater levels: <u> </u> Decline (comment) <u> </u> ☒ Stable (comment) <u>Added WIS#27 P29</u> <u> </u> Increasing (comment) <u> </u>
(9)	<u>11</u> <u>11</u> Comments: <u>PLATE 292153 SHOW NO CONFLICTING GW RIGHTS</u>		
(10)	<u>MB</u> <u>6/21/74</u> Affidavit of Publication received (date) <u>June 21, 1974</u>		
(11)	<u>MB</u> <u>7/1/74</u> Final date for protests <u>July 1, 1974</u> Protests received: <u>yes</u> <u>no</u> ☒		
(12)	<u> </u> <u> </u> Date and Place of hearing <u>NA</u> Decision reached at hearing <u>NA</u>		
(13)	<u>NCY</u> <u>6/29/74</u> All requested information received from agencies or applicant yes ☒ no <u> </u>		
(14)	<u> </u> <u> </u> Action recommended: ☒ Approve Priority <u>5/21/74</u> <u> </u> Deny Reason for Reduction <u> </u> ☒ Measuring device required <u> </u> See attached sheet for additional conditions of approval ☒ No additional conditions for approval		
(15)	District <u>5</u> By <u>NCY</u> Date <u>6/22/74</u>		

22912156

RECEIVED
JUL 2 1974
Department of Water Resources

*Copy
B.S.*

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bannock

ss.

RECEIVED

Katherine Wanner

JUN 21 1974

being first duly sworn on oath deposes and says: That she
was at all times heretofore mentioned a citizen of the United States of
America, more than 21 years of age, and the Principal Clerk of THE
IDAHO STATE JOURNAL, a daily newspaper, printed and published at
Pocatello, Bannock County, Idaho, and having a general circulation
therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

June 13	19 74	19
June 20	19 74	19
	19	19
	19	19
	19	19

That said paper has been continuously and uninterruptedly pub-
lished in said County for a period of seventy-eight weeks prior to the
publication of said notice or advertisement and is a newspaper within
the meaning of the laws of Idaho.

Katherine Wanner

Subscribed and sworn to before me this 20th
day of June, 1974

Paul L. Lindsey

Notary Public, State of Idaho

Residence: Pocatello, Idaho

Commission Expires
March 5, 1977

PRC OF OF PUBLICA ION

STATE OF IDAHO }
County of Bannock } ss.

Katherine Wanner

being first duly sworn on oath deposes and says: That she
was at all times herein mentioned a citizen of the United States of
America, more than 21 years of age, and the Principal Clerk of THE
IDAHO STATE JOURNAL, a daily newspaper, printed and published at
Pocatello, Bannock County, Idaho, and having a general circulation
therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

June 13 19 74 19
June 20 19 74 19
..... 19 19
..... 19 19
..... 19 19

That said paper has been continuously and uninterruptedly pub-
lished in said County for a period of seventy-eight weeks prior to the
publication of said notice or advertisement and is a newspaper within
the meaning of the laws of Idaho.

Katherine Wanner

Subscribed and sworn to before me this 20th

day of June 19 74

Paul L. Linsford

Notary Public, State of Idaho

Residence: Pocatello, Idaho

Commission Expires
March 5, 1977

NOTICE OF APPLICATION FOR
WATER PERMIT
Notice is hereby given that
Howard L. Armstrong, Jr. Trail
Creek Road, Pocatello, Idaho has
on 5-21-74 submitted Application
No. 29-7196 for a permit to ap-
propriate 3.0 cubic feet per second
of water from a ground-water
source by means of well and pump
within the NE 1/4 NE 1/4,
NW 1/4 NE 1/4, Sec. 28, T. 10S, R.
36E, B.M., Bannock County; to be
used from Apr. 1 to Oct. 15 for the
irrigation of 200 acres within the
NW 1/4 NW 1/4, Sec. 27, N 1/2 NE 1/4,
sec. 28, S 1/2 SE 1/4, Sec. 21, T. 10S, R.
36E, B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water
Administration, 1515 Lincoln
Road, Idaho Falls, Idaho, 83401 on
or before July 1, 1974.
R. KEITH HIGGINSON
Director
June 13, 20, 1974
No. 372

PRC OF PUBLICA ION

RECEIVED

Duplicate

STATE OF IDAHO
County of Bannock

ss.

JUN 21 1974
Katherine Wanner

Department of Water Administration
being first duly ~~Eastern District~~ she
poses and says: That she
was at all times herein mentioned a citizen of the United States of
America, more than 21 years of age, and the Principal Clerk of THE
IDAHO STATE JOURNAL, a daily newspaper, printed and published at
Pocatello, Bannock County, Idaho, and having a general circulation
therein.

That the document or notice, a true copy of which is attached, was
published in the said IDAHO STATE JOURNAL, on the following dates,
to-wit:

June 13, 1974, 19.....
June 20, 1974, 19.....
....., 19....., 19.....
....., 19....., 19.....
....., 19....., 19.....

That said paper has been continuously and uninterruptedly pub-
lished in said County for a period of seventy-eight weeks prior to the
publication of said notice or advertisement and is a newspaper within
the meaning of the laws of Idaho.

Katherine Wanner

Subscribed and sworn to before me this 20th
day of June, 19 74

Leah L. Sanford

Notary Public, State of Idaho
Residence: Pocatello, Idaho

PRC OF PUBLICA ION

Albuquerque

STATE OF IDAHO }
County of Bannock } ss.

Katherine Wanner

being first duly sworn on oath deposes and says: That ^{she} was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

June 13, 1974, 19
June 20, 1974, 19
19, 19
19, 19
19, 19

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

Katherine Wanner

Subscribed and sworn to before me this 20th day of June, 1974

Leah L. Leonard

Notary Public, State of Idaho
Residence: Pocatello, Idaho

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Howard L. Armstrong, Jr. Trail Creek Road, Pocatello, Idaho has on 5-21-74 submitted Application No. 29-7196 for a permit to appropriate 3.0 cubic feet per second of water from a ground-water source by means of well and pump within the NE 1/4 NE 1/4, NW 1/4 NE 1/4, Sec. 28, T. 10S, R. 36E, B.M., Bannock County; to be used from Apr. 1 to Oct. 15 for the irrigation of 200 acres within the NW 1/4 NW 1/4, Sec. 27, N 1/2 NE 1/4, Sec. 28, S 1/2 SE 1/4, Sec. 21, T. 10S, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before July 1, 1974.

R. KEITH HIGGINSON
Director
June 13, 20, 1974
No. 372



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 22, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RICHARD LAMAR WALKER
EVELYN L WALKER
PO BOX 9
ARIMO ID 83214-0009

RE: Water Right 29-07196 (Transfer 5209)

Dear Water Rights Holder(s):

Enclosed is a copy of your approved Transfer of Water Right for the above referenced water right (Transfer 5209). Please be sure to thoroughly read the Conditions and Remarks listed on the transfer. Also, please be advised that the accompanying transfer approval should be considered and treated as a **preliminary order** of the department issued pursuant to section 67-5243, Idaho Code. Enclosed are instructions for responding to **Preliminary Orders** if you are in disagreement with the approved transfer.

As of July 1, 1996, all water right owners are required to report any change in water right ownership and any change of mailing address to the department.

If you have acquired any other water right or have changed your mailing address **PRIOR TO** July 1, 1996, you have until July 30, 1998, to record the ownership and/or address change with the department.

If you acquired other water rights or changed your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes in a timely manner could result in a \$100 late filing fee. You can contact any office of the department for more information. If you have any questions concerning your water right listed above you can contact me at (208) 327-7947.

Sincerely,

JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosures

MICROFILMED


MAY 07 1998

CERTIFICATE OF MAILING

I hereby certify that on the **22nd** day of **April, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **TRANSFER APPROVAL** to the person(s) listed below:

WATER RIGHT 29-07196 (Transfer 5209)

**RICHARD LAMAR WALKER
EVELYN L WALKER
PO BOX 9
ARIMO ID 83214-0009**


Kari Lynn Townsend
Secretary

MICROFILMED

MAY 07 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

MAY 07 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

MAY 07 1998

MEMORANDUM

TO: File 29-07196

FROM: Pam Skaggs^{PS}/State Office

SUBJECT: Transfer 5209

DATE: April 20, 1998



Transfer 5209 adds a second point[✓] of diversion under Right 29-07196. The new point of diversion is an existing well drilled for domestic purposes in 1988 under Drilling Permit 29-98-E-0002-000, and upgraded for irrigation purposes by additional fee under Receipt E024040 on 04-13-98.

Season of use and diversion volume were adjusted to current standards. The standard season is 14 days shorter than the licensed season and reduced the volume based on the diversion rate. $(0.90 \times 183 \text{ days} \times 1.9835 = 326.7 \text{ afa.} < 3.5 \times 102 \text{ acres} = 357.0 \text{ afa})$

Recommended conditions include irrigation overlap, multiple points of diversion,[✓] measuring devices, future reporting and standard transfer conditions.

MICROFILMED

MAY 07 1998



4-10-98

Mr Jones

Enclosed please find a check for
\$ 125.00 for balance due on the
drilling permit 29.98.E-0002

The transfer application # 29.07196
you will have in your possession

Thank you for your help
in this matter.

Mrs Richard L. Walker

P.O. Box 9

Arime, IL 63214

MICROFILMED

MAY 07 1998





State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

April 1, 1998

Richard Walker
PO Box 9
Arimo ID 83214

Mr. Walker:

I am holding transfer application #5209 that you filed to add a point of diversion to water right #29-07196. I have also reviewed the well drilling permits for the NWNW Sect 27 T10S R36E and I see you already had the well drilled in 1998.

Drilling permit 29-98-e-0002 was issued for Single Family Domestic only. The maximum usage is one home and ½ acre of irrigation. The fee for that drilling permit was \$75.00.

Since you now are listing this well as an alternate irrigation point of diversion an additional \$125.00 is required. Drilling permits for irrigation wells are \$200.00 and you have already paid \$75.00.

I will need you to send the additional \$125.00 to my attention and I can continue processing your transfer application.

Sincerely,

Harold W Jones
Water Rights Supervisor

HWJ:sc

MICROFILMED

APR 10 1998

PROOF OF PUBLICATION

STATE OF IDAHO }
County of Bannock } ss.

CINDIA A COLE

NOTICE OF PROPOSED CHANGE OF A WATER RIGHT NO. T5209

Notice is hereby given that Richard LaMar Walker or Evelyn L Walker, PO Box 9, Arimo, ID 83214, has applies to the Department of Water Resources to add point of diversion of the waters of a groundwater source. The right sought to be change is evidenced by a license and recorded as follows:

License No. : 29-07196
Amount: 0.90 cfs
Source: Groundwater
Priority: 05/21/1974

Point(s) of Diversion: NENE
SEC 28 T10S R36E,
BANNOCK COUNTY

The water is used for irrigation of 102 acres from 4/01 to 10/15 within the NWNW SEC 27 T10S R36E, B.M. and NENE SEC 28 T10S R36E, B.M.

TO BE CHANGED AS FOLLOWS:

The applicant intends to add another well in the NWNW SEC 27 T10S R36E, to more efficiently irrigate the 102 acre place of use. The water will be diverted from the NWNW SEC 27 T10S R36E, Bannock County.

Any protests against approval of the proposed changed must be filed with the Idaho Department of Water Resources, 900 N Skyline Dr., Idaho Falls, ID 83402, together with a protest fee of \$25 on or before march 23, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER

Director

March 5, 12, 1998
LN3346

being first duly sworn on oath deposes and says: That SHE was at all times herein mentioned a citizen of the United States of America, more than 21 years of age, and the Principal Clerk of THE IDAHO STATE JOURNAL, a daily newspaper, printed and published at Pocatello, Bannock County, Idaho, and having a general circulation therein.

That the document or notice, a true copy of which is attached, was published in the said IDAHO STATE JOURNAL, on the following dates, to-wit:

<u>MARCH 5</u>	<u>19 98</u>	<u>19</u>
<u>MARCH 12</u>	<u>19 98</u>	<u>19</u>
<u>19</u>	<u>19</u>	<u>19</u>
<u>19</u>	<u>19</u>	<u>19</u>
<u>19</u>	<u>19</u>	<u>19</u>

That said paper has been continuously and uninterruptedly published in said County for a period of seventy-eight weeks prior to the publication of said notice or advertisement and is a newspaper within the meaning of the laws of Idaho.

STATE OF IDAHO

COUNTY OF

BANNOCK

On this 12TH day of MARCH in the year of 1998

before me, a Notary Public, personally appeared

CINDIA A COLE

, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

[Signature]

Notary Public for Idaho

Residing at POCATELLO

My commission expires: FEBRUARY 2003

RECEIVED

MAR 16 1998

Department of Water Resources
Eastern Region

MICROFILMED

MAR 17 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 24, 1998

RICHARD LAMAR WALKER
PO BOX 9
ARIMO ID 83214

RE: Notice of Application for Transfer #5209

Dear Applicant:

This office is currently in the process of advertising the application in the Idaho State Journal on MAR. 5 & 12, 1998. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
Water Right Supervisor

HWJ/sc

MICROFILMED

MAY 07 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

February 24, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO STATE JOURNAL
PO BOX 431
POCATELLO ID 83204

Dear Publisher:

Enclosed you will find a legal notice which we wish to have published on the dates indicated in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before March 23, 1998.

Yours truly,

Sharla Cox
Secretary

Enc.

boxed
2/24/98
SC

MICROFILMED

MAY 07 1998

~ Celebrating Our Centennial Year of Service to Idaho 1895-1995 ~

NOTICE OF PROPOSED CHANGE OF A WATER RIGHT
NO. T5209

Notice is hereby given that Richard LaMar Walker or Evelyn L Walker, PO Box 9, Arimo, ID 83214, has applied to the Department of Water Resources to add point of diversion of the waters of a groundwater source. The right sought to be change is evidenced by a license and recorded as follows:

License No.: 29-07196 Source: Groundwater
Amount: 0.90 cfs Priority: 05/21/1974
Point(s) of Diversion: NENE SEC 28 T10S R36E, BANNOCK COUNTY

The water is used for irrigation of 102 acres from 4/01 to 10/15 within the NWNW SEC 27 T10S R36E, B.M. and NENE SEC 28 T10S R36E, B.M.

TO BE CHANGED AS FOLLOWS:

The applicant intends to add another well in the NWNW SEC 27 T10S R36E, to more efficiently irrigate the 102 acre place of use. The water will be diverted from the NWNW SEC 27 T10S R36E, Bannock County.

Any protests against approval of the proposed changed must be filed with the Idaho Department of Water Resources, 900 N Skyline Dr., Idaho Falls, ID 83402, together with a protest fee of \$25 on or before March 23, 1998. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER
Director

Published in the Idaho State Journal on March 5 and 12, 1998.

MICROFILMED

MAY 07 1998

NOTICE OF PLEDGE

STATE OF IDAHO
Department of Water Resources
Statehouse
Boise, Idaho 83720

Loan No. 0620273-000

Attention: Reclamation Engineer

Please be notified that the undersigned have this date executed a Mortgage in favor of the Federal Land Bank Association of Utah, FLCA, covering certain land in Bannock, State of Idaho, together with all of the Mortgagor's right to use the following:

WATER RIGHT NO. AND PURPOSE OF WATER USE

29-7196 for Irrigation purpose

The said Mortgage, given to secure a promissory note of even date, was recorded

97022386, in the office of the County Recorder of the above referenced County,
as Instrument No. 12-30-97.

Please file this notice with your records of the above referenced and direct notice of any intended change of the place of use or other change which materially affects the beneficiary's security interest in the said rights to the Federal Land Bank Association of Utah, FLCA, 406 West South Jordan Parkway (Suite 500), South Jordan, Utah 84095

Dated: December 23, 1997

Richard LaMar Walker
Richard LaMar Walker

Provide Notice/Change To

12-23-97

Mortgage/Lienholder

Evelyn L. Walker
Evelyn L. Walker

ACKNOWLEDGEMENT FROM STATE DEPARTMENT OF WATER RESOURCES

Receipt of the Notice of Pledge, of which this is a duplicate original, is acknowledged. One original of this notice will be filed with the records of the subject water rights in this Office.

1-5-97
Date

[Signature]
Signature of authorized person representing
the Department of Water Resources

Permits Section Mgr.
Title

Second original returned signed
MICROFILMED
-5-97
MAY 07 1998



Federal Land Bank Association of Utah, FLCA
Utah Production Credit Association

406 W. South Jordan Parkway (10600 South)
Suite 500
P. O. Box 870
Riverton, Utah 84065-0870
(801) 571-9200
Fax (801) 576-0600

RECEIVED

JAN 05 1998

Department of Water Resources

January 2, 1998

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

RE: FLBA Loan No. 0620273-000
FLBA Borrower: Richard LaMar Walker

Enclosed please find two Notices of Pledge forms and a copy of a recorded Mortgage.

Please acknowledge both forms and return one to us in the self-address provided and file the other with your records. Please mark your records of our interest and direct notices of any intended change of the place of use or other change which material affect the security interest in said rights to the Federal Land Bank Association of Utah, FLCA.

If you should have any questions, please contact me.

Sincerely,

Debbie Maxedon
Escrow Secretary

MICROFILMED

MAY 07 1998

DEC-29-97 MON 11:36 AM FATCO ST GEORGE
DEC-29-97 MON 08:16 AM FINCO NATIONAL ACCT

FAX NO. 14356731139
FAX NO. 18013630419

P. 02
P. 03

474040-gp
25282 #15291

Mail Tax and Deed to
Richard LaMar Walker and Evelyn L. Walker
137551 South 6400 West
Herriman, UT 84065

WARRANTY DEED

For no consideration HOWARD L. ARMSTRONG, JR., and MARILYN H. ARMSTRONG, husband and wife, joint tenant hereinafter called the Grantor, hereby grants, bargains, sells and conveys unto RICHARD LAMAR WALKER and EVELYN L. WALKER, husband and wife, joint tenant, hereinafter called the Grantee, the following described premises situated in Bannock County, Idaho, to wit:

Bannock County, Idaho: Township 10 South, Range 36, E.B.M. Section 27: NW 1/4 NW 1/4, Section 28: NE 1/4 NE 1/4, NW 1/4 NE 1/4

TO HAVE AND TO HOLD, the said premises, with their appurtenances unto the said Grantee and to the successors heirs and assigns of the Grantee forever. The Grantor does hereby covenant to and with the said Grantee, that the Grantor is the owner in fee simple of said premises; that they are free from all incumbrances except as above described and that Grantor will warrant and defend the same from all lawful claims whatsoever.

Dated: 12-29-97

[Handwritten signatures of Howard L. Armstrong, Jr. and Marilyn H. Armstrong]

STATE OF Utah

COUNTY OF Washington

On this 29th day of December, 1997

1996, before me a notary public in and for

said State, personally appeared Howard L. Armstrong, Jr.
Marilyn H. Armstrong
known to be the persons whose names subscribed to


the within instrument, and acknowledged to me

that executed the same.

[Handwritten signature of Notary Public]

Notary Public

Residing at:
Commission Expires:



MICROFILMED
MAY 07 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 26, 1983

RE: Permit No. 29-7196

Howard Armstrong
P.O. Box 4123
Pocatello, Id 83201

Dear Mr. Armstrong

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 6, 1983

RE: Permit No. 29-7196

Howard L. Armstrong Jr.
P.O. Box 4153
Pocatello, ID 83201

Dear Mr. Armstrong:

A representative of this Department has made an examination of the works covered by your Permit No. 29-7196, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0090 cfs Source: groundwater

The maximum quantity diverted shall not exceed 352.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, Twp. 10S, Rge. 36E, Bannock
County

Beneficial use: Irrigation of 102 acres within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27;
NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28; Twp. 10S, Rge. 36E

Priority date established: May 21, 1974

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

29-7196

Permit No.

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

REMARKS

☐ Appointment letter mailed:

☐ Telephone call made:
(List Telephone No. used)

☐ Appointment scheduled for:
(Date, time, location)

EXAMINATION

Date 7-10-81 Accompanied by Doyle Lowry Total Q measured 0.90 cfs

If source is surface water, estimate total flow of source

Methods of measurement McChrometer # 75-8-115 Meets Permit requirements?

Measurement calculations: $V = 102 \text{ acres} \times 3.5$ $= 357 \text{ afq}$	Meter reading - 400 gpm = <u>0.90 cfs</u> $102 \text{ acres} @ 0.02 \text{ cfs} = 2.04 \text{ cfs}$	$V = 0.90 \text{ cfs} \times 1.985 \text{ ft} \times 197 \text{ ft}$ $V = \underline{\underline{352 \text{ afq}}} \checkmark$
---	--	---

[illegible]

System Description From well/pump to mainline running north + south to 3 handlines

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE
Irrigation

Irrigation requirement = 3.5 AFA/Acre

Q (cfs) 0.90 ✓ V (afa) 352 ✓ FROM April TO Oct. 15

Total

Remarks

Theoretical Calculation: Depth to water est. 160' (based upon well log data)

$$Q_1 = .8(\text{HP}) 8.8 = .8(125) 8.8 = \frac{880}{1} = \underline{3.34 \text{ cfs}}$$

$160 + 45(23) = 203.5$
No overlapping rights

Q 880 = 880 = 2.56 cfs

$$160 + 80(23) = 3440$$


June

Point of Diversion

T 10S 28 27

R 36E

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 of NE 1/4 Section 28 T10S R36E

Place(s) of Use

TWP.	RGE.	SEC:	NE%				NW%				SW%				SE%				TOTALS
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	
10 S	36 E	27						35											35
		28	31	36															67
																	TOTAL		102


☐ Other

Date 4-6-83

29-1196

Armstrong

44



USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>NOLA WALLACE</u> Address <u>STAIR DRIVE</u> <u>SAN GABRIEL, CALIFORNIA</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>52</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature _____ F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Other <u>DIR BLW</u> Discharge G.P.M. _____ Draw Down _____ Hours Pumped <u>2</u>																																	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Depth</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes/No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>0</td><td>0</td><td>10</td><td>BROWN CLAY</td><td>✓</td></tr><tr><td>10</td><td>10</td><td>95</td><td>BROWN CLAY</td><td>✓</td></tr><tr><td>95</td><td>102</td><td>102</td><td>SMALL GRAVELLY CLAY</td><td>✓</td></tr><tr><td>102</td><td>200</td><td>200</td><td>BROWN CLAY</td><td>✓</td></tr><tr><td>200</td><td>205</td><td>205</td><td>GRAVEL</td><td>✓</td></tr></tbody></table>		Hole Depth	Depth		Material	Water Yes/No	From	To	0	0	10	BROWN CLAY	✓	10	10	95	BROWN CLAY	✓	95	102	102	SMALL GRAVELLY CLAY	✓	102	200	200	BROWN CLAY	✓	200	205	205	GRAVEL	✓
Hole Depth	Depth		Material		Water Yes/No																														
	From	To																																	
0	0	10	BROWN CLAY	✓																															
10	10	95	BROWN CLAY	✓																															
95	102	102	SMALL GRAVELLY CLAY	✓																															
102	200	200	BROWN CLAY	✓																															
200	205	205	GRAVEL	✓																															
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Aug ☐ Other		 AUG 31 1978 Department of Water Resources Eastern District Office																																	
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>205</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness _____ Diameter _____ From _____ To _____ <u>2 1/2</u> inches <u>6</u> inches <u>12</u> feet <u>200</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/4</u> inches by <u>2</u> inches Number <u>12</u> From _____ To _____ <u>12</u> perforations <u>10</u> feet <u>200</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>40</u> Material used in seal ☒ Cement grout ☐ Pudding clay ☐ Seal cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbars to seal depth																																			
6. LOCATION OF WELL Sketch map location must agree with written location. Address Name _____ Lot No. _____ Block No. _____ County <u>BENNECK</u> <u>SE 1/4, NW 1/4, Sec. 28, T. 12 N., R. 36 E.</u>																																			
10. Work started <u>8/15/78</u> finished <u>8/18/78</u>																																			
11. DRILLER'S CERTIFICATION Firm Name <u>DUBRE DRILLING</u> Firm No. <u>148</u> Address <u>P.O. BOX 4415 BEAUMONT</u> Signed by (Firm Official) <u>W. A. Dubre</u> and Operator <u>W. A. Dubre</u>																																			

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

TYPE IN BLOCK LETTERS OR
USE PREPRINTED PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name: <u>John A. Stohr, Jr.</u> Address: <u>Box 747 A Stohr, Boise, Idaho 83775</u>		7. WATER LEVEL Static water level: <u>95</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow: _____ Temperature: <u>41.4</u> F. Quality: _____ Artesian closed in pressure: _____ P.S.I. Controlled by: _____ Valve ☐ Cap ☐ Plug ☐																																																																																																																																																																																													
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe method of abandonment): _____		8. WELL TEST DATA Pump ☐ Blower ☐ Other _____ Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____																																																																																																																																																																																													
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify): _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste disposal or injection		9. LITHOLOGIC LOG Hole Diam. _____ Depth _____ Material _____ Water Yes/No _____																																																																																																																																																																																													
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other _____		<table border="1"><thead><tr><th>Hole Diam.</th><th>Depth</th><th>Material</th><th>Water</th></tr><tr><th></th><th>From</th><th>To</th><th>Yes/No</th></tr></thead><tbody><tr><td>16"</td><td>0</td><td>10</td><td>Brown clay</td><td></td></tr><tr><td>16"</td><td>10</td><td>16</td><td>Gravel</td><td></td></tr><tr><td>16"</td><td>16</td><td>44.5</td><td>Brown clay with little gravel</td><td></td></tr><tr><td>16"</td><td>44.5</td><td>150</td><td>Gravel with clay</td><td>X</td></tr><tr><td>16"</td><td>150</td><td>160</td><td>Brown clay</td><td></td></tr><tr><td>16"</td><td>160</td><td>181</td><td>Brown clay with little gravel</td><td></td></tr><tr><td>16"</td><td>181</td><td>203</td><td>Gravel</td><td>X</td></tr><tr><td>16"</td><td>203</td><td>225</td><td>Brown clay</td><td></td></tr><tr><td>16"</td><td>225</td><td>235</td><td>White clay</td><td></td></tr><tr><td>16"</td><td>235</td><td>265</td><td>Gravel</td><td></td></tr><tr><td>16"</td><td>265</td><td>270</td><td>Gravel</td><td>X</td></tr><tr><td>16"</td><td>270</td><td>271</td><td>Brown clay</td><td></td></tr><tr><td>16"</td><td>271</td><td>282</td><td>Gravel</td><td>X</td></tr><tr><td>16"</td><td>282</td><td>285</td><td>White clay</td><td></td></tr><tr><td>16"</td><td>285</td><td>290</td><td>Brown clay</td><td></td></tr><tr><td>16"</td><td>290</td><td>300</td><td>Gravel</td><td>X</td></tr><tr><td>16"</td><td>300</td><td>325</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>325</td><td>335</td><td>Gravel</td><td>X</td></tr><tr><td>16"</td><td>335</td><td>336</td><td>Gravel</td><td>X</td></tr><tr><td>16"</td><td>336</td><td>340</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>340</td><td>350</td><td>Blue clay with little sand</td><td></td></tr><tr><td>16"</td><td>350</td><td>355</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>355</td><td>360</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>360</td><td>375</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>375</td><td>400</td><td>White clay</td><td></td></tr><tr><td>16"</td><td>400</td><td>410</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>410</td><td>415</td><td>Blue clay with gravel</td><td>X</td></tr><tr><td>16"</td><td>415</td><td>425</td><td>White clay</td><td></td></tr><tr><td>16"</td><td>425</td><td>430</td><td>Brown clay with gravel</td><td></td></tr><tr><td>16"</td><td>430</td><td>435</td><td>Brown clay with gravel</td><td>X</td></tr><tr><td>16"</td><td>435</td><td>505</td><td>Blue clay with gravel</td><td>X</td></tr><tr><td>16"</td><td>505</td><td>522</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>522</td><td>530</td><td>Sand + gravel</td><td>X</td></tr><tr><td>16"</td><td>530</td><td>535</td><td>Blue clay</td><td></td></tr><tr><td>16"</td><td>535</td><td>555</td><td>Sand + gravel</td><td></td></tr><tr><td>16"</td><td>555</td><td>560</td><td>White clay</td><td></td></tr></tbody></table>		Hole Diam.	Depth	Material	Water		From	To	Yes/No	16"	0	10	Brown clay		16"	10	16	Gravel		16"	16	44.5	Brown clay with little gravel		16"	44.5	150	Gravel with clay	X	16"	150	160	Brown clay		16"	160	181	Brown clay with little gravel		16"	181	203	Gravel	X	16"	203	225	Brown clay		16"	225	235	White clay		16"	235	265	Gravel		16"	265	270	Gravel	X	16"	270	271	Brown clay		16"	271	282	Gravel	X	16"	282	285	White clay		16"	285	290	Brown clay		16"	290	300	Gravel	X	16"	300	325	Blue clay		16"	325	335	Gravel	X	16"	335	336	Gravel	X	16"	336	340	Blue clay		16"	340	350	Blue clay with little sand		16"	350	355	Blue clay		16"	355	360	Blue clay		16"	360	375	Blue clay		16"	375	400	White clay		16"	400	410	Blue clay		16"	410	415	Blue clay with gravel	X	16"	415	425	White clay		16"	425	430	Brown clay with gravel		16"	430	435	Brown clay with gravel	X	16"	435	505	Blue clay with gravel	X	16"	505	522	Blue clay		16"	522	530	Sand + gravel	X	16"	530	535	Blue clay		16"	535	555	Sand + gravel		16"	555	560	White clay	
Hole Diam.	Depth	Material	Water																																																																																																																																																																																												
	From	To	Yes/No																																																																																																																																																																																												
16"	0	10	Brown clay																																																																																																																																																																																												
16"	10	16	Gravel																																																																																																																																																																																												
16"	16	44.5	Brown clay with little gravel																																																																																																																																																																																												
16"	44.5	150	Gravel with clay	X																																																																																																																																																																																											
16"	150	160	Brown clay																																																																																																																																																																																												
16"	160	181	Brown clay with little gravel																																																																																																																																																																																												
16"	181	203	Gravel	X																																																																																																																																																																																											
16"	203	225	Brown clay																																																																																																																																																																																												
16"	225	235	White clay																																																																																																																																																																																												
16"	235	265	Gravel																																																																																																																																																																																												
16"	265	270	Gravel	X																																																																																																																																																																																											
16"	270	271	Brown clay																																																																																																																																																																																												
16"	271	282	Gravel	X																																																																																																																																																																																											
16"	282	285	White clay																																																																																																																																																																																												
16"	285	290	Brown clay																																																																																																																																																																																												
16"	290	300	Gravel	X																																																																																																																																																																																											
16"	300	325	Blue clay																																																																																																																																																																																												
16"	325	335	Gravel	X																																																																																																																																																																																											
16"	335	336	Gravel	X																																																																																																																																																																																											
16"	336	340	Blue clay																																																																																																																																																																																												
16"	340	350	Blue clay with little sand																																																																																																																																																																																												
16"	350	355	Blue clay																																																																																																																																																																																												
16"	355	360	Blue clay																																																																																																																																																																																												
16"	360	375	Blue clay																																																																																																																																																																																												
16"	375	400	White clay																																																																																																																																																																																												
16"	400	410	Blue clay																																																																																																																																																																																												
16"	410	415	Blue clay with gravel	X																																																																																																																																																																																											
16"	415	425	White clay																																																																																																																																																																																												
16"	425	430	Brown clay with gravel																																																																																																																																																																																												
16"	430	435	Brown clay with gravel	X																																																																																																																																																																																											
16"	435	505	Blue clay with gravel	X																																																																																																																																																																																											
16"	505	522	Blue clay																																																																																																																																																																																												
16"	522	530	Sand + gravel	X																																																																																																																																																																																											
16"	530	535	Blue clay																																																																																																																																																																																												
16"	535	555	Sand + gravel																																																																																																																																																																																												
16"	555	560	White clay																																																																																																																																																																																												
5. WELL CONSTRUCTION Diameter of hole: <u>16</u> inches Total depth: <u>560</u> feet Casing schedule: ☒ Steel ☐ Concrete Inches Diameter From To <u>250</u> inches <u>16</u> inches <u>1</u> feet <u>560</u> feet Inches inches feet feet Inches inches feet feet Inches inches feet feet Inches inches feet feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☒ Torch Size of perforation: <u>1/8</u> inches by <u>10</u> inches Number From To <u>876</u> perforations <u>142</u> feet <u>530</u> feet <u>29</u> perforations <u>530</u> feet <u>560</u> feet perforations feet feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ feet to _____ feet Diameter _____ Slot size _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth: <u>18</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbars to seal depth																																																																																																																																																																																															
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>BANNACK</u> NE 1/4 Sec. 28 T. 28 N. R. 36 E. 1/4		10. Work started <u>7-22-75</u> Finished <u>12-9-75</u>																																																																																																																																																																																													
11. DRILLER'S CERTIFICATION Firm Name <u>John A. Stohr, Jr.</u> Firm No. <u>116</u> Address <u>Box 747 A Stohr, Boise, Idaho 83775</u> Signed by (Firm Official) <u>Charles F. Farnham</u> and <u>Donna F. Farnham</u>																																																																																																																																																																																															

POOR QUALITY ORIGINAL

TYPEWRITER OR
BALL POINT PEN

Department of Water Resources

WELL DRILLER'S REPORT

This report must be completed by the well driller within 10 days after the completion of the well.

1. WELL OWNER Name: <u>McGILL IMBISON</u> Address: <u>1000 1st St</u> City: <u>San Antonio</u>		2. WATER USE Purpose: <u>126</u> Type: <u>CEAD</u>																																																			
2. NATURE OF WORK ☒ New Well ☐ Reconstruct ☐ Replace pump Additional work: <u>None</u>		3. WELL TEST DATA Discharge GPM: <u>16</u> Draw Down: <u>5'</u> Hours Pumped: <u>7</u>																																																			
3. PROPOSED USE Use: <u>Domestic</u>		4. LITHOLOGIC LOG																																																			
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Auger ☐ Other		<table border="1"> <thead> <tr> <th>Depth (ft)</th> <th>Material</th> </tr> </thead> <tbody> <tr><td>0-56</td><td>BROWN CLAY</td></tr> <tr><td>56-75</td><td>CLAY + GINZEL</td></tr> <tr><td>75-105</td><td>BROWN CLAY</td></tr> <tr><td>105-115</td><td>CLAY + GINZEL</td></tr> <tr><td>115-133</td><td>BROWN CLAY</td></tr> <tr><td>133-147</td><td>Muddy GINZEL</td></tr> <tr><td>147-180</td><td>BROWN CLAY</td></tr> <tr><td>180-187</td><td>Muddy GINZEL</td></tr> <tr><td>187-195</td><td>BROWN CLAY</td></tr> <tr><td>195-210</td><td>GINZEL + CLAY</td></tr> <tr><td>210-220</td><td>BROWN CLAY</td></tr> <tr><td>220-240</td><td>Muddy GINZEL</td></tr> <tr><td>240-246</td><td>BROWN CLAY</td></tr> <tr><td>246-249</td><td>CLAY + GINZEL</td></tr> <tr><td>249-266</td><td>BROWN CLAY</td></tr> <tr><td>266-271</td><td>WATER BEARING GINZEL</td></tr> <tr><td>271-275</td><td>BROWN CLAY</td></tr> <tr><td>275-315</td><td>BROWN CLAY + GINZEL</td></tr> <tr><td>315-320</td><td>BROWN CLAY</td></tr> <tr><td>320-333</td><td>CLAY + GINZEL</td></tr> <tr><td>333-345</td><td>BROWN CLAY</td></tr> <tr><td>345-360</td><td>CLAY + GINZEL</td></tr> <tr><td>360-372</td><td>BROWN CLAY + GINZEL</td></tr> <tr><td>372-380</td><td>BROWN CLAY</td></tr> </tbody> </table>		Depth (ft)	Material	0-56	BROWN CLAY	56-75	CLAY + GINZEL	75-105	BROWN CLAY	105-115	CLAY + GINZEL	115-133	BROWN CLAY	133-147	Muddy GINZEL	147-180	BROWN CLAY	180-187	Muddy GINZEL	187-195	BROWN CLAY	195-210	GINZEL + CLAY	210-220	BROWN CLAY	220-240	Muddy GINZEL	240-246	BROWN CLAY	246-249	CLAY + GINZEL	249-266	BROWN CLAY	266-271	WATER BEARING GINZEL	271-275	BROWN CLAY	275-315	BROWN CLAY + GINZEL	315-320	BROWN CLAY	320-333	CLAY + GINZEL	333-345	BROWN CLAY	345-360	CLAY + GINZEL	360-372	BROWN CLAY + GINZEL	372-380	BROWN CLAY
Depth (ft)	Material																																																				
0-56	BROWN CLAY																																																				
56-75	CLAY + GINZEL																																																				
75-105	BROWN CLAY																																																				
105-115	CLAY + GINZEL																																																				
115-133	BROWN CLAY																																																				
133-147	Muddy GINZEL																																																				
147-180	BROWN CLAY																																																				
180-187	Muddy GINZEL																																																				
187-195	BROWN CLAY																																																				
195-210	GINZEL + CLAY																																																				
210-220	BROWN CLAY																																																				
220-240	Muddy GINZEL																																																				
240-246	BROWN CLAY																																																				
246-249	CLAY + GINZEL																																																				
249-266	BROWN CLAY																																																				
266-271	WATER BEARING GINZEL																																																				
271-275	BROWN CLAY																																																				
275-315	BROWN CLAY + GINZEL																																																				
315-320	BROWN CLAY																																																				
320-333	CLAY + GINZEL																																																				
333-345	BROWN CLAY																																																				
345-360	CLAY + GINZEL																																																				
360-372	BROWN CLAY + GINZEL																																																				
372-380	BROWN CLAY																																																				
5. WELL CONSTRUCTION Diameter of hole: <u>16"</u> inches Total depth: <u>380</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness: <u>16"</u> inches Diameter: <u>16"</u> inches From: <u>1</u> feet To: <u>250</u> feet Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation: <u>3/16</u> inches by <u>12"</u> inches Number of perforations: <u>26</u> From: <u>1</u> feet To: <u>250</u> feet Well screen installed? ☒ Yes ☐ No Manufacturer's name: <u>None</u> Model No.: <u>None</u> Diameter: <u>16"</u> Slot size: <u>1/16"</u> Set from: <u>1</u> feet to <u>1</u> feet Diameter: <u>16"</u> Slot size: <u>1/16"</u> Set from: <u>1</u> feet to <u>1</u> feet Gravel packed? ☒ Yes ☐ No Size of gravel: <u>1/16"</u> Placed from: <u>1</u> feet to <u>1</u> feet Surface seal? ☒ Yes ☐ No To what depth: <u>18'</u> feet Material used in seal: ☐ Cement grout ☒ Puttying clay																																																					
6. LOCATION OF WELL Sketch map location must agree with written location 		10. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>James H. McGinnis</u> Date: <u>3-13-74</u> <u>1000 1st St</u> City: <u>San Antonio</u>																																																			

DANMACK



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

November 21, 1979

RE: Permit No. 29-7196

Howard L. Armstrong Jr.
P.O. Box 4153
Pocatello, ID 83201

Dear Mr. Armstrong:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

JACKIE S. DENNING
Senior Clerk

cc: IDWR - State Office

MICROFILMED

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 2971

Name(s) of Permit Holder: Howard L. Armstrong Jr.

Post Office Address: P.O. Box 4153

Pocatello, Idaho

Tel. No. 233 5643

Source of Water: Underground

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 120 (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

9/20/79
Date


Howard L. Armstrong Jr.
Signature of Permit Holder

MICROFILMED

Howard L. Armstrong

P.O. Box 4153

Pocatello, Idaho



RECEIVED

SEP 21 1979



Department of Water Resources IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

INTER-DEPARTMENT MEMO — 1

FROM Eastern

DATE 6-28-79

TO Rita

SUBJECT Beneficial Use Card

Please send a beneficial use card to: Howard L. Armstrong
746 East Lander
Pocatello, ID 83201

for Permit No. 29-7196

SENT 7/06/79 by RF

Thank you!

Donna

MICROFILMED
SIGNATURE

June 18, 1979

Howard L. Armstrong, Jr.
515 E. Benton
Room 205
Pocatello, ID 83201

Dear Mr. Armstrong:

Re: Permit No. 29-7196

Enclosed is a copy of the order extending the time within which to submit proof of beneficial use for Permit No. 29-7196 to July 1, 1984.

In your letter of May 25, 1979 and June 12, 1979 you stated you wanted to change the point of diversion on this permit. If the point of diversion is being moved to a different 40-acre tract than what your permit shows (NE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, Twp. 10S, Rge. 36E), then the enclosed Application for Amendment needs to be completed and returned with the required \$20.00 filing fee.

In one of your letters, you requested any filings on a spring in Sec. 33, Rge. 34E. Before we can research this spring, we need the township and the 40-acre tract within which the spring lies. If you could submit this information, we will research our records for filings.

Enclosed is a copy of the well log pursuant to your request.

If you have any questions, please contact us.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:rf

Enc.: 3

MAILED 1979

RECEIVED

JUN 18 1979

Department of Water Resources

LAW OFFICES

HOWARD L. ARMSTRONG, JR.

515 E. BENTON

ROOM 205

POCATELLO, IDAHO 83201

P. O. BOX 4153

June 12, 1979

AREA CODE 208
TELEPHONE 233-5643

*ok to
extend
5 yrs
jg*

STATE OF IDAHO
Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:

With regard to Permit No. 29-7196, I would like to ask that an extension be granted to be as I am unable at this time to complete the project. I would also like to request for new diversion point for this project.

The reason for the request for a new diversion point is that the well drillers who dug the original hole, ruined that hole causing the well casing to buckle thus rendering it of no use to me.

If there are any further requirements in the granting of the extension of time or the new diversion point, please let me know immediately so that I might proceed under these requirements.


Very truly yours,

Howard L. Armstrong, Jr.
Howard L. Armstrong, Jr.

HLA:lr

MICROFILMED

LAW OFFICES
HOWARD L. ARMSTRONG, JR.
P. O. BOX 4153
515 E. BENTON
ROOM 205
POCATELLO, IDAHO 83201



State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

POSTNET

9-7243 - due 2-1-80
9-7026 - Lis.
29-7196 - due 7-1-79
LAW OFFICES

HOWARD L. ARMSTRONG, JR.

515 E. BENTON

ROOM 205

POCATELLO, IDAHO 83201

Robert
fuel
P. O. BOX 4153

AREA CODE 208
TELEPHONE 233-5643

May 25, 1979

RECEIVED

May 30 1979

Department of Water Resources

State of Idaho
Department of Water Resources
Statehouse
Boise, ID 83720

Gentlemen:


I am in receipt of your letter of May 1, 1979. I have not been able to complete the project. I just now started to drill that hole again and I found that it is not going to be feasible, so I want to change the point of diversion. It will be in the same farming area but we are moving to a new location.

I would like to extend the time to complete the project and I would also like to change the point of diversion. I would also appreciate receiving a copy of the well log that was filed by Intermountain Drilling or Charles Franson.

I would also like to inquire as to whether or not I have made a filing on the spring in Section 33, Range 34, East. There are to springs that we have been using on this property for years and I understand that I have to file these springs.

Your cooperation in this regard is appreciated.

Very truly yours,


Howard L. Armstrong, Jr.

HLA:bb

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

May 1, 1979

100861

Howard L. Armstrong, Jr.
Trail Creek Road
Pocatello, ID 83201

Dear Mr. Armstrong:

One of the conditions of approval of your water Permit No. 29-7196 was that evidence of the extent of development must be submitted to this office on or before July 1, 1979. (See last page of your approved permit). Enclosed is a post card which may be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use post card or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect within 60 days.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

NOV 24 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

UNRECORDED

July 16, 1974

Re: Permit No. 29-7196

Mr. Howard Armstrong, Jr.
Trail Creek Road
Pocatello, Idaho 83201

Dear Mr. Armstrong:

Enclosed is a copy of your approved Application for Permit No. 29-7196 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

29 7196

June 7, 1974

Re: Application for Permit No. 29-7196 Armstrong
" " " No. 29-7198 Rino
" " " No. 29-7199 "

Idaho State Journal
Box 431
Pocatello, ID 83201

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:MB
Enc: Legal Notices (3)

Bill submitted 6-21-74 by MB

29 7196

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Howard L. Armstrong, Jr.

Trail Creek Road, Pocatello, Idaho

has on 5-21-74 submitted Application No. 29-7196
for a permit to appropriate 3.0 cubic feet per second ~~XXXXXX~~
of water from a ground-water source
by means of well and pump
within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, T. 10S, R. 36E, B.M., Bannock
County;

to be used from Apr. 1 to Oct. 15
for the irrigation of 200 acres

within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 21, T. 10S, R. 36E,
B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before
July 1, 1974.

R. KEITH HIGGINSON

Director

Published in the Idaho State Journal, Pocatello, Idaho

on June 13 and June 20, 1974

29 7196

CP
PB K.

RECEIVED

MAY 24 1974

LAW OFFICES
HOWARD L. ARMSTRONG, JR.
746 E. LANDER
POCATELLO, IDAHO

Department of Water Administration
Eastern District Office

AREA CODE 208
TELEPHONE 238-5643

ZIP CODE 83201

May 23, 1974

Mr. Ronald D. Carlson
Assistant to District Engineer
State of Idaho
Department of Water Administration
Eastern District Office
15151 Lincoln Road
Idaho Falls, Idaho 83401

Re: Application for Permit No. 2907196
Howard L. Armstrong, Jr.

Dear Mr. Carlson:

Thank you for your letter of May 21. On my application for a permit I did put down 3.0 c.f.s. for 120 acres. However, if this well should prove successful, it is my intention to irrigate the 120 acres listed and also to supplement my fathers well to the North that is presently irrigating 320 acres. I own some of the land immediate to the North and would use any water not needed on the present 120 acres to help the other well.

If there are any further questions or problems, please advise.

Hoping this will suffice, I am,

Very truly yours,


Howard L. Armstrong, Jr.

HLA:Kd

29 7196

May 21, 1974

Re: Application for Permit No. 29-7196

Mr. Howard L. Armstrong, Jr.
Trail Creek Road
Pocatello, Idaho 83201

Dear Mr. Armstrong:

Attached herewith is departmental receipt No. 12889 in the amount of \$45.00 for the above referenced application.

Your application shows the quantity of water to be appropriated as 3.0 c.f.s. for the irrigation of 120 acres. This amount is in excess of the statutory limit of one inch per acre allowed by the Idaho Code without justification. The Department will accept statements from the Soil Conservation Service or other soil experts as adequate evidence that the additional water is needed. If acceptable justification is not received within 30 days from the date of this letter, the quantity of water on the application will be reduced to 2.4 c.f.s.

If you have any questions, please contact us.

Very truly yours,

RONALD D. CARLSON
Asst. to District Engineer

RDC:mb

Attachment

29 7196

RECEIVED

MAY 21 1974

ZIP CODE 83201

Department of Water Administration
Eastern District Office

LAW OFFICES

HOWARD L. ARMSTRONG, JR.

746 E. LANDER

POCATELLO, IDAHO

AREA CODE 208

TELEPHONE 233-5643

May 20, 1974

District Engineer
State of Idaho
Department of Water Administration
Eastern District Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Re: Application for Permit - Howard L. Armstrong, Jr.

Dear Sir:

Enclosed herein please find an Application for Permit
for myself and a check in the amount of \$45.00 to
cover the application fee.

Hoping this will suffice, I am,

Very truly yours

Howard L. Armstrong, Jr.
Howard L. Armstrong, Jr.

HLALKd

Enc. (2)

29 7196