

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-02415

Priority: July 27, 1959

Maximum Diversion Rate: 1.15 CFS
Maximum Diversion Volume:¹ 488.1 AF

This is to certify, that K. V. HANSEN
BANCROFT, ID 83217

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 27, 1959; and has submitted Proof of Beneficial Use on August 25, 1964. An examination indicates that the works have a diversion capacity of 1.150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	1.15 CFS	488.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENEW, Sec. 32, Township 06S, Range 39E
CARIBOU County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	39E	32	NWNE 38	SWNE 39	NENW 39	SENW 40	
			NWNW 39	SWNW 40			
			NESW 40	NWSW 40			315

Total number of acres irrigated: 315

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED

SEP 04 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 29-02415

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 12th
day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPROVED

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Comes now K. V. Hansenof (address) Bancroft, Idaho 83217, and represents to the
Director of the Idaho Department of Water Resources:That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 29-2415, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SE ¼ NW ¼, Section 32, Township 6S, Range 39E, B.M.,
County of Caribou. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 1.15 for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated: NO CHANGE

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated = _____


4. a. Who owns the property at the point of diversion? K.V. Hansen
b. Who owns the land to be irrigated or the place of use? K.V. Hansen
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED

SEP 04 1990

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Bryham, Utah, this 11 day of December, 1977.
(Signature)

FOR DEPARTMENT USE ONLY

15734

Preliminary check by kw Fee = \$20.00 ✓

Received by sg Date 12/13/77

Publication prepared by N/A Date _____

Published in _____

Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, R. KEITH HIGGINSON, Director of the Department of Water Resources hereby

Approve the above Application for Amendment for Permit No. 28068/29-2415.

MICROFILMED

SEP 04 1990

Witness my hand this 17TH day of August, 1990.

Ronald C. Young
Acting for Director

State of Idaho

Department of Water Administration

RECEIVED

FEB 1973

ASSIGNMENT OF PERMIT

I, Arvid L. Christensen hereby assign to K. O. Hansen
of Bancroft Idaho 83217
Address

CHECK ONE

☒ All my right, title, and interest, in and to Permit No. 29-2415
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and
to Permit No. _____ to appropriate the public waters of the State
of Idaho. (Describe that portion of the permit being assigned by list-
ing the acreage within each 40-acre subdivision, the point of diversion
and the amount of water in cubic feet per second for direct diversion,
or acre feet for storage.)

Made this 13 day of December, 19 72.

RECEIVED

Arvid L. Christensen
Permit Holder

Naipue O. Christensen
Spouse of Permit Holder

Department of Water Administration

State of Idaho)
County of Caribou) ss.

On this 16 day of February, 19 73, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Christina Hatch
Notary Public residing at
Bancroft, Idaho

My commission expires: Nov 1, 1976

29 2415

APPLICATION FOR PERMIT


To Appropriate the Subterranean Waters of The State of Idaho

ASSIGNED TO:

K. V. Hansen
Bancroft, Idaho 83217

Application No. G- 36029
 Permit No. G- 28068
 District No.

1. Name of Applicant: Arves L. Christensen
 Postoffice address: Bancroft County: Caribou State: Idaho
2. Quantity of water claimed:
 - (a) Rate of withdrawal in cubic feet per second 6.4 or Idaho
 Miners' inches 320 or gallons per minute
 - (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Well
4. Location of point of diversion or well is in the SW $\frac{1}{4}$ of the NW $\frac{1}{4}$ of Section 32
 Twp. 6 S , Rge. 39 E , B.M., County of Caribou
5. Water is to be used for: Irrigation
6. If for municipal, industrial or recreational purposes, give:
 - (a) Point of use of water is in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp.
 Rge. , B.M.
 - (b) Waste water or sewage effluent is to be returned to
 at a point in the $\frac{1}{4}$ of the $\frac{1}{4}$ of Section , Twp. , Rge. , B.M.
7. Kind of works: Sprinkler system
8. Estimated cost of works: \$18,000.00
9. (a) Is reservoir to be used? no
 (b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 5 years.
11. If applicant is a corporation, give:
 - I. (a) Date and place of incorporation:
 (b) Amount of capital stock: \$ (c) Amount paid in: \$
 (d) Names and addresses of directors:
 - II. The financial resources of the applicant are (a) Cash on hand: \$
 (b) Treasury stock: (c) Bonds to be issued:
 (d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: None
 - (a) 320 inches (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
 - (b) (cubic feet per second, inches or gallons per minute) is for new lands.



Remarks:

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

s/ Arves L. Christensen Applicant.

By

Agent.

Date of first receipt at Department of Reclamation: 9:00 A.M. July 27, 1959

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G— 28068

Recorded in Book 99 Page 28068 Approved August 5, 1959

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ to be filed on or before

Work to begin on or before and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before February 5, 1962

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before August 5, 1964

s/ GEO. N. CARTER

Witness my hand this 5th day of August, 1959

STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, W. E. DREVLON, Acting Governor of the State of Idaho, and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 5th day of August, 1959.

Countersigned:

STATE OF IDAHO

(SEAL)

By s/ ARNOLD WILLIAMS

Secretary of State.

By s/ W. E. DREVLON, Acting Governor

12.

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
6 S	39 E	32	40	39			40	40	40	40	40	40							319
APPLICATION FOR AMENDMENT TO PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO, No. G-28068																			
Comes now ARVES L. CHRISTENSEN and represents to the State Reclamation Engineer of the State of Idaho:																			
That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho,																			
No. G-28068.																			
B. M.																			
That the point of diversion is described in said permit as being located: SW ¹ / ₄ NW ¹ / ₄ , Sec. 32, T. 6 S., R. 39 E.,																			
Sec. 32, T. 6 S., R. 39 E., B. M.																			
That he now requests that the point of diversion be changed to a point located SW ¹ / ₄ NW ¹ / ₄ , Sec. 32, and NW ¹ / ₄ NE ¹ / ₄ ,																			
of the irrigation works under Permit No. 28068.																			
That no one will be injured by such change, and that such change will be made at Permit Holder's own risk.																			
Signed at Bancroft, this 7 day of December, 1959.																			
s/ ARVES L. CHRISTENSEN																			
APPROVAL OF STATE RECLAMATION ENGINEER																			
I, Geo. N. Carter, State Reclamation Engineer of the State of Idaho, hereby approve the above and foregoing application																			
for amendment to permit to appropriate the Public Waters of the State of Idaho, No. G-28068. This approval constitutes																			
a new permit and is issued as an amendment to the original permit, to which it refers and of which it becomes a part,																			
and said application is approved only insofar as the rights of others will not be adversely affected thereby.																			
Recorded December 11, 1959															s/ GEO. N. CARTER, State Reclamation Engineer				

Application for Amendment ✓
 POINT OF DIVERSION
 Permit No. G-28068

Comes now ARVES L. CHRISTENSEN and represents to the State Reclamation Engineer of the State of Idaho:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho, No. G-28068.

That the points of diversion is described in said Permit as being located: SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 6 S., R. 39 E., B. M.

That he now requests that the points of diversion be changed to points located SW $\frac{1}{4}$ NW $\frac{1}{4}$, center E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 32, T. 6 S., R. 39 E. B. M. Point of diversion in center E $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 32, being fed by one drain from North $\frac{1}{4}$ mile; one drain from East $\frac{3}{8}$ mile.

That the reason for desiring to make such change is as follows: _____

That no one will be injured by such change, and that such change will be made at Permit Holder's own risk.

Signed at Boise, Idaho, this 10 day of Dec., 1962.

s/ ARVES L. CHRISTENSEN

Date of Receipt at Department of Reclamation: December 10, 1962

APPROVAL OF STATE RECLAMATION ENGINEER

I, RALPH W. THOMAS, Deputy State Reclamation Engineer of the State of Idaho, hereby approve the above and foregoing application for amendment to Permit to Appropriate the Public Waters of the State of Idaho, No. G-28068. This approval constitutes a new permit and is issued as an amendment to the original permit, to which it refers and of which it becomes a part, and said application is approved only insofar as the rights of others will not be adversely affected thereby.

s/ RALPH W. THOMAS
 Deputy State Reclamation Engineer

Recorded: December 10, 1962

Application for Amendment

POINT OF DIVERSION

Permit No. G-28068

Comes now Arves L. Christensen and represent to the State Reclamation Engineer of the State of Idaho:

That he is (are) the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho, No. G-28068.

That the points of diversion is described in said Permit as being located:

SW¹/₄ NW¹/₄, NW¹/₄ NE¹/₄ Sec. 32 T6S R39E BM

That he now requests that the points of diversion be changed to a point s located: SW¹/₄ NW¹/₄, center E¹/₂ SW¹/₄ Sec 32 T6S R39E BM. Point of Diversion in center E¹/₂ SW¹/₄ Sec. 32 being fed by one drain from North ¹/₄ mile; one drain from East ³/₄ mile.

That the reason for desiring to make such change is as follows:

That no one will be injured by such change, and that such change will be made at Permit Holder's own risk.

Signed at Boise Idaho, this 10 day of Dec., 1962.

Arves L. Christensen

Date of Receipt at Department of Reclamation December 10, 1962

APPROVAL OF STATE RECLAMATION ENGINEER

Ralph W. Thomas, Deputy

I, ~~Arves L. Christensen~~, State Reclamation Engineer of the State of Idaho, HEREBY APPROVE the above and foregoing application for amendment to Permit to Appropriate the Public Waters of the State of Idaho, No. G-28068. This approval constitutes a new permit and is issued as an amendment to the original permit, to which it refers and of which it becomes a part, and said application is approved only insofar as the rights of others will not be adversely affected thereby.

Recorded in Book 99 of
Permits, at Page 28068
December 10 , 1962

Ralph W. Thomas
Deputy
State Reclamation Engineer

RECEIVED
DEC 9 1959

APPLICATION FOR AMENDMENT
TO PERMIT TO APPROPRIATE THE PUBLIC WATERS
OF THE STATE OF IDAHO, NO. G-28068 Department of Reclamation

Comes now Arves L. Christensen and
represent to the State Reclamation Engineer of the State of Idaho:

That he is (are) the owner and holder of Permit to appropriate the Public Waters of the State of Idaho, No. G-28068.

That the point of diversion is described in said permit as being located ;

SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 32, T6S, R39E BM

That he now requests that the point of diversion be changed to a point

located SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 32, ~~T6S, R39E BM~~ and NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 32, T6S R 39E BM

That the reason for desiring to make such change is as follows:

to use culinary well already drilled as part of the irrigation works under permit G-28068

That no one will be injured by such change, and that such change will be made at Permit Holder's own risk.

Signed at Bancroft, this 7 day of December, 1959

Arves L. Christensen

Date of receipt at Department of Reclamation December 9, 1959

APPROVAL OF STATE RECLAMATION ENGINEER

I, Geo. N. Carter, State Reclamation Engineer of the State of Idaho, HEREBY APPROVE the above and foregoing application for amendment to Permit to appropriate the Public Waters of the State of Idaho, No. G-28068. This approval constitutes a new permit and is issued as an amendment to the original permit, to which it refers and of which it becomes a part, and said application is approved only insofar as the rights of others will not be adversely affected thereby.

Recorded in Book 99 of
Permits, at Page 28068
December 11, 1959

Geo. N. Carter
State Reclamation Engineer

280682

August 17, 1990

K. V. HANSEN
BANCROFT, ID 83217

RE: PERMIT NO. 29-02415

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

Microfilmed

SEP 04 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Boise Falls, Idaho 83402
(208) 525-7161

RECEIVED

JUN 3 1986

Department of Water Resources
Eastern District Office

May 23, 1986

K. V. Hansen
Bancroft, Idaho

Re: 29-2415

Dear Mr. Hansen:

I received your Exam Fee Information sheet with your explanation and no fee. Your correct in that a field exam was done in 1979 (see enclosed) and you did not accept the findings. Therefore a re-exam was necessary. As you may remember I have tried several times to get your system examined over the last four years and there was always some problem with the system not being ready or malfunctioning.

Your options at this point are:

1. Pay the fee which represents your use in cfs (see fee schedule.
2. Accept the exam done in 1979.
3. Do nothing and the permit will be cancelled.

You should notify me at this office which option you feel is best for you.

Sincerely,

Harold W. Jones
Harold W. Jones
Sr. Resource Agent

Gentlemen:

5/30/86

Per the above, I herewith accept the exam done in 1979.

K. V. Hansen
K. V. Hansen

MICROFILMED

SEP 04 1990

Notes
address of
(in case of
Future mail) returned
10/18/80
KWC

WANTED

SALT LAKE CITY UT
PM
1 JUN
1986



Overlap Review - Rt. 29-2415

per VAX 10/28/86:

p/d - none

p/u - 29-0071 - 24 Mile Cr.

29-0094 - Toponce Cr.

29-0095 - Toponce Cr.

29-2027 - Toponce Cr.

29-2558 - 24 Mile Cr.

Recommend R29

kw

$$V = 1.15 \text{ cfs} \times 1.9835 \times 214 \text{ days} = 488.1 \text{ AFA}$$

MICROFILMED

SEP 11 1990

RECEIVED

349

DATE OF EXAM 6/23/78

ACREAGE
Found 315
Recommended 315

Irrigation Requirement 3.0 Ac Ft/Ac

USE
Irrigation Q = 1.15 c.f.s. V = 490.4 AF/Ann. from April 1 to Nov. 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: n/a
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1.15 cfs * Method of measurement Pitot-Tube

Total Q recommended 1.15 cfs Meter No. n/a Type n/a Condition n/a

Total V recommended 490.4 Aft/yr

Recommended Amendments:

P.D. SENECO SEC 32, Twp 6S Rge 39E, B.M.
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION: by Jim Booker
* 1971 measurement - 96 nozzles at 5.32 gpm/nozzle $1448.8 \text{ gpm/cfs} = 1.15 \text{ cfs}$
 $V = 315 \times 3 = 945 \text{ Aft/yr} > 1.15 \times 215 \times 1.9835 = 490.4 \text{ Aft/yr}$

SYSTEM DESCRIPTION:
Groundwater is diverted from a sump well by means of a 50 H.P. Fairbanks-Morse pump motor # F-456-823 & a Fairbanks-Morse "Panora" pump no F.D. plate. Water is diverted into a 8" diam E-W main and discharge is irrigated with sprinkler system consisting of 96 heads (5.32 gpm avg per head) - 1/6" diam nozzles.

REMARKS:
System shown & described by K.V. Hansen - Irrigation system was not in use during 1978 exam.

Examiner's Signature Anthony R. Kozlowski Date 2/5/79

Checked by John D. Caron Date 2/7/79

Approved by _____ Date _____

SEP 04 1990

MEMO TO FILE
PERMIT NO. 2415

Please read all of the enclosed correspondence.

I discussed the problem with the new owner, K. V. Hansen. The following should help clear up this matter:

1. The well in question located in the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32 is not being used because it is not now and has never been a good, productive well.
2. The only source of water is the groundwater sump in the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32.
3. An examination revealed no beneficial use of water from three drainage wells in the E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 32.
4. Finally, K. V. Hansen is willing to accept the results of the 1971 examination.

Anthony R. Kozlowski
ANTHONY R. KOZLOWSKI
Water Resource Agent

ARK:dh

MICROFILMED
SEP 14 1990

THE EXAMINATION SHOULD SHOW:

1. Detailed description of the well in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 32 and the extent of use and measurement of water. Mr. Christensen is to be along during the examination, which is to be conducted between June 5 and June 15, 1972.
Well not being used - never was a good well
2. Ground water sump (SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32)? Describe in detail the system, measure its capacity, and explain in detail the exact source of supply - *Only source of water is the sump*
3. Examine three drainage wells in the E $\frac{1}{2}$ NW $\frac{1}{4}$, Section 32. Describe the system, measure the quantity, amount of discharge, and review the actual need for drainage wells in this locality. *nothing coming out of these drainage wells all over*
4. The exact number of lateral lines, nozzels, model numbers, and operating pressure of the minimum structural system used by Mr. Christensen. *K.V. Hansen will accept 1971 information*

MICROFILMED

SEP 14 1990

HANSEN CHEVROLET-OLDSMOBILE
820 NO. MAIN
BRIGHAM CITY, UTAH 84302
'GIVE US A TRY BEFORE YOU BUY'

7/31/80 System not operating fully.
asked for measurement in May, 1981
HWT.

January 10, 1980



State of Idaho
Department of Water Resources
Boise, Idaho

Gentlemen: Re: Permit 29 2415

I refer you the above application which in the original requested the appropriation of 320 inches of water for irrigation use; I also note your letter of inspection dated August 9th, 1979 in which you state that your examination shows the use of only 1.15 cfs. I made notes on the above to your office requesting further consideration as I thought your inspection was not correct. As of this date I have heard nothing further from your office.

I state again that no doubt at the end of July in a dry year such as 1979; the water available would be only in the amount of 1.15 cfs. This usage however is not entirely correct in that from the period of May 1st to approximately July 31st this water source and the usage on these lands produces enough water to handle six to eight one quarter (1/4) mile sprinkler lines which if my calculations are correct would be the usage of 240" to 320 inches of water.

Please advise me of your determination:

RECEIVED

JAN 14 1980

Department of Water Resources

Yours very truly,

K. V. Hansen
K. V. Hansen Ranch
Bancroft, Idaho

RECEIVED

JAN 23 1980

Department of Water Resources
Eastern District Office

MICROFILMED

SEP 04 1990

648 7896

Ranch - 648-7815

Business - 801-723-5255

CAPRICE · IMPALA · MONTE CARLO · MALIBU · CAMARO · CITATION · MONZA · CHEVETTE · CORVETTE · CHEVROLET TRUCKS

This water at this diversion point flows at different rates depending on the time of the year and the surface moisture. at certain times of the year we pump as much as 150 inches of water for irrigation purposes. Should this beneficial use be corrected to that amount or should it remain as per your inspection?

K. V. Hansen 

Rec'd 12/17/79

MICROFILMED

SEP 04 1990

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

BOISE, IDAHO

REPORT OF ENGINEER

Permit No. 9-28068 / 29-2415This proof is for Comp. Works & Bene. Use

In Water District No. _____

1. Name of applicant: Arvo L. Christensen2. Source of water supply: Well3. Location of point of diversion: Is in the SW 1/4, center Block, Range of Section 32T. 6S R. 3E County of Caribou

4. Describe works as they exist, giving dimensions and capacities of same:

Center
50 HP Fairbanks-Morse Pomona Pump - Unable to read Plate
50 HP Fairbanks-Morse Motor # F 456 823
8" Disc then check valve N. Y. S. into 8" E-W Main

5. Water is used for: Irrigation6. State whether or not water has been turned into works of diversion: Yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

SW 1/4, NW 1/4, NE 1/4, Section 32, T6S-R3E, making a total of 319 acres to be irrigated

1971 { $Q = (96)(5.37) / 450 = 1.15 \text{ CFS}$
 $A = 319$
 $V = (2)(1.15)(240) = 552 \text{ AC FT SEC}$
Use these figures.
1971 7/71

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? _____

Remarks: #1 1 1/4" @ 40 psiQ1 = 64 (5.44) = 348 gpm = .78 cfsadd 32 1/4" at 40 psi (total of 3 lines 1 1/4" @ 40 psi)Answer TO TO READ CENTER OF 1/2" NW See 32also note advertisement

MICROFILMED

SEP 04 1990

IRRIGATION REQUIREMENT = 3,000 AC-FT / ACRE / SEASONThis examination was made on the _____ day of Sept, 19 68(Signed) Don Reynolds Examiner.

plat
 nyl

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. G-28068 /29-2415This proof is for Comp. Works & Bene. Use

In Water District No. _____

1. Name of applicant / Arves L. Christensen2. Source of water supply: Well3. Location of point of diversion: Is in the SW 1/4, center E 1/2, E 1/2 of Section 32T. 6S R. 39E County of Caribou

4. Describe works as they exist, giving dimensions and capacities of same:

Center NW 1/4 Fairbanks - Morse Pomona Pump. Unable to read Plate
50 HP Fairbanks Morse Motor # F 456 823
8" Disch thru check valve N. Y. S into 8" E-W Main

5. Water is used for: Irrigation ✓6. State whether or not water has been turned into works of diversion: Yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

W 1/2, NW 1/2, N 1/2, Section 32, T6S-R39E, making a total of 319 acres to be irrigated

$$Q = (16(5.37) / 440) = 1.15 \text{ CFS}$$

$$A = 319$$

$$V = (2)(1.15)(440) = 552 \text{ cu ft Sec}$$

$$15.3 \text{ 7/71}$$

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: #1 4-1/2" @ 41 psi

$$Q_1 = 64 (5.44) = 348 \text{ gpm} = .78 \text{ cfs}$$

add 32 ft at 40 psi (total of 3 lines @ 40 psi)

AugWA TO TO READ CENTER OF E 1/2 NW Sec 32

also note advertisement

MICROFILMED

SEP 04 1990

IRRIGATION REQUIREMENT = 3.0 AC - FT / ACRE / SEASON

This examination was made on the _____

day of _____

19 68

(Signed) _____

Examiner.

*plat
mfl*

SEP 04 1990

MICROFILMED

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

Artes L. Christensen

Bascoft, Idaho

Permit No. G-28068 729-2415

Examination for Camp, Water & Power Use

County Caribou
Sec. 32 T. 68 R. 39E

Quantity: 6.4

Source: WELL

P.D.: SW NW corner E 1/4 Sec 32,
T 65 R 39E

Use: IRRIGATION

Filed: 27 JULY 59

Due: 5 AUG 64

Extension: —

Protest: —

Completion of Work: —

Other Rights: NONE

Made: Aug 3, 1964

② Pressure
⑤ No. of Nozzles

T
6
2

Power
Diversity

CHESTER FIELD

120
119
80
312

36
 37
 42
 44
 47
 40
 11
 40
 8 | 323
 40 395
 say 41.51

Well

200'

Pond intercepting slow thru gravel

40'

8'

Pipes carrying surface water to well

AREA - 3.9 Acres

SUB	1	00
-----	---	----

Q	-	.78	st.s.
---	---	-----	-------

VOL - LAB AC-ET / 152502

PRIORITY - JULY 27, 1959

MICROFILMED

SEP 04 1990

DRR 2-3-69

Doug Freestone

System
not an
6/9/77Bancroft
turn east on Hwy 30
last house on right before
fertilizer plant
blue house

Talked with ^{PRR} Manager on telephone evening of 6/9/77.
 K.V. Hansen is current ^{Manager} 1977 - Paul Kent will call
 the Dept. when the system is on
 will also check with ^{engineers} to
 see when their well will be done.
 He will have K.V. Hansen there too.

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

BOISE

REPORT OF ENGINEER

PERMIT NO. 0-28068/29-2415

REPORT ON PROOF OF Completion of Work & Exam. Fee

Arves L. Christensen
 Bancroft
 Idaho

MICROFILMED

SEP 6 1990

36

E
38.4

24-2415

Drainage ditch

30 29
31

6.6
3.5
D421
D421

13.7
17.0

29 20

229 D 3473
A
75.4

230
A
116.0

380

D559

D438

Point of diversion
road

B
151.6
34723

231 D
A
36.9

D426

228 D
A
33.8

D421

B

UNRECORDED

40.00

10.00



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

February 7, 1978

Alvin Crawley

Mr. ~~Paul Kent~~, Manager
Bancroft,
Idaho 83217

188-3425-2037H
648-7815

K.V. Hansen
29-2415
Permit
License

Dear Mr. Kent:

RE: Permit No. 29-2415

Our records show that a field examination still needs to be completed for Mr. K. V. Hansen's permit No. 29-2415. As this exam has been in our files for many years, we are looking forward to its completion this coming irrigation season. Upon completion of the exam, a license will be issued for the amount of water actually being put to a beneficial use.

Please contact me at our Regional Office in Idaho Falls when the system is running at full capacity. The permit describes the $W\frac{1}{2}NE\frac{1}{4}$, $NW\frac{1}{4}$, $N\frac{1}{2}SW\frac{1}{4}$, Sec. 32, T. 6S, R. 39E, B.M.

If you have any questions concerning this matter, please contact me at this office.

Very truly yours,

Anthony R. Kozlowski

ANTHONY R. KOZLOWSKI
Water Resource Agent

ARK: CW

MICROFILMED

SEP 04 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

29-2415
HANSEN, K. V.
BANCROFT, ID 83217

Mailing address:
Statehouse
Boise, Idaho 83720

138182

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You may later change your decision to use this alternative and submit the fee to the department to conduct the field examination, but you may not change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

SEP 04 1990

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

SEP 04 1990

HANSEN CHEVROLET-OLDSMOBILE

820 NO. MAIN

BRIGHAM CITY, UTAH 84302

'GIVE US A TRY BEFORE YOU BUY'

January 10, 1980



State of Idaho
Department of Water Resources
Boise, Idaho

Gentlemen: Re: Permit 29 2415

I refer you the above application which in the original requested the appropriation of 320 inches of water for irrigation use; I also note your letter of inspection dated August 9th, 1979 in which you state that your examination shows the use of only 1.15 cfs. I made notes on the above to your office requesting further consideration as I thought your inspection was not correct. As of this date I have heard nothing further from your office.

I state again that no doubt at the end of July in a dry year such as 1979; the water available would be only in the amount of 1.15 cfs. This usage however is not entirely correct in that from the period of May 1st to approximately July 31st this water source and the usage on these lands produces enough water to handle six to eight one quarter (1/4) mile sprinkler lines which if my calculations are correct would be the usage of 240" to 320 inches of water.

Please advise me of your determination:

RECEIVED

JAN 14 1980

Yours very truly,

K.V. Hansen
K.V. Hansen Ranch
Bancroft, Idaho

Department of Water Resources

CONTACTED MR. HANSEN & RETURNED
EXAM TO TONY FOR RE-EXAMINATION
AROUND THE 15th OF MAY.

1/21/80

Jan J.

MICROFILMED

CAPRICE · IMPALA · MONTE CARLO · MALIBU · CAMARO · CITATION · MONZA · CHEVETTE · CORVETTE · CHEVROLET TRUCKS

CONVERSATION MEMORANDUM

DATE 12/21/79FILE 29-2415

NAME OF PARTY

Tony (Eastern)

EMPLOYEE

Jan. Grover

RE:

Permit No. 29-2415

Tony called requesting we hold licensing this permit pending talk with Mr. Hansen by the people at the Federal Land Bank. It appears the man at the Land Bank also did an examination of Mr. Hansen's system & says the amount of the 1971 measurement is highly adequate. He will contact Mr. Hansen & then contact me directly. Call-up-30 days!

MICROFILMED

This water at this diversion point flows at different rates depending on the time of the year and the surface moisture. at certain times of the year we pump as much as 139 inches of water for irrigation purposes. Should this beneficial use be corrected to that amount or should it remain as per your inspection?

K.V. Hansen



December 5, 1979

Re: Permit No. 29-2415

K. V. Hansen
Bancroft, ID 83217

Dear Mr. Hansen:

In our final review of the licensing of your water permit No. 29-2415 we found some changes that need to be made.

The permit was originally filed with the point of diversion in the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 6S, Rge. 39E, B.M. However, when our field examiner conducted the exam he found the point of diversion to be within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 6S, Rge. 39E, B.M. Therefore, in order to change the permit to correspond with the findings of the field examiner, we need the partially completed amendment form enclosed signed and returned along with the \$20 filing fee. When this amendment is received we will issue a license as follows:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.15 cfs Source: groundwater

The maximum quantity diverted shall not exceed 490 acre feet per year.

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 6S, Rge. 39E, B.M.

Beneficial use: Irrigation of 315 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 32, Twp. 6S, Rge. 39E, B.M.

Priority date established: July 27, 1959

This amendment must be submitted within 30 days in order for a license to be issued for this permit. If you have any questions, please contact us.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG:j



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

John V. Evans
Governor

C. Stephen Allred
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

August 7, 1979

K. V. Hansen
Bancroft, ID 83217

Dear Mr. Hansen:

A representative of this Department made an examination of the works covered by your Permit No. 29-2415 on July, 1971, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 1.15 cfs Source: groundwater

The maximum quantity diverted shall not exceed 490 acre feet per year.

Point of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32, Twp. 6S, Rge. 39E, B.M.

Beneficial use: Irrigation of 315 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 32, Twp. 6S, Rge. 39E, B.M.

Priority date established: July 27, 1959

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JAN GROVER
Water Rights Supervisor

JG/kw

ENCLOSURE

February 21, 1973

Re: Permit No. 29-2415

K. V. Hansen
Bancroft,
Idaho 83217

Dear Mr. Hansen:

We have received the Assignment of Permit from Arves L. Christensen for Permit No. 29-2415. The assignment has been recorded in the Departments records to reflect this change.

We are enclosing a copy of the permit and assignment for your information.

If you have any questions, please contact us.

Very truly yours,

Donald W. McEldowney
Water Rights Administrator

DWM/cd

Enc: Copy of Permit
Copy of Assignment

29-2415

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

February 3, 1972

Re: Permit No. 29-2415 - Arves L. Christensen

PRIORITY - RE-EXAMINATION

Norman C. Young,
District Engineer
DEPT. OF WATER ADMINISTRATION
240 South Holmes
Idaho Falls, Idaho 83401

Dear Norm:

We are forwarding to you a priority examination. The Department has on two previous occasions examined this system, once in 1968 and once in 1971. Each time the examiner has failed to completely examine the system, or so is claimed by the permit holder. The permit is a ground water permit, and it was amended in 1959 and again in 1962, thus providing for a diversion from a well in the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Section 32, and what is supposed to be a ground water sump in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 32.

In 1968, Dean Reynolds made the examination and stated that he found 0.78 cubic feet per second being diverted through a sprinkler system. After a fee letter was sent out in 1969, Mr. Christensen came into the Department and claimed that the examiner had missed 48 each 3/16-inch nozzels and stated that his total system produced 450 gallons per minute.

In July of 1971, Jim Booker made a re-examination and found a total of 1.15 c.f.s. being diverted; however, the only point of diversion Jim recalls having been in operation was the sump in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 32. During this examination, Jim found only an additional 32 nozzels and they were 11/64. His measurement totaled 1.15 c.f.s. and to the best of his knowledge, the only production of water was from the sump. Each time we have examined this system, the only water diverted was from the sump by a Fairbanks 50 Horsepower motor.

During the week of January 25 through the 28, Mr. Christensen was again in our office and claims that the quantity is low and that we were not there during the right season, as during Summer and Fall less than $\frac{1}{2}$ the water is available. Jim did not have Mr. Christensen along and does not remember examining a well. We are faced with again attempting to re-examine this situation.

29 2415

Page 2


Re: Permit No. 29-2415 - Arves L. Christensen
Norman C. Young
February 3, 1972

Several things about this irrigation project have drawn considerable concern in our office. Number one, previous correspondence with Mr. Christensen indicates that he had an 8-inch domestic well. This well was apparently drilled in 1959 and he wanted to run some water from this well into his ground water sump to add to the quantity for irrigation. Amendments were approved authorizing this action. Since Dean failed to report any water from this source and recommended any findings in his 1968 report, one question that is raised is "Was there actually use of water from this source before the September, 1968 examination?" Well logs submitted in 1969 show that the 8-inch well was cleaned and gravel packed after Dean's examination. Other logs also report that three additional wells were drilled, each only approximately 27 feet deep in the close proximity to the sump.

The examination should determine whether there is any ground water inflow from the sump or what the exact nature of the source of water is at the sump. It should determine whether or not wells in the SW $\frac{1}{4}$ NW $\frac{1}{4}$ were used prior to 1964, the date that proof of beneficial use was submitted, and also to the best of our ability, what the production of the system was between 1964 and 1968. The information on the well logs indicates that the wells were used for drainage purposes and if this is the case, and if they were indeed drilled after 1969, no credit should be allowed for the flow from these wells. Mr. Christensen claims water has increased from 450 gallons per minute to 1,200 gallons per minute. Mr. Christensen has stated that he is also considering changing the 50 Horsepower pump from the sump to the well. If this change has been made at the time of your field examination, we cannot use any measurement, except by previous examinations. It would appear as though the end result will be that Mr. Christensen will be required to file a new application authorizing the irrigation from three drainage wells and authorizing his additional capacity under the systems in question. Please make a specific notation on your exam report as to whether or not there is a definite need for drainage wells in the area that they have been constructed. Mr. Christensen claims that each of the examinations were completed too late in the year and his ground water systems were out of water. Please put it on your calendar for an examination between June 5 and June 15, 1972.

If you have any questions on this matter, please contact us.

Very truly yours,



Donald W. McEldowney
Appropriation Supervisor

DWM:cr

Enc: Exam

Attachment

29 2415

THE EXAMINATION SHOULD SHOW:

1. Detailed description of the well in the SW $\frac{1}{4}$ of Section 32 and the extent of use and measurement of water. Mr. Christensen is to be along during the examination, which is to be conducted between June 5 and June 15, 1972.
2. Ground water sump (SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 32)? Describe in detail the system, measure its capacity, and explain in detail the exact source of supply.
3. Examine three drainage wells in the E $\frac{1}{2}$ NW $\frac{1}{4}$, Section 32. Describe the system, measure the quantity, amount of discharge, and review the actual need for drainage wells in this locality.
4. The exact number of lateral lines, nozzels, model numbers, and operating pressure of the minimum structural system used by Mr. Christensen.

25 2415

October 8, 1969

Re: Permit No. G-28068/29-2415

Arves L. Christensen
Bancroft,
Idaho 83217

Dear Mr. Christensen:

In regards to the June 27, 1969 fee letter, be informed that the Department will conduct a re-examination during the 1970 irrigation season in order to determine the total quantity of water beneficially applied to the 319 acres found beneficially irrigated.

The permit is not, at this time, in jeopardy and you are not required to take any further action. The Department would be interested in advance as to a particular time during the 1970 season that a measurement could be made.

If you have any questions, please contact the Department.

Very truly yours,

Dean R. Reynolds
Field Examiner

DRR:mb

29 2415



Dean Release in
Spring 1970

Examiner missed

48 each $\frac{3}{16}$ " Nozzles

& System produces 450
GPM until mid Summer.

1.150/s

29 2415

with

October 8, 1969

Re: Permit No. G-28068/29-2415

Arves L. Christensen
Bancroft,
Idaho 83217

Dear Mr. Christensen:

In regards to the June 27, 1969 fee letter, be informed that the Department will conduct a re-examination during the 1970 irrigation season in order to determine the total quantity of water beneficially applied to the 319 acres found beneficially irrigated.

The permit is not, at this time, in jeopardy and you are not required to take any further action. The Department would be interested in advance as to a particular time during the 1970 season that a measurement could be made.

If you have any questions, please contact the Department.

Very truly yours,

Dean R. Reynolds
Field Examiner

DRR:mh

5200
10/10/69

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

August 5, 1969

Re: Permit No. G-28068/29-2415


Arves L. Christensen
Bancroft,
Idaho 83217

Dear Mr. Christensen:

It appearing to the State Reclamation Engineer that the terms and conditions of Permit G-28068/29-2415 to appropriate the public waters of the State of Idaho, have not been complied with as to failure to submit licensing fees of \$21.00

you are hereby notified that under the provisions of Section 42-311, Idaho Code, as amended, said permit is hereby held for cancellation, and you are required to show cause before the State Reclamation Engineer on or before September 14, 1969 why said permit should not be cancelled.


Permit G-28068 claims the use of 6.4 c.f.s. of water. The point of diversion was to be located SW 1/4 center E 1/2 SW 1/4, Section 32, Township 6S, Range 39E, B.M., Caribou County and the permit was approved August 5, 1959.


State Reclamation Engineer

RKH/mh

29 2415
29 2415

AFTER FIVE DAYS RETURN TO
DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707



Mr. Arves L. Christensen

Bancroft,

Idaho 83217

29-2415
28068

23 1815

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered ☐ Deliver ONLY
to addressee
(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.	1 2 3	SIGNATURE OR NAME OF ADDRESSEE <i>(Must always be filled in)</i>
CERTIFIED NO. 21205		SIGNATURE OF ADDRESSEE'S AGENT, IF ANY
INSURED NO.		
DATE DELIVERED	1	SHOW WHERE DELIVERED <i>(only if requested)</i> 292415 28068

August 5, 1969

Re: Permit No. G-28068/29-2415


Arves L. Christensen
Bancroft,
Idaho 83217

Dear Mr. Christensen:

It appearing to the State Reclamation Engineer that the terms and conditions of Permit G-28068/29-2415 to appropriate the public waters of the State of Idaho, have not been complied with as to failure to submit licensing fees of \$21.00

you are hereby notified that under the provisions of Section 42-311, Idaho Code, as amended, said permit is hereby held for cancellation, and you are required to show cause before the State Reclamation Engineer on or before September 14, 1969 why said permit should not be cancelled.

Permit G-28068 claims the use of 6.4 c.f.s.
of water. The point of diversion was to be located
SW 1/4, center E 1/2 SW 1/4, Section 32, Township 6S, Range 39E, B.M.,
Caribou County
and the permit was approved August 5, 1959.


State Reclamation Engineer

RKH/mh

28068
29-2415

June 27, 1960

Re: Permit No. G-28063

Arves L. Christensen
Bancroft, Idaho 83217

Dear Mr. Christensen:

A representative of this department has made an examination of the works covered by your Permit G-28063 and has found the following:

Quantity of water diverted: .78 c.f.s.

Amount of water that can be recognized as beneficially used under Idaho Law: .78 c.f.s.

The maximum quantity diverted shall not exceed 243 acre feet per season.

Purpose of use: Irrigation of 319 acres in NW 1/4 NE 1/4, SW 1/4 NE 1/4, NE 1/4 NW 1/4, SW 1/4 NW 1/4, SE 1/4 NW 1/4, NE 1/4 SW 1/4, NW 1/4 SW 1/4, Sec. 32, T. 6S, R. 39E.

The priority date established is: July 27, 1959

A fee totaling \$ 21.00 must be received within 30 days from the date of this letter in order that we can issue you the License and Certificate of Water Right as described above.

Very truly yours,

Dean R. Reynolds
Field Examiner

DRR/mh

June 27, 1959

Re: Permit No. G-22067

Arves L. Christensen
Pancroft, Idaho 83217

Dear Mr. Christensen:

A representative of this department has made an examination of the works covered by your Permit G-22067 and has found the following:

Quantity of water diverted: .70 c.f.s.

Amount of water that can be recognized as beneficially used under Idaho Law: .70 c.f.s.

The maximum quantity diverted shall not exceed 243 acre feet per season.

Purpose of use: Irrigation of 312 acres in NW NE, SW NE, NE NW, NW NW, SW NW, SE NW, NE SW, NW SW, Sec. 32, T. 6S, R. 39E.

The priority date established is: July 27, 1959

A fee totaling \$ 21.00 must be received within 30 days from the date of this letter in order that we can issue you the License and Certificate of Water Right as described above.

Very truly yours,

Dean R. Reynolds
Field Examiner

DRR/mh

203 2415

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name A. I. Christensen

Address Bancroft, Idaho.

Owner's Permit No. 9-2006829-2415

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Test

☐ Municipal

☐ Industrial

☐ Stock

4. METHOD DRILLED

☐ Cable

☒ Rotary

☐ Dug

☐ Other

5. WELL CONSTRUCTION

Diameter of hole 2 0 inches

Total depth 27 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness 1/4 inches

From 27 To 27 feet

feet

Was a packer or seal used? ☐ Yes ☐ No

Perforated? ☒ Yes ☐ No

How perforated? ☒ Factory ☐ Knife ☐ Torch

Size of perforation 1 1/8 inches by 1 1/8 inches

Number 18 From 27 To 27 feet

perforations feet feet

perforations feet feet

perforations feet feet

Well screen installed? ☐ Yes ☐ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No

Size of gravel 3/4"

Placed from _____ feet to _____ feet

Surface seal? ☐ Yes ☐ No

To what depth 6 feet

Material used in seal ☒ Cement grout ☐ Pudding clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

County Caribou

SE 1/4 NE 1/4 Sec. 33, T. 6 N., R. 39 E.

7. WATER LEVEL

Static water level 6 feet below land surface

Flowing? ☐ Yes ☐ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☒ Centrifugal Pump ☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M. 300

Draw Down 1 8

Hours Pumped 2

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>20</u>	<u>0</u>	<u>2</u>	<u>Soil</u>		
	<u>2</u>	<u>8</u>	<u>Hard Pan</u>		
	<u>8</u>	<u>11</u>	<u>Coarse Sand & Water</u>	☒	
	<u>11</u>	<u>14</u>	<u>Coarse Sand, Pea Gravel</u>	☒	
	<u>14</u>	<u>20</u>	<u>Coarse Sand</u>	☒	
	<u>20</u>	<u>24</u>	<u>Fine Sand, Clay, Gravel</u>	☒	
	<u>24</u>	<u>28</u>	<u>Gravel</u>	☒	
	<u>27</u>		<u>Small Gravel Cemented Together</u>		

10.

Work started 8/4/69 finished 8/6/69

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name Grace Idaho Bore

Address Idaho Bore

Signed By Ivan Bore

Number 57

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY

1M April 1962

August 25, 1964

Re: Permit No. ~~28068~~
Arves L. Christensen

Arves L. Christensen
Bancroft,
Idaho

Dear Mr. Christensen,

We acknowledge receipt of the depositions of holder and two witnesses, also affidavit of publication in the CARIBOU COUNTY SIO, all submitted in proof of completion of works and beneficial use on Permit No. ~~28068~~

Before final action is taken in the matter, the law requires that a field examination be made by an engineer from this department.

We cannot tell just when this examination will be made, but our field engineer will try and contact you at the time he makes the examination so that arrangements may be made to show him over the grounds.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer

By:

(Mrs.) Edna P. Rule
Chief Clerk

ct
EPR:

2806-8

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

BOISE, IDAHO

Permit No. G-28068

* * * *

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

DEPOSITION OF HOLDER

Ques. 1. State your name, residence, occupation and postoffice address:

Arves L. Christensen, farmer and truck driver

Bancroft, Idaho

Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf:

Ques. 3. State number, approval date of permit, and date of priority you propose to establish under the permit; No. G-28068 ~~July 27, 1959~~ ⁴⁶⁶⁻⁵³⁶⁵² July 27, 1959.

Ques. 4. State source of water supply: ~~rough~~ Two wells.

Give location of point of diversion, showing subdivision, section, township and range:

SW $\frac{1}{4}$ NW $\frac{1}{4}$, center E $\frac{1}{2}$ SW $\frac{1}{4}$ Sec 32 T 6S R 39EBM

Ques. 5. Describe your works of diversion: Pump, pipeline and sprinkler system.

_____ ; state amount of water they are capable of conveying from point of diversion to place of use [✓] 3.8 cfs. ; Give name of canal or ditch

or other works by which water is conducted to such place of use: Pipeline.

_____ ; if a well, state depth of well 84 feet ; depth and size of casing: 16 inch casing, 84 feet down ; depth to water 8 feet ; if pump is used,

state discharge of pump: 4 cfs.; tell how it was measured or determined: Measured by
plumber on open discharge

plumber on open discharge
by gauge on 8 inch pipe ; if sprinkler irrigation, give number and size of nozzles and

operating pressure: 126 nozzels, 56 No. 12s, 70 No. 14s, pressure, 45 to 50 lbs.

Ques. 6. State for what purpose water is used: irrigation

If for irrigation, name each subdivision in which used and number of acres in each subdivision that have actually been irrigated with said water : Twp. 6 South, Range 39

E.B.M.: Section 32: NW¹ NW¹. 22 acres: SW¹ NW¹. 22 Acres: NW¹ SW¹. 25 acres: NE¹ NW¹.

20 acres: NE¹/₄SW¹/₄. 33 acres: NW¹/₄NE¹/₄. 40 acres: SW¹/₄NE¹/₄. 3 1/4 acres:

State nature of all improvements which have been made as a direct result of said use:

Said land has been turned from dry farm, or salty waste land into productive irrigated land.

2806 y.

Ques. 6-a: If this is a ground water permit, give name and address of person that drilled the well: Ivan Bortz, Grace, Idaho

Ques. 7. If for other than irrigation purposes, state purpose and how used:

Small quantities for livestock watering, mainly for irrigation.

Ques. 8. What is the minimum amount of water required for the purpose specified above:

3.8 cfs.

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder:

dna

Ques. 10. State when and in what amount the water diverted under above mentioned permit has been first used: June 23, 1960, 1.5 cfs at Time used since first use: start, increased now to 3.8 cfs.

Irrigation has been done regularly, every summer, since June 23, 1960, time of first use.

Ques. 11. Describe all other water rights appurtenant to same place of use:

I have an 8-inch right, but the ditch which carried it in former times, is not now in use, and my 8 inches of water is not enough to wet the ditch and get any water onto this land. There is, therefore, no other water which can be effectively used.

(sign)

Arvid L. Christensen

I hereby certify that the foregoing testimony was read to the above subscribed, before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in

Soda Springs, County of Caribou,

State of I,aho, on this 3rd day of August, A.D. 1964.

Leonard O. Fingford

My Commission expires: August 14, 1965.

RECEIVED
AUG 5 1964

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Department of Reclamation

BOISE, IDAHO

Permit No. _____

Department of Reclamation

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

and Completion of Works

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case

Ques. 1. State your name, age, residence, occupation and postoffice address:

Lafe Holbrook, 40 years of age, Bancroft, Idaho, farmer, Bancroft, Idaho.

Ques. 2. Are you acquainted with Arves L. Christensen, the holder of

Permit No. G-28068 ? How long have you known him and where does he reside:

Yes. I have known him approximately 25 years. He lives at Bancroft, Idaho.

Ques. 3. Have you read or heard said Permit No. G-28068 read, and are you familiar

with its provisions and conditions: Yes: X No: _____

Ques. 4. State source of water supply: 2 wells.

State place of diversion: SW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 32, & center E $\frac{1}{2}$ SW $\frac{1}{4}$ Sec 32, Twp 6 S., Range 39 EBM.

Describe works for conveying water to place of use: Pipeline.

Ques. 5. How many second feet of water do you estimate said works will safely conduct

to place of use: 4 cfs. How much water have you seen being so

conveyed: 2.5 cfs., at a time when said system was not working at full capacity.

Ques. 6. If for irrigation, show number of acres irrigated in each subdivision, giving full legal description: Twp. 6 South, Range 39 E.B.M.:

Section 32: NW $\frac{1}{4}$ NE $\frac{1}{4}$, 40 acres: NE $\frac{1}{4}$ NW $\frac{1}{4}$, 20 acres: NW $\frac{1}{4}$ NW $\frac{1}{4}$, 22 acres: SW $\frac{1}{4}$ NW $\frac{1}{4}$, 22 acres:

NW $\frac{1}{4}$ SW $\frac{1}{4}$, 25 acres: NE $\frac{1}{4}$ SW $\frac{1}{4}$, 33 acres: SW $\frac{1}{4}$ NE $\frac{1}{4}$, 34 acres.

Ques. 7. If for power or other purposes than irrigation, state how water has been used:

Small quantities are used for livestock watering, but mostly for irrigation.

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation:

Dry farm land and salty waste lands reclaimed, should have approximately 4 cfs.
to adequately water.

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent: No.

Ques. 10. When did you first see this water used: During summer of 1960.

Other times you have seen such use: Every summer since.

(Signed)

Lafe Hallbrook

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Soda Springs

 , County of Caribou, State of Idaho, on this 3rd day of August,
A. D., 1962.

Leonard O. Kingsford

Notary Public for State of Idaho

Residing: Soda Springs, Idaho.

My commission expires: August 14, 1965.

RECEIVED
AUG 5 1964

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

BOISE, IDAHO
Permit No. G-26068

Department of Reclamation

RECEIVED
AUG 25 1964

Department of Reclamation

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

and Completion of Work

DEPOSITION OF WITNESS

The deposition of two witnesses on this form, taken separately, required in each case

Ques. 1. State your name, age, residence, occupation and postoffice address:

Floyd J. Banks, 37 years, Bancroft, Idaho, farmer, Bancroft, Idaho.

Ques. 2. Are you acquainted with Arves L. Christensen, the holder of

Permit No. G-28068? How long have you known him and where does he reside:

Acquainted about 20 years.

Bancroft, Idaho

Ques. 3. Have you read or heard said Permit No. G-28068 read, and are you familiar with its provisions and conditions: Yes: X No:

Ques. 4. State source of water supply: ~~WATER~~ 2 wells.

State place of diversion: SW¹/₄NW¹/₄, E¹/₂SW¹/₄ (center), Section 32, Twp. 6 South, Range 39 E.B.M.

Describe works for conveying water to place of use: Pipeline.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use: 4 cfs. How much water have you seen being so

conveyed: 2.5 cfs., at a time when said system was not operating at capacity.

Ques. 6. If for irrigation, show number of acres irrigated in each subdivision, giving full legal description: Twp. 6 South, Range 39 E.B.M.:

Section 32: NW¹/₄NE¹/₄, 40 acres; NE¹/₄NW¹/₄, 20 acres; NW¹/₄NW¹/₄, 22 acres; SW¹/₄NW¹/₄, 22 acres;

NW¹/₄SW¹/₄, 25 acres; NE¹/₄SW¹/₄, 33 acres; SW¹/₄NE¹/₄, 34 acres.

Ques. 7. If for power or other purposes than irrigation, state how water has been used:

Small amounts for stock watering, mostly for irrigation.

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation:

Dry farm and salty or alkali meadow or waste ground reclaimed. Approximately

4 cfs needed to properly irrigate the reclaimed lands.

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent: No.

Ques. 10. When did you first see this water used: Summer of 1960, about the first of July.

Other times you have seen such use: Each summer since.

(Signed)

Lloyd J. Bank

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Soda Springs

 , County of Caribou, State of Idaho, on this 3rd day of August,

A. D., ~~1964~~ 1964.

Leonard O. Kingsford

Notary Public for State of Idaho

Residing: Soda Springs, Idaho.

My commission expires: August 14, 1965.

28068

RECEIVED
AUG 1 1964
Department of Reclamation

Affidavit of Publication

County of Caribou } ss.
State of Idaho }

....V. E. Lansberry.....
being first duly sworn on his
oath, states:

That he is .Publisher....
of the Caribou County Sun, a
newspaper of general circulation
in Caribou County, Idaho, pub-
lished weekly at Soda Springs in
said County, that said newspaper
has been published in said county
uninterruptedly and continuously
for over seventy-eight consecu-
tive weeks, prior to the first pub-
lication of the annexed notice or
advertisement:

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof

for Four.....
successive weekly issues thereof,
the date of the first publication

being the ..2nd..... day

of July..... 1964....

The date of the last publication

being the 23rd..... day of

.....July....., 1964

X *V. E. Lansberry*

Subscribed and sworn to be-

fore me this ..30th.. day

of ..July....., 1964

[Signature]

Notary Public, residing at
Soda Springs, Idaho.

(SEAL)

My Commission expires the

1 day of ..July..

1968..

LEGAL NOTICE
FIRST TIME PUBLISHED
NOTICE OF PROOF OF COMPLETION OF WORKS and APPLICATION OF WATER TO BENEFICIAL USE
Notice is hereby given that at 10 a.m., on the 3rd day of August, 1964, at Soda Springs, County of Caribou, State of Idaho, before Leonard O. Kingsford, Notary Public, at Soda Springs, Idaho, proof will be submitted of the completion of works for the diversion of 3.8 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-28068, heretofore issued by the Department of Reclamation of the State of Idaho.
1. The name and postoffice address of the person or corporation holding said permit is Arves L. Christensen, Baker, Idaho.
2. Said works of diversion will be fully completed on the date set for such completion and the amount of water which said works are capable of conveying to the place of use is 3.8 cubic feet per second.
3. The use to which said water has been applied is irrigation purposes, and the amount applied to beneficial use is 3.8 cubic feet per second.
4. The point of diversion of said water is SW1/4NW1/4 and center of SW1/4, Section 32, T26S, R39E, S9ERM.
5. The place where said water is used is NW1/4, N1/2 SW1/4;

W1/2NE1/4 of Sec. 32, T 26S, R 39E, S9ERM, Idaho.

5. The date of priority which said user is prepared to establish is July 27, 1959.

CARL E. TAPPAN,

State Reclamation Engineer
Pub. J-2-0-23

Affidavit of Publication

County of Caribou }
State of Idaho } ss.

....V. L. Lansberry.....
being first duly sworn on his
oath, states:

That he is Publisher.....
of the Caribou County Sun, a
newspaper of general circulation
in Caribou County, Idaho, pub-
lished weekly at Soda Springs in
said County, that said newspaper
has been published in said county
uninterruptedly and continuously
for over seventy-eight consecu-
tive weeks, prior to the first pub-
lication of the annexed notice or
advertisement:

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof

for Four.....
successive weekly issues thereof,
the date of the first publication

being the ..2nd..... day

of July..... 1964....

The date of the last publication

being the 23rd..... day of

.....July....., 1964

X V. L. Lansberry

Subscribed and sworn to be-

fore me this 20th..... day

of July....., 1964

[Signature]

Notary Public, residing at
Soda Springs, Idaho.

(SEAL)

My Commission expires the

..... day of July.....

1964

LEGAL NOTICE

FIRST TIME PUBLISHED

NOTICE OF PROOF OF COMPLETION OF WORKS and

APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that
at 10 a.m., on the 3rd day of
August, 1964, at Soda Springs,
County of Caribou, State of Ida-
ho, before Leonard O. Kingsford,
Notary Public, at Soda Springs,
Idaho, proof will be submitted of
the completion of works for the
diversion of 3.8 cubic feet per
second of underground water
from a well, and of the applica-
tion to beneficial use of said
water, in accordance with the
terms and conditions of Permit
No. G-28068, heretofore issued by
the Department of Reclamation
of the State of Idaho.

1. The name and postoffice
address of the person or corpora-
tion holding said permit is Arves
L. Christensen, Bancroft, Idaho.

2. Said works of diversion will
be fully completed on the date
set for such completion and the
amount of water which said
works are capable of conveying
to the place of use is 3.8 cubic
feet per second.

3. The use to which said water
has been applied is irrigation
purposes, and the amount ap-
plied to beneficial use is 3.8 cu-
bic feet per second.

4. The point of diversion of
said water is SW $\frac{1}{4}$ NW $\frac{1}{4}$ and
center of E $\frac{1}{2}$ SW $\frac{1}{4}$, Section 32,
T. 6S-R. 39 EBM.

5. The place where said water
is used is NW $\frac{1}{4}$ N $\frac{1}{2}$ SW $\frac{1}{4}$;

W $\frac{1}{2}$ NE $\frac{1}{4}$ of Sec. 32, T 6S-R
39 EBM, Idaho.

6. The date of priority which
said user is prepared to estab-
lish is July 27, 1959.

CARL E. TAPPAN,

State Reclamation Engineer
Pub. Ju2-9-16-23

August 5, 1964

RE: Permit G-28068
Mr. Arves L. Christensen

Mr. Arves L. Christensen
Bancroft,
Idaho

Dear Mr. Christensen:

Your application for Proof of Water to Beneficial Use & Completion of Works has been received by this department. After checking it over, we find discrepancies in Question # 6. You and both witnesses all have different land locations as to the area irrigated. Proofs are returned herewith for correction.

The land list as stated on your Permit G-28068 is as follows:
NW $\frac{1}{4}$; N $\frac{1}{2}$ SW $\frac{1}{4}$; W $\frac{1}{2}$ N $\frac{1}{2}$ E $\frac{1}{4}$ of Section 32, T6S-R39E8M.

If you have changed the land list from that originally reported, an amendment will be in order. If the answer to Question # 6 is in error, please correct and return the proofs to this office to avoid further delay.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer

H. PETRI
State Water Rights Clerk

HP:ct

Enc. Proofs

28068

Permit G-28068 - Arnes L. Christensen, Bancroft, Idaho

Filed: July 29, 1959, for 6.4 c.f.s. from a well in NW. NE. S. 32, 6S.-39E.

Aug. 8/5/60 and a well in SW. NW., S. 32, 6S.-39E. (The first one is for culinary use and is also used to supplement the water from the second well)

Drilled: 1959

Permit: G-28281 - L. G. Call, Bancroft, Idaho. Filed: Nov. 25, 1959, Aug: 17/4/60
1.5 c.f.s. from a well in SE. NE, Sec. 31, 6S.-39E.

Drilled: 1959

28068

~~Jack Steneck Bush &
Raton
Vera Wildman Statehouse~~

3-2716

June 23, 1964

Re: Permit No. C-28068

Mr. Arves L. Christensen,
Bancroft, Idaho.

Dear Mr. Christensen:

This acknowledges the Notice of Proof of Completion of Works and Application of water to Beneficial Use under Permit No. C-28068. The proofs are to be made at 10:00 o'clock A.M., on the 3rd day of August, 1964, before Leonard O. Kingsford, Soda Springs, Idaho, Notary Public.

As of this date, we have mailed the Notice to the Caribou County Sun Soda Springs, Idaho, with instructions to publish it once a week for four consecutive weeks prior to the date set for final proof then mail the affidavit of publication and statement of costs to you.

It is important that the enclosed depositions be executed by you and two disinterested witnesses who are familiar with the terms of the permit and the work done thereunder, at the place, on the date, and at the time and before the Notary, as advertised. It is very important and necessary that each question be answered in detail.

In returning the depositions to this office, be sure that all copies have been signed, the Notary's seal has been placed on each and that all depositions, (holder and two witnesses) are being returned. Also be sure to enclose the AFFIDAVIT OF PUBLICATION.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer
By

(MRS.) EDNA P. RULE
Chief Clerk

Encl.
EPR:pmk
cc: Notary

28068

Re: Permit No. G-28068
Arves L. Christensen

Date: June 23, 1964

Caribou County Sur.,
Soda Springs, Idaho.

Gentlemen:

Enclosed you will find Notice for Publication, once a week
for four consecutive weeks prior to August 3, 1964
the date set for proof; the expense of the publication is to be paid
by the applicant Arves L. Christensen
of Bancroft, Idaho to whom you should
furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice and furnish this
office with a copy or tear sheet of the first publication. **

Very truly yours,

Carl E. Tappan

CARL E. TAPPAN
State Reclamation Engineer

** If the first copy is not received in this office for checking
purposes and errors appear in subsequent issues, it is possible
that re-publication of corrected copy will be at your own expense

28068

LEGAL NOTICE

FIRST TIME PUBLISHED

NOTICE OF PROOF OF COMPLETION OF WORKS and APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 10 a.m., on the 3rd day of August, 1964, at Soda Springs, County of Caribou, State of Idaho, before Leonard O. Kingsford, Notary Public, at Soda Springs, Idaho, proof will be submitted of the completion of works for the diversion of 3.8 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. G-28068, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Arves L. Christensen, Bancroft, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion and the amount of water which said works are capable of conveying to the place of use is 3.8 cubic feet per second.

3. The use to which said water has been applied is irrigation purposes, and the amount applied to beneficial use is 3.8 cubic feet per second.

4. The point of diversion of said water is SW $\frac{1}{4}$ NW $\frac{1}{4}$ and center of E $\frac{1}{2}$ SW $\frac{1}{4}$, Section 32, T. 6S-R. 39 EBM.

5. The place where said water is used is NW $\frac{1}{4}$ N $\frac{1}{2}$ SW $\frac{1}{4}$;

W $\frac{1}{2}$ NE $\frac{1}{4}$ of Sec. 32, T. 6S-R. 39 EBM, Idaho.

6. The date of priority which said user is prepared to establish is July 27, 1959.

CARL E. TAPPAN,

State Reclamation Engineer
Pub. Ju2-9-16-23

ROBERT E. SMYLLIE
Governor



STATE OF IDAHO
DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

June 19, 1964

CARL E. TAPPAN
State Reclamation Engineer

RECEIVED
JUN 23 1964

Department of Reclamation

Re: Permit # G-28068

Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

Returned herewith Notice of Proof under subject permit for correction to point of diversion. You state under item 5 that diversions were made in the SW¹/₄, and NW¹/₄, Section 32, T. 6S-R. 39 EEM which dates back to December 11, 1959. However, you have a later amendment dated December 10, 1962 which establishes diversions as located in SW¹/₄ and center of E¹/₂SW¹/₄, Section 32, T. 6S-R. 39 EEM.

Kindly check your records and correct the points of diversion locations, if needed. Then return all forms promptly to this office for further processing.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer

By 
H. Petri
State Water Rights Clerk

HP:ct

Enc. Notice of Proofs

Thank you for your correction. We had failed to note that a second amendment had been made.

28068

RECEIVED
JUN 24 1964
Department of Reclamation
Bureau of Reclamation

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) June 18, 1964

(P. O.) Bancroft, Idaho

TO THE STATE RECLAMATION ENGINEER

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published
at my expense in the Caribou County Sun of
Soda Springs, Idaho published in the
county in which the works are situated.

Arvid L. Christensen

(In case of canals or other works designed to divert and
carry more than 50 cubic feet of water per second, the following certificate
must be signed by a well known and competent engineer.)

I hereby certify that the facts set forth in the
attached notice are true.

Engineer

28068

RECEIVED

10/1/63
JUN 19 1964

NOTICE OF PROOF OF COMPLETION OF WORKS

and
Department of Reclamation
APPLICATION OF WATER TO BENEFICIAL USE

Department of Reclamation

Notice is hereby given that at 10 a. M., on the 3d day of August, 1964, at Soda Springs, County of Caribou, State of Idaho, before Leonard O. Kingsford, Notary Public, at (address) Soda Springs, Idaho, proof will be submitted of the completion of works for the diversion of 3.8 cubic feet per second of underground water from a well, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. 9-28068, heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit is Arnes L. Christensen

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 3.8 cubic feet per second.

3. The use to which said water has been applied is irrigation, purposes, and the amount applied to beneficial use is 3.8 cubic feet per second.

4. The point of diversion of said water is SW 1/4 Sec. 32 and NW 1/4 Sec. 32 T6S R 39 E BM, Idaho and center of E 1/4, Section 32, T. 6S-R. 39 EBM

5. The place where said water is used is NW 1/4 N 1/2 SW 1/4, W 1/2 NE 1/4 of Sec. 32, T 6S-R 39 EBM, Idaho

6. The date of priority which said user is prepared to establish is August 5, 1959

CARL E. TAPPAN

State Reclamation Engineer

28-068

June 19, 1964

Re: Permit # G-28068

Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

Returned herewith Notice of Proof under subject permit for correction to point of diversion. You state under item 5 that diversions were made in the SW $\frac{1}{4}$ NW $\frac{1}{4}$, and NW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 32, T. 6S-R. 39 EBM which dates back to December 11, 1959. However, you have a later amendment dated December 10, 1962 which establishes diversions as located in SW $\frac{1}{4}$ NW $\frac{1}{4}$ and center of E $\frac{1}{2}$ SW $\frac{1}{4}$, Section 32, T. 6S-R. 39 EBM.

Kindly check your records and correct the points of diversion locations, if needed. Then return all forms promptly to this office for further processing.

Very truly yours,

CARL E. TAPPAN
State Reclamation Engineer

By
H. Petri
State Water Rights Clerk

HP:ct

Enc. Notice of Proofs

28068

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

Boise, Idaho

Re: Permit No. G- 2806'8

Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

The date for proofs of Completion of Works and Application of water to beneficial use, as set out under terms of Permit No. G- 2806'8 are due not later than August 5, 1964

Before these proofs can be made, the statutory requirement is that a notice of your intention of proof be published once a week for four consecutive weeks in a newspaper within the county in which the land is located. In completing the Notice of proof for publication, the information should be taken from your Permit, including any amendments made in connection with a change of point of diversion or land list, which has been recorded in this department. If changes have been made and no amendments are on record, we advise you request a form for this purpose before your Notice is published.

We enclose Form 36, in duplicate, which is to be filled out and returned to this department at least FORTY (40) DAYS BEFORE THE MENTIONED DATE, (allowing for four weeks publication). Please give the name of the town, the address of the place where the depositions will be executed, and, the name of the notary public before whom you will appear to make the depositions of proof (this may be at any place convenient for you and your two witnesses), the quantity of water filed; for what purpose it is used; the point, or points, of diversion; and the location of use or the lands which are irrigated -- all by legal land description.

Enclosed also is Form 11, which is the authorization for us to have the notice published in the designated county newspaper at your expense. This is to be returned with two Forms 36.

At the time we send the notice to the newspaper we will send to you the forms for the depositions of holder and two disinterested witnesses. It is important that the depositions be executed at the time, on the date set, at the place named, and before the notary public, as advertised in the publication notice.

Very truly yours,

CARL E. TAPPAN

State Reclamation Engineer

Enclosures 36 and 11

28068

December 11, 1962

Re: Permit No. G-28968

Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

We enclose the Application for Amendment to the point of diversion which has been recorded in this office

Also enclosed is departmental receipt No. G-7599, in the amount of \$1.00 covering fees.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer

By:

(Mrs.) Edna R. Rule
Chief Clerk

EPR:ew

Enc. amendment
receipt

28968

September 12, 1960

RE: Permit No. G-28068

Mr. Arves L. Christensen
Box 476
Bancroft, Idaho

Dear Mr. Christensen:

In reply to your letter of the 9th will say that the Idaho Statutes establishes in Section 41-101 the rule of "first in time is first in right" and 41-106 "First appropriation of subterranean waters is first in right".

Your permit G-28068 was filed in this office on July 20, 1959 and is due for proofs on August 5, 1964; Mr. Call's permit No. G-28281 was filed on November 25, 1959 with proofs due December 4, 1964.

Thus your permit is "first in time first in right" over Mr. Call's permit and if you keep it in good standing and get a water license from this office you can exercise this right against any appropriators filing at a later date than yours.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer
By

H. Petri
Water Rights Clerk

HP:mr

28068

Bancroft, Idaho
September 9, 1960

Department of Reclamation

Re: Permit No. G-28068

State of Idaho
Department of Reclamation
Boise, Idaho

Gentlemen:

A problem regarding irrigation water rights under this permit has come up, and I would like your suggestions concerning it:

I obtained this permit ~~after~~^{before} drilling an irrigation well on my farm last fall. The well was tested at 750 ~~gallons~~^{gallons}, and I worked it for some time to clean it, and pump it out, and it remained at high level, with even more flow than the official test.

Cost prevented completing the system last fall, and I did not get the lines in and the pump going until June 25 this year. When I did start pumping, I obtained only enough water to run 2 one-quarter mile lines with 5 gallon nozzles at 35# pressure. However, when my neighbor, L. G. Call, whose well is $\frac{1}{4}$ mile directly west of mine, turns off his pump, pressure on my system goes up to 45#, and we can run $3\frac{1}{2}$ lines. Also, the water in my well is much clearer when he is not pumping.

Mr. Call's well was drilled immediately after mine--the driller moved from my place to his--but he began irrigating with it May 15. He says that all the water he can pump is his, since he began irrigating first.

Have I any recourse in this matter? I would appreciate very much being notified should Mr. Call attempt to prove up on his permit so that I may file a protest.

Yours very truly,

Arves L. Christensen

Arves L. Christensen
Bancroft, Idaho

Box 476

28068

December 14, 1959

RE: Permit No. G-28068

Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

Enclosed is amendment to the point of diversion under Permit No. G-28068 which has been recorded in this office.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer
By

(Mrs.) Edna P. Rutledge
Chief Clerk

EPR:mr

28068

December 4, 1959

RE: Permit No. G-28068

Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

You may use the culinary well you mentioned in your letter of December 3 as part of the irrigation works under Permit No. G-28068.

Complete the enclosed form for amendment to the point of diversion by inserting the 40-acre subdivision of that well along with the location of your new well on the line checked, complete the information as requested and sign.

Return the form promptly to this office.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer
By

Ralph Thomas
Office Engineer

RT:mr

28068

RECEIVED
DEC 4 1959
Department of Reclamation

Bancroft, Idaho
December 3, 1959

State Bureau of Reclamation
Boise, Idaho

Application No. G 36029
Permit No. G. 28068

Gentlemen:

In August I received a permit to pump water for irrigation purposes on my farm. In connection with this, I need some more information.

The well has not developed as much water as I hoped for. Also on the same farm is another well which could be used to supply an additional one foot of water. This second well was drilled six years ago, for culinary use. What must I do in order to be able to use the culinary well for supplementary irrigation purposes? Need I file on it? Such filing has not been done, since it is a culinary well. I appreciate any suggestions you can give me.

Yours very truly,



Arves L. Christensen
Bancroft, Idaho

28068

August 11, 1959

Re: Permit No. G-28068

Mr. Arves L. Christensen,
Bancroft, Idaho.

Dear Mr. Christensen:

We enclose Permit No. G-28068 in which we direct your attention to the limitations and conditions as given on the fourth page under Approval of the State Reclamation Engineer.

We also enclose Departmental Receipt No. G-4243 which was issued covering payment in the amount of \$6.50 for the filing fee of the above mentioned permit.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer
By

(Mrs.) Edna P. Rutledge
Chief Clerk

Encl.
EPR/jmk

28068

NAME OF APPLICANT

Arves L Christensen

Form No. 0

R 39 E

T
6
S

P.D. - Well

Section 32

Permit Map No. *8* 28068
As Approved AUG 5 1959
GEO. N. CARTER
State Reclamation Engineer



ROBERT E. SMYLLIE
Governor

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

GEO. N. CARTER, STATE RECLAMATION ENGINEER

• • • • •

JUL 27 1959

Department of Reclamation

July 23, 1959

Re: Application for Permit

Mr. Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

Your application for permit to appropriate 6.4 c.f.s., 320 miner's inches, of subterranean water has been received without the required filing fee. The fee for 6.4 cubic feet per second is \$6.50. The application is in proper form, however it cannot be approved without the filing fee.

You did not show the complete township description and we have completed it to read Township 6 South, Range 39 East, B. M. Notify us if that is not correct when you send the filing fee.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer

By: *Edna P. Rutledge*
(Mrs.) Edna P. Rutledge
Chief Clerk

RT:
EPR:ew

*The description you corrected to
is correct. Check attached.*

*Thank you
RT*

28068

July 23, 1959

Re: Application for Permit

Mr. Arves L. Christensen
Bancroft, Idaho

Dear Mr. Christensen:

Your application for permit to appropriate 6.4 c.f.s., 320 miner's inches, of subterranean water has been received without the required filing fee. The fee for 6.4 cubic feet per second is \$6.50. The application is in proper form, however it cannot be approved without the filing fee.

You did not show the complete township description and we have completed it to read Township 6 South, Range 39 East, B. M. Notify us if that is not correct when you send the filing fee.

Very truly yours,

W. E. CARRER
State Reclamation Engineer

By:

(Mrs.) Edna P. Rutledge
Chief Clerk

RT:
WEC:ew

28068

3/79

IDENT. NO. 29-2415

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]