




VICINITY MAP

TAKEN FROM USGS
PILOT KNOB QUADRANGLE


Township 30N
Range 7E
Section 31

IN: Newsome Creek
IN/NEAR Newsome
Idaho County, Idaho

MICROFILMED

SEP 25 2001

MICROFILMED
SEP 25 2001



Number of Units: 2
Acclimation Avg Dimensions: 38'x46'x7'
Total Proposed Volume: 6,818 cf
Adult Holding Avg Dimensions: 10'x50'x7.5'
Proposed Volume: 3,750 cf
Total Proposed Volume: 10,568 cf


SCALE IN FEET
30' 0 30'



NO.	REV.	DESCRIPTION	BY	DATE	APPROVED
1		CONTRACT CONSTRUCTION, FA - FORCE ACCOUNT, & RECORD			
2		COMPUTER REVISION ONLY			
3		DESIGN			
4		ACB			
5		EED			
6		KPF			
7		CNCR			
8		APPR			
9		DATE			
10		4/01/99			
SITING PLAN - SOUTH					
BONEVILLE POWER ADMINISTRATION					
NEZ PERCE TRIBAL HATCHERY PROGRAM					
NEWSOME CREEK					
Serial	Page	Size	Sheet	Revision	
	A1				



MATCH LINE C1



SCALE IN FEET
30' 0 30'

MICROFILMED
SEP 25 2001



NO.	REVISION	DATE	APPROVED
1	CONTRACT CONSTRUCTION F.A. - FORCE ACCOUNT R - RECORD		
2	UNITED STATES DEPARTMENT OF ENERGY BONEVILLE POWER ADMINISTRATION HEADQUARTERS, PORTLAND, OREGON		
3	NEZ PERCE TRIBAL HATCHERY PROGRAM NEWSOME CREEK		
4	SITE PLAN NORTH		
5	Serial	Page	Size
6	4/01/99	A1	

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 82-07205

Priority: June 29, 1999

Maximum Diversion Rate:

1.70 CFS

This is to certify, that US DEPT OF ENERGY

BONNEVILLE POWER ADMIN TSR 3

PO BOX 3621

PORTLAND OR 97208

has applied for a permit to appropriate water from:

NEWSOME CREEK

tributary of CLEARWATER RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROPAGATION	01/01 to 12/31	1.70 CFS	
FISH PROP. STORAGE	01/01 to 12/31		0.2 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.70 CFS	
	Totals	1.70 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 31, Township 30N, Range 07E
IDAHO County

PLACE OF USE: FISH PROPAGATION

TWN RGE SEC

30N 07E 31

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before March 1, 2005.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. The right holder shall provide the Department, upon request, information showing volume changes per hour necessary to maintain an adequate environment for the fish propagation facility. Volume changes per hour shall be based upon actual fish production.
6. Use of water under this approval shall comply with applicable water quality standards of the Division of Environmental Quality of the Idaho Department of Health and Welfare.

MICROFILMED

SEP 25 2001

State of Idaho
Department of Water Resources

Permit To Appropriate Water


NO. 82-07205

CONDITIONS OF APPROVAL AND REMARKS

7. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
8. Fish propagation is for Clearwater River Subbasin chinook salmon restoration with the rearing and release of 75,000 spring chinook salmon fingerlings and holding of adult broodstock.
9. The right holder shall not divert more than one-half the rate of flow of water in Newsome Creek, as measured at the point of diversion, under this right.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

27th day of March, 2000


Karl J. Dreher, Director
for

MICROFILMED

SEP 25 2001

RECEIVED

FEB - 4 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of Applicant Bonneville Power Administration - TSR-3 Phone 503-230-5680
Mailing address P.O. Box 3621 Portland, OR 97208
2. Source of water supply Newsome Creek which is a tributary of Clearwater River
3. Location of point of diversion is Township 30N Range 7E Sec. 31, in the SW 1/4, NE 1/4, Govt. Lot B.M. Idaho County
additional points of diversion if any:
4. Water will be used for the following purposes:
- | | |
|---|------------------------------|
| Amount <u>1.7</u> for <u>Fish Propagation</u> purposes from <u>Jan. 1</u> to <u>Dec. 31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u>0.24</u> for <u>FISH PROPAGATION STORAGE</u> purposes from <u>Y.</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u>1.7</u> for <u>DIVERSION TO STORAGE</u> purposes from <u>Y.</u> to <u>12/31</u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u> </u> for <u> </u> purposes from <u> </u> to <u> </u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u> </u> for <u> </u> purposes from <u> </u> to <u> </u> (both dates inclusive) | (cfs or acre-feet per annum) |
| Amount <u> </u> for <u> </u> purposes from <u> </u> to <u> </u> (both dates inclusive) | (cfs or acre-feet per annum) |
5. Total quantity to be appropriated is (a) 1.7 and/or (b) 0.24
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source Submerged screened intake structure.
- b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet
- c. Proposed well diameter is inches; proposed depth of well is feet
- d. Is ground water with a temperature of greater than 85° F being sought? No
- e. If well is already drilled, when? ; Drilling firm
Well was drilled for (well owner) ; Drilling Permit No.
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9)
- a. Hydropower; show total feet of head and proposed capacity in KW.
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality.
- d. Domestic; show number of households.
- e. Other; describe fully. Fish propagation for Clearwater River Subbasin chinook salmon restoration. Holding of spring chinook adult broodstock. Rearing and release of 75,000 spring chinook fingerlings.

MICROFILMED

FEB 7 2001

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
30N	7E	31			H														NA
					H (STORAGE)														

No Section boundaries on USGS Quad map for this area.

Total number of acres to be irrigated NA

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? USFS
 b. Who owns the land to be irrigated or place of use? USFS
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Special Use Permit

12. Remarks: The United States submits this permit application as a matter of comity and, in doing so, does not waive any rights it may have under federal law for the same purpose or use.


13. MAP OF PROPOSED PROJECT REQUIRED -Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Marian Wolcott SEP 25 2001
 Signature of Applicant (and title, if applicable)

Received by db Date 6/29/99 Time 9:40a Preliminary check by db
 Fee \$ 120.00 Receipted by db # N013011 Date 6/29/99
 Publication prepared by db Date 9/8/99 Published in Idaho Waters 9/15+22/99
 Publication approved db Date 11/9/99



VICINITY MAP

TAKEN FROM USGS
PILOT KNOB QUADRANGLE

Township 30N
Range 7E
Section 31

IN: Newsome Creek
IN/NEAR Newsome
Idaho County, Idaho

MICROFILMED

SEP 25 2001

Additional information needed for fish propagation application for permit:

Site: Newsome Creek

- 1) Construction plan to include sizes and number of ponds, total proposed facility volume: Attached Drawings; Site Plan – South and Site Plan - North.
- 2) Proof of "possessory interest" of land at place of use: Special Use Permit with USFS.
- 3) No assignment and/or diminished quality of water quality: FishPro, Inc. in contact with DEQ, Lewiston to address this requirement.
- 4) A statement of financial resources of the corporation, association, firm or person making the application and the means by which the funds necessary to construct the proposed works are to be provided.

The Bonneville Power Administration (BPA) is a power marketing agency within the United States Department of Energy. The Pacific Northwest Power Planning and Conservation Act, P.L. 96-501 ("Act") directs BPA to protect, mitigate, and enhance fish and wildlife affected by the development and operation of federal hydroelectric projects of the Columbia River and its tributaries, in a manner consistent with the purposes of the Act, the program adopted by the Pacific Northwest Electric Power and Conservation Planning Council ("Council") under subsection 4(h) of the Act, and other environmental laws. BPA has the authority pursuant to the Northwest Power Act, 16 U.S.C., 838i(b), or the Bonneville Project Act, 16 U.S.C., 839b(h), 839 f(a), the Federal Columbia River Transmission System Act, 16 U.S.C. 838i(b), or the Bonneville Project Act, 16 U.S.C. 832a(c)-(f), to assist in the acquisition and transfer of real property interests. BPA as a federal agency is self-insured.

- 5) A detailed estimate of construction costs, to include estimated costs of each major component of the construction plan: Attached Opinion of Probable Construction Costs – Summary.
- 6) Approval or design agreement of the facility by Idaho Dept. of Environmental Quality showing all state and federal water quality standards have been properly addressed.

Facility less than 20,000 pounds production threshold limit for NPDES permit. FishPro, Inc. in contact with IDEQ, Lewiston to address this requirement.

- 7) Are there any existing facilities upstream of diversion point or downstream of discharge point? No.

MICROFILMED
SEP 25 2001

A) Type of water used by existing facility.

- a) Surface with fish cultured upstream.
- b) Surface with no fish cultures upstream.
- c) Spring with fish cultures upstream.
- d) Spring with no fish cultured upstream.

No existing Facility

B) Average percent of existing facility's water to be used by the proposed facility.

- a) Less than 10%
- b) 10% to less than 25%
- c) 25% to less than 50%
- d) 50% to less than 75%
- e) 75% or more

No existing Facility

C) Distance between existing facility intake and proposed facility discharge.

- a) 1.0 mile or more
- b) 0.50 mile to less than 1.0 mile
- c) 0.25 mile to less than 0.5 mile
- d) 0.10 mile to less than 0.25 mile
- e) less than 0.10 mile

No existing Facility

D) Change in elevation between discharge of new facility and the intake of the existing facility.

- a) 50 feet or more
- b) More than 20 feet but less than 50 feet
- c) More than 10 feet but less than 20 feet
- d) More than 5 feet but less than 10 feet
- e) Less than 5 feet

No existing Facility

E) Anticipated temperature change in new facility.

- ☒ a) less than 1 degree F.
- b) 2 degrees F.
- c) 3 degrees F.
- d) 4 degrees F.
- e) 5 degrees F.

F) Existing facility consideration

- a) Raises fish seasonally and proposed facility is a year around facility.
- b) Hatches eggs.
- c) Is a certified disease free facility


G) Proposed new facility

- a) Spring or well source with no fish facility above.

Surface water Facility with no Fish Facility above.

MICROFILMLL

SEP 25 2001





Number of Units: 2
Acclimation Avg Dimensions: 38'x 46'x 7'
~~Total~~ Proposed Volume: 6,818 cf
Adult Holding Avg Dimensions: 10'x 50'x 7.5'
Proposed Volume: 3,750 cf
Total Proposed Volume: 10,568 cf

MICROCHART
SEP 25 2001



NO.	1	COMPUTER REVISION ONLY	BY	DATE	APPROVED
C - CONTRACT CONSTRUCTION FA - FORCE ACCOUNT B - RECORD					
DESIGN	SLS	BONEVILLE POWER ADMINISTRATION			
DRAWN	ACB	UNITED STATES DEPARTMENT OF ENERGY			
CHNO	EED	REGULATIONS, PORTLAND, OREGON			
REV'D	KPF	NEZ PERCE TRIBAL HATCHERY PROGRAM			
CHNR		NEWSOME CREEK			
APPR		SITE PLAN - SOUTH			
DATE	4/01/99	Serial	Page	Size	Sheet
			A1		

MATCH LINE C1



MICROSOFT
SEP 28 2001



NO.	DESCRIPTION	COMPUTER REVISION ONLY	BY	DATE	APPROVED
1	CONTRACT CONSTRUCTION F.A. - FORCE ACCOUNT - RECORD				
DESIGN	MR				
DRWN	ACB				
CHKD	SLS				
REV'D	KPF				
CHKD					
APPR					
DATE	4/01/99				
BONEVILLE POWER ADMINISTRATION					
NEZ PERCE TRIBAL HATCHERY PROGRAM					
NEWSOME CREEK					
SITE PLAN					
NORTH					
Serial	Page	Size	Sheet	Revision	
		A1			

**Newsome Creek
Opinion of Probable Construction Costs - Summary**

Item No.	Item	Total
1.0	Site Work	\$63,822
2.0	Utilities	\$29,450
3.0	Portable Living Quarters	\$35,250
4.0	Storage Building	\$15,200
5.0	Newsome Creek Surface Water Intake	\$60,000
6.0	Process Water Distribution and Treatment	\$154,200
7.0	Acclimation Pond	\$94,000
8.0	Adult Holding Pond	\$122,500
9.0	Instrumentation, Alarm and Control	<u>\$9,375</u>
Total		\$583,797
Contingency (20%)		<u>\$116,759</u>
Total with Contingency		\$700,556
Sales Tax (Exempt)		\$0

MICROFILMED
SEP 25 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

March 27, 2000

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN TSR 3
PO BOX 3621
PORTLAND OR 97208

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 82-07205

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.


Please note that a separate stream channel alteration permit must be obtained from the IDWR prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed at least sixty days prior to the commencement of work in the stream.

MICROFILMED

SEP 25 2001

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures


MICROFILMED
SEP 25 2001

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of **March, 2000**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 82-07205

**US DEPT OF ENERGY
BONNEVILLE POWER ADMIN TSR 3
PO BOX 3621
PORTLAND OR 97208**


Kari Lynn Townsend
Secretary

MICROFILMED
SEP 25 2001

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED
Page 1 SEP 25 2001

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

DATE: March 24, 2000

TO: Water Right Files 85-07659, 86-07371, 86-07372, 85-07664, 84-07303, 84-07302, 82-07205, 82-07204, 85-07660 and 81-07181

FROM: Shelley W. Keen *SWK*

RE: Limit to 50% of stream flow

This afternoon I spoke on the phone with Marian Wolcott of the Bonneville Power Administration. She told me that BPA is not opposed to limiting these permits to 50% of the stream flow measured at the point of diversion as suggested by IDF&G.

MICROFILMED

SEP 25 2001



RECEIVED

MAR 17 2000

Department of Water Resources

IDAHO FISH & GAME

CLEARWATER REGION
1540 Warner Avenue
Lewiston, Idaho 83501-5699

Dirk Kempthorne / Governor
Stephen P. Mealey / Director

March 13, 2000

Shelley Keen
Idaho Dept. of Water Resources
1301 North Orchard
Boise, ID 83706

Re: water rights 85-07664, 86-07371, 86-07372, 86-07373, 85-07656, 81-07181, 85-07660, 84-07303, 84-07302, 81-07180, 82-07205, 82-07204, and 85-07659

Dear Shelley,


We have reviewed the proposals for water rights being applied for by the Bonneville Power Administration for Nez Perce Tribe hatchery operations. Upon review, we also conferred with the Nez Perce Tribe hatcheries program on some of the requests. The Tribe and our Department agree that some of the following adjustments are appropriate for instream flow protection.

The request for 10.2 cfs from Lapwai Creek (85-07659) will be modified to show 2 seasons of withdrawal and corresponding withdrawal rates. This includes a reduction of the diversion request during low flows from July 15 to September 30 of 2.6 cfs. No more than 5.1 cfs will be withdrawn during any other portion of the year and no more than 50% of the stream flow may be diverted at any time.

It is our understanding that each of the above water rights will also specify that no more than 50% of the streams filed on will be diverted during anytime of the year. While we recognize that flows will likely be measured at all their facilities, we also suggest including a stream flow monitoring requirement as part of the water right permit.

Thank you for your consideration. Please contact me if you have any questions.

Sincerely,


Cal Groen
Regional Supervisor

CG/GS

Cc: NRPB
BOF
NPT, Lapwai
NMFS, Moscow
USFWS, Boise

MICROFILMED

SEP 25 2001

Leaving Idaho's Wildlife Legacy Better Than We Found It

MEMORANDUM

DATE: February 28, 2000

TO: Water Right Applications 85-07659, 86-07371, 86-07372, 85-07664, 84-07303, 84-07302, 82-07205, 82-07204 and 85-07660

FROM: Shelley W. Keen ^(SWK)

RE: Response from Nez Perce Fisheries

On February 25, 2000, I spoke on the phone with Grant Walker of Nez Perce Tribal Fisheries (208-843-7320, ext. 2439) about my letter to BPA regarding the water right applications listed above. Mr. Walker told me that BPA or their consultant, Fish Pro, will respond with a letter proposing lower flow rates for some of the projects. I told Mr. Walker that I will give the Idaho Dept. of Fish and Game a few days to comment on the letter once I receive it. Also, Mr. Walker was not aware of a meeting between the tribe and IDF&G, so he could not comment on that part of my letter.

3/13 I spoke with Gregg Newham of IDF + G [(208) 799-5010] about these applications. He said he's received some alterations to the applications suggested by Grant Walker. He was surprised I've not received anything yet. ~~at~~ I told Gregg that I am expecting some information from Patty Michale of Fish Pro also. I asked Gregg to comment in writing, and he said he would. He'd like IDWR to condition the permits so that divisions do not exceed 50% of streamflow. ~~He~~ I told Gregg I'd make sure he gets a copy of whatever Patty Michale ad/or BPA submit to me.

S.W. Keen

3/16 Patty Michale of Fish Pro called today to tell me she has sent additional information to BPA to be sent to IDWR concerning these applications.

S.W. Keen



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098
Phone: (208) 327-7900 FAX: (208) 327-7866

February 17, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

U S DEPT OF ENERGY
BONNEVILLE POWER ADMINISTRATION
PO BOX 3621
PORTLAND OR 97208

RE: Water Right Applications 85-07659, 86-07371, 86-07372, 85-07664, 84-07303, 84-07302, 82-07205, 82-07204 and 85-07660

Sent by fax with original to follow by mail

Dear Applicant:

I have been reviewing nine water right applications you submitted for fish propagation on various streams within the Clearwater River basin. None of the applications I am reviewing includes any information about the sufficiency of the water supply or any information justifying the diversion rate being requested. For most of your applications, I do not think it is necessary for you to submit additional information, but more information is required to support a few of your applications.

On Application 85-07659 you have asked to appropriate 10.2 cfs from Lapwai Creek. According to U. S. Geological Survey data dating from 1975 to 1998, the flow in Lapwai Creek about two miles above your proposed diversion averaged only 7.57 cfs in August and only 10.0 cfs in September. There are no significant tributaries to Lapwai Creek between the USGS measuring station in T36N, R4W, S35, and your proposed point of diversion. Further review of the data indicates that in August there is only a 25% chance that flows of 10.0 cfs will be met or exceeded, and in September Lapwai Creek will flow 10.0 cfs less than 50% of the time. The Department of Water Resources is concerned that the flow in Lapwai Creek may not be sufficient to meet your requirements if 10.2 cfs is necessary during August and September. In addition, I have learned that the Idaho Dept. of Fish and Game is concerned that diverting virtually the entire flow of Lapwai Creek in August and September could have detrimental affects on other fish species, including the remaining steelhead population.

Idaho's Water Appropriation Rules (IDAPA 37.03.08) authorize IDWR to request additional information when necessary to support an application for a new water right. To address the concerns stated above, within 30 days please submit information pursuant to Water Appropriation Rules 40.05.d.i. and 40.05.d.ii. for Application 85-07659. In addition, within 30 days please submit information pursuant to Water Appropriation Rule 40.05.d.i. for Applications 86-07371, 86-07372, 85-07664, 84-07303, 84-07302, 82-07205, 82-07204 and 85-07660.

SEP 25 2001

Bonneville Power Administration
February 17, 2000
Page 2

86-07372, and 85-07660, each of which requests a diversion rate in excess of 5.0 cfs. I have enclosed a copy of the rules for you.

Also, I understand that Idaho Dept. of Fish and Game representatives have arranged to meet next week with representatives of the Nez Perce Tribe to discuss these and other concerns related to the projects proposed in your water right applications. In case you wish to change your applications after the meeting, I will hold all of your applications until I hear from you about the outcome of the discussion.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in black ink, appearing to read 'Shelley Keen', written over the typed name.

Shelley Walter/Keen
Water Rights Supervisor

Cc: Cindy Robertson at IDF&G

Enclosure

(7-1-93)

iii. Information shall be submitted concerning any design, construction, or operation techniques which will be employed to eliminate or reduce the impact on other water rights. (7-1-93)

d. Information relative to sufficiency of water supply, Section 42-203A(5)(b), Idaho Code, shall be submitted as follows: (7-1-93)

i. Information shall be submitted on the water requirements of the proposed project, including, but not limited to, the required diversion rate during the peak use period and the average use period, the volume to be diverted per year, the period of year that water is required, and the volume of water that will be consumptively used per year. (7-1-93)

ii. Information shall be submitted on the quantity of water available from the source applied for, including, but not limited to, information concerning flow rates for surface water sources available during periods of peak and average project water demand, information concerning the properties of the aquifers that water is to be taken from for groundwater sources, and information on other sources of supply that may be used to supplement the applied for water source. (7-1-93)

e. Information relative to good faith, delay, or speculative purposes of the applicant, Section 42-203A(5)(c), Idaho Code, shall be submitted as follows: (7-1-93)

i. The applicant shall submit copies of deeds, leases, easements or applications for rights-of-way from federal or state agencies documenting a possessory interest in the lands necessary for all project facilities and the place of use or if such interest can be obtained by eminent domain proceedings the applicant must show that appropriate actions are being taken to obtain the interest. Applicants for hydropower uses shall also submit information required to demonstrate compliance with Sections 42-205 and 42-206, Idaho Code. (7-1-93)

ii. The applicant shall submit copies of applications for other needed permits, licenses and approvals, and must keep the department apprised of the status of the applications and any subsequent approvals or denials. (7-1-93)

f. Information Relative to Financial Resources, Section 42-203A(5)(d), Idaho Code, shall be submitted as follows: (7-1-93)

i. The applicant shall submit a current financial statement certified to show the accuracy of the information contained therein, or a financial commitment letter along with the financial statement of the lender or other evidence to show that it is reasonably probable that financing will be available to appropriate the water and apply it to the beneficial use proposed. (7-1-93)

ii. The applicant shall submit plans and specifications along with estimated construction costs for the project works. The plans shall be definite enough to allow for determination of project impacts and implications. (7-1-93)

g. Information Relative to Conflict with the Local Public Interest, Section 42-203A(5)(e), Idaho Code, shall be submitted as follows: The applicant shall seek comment and shall submit all letters of comment on the effects of the construction and operation of the proposed project from the governing body of the city and/or county and tribal reservation within which the point of diversion and place of use are located, the Idaho Department of Fish and Game, the Idaho Department of Health and Welfare, Division of Environment, and any irrigation district or canal company within which the proposed project is located and from other entities as determined by the director. (7-1-93)

h. The following information Relative to the Public Interest Criteria of Section 42-203C(2), Idaho Code, shall be submitted by an applicant seeking reallocation of trust water for a project which the director determines will reduce the flow of the Snake River by more than two (2) acre-feet per day. For filings proposing irrigation as a purpose of use, the additional information is required if more than two hundred (200) acres will be irrigated. The director may request any or all of the following information for any filing seeking the reallocation of trust water. (7-1-93)

CLEARWATER RIVER BASIN

235

13342450 LAPWAI CREEK NEAR LAPWAI, ID

LOCATION.--Lat 46°25'36", long 116°48'15", in NW¹/₄NE¹/₄NW¹/₄ sec.35, T.36 N., R.4 W., Nez Perce County, Hydrologic Unit 17050306, on right bank, 30 ft upstream from county bridge, 0.7 mi downstream from Tom Beall Creek, 1.6 mi north of Lapwai, 1.6 mi south of Spalding, and at mile 1.9.

DRAINAGE AREA.--235 mi², approximately.

WATER-DISCHARGE RECORDS

PERIOD OF RECORD.--October 1974 to current year.

GAGE.--Water-stage recorder. Datum of gage is 864.64 ft above sea level.

REMARKS.--No estimated daily discharges. Records good. Station equipment includes satellite telemetry. Diversions above station for irrigation of about 1,500 acres.

EXTREMES FOR PERIOD OF RECORD.--Maximum discharge, 5,010 ft³/s Feb. 9, 1996, gage height, 9.70 ft, from rating curve extended above 1,500 ft³/s; maximum gage height, 10.22 ft, Feb. 23, 1986; minimum, 0.71 ft³/s Dec. 21, 1990, gage height, 2.39 ft, result of freezeup.

EXTREMES OUTSIDE PERIOD OF RECORD.--Maximum discharge, 4,380 ft³/s January 1965, on basis of slope-area measurement.

EXTREMES FOR CURRENT YEAR.--Peak discharges greater than base discharge of 700 ft³/s and maximum (*):

Date	Time	Discharge (ft ³ /s)	Gage height (ft)	Date	Time	Discharge (ft ³ /s)	Gage height (ft)
May 26	2230	*700	*4.72	No other peak greater than base discharge.			

Minimum daily, 5.5 ft³/s Sept. 4, 5.

DISCHARGE, CUBIC FEET PER SECOND, WATER YEAR OCTOBER 1997 TO SEPTEMBER 1998
DAILY MEAN VALUES

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	23	37	33	34	96	34	63	54	181	19	11	5.9
2	23	33	32	40	88	36	59	40	142	18	11	6.1
3	24	31	30	41	86	52	54	36	119	21	9.4	5.9
4	25	29	29	42	95	52	60	33	100	22	8.7	5.5
5	26	28	29	40	100	53	82	31	89	19	7.8	5.5
6	26	28	28	39	94	49	166	29	94	18	7.2	5.6
7	25	30	29	38	85	46	147	27	85	16	7.2	5.7
8	24	37	32	38	91	45	145	26	69	15	7.2	6.9
9	26	36	29	36	91	45	128	25	45	19	6.7	9.6
10	26	33	28	35	80	49	126	25	42	38	6.9	12
11	25	32	29	34	74	59	137	24	37	78	6.8	11
12	25	31	27	30	69	66	152	25	34	55	6.5	11
13	24	30	26	34	66	70	132	26	32	43	6.2	10
14	24	29	29	36	61	73	124	25	29	32	5.8	9.6
15	24	29	30	36	59	77	149	24	28	25	5.8	9.2
16	24	28	57	35	56	76	220	23	31	22	5.9	12
17	24	28	60	39	54	68	195	25	29	20	6.5	13
18	24	28	54	42	50	59	169	25	26	18	6.8	14
19	24	29	47	62	48	55	152	24	27	17	7.0	15
20	24	30	44	78	42	53	139	23	32	16	6.3	18
21	24	30	40	70	44	56	125	24	26	15	6.1	17
22	24	30	37	65	46	65	115	105	24	14	6.0	17
23	24	31	35	65	44	94	122	364	23	13	5.9	16
24	24	31	34	65	42	190	123	311	22	13	8.1	16
25	24	32	32	65	39	182	104	276	24	12	7.8	16
26	24	33	31	65	39	156	92	496	41	11	7.5	18
27	24	33	31	99	36	128	83	572	42	10	7.3	18
28	24	33	31	137	34	110	75	426	36	9.6	6.8	17
29	27	32	32	132	---	95	69	324	30	8.7	6.3	17
30	34	33	33	114	---	81	62	267	20	9.0	6.1	17
31	45	---	34	106	---	72	---	219	---	10	6.0	---
TOTAL	788	914	1072	1792	1809	2346	3569	3954	1559	656.3	221.6	360.5
MEAN	25.4	31.1	34.6	57.8	64.6	75.7	119	128	52.0	21.2	7.15	12.0
MAX	45	37	60	137	100	190	220	572	181	78	11	18
MIN	23	28	26	30	34	34	54	23	20	8.7	5.8	5.5
AC-FT	1560	1850	2130	3550	3590	4650	7080	7840	3090	1300	440	715
CFSM	.11	.13	.15	.25	.27	.32	.51	.54	.22	.09	.03	.05
IN.	.12	.15	.17	.28	.29	.37	.56	.63	.25	.10	.04	.06

STATISTICS OF MONTHLY MEAN DATA FOR WATER YEARS 1975 - 1998, BY WATER YEAR (WY)

	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
MEAN	15.2	24.6	55.4	79.9	138	189	222	143	52.2	15.7	7.57	10.0												
MAX	34.5	62.6	357	333	675	487	546	368	140	42.7	16.3	18.2												
(WY)	1976	1996	1976	1997	1996	1997	1976	1997	1984	1982	1976	1984												
MIN	4.14	8.68	12.6	14.9	15.0	18.9	26.7	8.98	3.00	2.96	1.68	3.05												
(WY)	1995	1994	1993	1993	1977	1977	1992	1992	1992	1994	1994	1994												

SUMMARY STATISTICS

FOR 1997 CALENDAR YEAR

FOR 1998 WATER YEAR

WATER YEARS 1975 - 1998

ANNUAL TOTAL	62234		19061.4	
ANNUAL MEAN	171		52.2	
HIGHEST ANNUAL MEAN				79.0
LOWEST ANNUAL MEAN				193
HIGHEST DAILY MEAN	1920	Jan 1	572	May 27
LOWEST DAILY MEAN	11	Aug 20	5.5	Sep 4
ANNUAL SEVEN-DAY MINIMUM	12	Aug 17	5.7	Sep 1
ANNUAL RUNOFF (AC-FT)	121400		17810	
ANNUAL RUNOFF (CFSM)	.73		.22	
ANNUAL RUNOFF (INCHES)	9.85		3.02	
10 PERCENT EXCEEDS	117		213	
50 PERCENT EXCEEDS	37		32	
90 PERCENT EXCEEDS	16		8.7	

MICROFILMED

SEP 25 2001

STATION LAPWAI CREEK NR LAPWAI (1974-99)
FLOW DURATION TABLE

13342450

***** DAILY FLOW DATA *****												
MON	DAY	MINIMUM	YEAR	MAXIMUM	YEAR	AVERAGE	COUNT	EXCEEDANCE FREQUENCY				
								0.90	0.75	0.50	0.25	0.10
AUG	1	2.	1977	17.	1997	8.		4.	5.	7.	11.	13.
AUG	2	2.	1977	17.	1997	8.		4.	5.	7.	11.	14.
AUG	3	2.	1977	16.	1997	7.		4.	5.	7.	10.	15.
AUG	4	2.	1977	16.	1982	7.		4.	5.	6.	9.	15.
AUG	5	2.	1994	15.	1982	7.		3.	5.	6.	10.	15.
AUG	6	2.	1992	15.	1976	7.		3.	4.	6.	10.	15.
AUG	7	2.	1977	24.	1976	7.		2.	5.	6.	10.	14.
AUG	8	2.	1977	21.	1976	7.		2.	4.	7.	10.	13.
AUG	9	2.	1992	20.	1976	7.		2.	4.	6.	9.	13.
AUG	10	2.	1992	15.	1976	6.		2.	4.	6.	9.	13.
AUG	11	1.	1992	36.	1983	8.		2.	4.	7.	9.	19.
AUG	12	1.	1992	23.	1983	7.		3.	4.	7.	10.	21.
AUG	13	1.	1992	19.	1982	7.		3.	4.	7.	10.	16.
AUG	14	1.	1992	18.	1982	7.		3.	5.	7.	11.	17.
AUG	15	1.	1992	20.	1976	7.		3.	4.	7.	11.	19.
AUG	16	1.	1992	29.	1976	8.		3.	4.	7.	10.	19.
AUG	17	1.	1992	27.	1976	8.		2.	5.	7.	10.	17.
AUG	18	1.	1992	24.	1976	8.		2.	6.	7.	10.	16.
AUG	19	1.	1992	20.	1976	7.		2.	6.	7.	11.	15.
AUG	20	1.	1994	17.	1976	7.		2.	5.	7.	10.	14.
AUG	21	1.	1992	17.	1976	7.		2.	5.	7.	10.	14.
AUG	22	2.	1977	22.	1978	7.		3.	6.	7.	10.	16.
AUG	23	2.	1977	30.	1978	8.		2.	6.	7.	11.	17.
AUG	24	2.	1992	23.	1989	9.		2.	5.	8.	13.	21.
AUG	25	2.	1992	19.	1997	8.		2.	5.	7.	11.	18.
AUG	26	2.	1994	21.	1997	8.		2.	5.	7.	12.	15.
AUG	27	2.	1994	21.	1997	8.		2.	5.	7.	11.	15.
AUG	28	1.	1994	20.	1997	8.		3.	5.	7.	12.	15.
AUG	29	1.	1994	18.	1975	8.		3.	5.	7.	12.	17.
AUG	30	1.	1994	23.	1975	8.		3.	6.	7.	11.	15.
AUG	31	2.	1994	42.	1984	10.		3.	6.	9.	12.	31.

MICROFILMED
SEP 25 2001

STATION LAPWAI CREEK NR LAPWAI (1974-99)
FLOW DURATION TABLE

13342450

MON	DAY	MINIMUM	YEAR	MAXIMUM	YEAR	***** DAILY FLOW DATA *****		EXCEEDANCE FREQUENCY				
						AVERAGE	COUNT	0.90	0.75	0.50	0.25	0.10
SEP	1	2.	1994	34.	1984	10.		3.	6.	9.	11.	32.
SEP	2	2.	1994	27.	1975	9.		3.	6.	9.	12.	22.
SEP	3	2.	1994	25.	1975	9.		3.	6.	9.	11.	18.
SEP	4	2.	1988	22.	1975	9.		3.	6.	9.	11.	18.
SEP	5	2.	1988	21.	1975	9.		3.	6.	9.	11.	16.
SEP	6	2.	1992	20.	1975	8.		3.	6.	8.	12.	15.
SEP	7	2.	1988	20.	1978	8.		3.	5.	9.	12.	18.
SEP	8	3.	1988	30.	1978	9.		3.	5.	8.	12.	18.
SEP	9	3.	1994	21.	1978	9.		4.	5.	10.	13.	17.
SEP	10	3.	1994	18.	1978	9.		4.	5.	10.	12.	16.
SEP	11	3.	1992	23.	1983	9.		4.	5.	9.	13.	17.
SEP	12	3.	1992	22.	1983	9.		4.	5.	9.	15.	16.
SEP	13	3.	1992	21.	1983	9.		4.	5.	9.	15.	16.
SEP	14	4.	1992	20.	1983	9.		4.	5.	9.	13.	16.
SEP	15	4.	1990	19.	1984	9.		4.	5.	8.	14.	19.
SEP	16	4.	1995	21.	1997	10.		4.	5.	8.	15.	18.
SEP	17	4.	1994	21.	1978	10.		4.	5.	8.	15.	21.
SEP	18	3.	1994	22.	1978	11.		4.	5.	9.	18.	22.
SEP	19	3.	1991	24.	1983	11.		4.	5.	11.	16.	19.
SEP	20	3.	1991	25.	1983	11.		4.	6.	12.	17.	20.
SEP	21	3.	1991	23.	1983	11.		4.	6.	12.	17.	22.
SEP	22	3.	1994	22.	1983	11.		4.	6.	12.	17.	19.
SEP	23	3.	1994	22.	1983	11.		4.	6.	12.	17.	22.
SEP	24	3.	1994	30.	1984	11.		4.	6.	11.	17.	21.
SEP	25	3.	1994	26.	1984	11.		4.	6.	10.	16.	20.
SEP	26	3.	1994	24.	1984	11.		4.	7.	10.	18.	22.
SEP	27	3.	1994	23.	1984	11.		5.	7.	10.	18.	23.
SEP	28	3.	1994	23.	1997	11.		5.	8.	10.	17.	22.
SEP	29	3.	1994	29.	1977	12.		5.	7.	10.	17.	23.
SEP	30	3.	1994	35.	1977	12.		5.	7.	11.	17.	23.

MICROFILMED
SEP 25 2001

MEMORANDUM

To: Files 81-07180, 82-07204, 82-07205, 84-07302, 84-07303, 85-07659 and 85-07660

FROM: Sharla

DATE: February 15, 2000

RE: Fish and Game Contacted

On this date I spoke with Al Beardslee concerning contact with Fish and Game for comments concerning these applications. Although Al hadn't placed a memo in the files, he told me he had indeed spoken with F&G and they had no concerns with approval. These filings are all within the wilderness moratorium areas, however, the use is non-consumptive and therefore the permits can be issued.

MICROFILMED
SEP 25 2001

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**

Reviewed by Sharla Curtis on 3/12/05

No. S2-07205 Name: BPA Corp. Officers ✓ Ad ok ✓ Govt Lots —

AREA OF CONCERN: No/Yes SC Moratorium — GWMA — TRUST/NON-TRUST —

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)
Basin 34 - 085
Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
~~WMD~~
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84 (20s-70s, 81-86)
Swan Falls Flag - —
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-081(P10)
FISH PROP - 029(70'S only)-007-042-081(P10)
HEAT/COOL - R07(injection well)
FIRE/PROT. - 077

BENEFICIAL USE DUE: 3/1/01 12005

MISC CONDITIONS/REMARKS:

~~Protested~~ - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 081-R07

IRRIGATION SEASON — - — (Per updated map)

OTHER CONDITIONS/REMARKS —

COMMENTS —

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response —

~~In/Above MSF~~ - WB9

PLANNING SECTION REVIEW/RESPONSE —

In-stream development P52

WD - R04 (WD# —)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - ~~01M~~ or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
> 1 in restricted area - 070-071-075(no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2400 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per ¼¼ - W32

Subd lot desc (pd) - W59

Subd lot desc (pu) - W60

Use definitions - W02 example - S/50 range

Pre-1987 development - 068-074 (allow 120 days for proof due)

Single p/d intended - 076

RECEIVED

IDA DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEETWRI
BCA
WPA

FEB - 4 2000

APPLICATION # 82-07205
INITIAL REVIEW

Department of Water Resources

APPLICANT: BPABY: ASDATE: 6/29/99

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
(X) Signature
(X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
I Field report attached
I Analysis Supp. attached (>5cfs/500af)
I Water delivered by water master?
Water District # _____

PROCESSING

- (Yes) (No) PRIORITY DATE: 6/29/99
X (Include Moratorium Remark)
X Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).
IC/Wed/af

ADVERTISE IN: IPAWD County

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: n/a

INFORMATION RECEIVED:

- () Dam Information (X) Fish Information
() Power Information () Other: _____

GROUNDWATER SECTION

WD Permit No.'s:	TAG #	Type:	Fees	Receipt No.	Upgrade Needed?
<u>I</u>	<u>I</u>	Dom. Non-Dom.	Paid \$		Y () N ()
<u>I</u>	<u>I</u>	Dom. Non-Dom.	Paid \$		Y () N ()
<u>I</u>	<u>I</u>	Dom. Non-Dom.	Paid \$		Y () N ()

- I Groundwater management area
I Critical ground water area
I Well Drilling Permit required
I Well Drilling Application and Fees received
I Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- 11/9/99 Notice of pending void order issued. Final order response date: _____
11/9 Further information required from applicant
9/8/99 Affidavit of publication received
Application published correctly. If not, record action taken: _____
Publication dates and paper recorded on application
Protests received, Final protest date: 10/4/99 Sr. Agent initial _____
Measuring device required
Measuring port required
Special conditions:

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: _____

Date: _____/_____/_____

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been filed
to appropriate the public waters of the State
of Idaho:

81-07180

US DEPT. OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PO BOX 3621
PORTLAND, OR 97208
Source: MEADOW CREEK Tributary: SEL-
WAY RIVER
Diversion Pt: NWSE Sec 11 T 31N R 09E in
IDAHO County.
Use: FISH PROPAGATION (5.100 CFS)
FISH PROP. STORAGE (0.12 AF)
DIVERSION TO STORAGE (5.100 CFS)
Total Diversion: (5.100 CFS) (0.12 AF)
Date Filed: 6/29/1999
In: IDAHO County
T31N R09E S11 NWSE

81-07181

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PO BOX 3621
PORTLAND, OR 97208
Source: MIDDLE FORK SELWAY RIVER
Tributary: CLEARWATER RIVER
Diversion Pt: SWSE Sec 23 T 32N R 07E in
IDAHO COUNTY.
Use: FISH PROPAGATION (3.700 CFS)
FISH PROP. STORAGE (0.48 AF)
DIVERSION TO STORAGE (3.700 CFS)
Total Diversion: (3.700 CFS) (0.48 AF)
Date Filed: 6/29/1999
In: IDAHO County
T32N R07E S23 SWSE

82-07204

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PO BOX 3621
PORTLAND, OR 97208
Source: S FORK MILL CREEK Tributary:
CLEARWATER RIVER
Diversion Pt: SENW Sec 34 T 29N R 04E in
IDAHO County.
Use: FISH PROPAGATION (1.000 CFS)
FISH PROP. STORAGE (0.08 AF)
DIVERSION TO STORAGE (1.000 CFS)
Total Diversion: (1.000 CFS) (0.08 AF)
Date Filed: 6/29/1999
In: IDAHO County
T29N R04E S34 SENW

82-07205

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PO BOX 3621
PORTLAND, OR 97208
Source: NEWSOME CREEK Tributary:
CLEARWATER RIVER
Diversion Pt: SWNE Sec 31 T 30N R 07E in
IDAHO County.
Use: FISH PROPAGATION (1.700 CFS)
FISH PROP. STORAGE (0.24 AF)
DIVERSION TO STORAGE (1.700 CFS)
Total Diversion: (1.700 CFS) (0.24 AF)
Date Filed: 6/29/1999
In: IDAHO County
T30N R07E S31 SWNE

84-07302

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PO BOX 3621
PORTLAND, OR 97208
Source: YOOSA CREEK Tributary: LOLO
CREEK

Diversion Pt: SESE Sec 1 T 35N R 06E in
IDAHO County.
Use: FISH PROPAGATION (2.500 CFS)
FISH PROP. STORAGE (0.40 AF)
DIVERSION TO STORAGE (2.500 CFS)
Total Diversion: (2.500 CFS) (0.40 AF)
Date Filed: 6/29/1999
In: IDAHO County
T35N R06E S01 SWSE

84-07303

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PORTLAND, OR 97208
Source: CAMP CREEK Tributary: YOOSA
CREEK
Diversion Pt: SESE Sec 1 T 35N R 06E in
IDAHO County.
Use: FISH PROPAGATION (2.500 CFS)
FISH PROP. STORAGE (0.40 AF)
DIVERSION TO STORAGE (2.500 CFS)
Total Diversion: (2.500 CFS) (0.40 AF)
Date Filed: 6/29/1999
In: IDAHO County
T35N R06E S01 SWSE

85-07660

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PO BOX 3621
PORTLAND, OR 972-08
Source: S FORK CLEARWATER RIVER
Tributary: CLEARWATER RIVER
Diversion pt: NWNW Sec 16 T 31N R 04E
in IDAHO County.
NENE Sec 17 T 31N R 04E in IDAHO
County.
Use: FISH PROPAGATION (10.200 CFS)
FISH PROP. STORAGE (0.57 AF)
DIVERSION TO STORAGE (10.200 CFS)
Total Diversion: (10.200 CFS) (0.57 AF)
Date Filed: 6/29/1999
In: IDAHO County
T31N R04E S17 NENE

For additional information concerning the
property location, call the Northern Regional
Office at (208) 769-1450.
The permit(s) will be subject to all prior
water rights. Protests must be filed with the
applicant and with the Director, Dept. of
Water Resources, Northern Region, 1910
Northwest Blvd., Suite 210, Coeur d'Alene,
Idaho 83814, together with a protest fee of
\$25.00 on or before OCTOBER 4, 1999.

KARL J. DREHER, Director

Published: 9/15/1999 & 9/22/1999

S15-22

MICROFILMED

SEP 23 2001

RECEIVED


NOV 09 1999

IDWR/North

AFFIDAVIT OF PUBLICATION


STATE OF IDAHO
County of Idaho - ss.

Andrew J. McNab, being first duly sworn, says he
is the Publisher of the IDAHO COUNTY FREE PRESS, a week-
ly newspaper published and issued weekly at Grangeville, Idaho
tate of Idaho, and is of general circulation in said coun-
ty, that the said legal notice, of which the one hereto
is a true copy, was published in said paper for two
times, the first publication being on
5th day of September, 1999; and the last publica-
tion on the 22nd day of September, 1999; and that the
said notice was published in the newspaper proper and not
in any other publication; that said newspaper has been continuously and
regularly published in said county during a period of sev-
eral consecutive weeks prior to the publication of said legal
advertisement.




IF IDAHO)
)
' OF)

22nd day of September in the year of 1999, before
myself, a Notary Public personally appeared Andrew J. McNab,
who identified to me to be the person whose name sub-
scribes the within instrument, and being by me first duly sworn,
that the statements therein are true, and acknowledged
that he executed the same.



Notary Public for Idaho
Residing at Grangeville, ID
My commission expires: 01-16-2002



82-07205

US DEPT OF ENERGY
BONNEVILLE POWER ADMIN - TSR-3
PO BOX 3621
PORTLAND, OR 97208

Source: NEWSOME CREEK

Tributary: CLEARWATER RIVER

Diversion Pt: SWNE Sec 31 T 30N R 07E in IDAHO County.

Use: FISH PROPAGATION	(	1.700 CFS)	
FISH PROP. STORAGE			(0.24 AF)
DIVERSION TO STORAGE	(	1.700 CFS)	
Total Diversion:	(	1.700 CFS)	(0.24 AF)

Date Filed: 6/29/1999

In: IDAHO County
T30N R07E S31 SWNE

MICROFILMED

SEP 25 2001

September 8, 1999

US Dept of Energy
Bonneville Power Admin - TSR-3
PO Box 3621
Portland OR 97208

Re: Water Appropriation Applications Nos. 81-07180, JHNCK-FF-5SW; 81-07181, JHNCK-FF-2SW;
82-07204, JHNCK-FF-6SW; 84-07205, JHNCK-FF-4SW; 84-07302, JHNCK-FF-3SW;
84-07303, JHNCK-FF-1SW; 85-07659, NPTH-FF-2SW; and 85-07660 NPTH-FF-1SW

Gentlemen:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Applications for Permits to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced numbers in all future matters concerning these water right applications.

Your appropriation applications are currently being prepared for advertising in the local county newspapers, and the two that are 10 cfs or more are being advertised statewide. These advertisements will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the applications are not protested.

If the applications are not protested, they will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the applications are protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Applications for Permits and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

SEP 25 2001