



3940

(27)

59

4000

128

136

BM

ITO

GLADYS L. YORK

American

TRAIL

4000



REVENUE NO. 3

Aproximate point
of Diversion

Point
of use

GLADYS L.

REVENUE NO. 4

REVENUE NO. 5

REVENUE NO. 2

REVENUE NO. 1

REVENUE
2577

GOLDEN ROD PLACER

2

0007

34

GOLDEN ROD FRACTION NO. 1

Tailings

SOLD

POTLATCH GROUND


8" = 1 MILE

1" = 660 FEET

MICROFILMED

JUL 27 1990

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	JS Electric	20	not legible	Berkley	B2PZC

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: _____

MICROFILMED

MAR 26 1997



82-7191
T29N R8E Sec. 34

MICROFILMED
MAR 26 1982



82-07191 FILMED
Shearer Lmbr MAR 26 1997
Elk city, Id.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 82-07191

Priority: May 7, 1990

Maximum Diversion Rate: 0.22 CFS
Maximum Diversion Volume: 395.0 AF

This is to certify, that SHEARER LUMBER PRODUCTS

PO BOX 389

ELK CITY ID 83525

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 7, 1990; and has submitted Proof of Beneficial Use on August 31, 1990. An examination indicates that the works have a diversion capacity of 0.220 cfs of water from:

AMERICAN RIVER

tributary to CLEARWATER RIVER, SOUTH FORK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	07/01 to 10/31	0.22 CFS	395.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 34, Township 29N, Range 08E
IDAHO County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

29N 08E 34

NENW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Industrial use is for sprinkling logs.
6. The Director of the Department retains jurisdiction to require a bypass flow for the maintenance of fish, wildlife, riparian and aquatic habitat.

MICROFILMED

MAR 7 6 1987


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 82-07191

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18th
day of OCTOBER, 1976


Acting for KARL J. DREHER, Director



MAR 26 1977

For Office Use Only
Amt. of Fee \$ 20.00
Date 8/31/90
Receipt No. 2018798
Received by J. Arcon

RECEIVED
AUG 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 82-07191 Telephone No. 208-842-2214

Name(s) of Permit Holder(s): Shearer Lumber Products

Post Office Address: P.O. Box 389, Elk City, Idaho 83525

Source of Water: American River

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Industrial

Total rate and/or volume for which proof is submitted .33 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: August 10, 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

James Borowicz
Name

208-842-2214
Telephone No.

P.O. Box 389 Elk City, Idaho 83525
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

NOV 27 1990

8-28-90
Date

[Signature] Asst. Sec. / Sec.
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 82-07191

Proposed Priority: May 7, 1990 Maximum Diversion Rate: 0.33 CFS
This is to certify, that **SHEARER LUMBER PRODUCTS**
P.O. BOX 389
ELK CITY, ID 83525
has applied for a permit to appropriate water from:

AMERICAN RIVER tributary of **CLEARWATER RIVER, SOUTH FORK**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
INDUSTRIAL	04/01 to 10/31	0.33 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW Sec. 34, Township 29N, Range 08E
IDAHO County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

29N 08E 34 NENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1991**.
2. Subject to all prior water rights.
3. Water used under this permit if discharged into a natural channel shall meet Idaho Water Quality Standards.
4. Industrial use is for sprinkling logs.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of July, 1990

[Signature]
for R. Keith Higginson, Director

MICROFILMED

JUL 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT


To appropriate the public waters of the State of Idaho

1. Name of applicant Shearer Lumber Products Phone 208-842-2214
Post office address P.O. Box 389, Elk City, Idaho 83525
2. Source of water supply American River which is a tributary of So. Fk. Clearwater
3. Location of point of diversion is NE 1/4 of NW 1/4 of Govt. Lot
Sec. 34 Township 29 N* Range 8 E B.M. Idaho County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Allow 0.33*
Amount 32885 for Industrial purposes from April 1 to Oct 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) Allow 0.33*
5. Total quantity to be appropriated is (a) 32885 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. 1-20 HP Cent. pump
900 ft. 2" Sprinkler pipe, 22 heads
- b. Height of storage dam NA feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of water for proposed beneficial use is
one years (minimum 1 year).

MICROFILMED

JUL 27 1990

*kw 7/17/90



AMERICAN

TRAIL

GLADYS L. YOR.

GLADYS L.

REVENUE NO. 5

REVENUE NO. 2

REVENUE NO. 1

GOLDEN ROD FRACTION NO. 1

GOLDEN ROD PLACER

34

Tails

SOLD

POTLATCH GROUND
8" = 1 MILE
1" = 660 FEET
JUL 27 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

MICROFILMED
JUL 27 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James L. Johnson
Applicant
Dist. Sec. 1

Received by [Signature] Date 5/21/90 Time 2:45 PM Preliminary check by TK
Fee \$ 45.00 Received by [Signature] # N 3730 Date 5/1/90
Publication prepared by [Signature] Date 5/31/90 Published in 6/6-13/90
Publication approved [Signature] Date 6/29/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



May 2, 1990

APPLICATION FOR PERMIT
Shearer Lumber Products


Property Description:

A portion of the East $\frac{1}{2}$ of the Southwest $\frac{1}{4}$ of Section 27
and a portion of the East $\frac{1}{2}$ of the Northwest $\frac{1}{4}$ of Section 34,
all in Township 29 North, Range 8 East, Boise Meridian, Idaho
County, State of Idaho.

MICROFILMED

JUL 27 1990

May 17, 1990



Idaho Department of Water Resources
1910 Northwest Blvd., Suite 210
Coeur d'Alene, Idaho 83814

Gentlemen:

We are a division of Bennett Lumber Products, Inc., an Idaho Corporation. Following is a list of the officers of the corporation as you requested in your letter of May 8:

President - Frank R. Bennett, Box 49,
Princeton, Idaho 83857

Exec. Vice President - Richard G. Bennett,
Box 277, Kooskia, Idaho 83839


Vice-President - Janice Dimke, Box 670,
Clarkston, Washington 99403

Secretary-Treasurer - John Bennett, Box 49,
Princeton, Idaho 83857

Asst. Secretary-Treasurer - Jean A. Nelson,
Box 277, Kooskia, Idaho 83839

Sincerely,

SHEARER LUMBER PRODUCTS


Jean A. Nelson
Asst. Sec./Treas.

JN/mm

MICROFILMED
JUL 27 1990

Shearer Lumber Products, Inc.

General Office: P.O. Box 277, Kooskia, Idaho 83539 — Telephone 926-4277
Sawmill: P.O. Box 389, Elk City, Idaho 83525 — Telephone 842-2230

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been
filed to appropriate the public waters of
the State of Idaho:

81-07148

MC COMBS, DON
MC COMBS, RUTH
HCR 75 BOX 29
KOOSKIA, ID 83539
Source: CLEARWATER RIVER,
MIDDLE FORK
Tributary: CLEARWATER RIVER
Diversion Pt: LOT 5 (SWNE) Sec 3 T
32N R 05E
Use: IRRIGATION (.100 CFS) Total
Diversion: (.100 CFS)
Date Filed: 5/24/1990
In: T32N R05E S03 SENE
5.2 ACRES TOTAL.

82-07191

SHEARER LUMBER PRODUCTS
P.O. BOX 389
ELK CITY, ID 83525
Source: AMERICAN RIVER
Tributary: CLEARWATER RIVER,
SOUTH FO
Diversion Pt: NENW Sec 34 T 29N R
08E
Use: INDUSTRIAL (.330 CFS)
Total Diversion (.330 CFS)
Date Filed: 5/21/1990
In: T29N R08E S34 NENW.

84-07257


CLONINGER, JERRY
CLONINGER, KAREN
HCR 14 BOX 14
KAMIAH, ID 83536
Source: UNNAMED STREAM
Tributary: CLEARWATER RIVER
Diversion Pt: SWNW Sec 25 T 34N R
03E NWSW Sec 25 T 34N R 03E
Use: IRRIGATION (.200 CFS) Total
Diversion: (.200 CFS)
Date Filed: 5/10/1990
In: T34N R03E S25 SWNW NWSW
17.0 ACRES TOTAL.

For additional information concerning
the property location, call the Northern
Regional Office at 765-4639.

The permit(s) will be subject to all prior
water rights. Protests must be filed with
the Director, Dept. of Water Resources,
Northern Region, 1910 Northwest Blvd.,
Suite 210, Coeur d'Alene, Idaho 83814
on or before JUNE 25, 1990.

R. KEITH HIGGINSON, Director
Published 6/6/1990 & 6/13/1990.

J6-13



AFFIDAVIT OF PUBLICATION

STATE OF IDAHO

County of Idaho - ss.

Charlotte Sotin

....., being
first duly sworn, says she is the..... Bookkeeper..... of the
IDAHO COUNTY FREE PRESS, a weekly newspaper published
and issued weekly at Grangeville, Idaho county, State of Idaho,
and is of general circulation in said county and state, that the
said notice, of which the one hereto attached is a true copy, was
published in said paper for two..... weeks, being published
.....two..... times, the first publication being on the
.....6th..... day of June....., 19.....90.....,
and the last publication on the.....13th..... day of
.....June....., 19.....90.....; that the said notice was
published in the newspaper proper and not a supplement; that
said newspaper has been continuously and uninterruptedly
published in said county during a period of seventy-eight
consecutive weeks prior to the publication of said notice or
advertisement.

Charlotte Sotin

STATE OF IDAHO

COUNTY OF

MICROFILMED

JUL 27 1990

On this.....13th..... day of June..... in the year
of.....1990..... before me, a Notary Public, personally
appeared.....Charlotte Sotin....., known or
identified to me to be the person whose name subscribed to the
within instrument, and being by me first duly sworn, declared
that the statements therein are true, and acknowledged to me
that he executed the same.

[Signature]
Notary Public for Idaho

Residing at.....Grangeville, Idaho.....

My commission expires:.....9/10/92.....



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 22, 1996

SHEARER LUMBER PRODUCTS
PO BOX 389
ELK CITY ID 83525

RE: WATER RIGHT NO. 82-07191

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

MAR 26 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 82-07191

DATE 10/18/96

REVIEWER: S H A R L A

NAME	Change <u> </u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u> </u>	<u>✓</u>	Is change clarification of originally intended source? <u> </u> If not, prepare Notice of Intent to Void <u> </u>
POINT OF DIV	<u> </u>	<u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE	<u> </u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.33</u> cfs
Fee limit	<u>1.0</u> cfs \$100 ⁰⁰
Measured	<u>.22</u> cfs
Theoretical	<u> </u> cfs $20 \times 8.8 \times .7 / 100 + (2.3 \times 60) = .52$
Recommended Total Div Rate <u>.22</u> cfs	

ANNUAL VOLUME/ NATURE OF USES	<u> </u> <u>✓</u>	Use <u>Indust.</u>	Volume Calculation
<u>7/1-10/31</u>			<u>395.0</u> af
			<u> </u> af
			<u> </u> af
			<u> </u> af
		SUBTOTAL	<u>395.0</u> af

Flow rate cfs X days X 1.9835 = af
 Total volume recommended af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1/ sprinkling logs.

CONDITIONS Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions 09D

Advancement of Priority Date Required yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 19 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 82-07191

1. Owner: Shearer Lumber Products Phone No. (208) 842-2214

Current Address: P.O. Box 389 Elk City, Id. 83525

2. Accompanied by: Dave Paisley EXAM DATE: 8-29-96

Address: Same as above Phone No. _____

Relationship to Permit Holder: Employee

3. Source: American River tributary to Clearwater River, south fork

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	34	29N	08E	Idaho	U.S.G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
29N	08E	34					I												

MICROFILMED

MAR 26 1997

size/ditch size/pipe i.d. as applicable.

size/ditch size/pipe i.d. as applicable.



Score: 7

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	20	257 299,618	Bentley	B2P2C

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

~~CONFIDENTIAL~~

E. NARRATIVE/REMARKS/COMMENTS

Pump sits approx 15 ft from river. A 3" line from pump runs under rd and out to log yard approx 300 ft. At that point a riser comes up to a manifold. From that manifold 1" PVC with holes drilled in it is spread out over logs to keep them from checking.

Period of use: In a conversation with Dave Paisley, forester at Shearer Lumber, I have changed dates of use to reflect actual earliest and latest usage. During usage period system runs 24 hr/day.

Have conditions of permit approval been met? ☒ yes ☐ no

INFORMED
MAR 26 1967

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

*Poly Sonie***G. VOLUME CALCULATIONS****1. Volume Calculations for Irrigation:** $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:**
$$\frac{98 \text{ gpm} \times 1440 \text{ min} \times 122 \text{ days}}{43560} = 395 \text{ af}$$
H. RECOMMENDATIONS**1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Industrial</i>	<i>07-01</i>	<i>10-31</i>	<i>.22</i>	<i>395</i>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<i>.22</i>	<i>395</i>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other


I. AUTHENTICATIONField Examiner's Name *Wayne Baldwin* Date _____

Reviewer _____ Date _____


SEAL

MICROFILMED

MAR 26 1982



82-07191
Shearer Lumber
Elk City, Id.



November 1, 1990

SHEARER LUMBER PRODUCTS
P.O. BOX 389
ELK CITY, ID 83525

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 82-07191

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a lockable device to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the lockable device must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
NOV 27 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. B2-7191

Date: 10-25-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☐ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☐ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ NO Is a measuring device or access port required?
☐ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 23, 1990

SHEARER LUMBER PRODUCTS
P.O. BOX 389
ELK CITY, ID 83525

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P82-07191

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUL 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TDK DATE: 5/2/90 APPLICATION NUMBER: 82-07191

APPLICANT: SHEARER LUMBER

REQUIRED INFORMATION

- TDK (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). ☒ Source: (See USGS Quad for names of water sources)
TDK (3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
(4). ☒ Quantity: (flow and/or volume)
☒ Nature of proposed use: (Include description of use)
☒ Period of use:
(5). ☒ Total Quantity: (flow and/or volume)
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
(9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
TDK (13). ☒ Map:
☒ Signature: (signator title required for corp., partnership, etc)
☒ Fee: (Amount, receipt number and date recorded on application)
☒ Acknowledgement Letter:
☒ Overlap Review: Attachment ? (Y) ☐ (N) ☒
(Describe source & relationship to present application in remarks).

ADDITIONAL INFORMATION

YES NO

- ☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

YES NO

- ☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
☒ U.S. Forest Svc.
☒ Water District #
☒ Other

RECEIVED
JUL 17 1990
Department of Water Resources

Application Number 8207191

FOLLOWING INFORMATION REQUESTED FROM APPLICANT

Item

Date Requested

1, 3, 13

5/8/90

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:

☐ Notice of pending void order issued: Final date of order response.

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest 6/25/90

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District #

☒ Special conditions of approval or cover letter: (see additional info below)

Recommended Date of Priority 5/21/90 5-7-90 ← date recd & receipted

Recommended by: TDK RYB Date 5/23/90

STATE OFFICE REVIEW

P16

09D

See remarks for additional information. By

EW

Date 7-17-90

REMARKS



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 6, 1990

Idaho Dept. of Fish & Game
1540 Warner
Lewiston, Id. 83501

Re: 82-7191

Gentlemen:

Enclosed is a recent filing with our Department that may be of interest to you.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Appln.

MICROFILMED

JUL 27 1990



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

May 23, 1990

Mr. John Clark
Shearer Lumber Products
Box 389
Elk City, Id. 83525

Re: Water Appropriation Application # 82-07191

Dear Applicant:

The Idaho Department of Water Resources acknowledges receipt of your Application For Permit To appropriate the Public Waters Of The State Of Idaho and have assigned to it the above referenced number. To assist us in providing you with prompt, accurate service, please refer to this number in all future matters concerning this application.


Your application is currently being prepared for advertising in the county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests.

If the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. However all protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

If the application is not protested it will be forwarded to Boise, where departmental staff will conduct a more in depth review of the application, to determine if there is a need for further information that will facilitate the Directors decision on the application. You will be notified by mail of this decision.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

JUL 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

May 8, 1990

Mr. John Clark
Shearer Lumber Products
Box 389
Elk City, Id. 83525

Re: Water Appropriation Application

Dear Applicant:

The Idaho Department of Water Resources has received your Application For Permit To Appropriate The Public Waters Of The State Of Idaho and your filing fee in the amount of \$45.00 for which receipt #N-003730 is enclosed. However I regret to inform you that the application is not acceptable in its present form, so I am returning it to allow you to clarify / complete the following:

Item #1: You must provide this department with a list of names and address of the partners, board of directors, or other governing officials, as well as your title. ~~and signed by an officer of the company corporation.~~


Item #3: the legal description of the point of diversion must be described by 40 acre parcel (for example ... NE $\frac{1}{4}$ SW $\frac{1}{4}$) Section, Township and Range as established by the public land survey. This item must reflect the same location as indicated on item #13.

Item #13: The point of diversion and place of use must be labeled and the place of use must be outlined as well. The map must also have a North arrow and show the scale.

The Application must be completed and returned to this office with any other information you deem appropriate within 30 days of the above date. Failure to communicate with this office within that time may result in the voiding of your application.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,


Tom D. King
Sr. Water Resource Agent

Enc: App.
Receipt

MICROFILMED

JUL 27 1990

82-07191

SHEARER LUMBER PRODUCTS
P.O. BOX 389
ELK CITY, ID 83525

Source: AMERICAN RIVER

Tributary: CLEARWATER RIVER, SOUTH FO

Diversion Pt: NENW Sec 34 T 29N R 08E

Use: INDUSTRIAL (.330 CFS)

Total Diversion: (.330 CFS)

Date Filed: 5/21/ 1990

In: T29N R08E S34

NENW

MICROFILMED

JUL 27 1991